CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

GER LENGTH OF STAY



BY DIAGNOSIS BY OPERATION



UNITED STATES

Geriatric

1984

Geriatric Length of Stay by Diagnosis and Operation, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15
- Summary of All Patients in Diagnosis Groups 17
- Diagnosis Groups 1-398 18
- Summary of All Patients in Operation Groups. 218
- Operation Groups 501-764 219

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **and** ***ICD-9-CM List B: Hospital Procedure Groups*** **are based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[2] **Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in** ***UHDDS Classes of Procedures, ICD-9-CM,*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** **Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extende[illegible] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** **and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.* *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic; (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	34900	12.1	68	3	5	10	15	21	27	44

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

1,650 Hospitals, United States, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32062	5.8	37	1	1	4	7	11	16	31
70-74	28408	6.0	38	1	1	4	7	12	16	32
75-79	22469	6.2	41	1	1	4	8	12	16	33
80-84	15886	6.3	39	1	2	5	8	12	16	32
85+	13825	6.3	38	1	2	5	8	12	16	31
B. *Operated*										
65-69 YRS	65000	5.2	25	1	1	3	7	11	15	23
70-74	56107	5.3	28	1	1	3	7	12	15	24
75-79	43190	5.4	32	1	1	3	7	13	16	26
80-84	26613	5.6	41	1	1	3	7	14	17	30
85+	17981	6.6	53	1	1	3	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	297512	7.4	46	1	2	6	9	14	19	35
70-74	322087	7.8	49	2	2	6	10	15	20	37
75-79	300450	8.2	55	2	2	6	10	16	21	40
80-84	242181	8.6	61	2	3	7	11	16	22	43
85+	227425	9.0	66	2	3	7	11	17	23	48
B. *Operated*										
65-69 YRS	240989	9.8	98	1	2	7	13	20	28	54
70-74	231142	10.5	107	2	2	8	14	22	30	58
75-79	187988	11.2	121	2	2	8	15	23	32	62
80-84	124224	12.1	133	2	2	9	16	25	34	69
85+	93395	13.1	146	2	2	10	17	27	37	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112650	6.1	38	1	1	4	8	12	16	32
B. *Operated*	208891	5.4	32	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1389655	8.1	55	2	2	6	10	15	21	40
B. *Operated*	877738	11.0	116	2	2	8	14	23	31	62
1. SINGLE DX	321541	5.7	34	1	1	4	7	12	16	28
2. MULTIPLE DX	2267393	9.2	81	2	2	7	12	19	25	50
A. NOT OPERATED	1502305	8.0	54	2	2	6	10	15	21	39
B. OPERATED	1086629	9.9	105	1	2	7	13	21	29	57
TOTAL 65-69 YRS	635563	8.0	66	1	2	6	10	16	22	43
70-74	637744	8.5	71	1	2	6	11	17	23	45
75-79	554097	8.9	78	2	2	7	11	18	25	49
80-84	408904	9.4	85	2	2	7	12	19	26	52
85+	352626	9.9	90	2	2	7	12	20	27	58
GRAND TOTAL	**2588934**	**8.8**	76	1	2	6	11	**18**	**24**	**48**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	165	3.5	4	1	1	3	5	6	7	10
70-74	151	3.5	6	1	1	3	4	7	10	11
75-79	118	4.3	13	1	1	3	5	9	11	21
80-84	71	4.3	12	1	1	4	5	9	12	16
85+	64	4.7	16	1	2	4	6	10	12	24
B. *Operated*										
65-69 YRS	7	9.3	115	3	3	5	9	28	33	33
70-74	8	7.1	23	1	2	6	9	15	17	17
75-79	5	13.6	203	3	3	8	20	38	38	38
80-84	4	6.3	4	4	4	6	8	9	9	9
85+	3	6.7	14	4	4	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1192	4.9	12	1	2	4	6	8	11	18
70-74	1432	5.4	23	1	2	4	7	10	13	24
75-79	1219	5.8	22	2	2	5	7	10	14	24
80-84	910	6.2	36	2	2	5	7	11	15	25
85+	834	6.9	49	2	2	5	8	13	18	42
B. *Operated*										
65-69 YRS	120	11.0	121	2	3	7	13	22	32	62
70-74	125	11.8	105	3	4	9	15	24	31	74
75-79	108	12.2	103	2	3	10	15	23	32	55
80-84	88	14.0	147	3	4	10	16	26	41	61
85+	58	14.5	174	3	4	10	17	31	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	3.9	9	1	1	3	5	7	10	14
B. *Operated*	27	8.7	72	2	3	6	9	16	34	38
2. MULTIPLE DX										
A. *Not Operated*	5587	5.7	27	2	2	4	7	10	14	25
B. *Operated*	499	12.4	124	3	4	9	15	24	33	64
1. SINGLE DX	596	4.1	13	1	1	3	5	8	10	17
2. MULTIPLE DX	6086	6.3	38	2	2	5	7	12	16	32
A. NOT OPERATED	6156	5.6	25	1	2	4	7	10	14	24
B. OPERATED	526	12.2	122	3	4	9	15	24	33	63
TOTAL 65-69 YRS	1484	5.2	24	1	2	4	6	9	12	23
70-74	1716	5.7	31	1	2	4	7	11	14	28
75-79	1450	6.2	31	2	2	5	7	12	15	30
80-84	1073	6.7	48	2	2	5	8	13	17	35
85+	959	7.2	58	2	2	5	9	14	19	48
GRAND TOTAL	**6682**	**6.1**	**36**	**2**	**2**	**4**	**7**	**11**	**15**	**31**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	10.7	74	1	2	10	13	25	31	33
70-74	16	10.3	68	<1	1	7	18	22	23	23
75-79	14	14.4	68	3	5	14	18	26	31	33
80-84	16	11.2	44	3	4	10	15	20	25	27
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	18	12.7	101	1	3	9	18	29	34	37
70-74	13	10.8	35	2	4	8	16	19	20	20
75-79	10	14.2	90	3	3	12	16	30	33	33
80-84	3	8.7	46	1	1	11	13	14	14	14
85+	6	14.0	70	4	4	14	19	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	14.1	135	3	4	12	17	30	37	83
70-74	115	13.5	121	2	4	12	18	24	28	68
75-79	89	15.0	153	3	4	12	17	30	42	94
80-84	80	15.6	244	3	4	11	18	31	53	87
85+	75	14.7	108	3	4	13	19	27	32	58
B. *Operated*										
65-69 YRS	131	18.0	198	4	6	14	24	34	49	97
70-74	131	16.5	185	3	4	12	22	32	40	72
75-79	107	19.7	256	3	5	15	27	42	58	99+
80-84	63	17.7	216	3	6	14	20	35	49	83
85+	44	25.8	336	7	9	23	31	56	63	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	11.4	62	1	3	11	15	22	27	33
B. *Operated*	50	12.4	72	2	3	10	18	26	29	37
2. MULTIPLE DX										
A. *Not Operated*	471	14.5	149	3	4	12	17	27	36	82
B. *Operated*	476	18.7	227	4	5	14	24	38	52	90
1. SINGLE DX	115	11.9	66	2	3	10	16	23	28	35
2. MULTIPLE DX	947	16.6	192	3	5	13	20	33	43	86
A. NOT OPERATED	536	14.1	139	3	4	12	17	26	35	74
B. OPERATED	526	18.1	216	3	5	14	23	37	46	88
TOTAL 65-69 YRS	278	15.6	164	3	4	12	19	32	41	89
70-74	275	14.6	147	2	4	12	20	29	35	68
75-79	220	17.2	199	3	5	14	22	37	49	99+
80-84	162	15.8	212	3	4	12	18	31	47	84
85+	127	18.4	211	3	5	15	24	35	45	72
GRAND TOTAL	**1062**	**16.1**	**181**	**3**	**4**	**13**	**20**	**33**	**42**	**86**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	14.7	196	1	1	14	25	29	29	29
70-74	4	8.8	17	5	5	8	12	14	14	14
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	6	3.3	4	1	1	3	4	7	7	7
70-74	4	10.0	55	3	3	8	15	20	20	20
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	10.9	68	2	2	9	16	17	28	36
70-74	24	12.5	99	3	3	11	15	24	38	42
75-79	16	15.9	116	3	6	12	24	31	37	39
80-84	12	19.5	157	4	5	18	30	38	40	40
85+	4	21.5	378	7	7	14	33	50	50	50
B. *Operated*										
65-69 YRS	28	19.3	304	1	7	15	25	35	46	91
70-74	33	22.4	267	6	7	19	30	42	56	76
75-79	29	25.0	234	6	8	19	39	47	53	59
80-84	25	29.6	402	3	7	24	48	66	81	99+
85+	11	22.8	278	1	4	18	39	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.5	70	1	1	9	14	22	29	29
B. *Operated*	13	6.6	26	1	2	6	9	13	19	20
2. MULTIPLE DX										
A. *Not Operated*	74	14.5	122	3	4	12	17	33	39	48
B. *Operated*	126	23.8	298	5	7	19	34	48	58	93
1. SINGLE DX	23	8.3	47	1	1	7	11	17	23	29
2. MULTIPLE DX	200	20.3	252	3	5	16	28	42	54	83
A. NOT OPERATED	84	14.0	116	2	3	11	17	31	38	47
B. OPERATED	139	22.2	297	3	6	18	32	46	57	92
TOTAL 65-69 YRS	55	14.6	211	1	2	11	18	29	36	88
70-74	65	17.2	202	3	5	13	23	37	43	73
75-79	48	21.1	203	6	6	17	30	43	49	59
80-84	38	25.9	338	3	6	22	36	57	72	99+
85+	17	20.5	279	1	2	12	38	44	48	50
GRAND TOTAL	**223**	**19.1**	**244**	3	4	14	27	41	51	80

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	1	2	2	3	4	4	4	4
70-74	5	3.8	2	2	2	4	5	5	5	5
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	4.7	4	2	2	4	6	7	9	10
70-74	26	4.3	9	2	2	3	5	8	10	16
75-79	24	7.0	32	2	2	6	9	13	19	27
80-84	13	7.0	23	3	3	5	8	15	17	17
85+	11	6.9	41	<1	1	5	9	18	20	20
B. *Operated*										
65-69 YRS	2	18.0	18	15	15	18	21	21	21	21
70-74	3	7.0	7	4	4	8	9	9	9	9
75-79	4	8.5	14	5	5	8	11	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.4	1	2	2	3	4	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	111	5.6	18	2	2	4	7	11	15	23
B. *Operated*	9	10.1	30	4	4	9	13	19	21	21
1. SINGLE DX	13	3.4	1	2	2	3	4	5	5	5
2. MULTIPLE DX	120	5.9	20	2	2	5	7	12	16	23
A. NOT OPERATED	124	5.4	17	2	2	4	6	10	15	22
B. OPERATED	9	10.1	30	4	4	9	13	19	21	21
TOTAL 65-69 YRS	45	5.1	12	2	2	4	6	8	11	21
70-74	34	4.5	8	2	2	4	5	8	9	16
75-79	30	6.9	28	2	2	6	10	13	15	27
80-84	13	7.0	23	3	3	5	8	15	17	17
85+	11	6.9	41	<1	1	5	9	18	20	20
GRAND TOTAL	133	5.7	19	2	2	4	7	11	15	22

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	8.1	23	2	3	7	12	14	17	21
70-74	50	[illegible]	16	3	3	7	10	13	16	17
75-79	44	[illegible]	50	3	3	8	9	12	20	42
80-84	34	9.1	25	3	3	8	11	15	21	21
85+	46	9.8	92	2	3	7	11	18	35	49
B. *Operated*										
65-69 YRS	4	21.5	166	5	5	23	31	34	34	34
70-74	4	13.5	153	3	3	10	22	31	31	31
75-79	3	13.7	4	12	12	13	15	16	16	16
80-84	4	23.3	90	13	13	26	51	99+	99+	99+
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1745	11.0	54	4	5	9	13	19	26	40
70-74	2164	11.4	62	4	5	9	14	20	27	45
75-79	2341	11.7	64	4	5	10	14	20	27	44
80-84	2364	12.1	64	4	5	10	14	20	26	43
85+	2823	12.1	71	4	5	10	14	20	27	52
B. *Operated*										
65-69 YRS	544	20.8	240	6	8	16	26	45	59	99+
70-74	628	19.9	182	6	8	17	24	37	49	86
75-79	651	20.7	217	6	7	17	25	42	55	93
80-84	540	21.6	240	7	8	17	27	43	57	99+
85+	504	19.8	156	6	8	16	26	38	48	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	8.6	42	3	3	7	11	14	19	38
B. *Operated*	16	17.4	115	3	4	16	29	35	77	99+
2. MULTIPLE DX										
A. *Not Operated*	11437	11.7	64	4	5	10	14	20	26	44
B. *Operated*	2867	20.5	207	6	8	17	25	40	54	94
1. SINGLE DX	231	9.2	51	3	3	7	11	16	26	43
2. MULTIPLE DX	14304	13.5	105	4	5	11	16	25	33	62
A. NOT OPERATED	11652	11.7	64	4	5	10	14	20	26	44
B. OPERATED	2883	20.5	207	6	8	17	25	40	54	96
TOTAL 65-69 YRS	2334	13.3	115	4	5	10	16	26	35	64
70-74	2846	13.2	101	4	5	10	16	25	33	57
75-79	3039	13.6	110	4	5	11	16	25	33	61
80-84	2942	13.8	109	4	6	11	16	25	34	70
85+	3374	13.2	92	4	5	11	15	24	31	58
GRAND TOTAL	**14535**	**13.4**	**105**	**4**	**5**	**11**	**16**	**25**	**33**	**61**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	5.5	11	3	3	5	6	10	14	16
70-74	13	5.1	7	2	2	5	6	8	11	12
75-79	8	5.5	5	3	3	5	8	8	8	8
80-84	9	7.0	24	3	3	6	7	15	19	19
85+	4	9.0	9	5	5	9	11	12	12	12
B. *Operated*										
65-69 YRS	4	7.3	47	2	2	5	12	17	17	17
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79	3	16.7	158	5	5	15	26	30	30	30
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	2	16.0	50	11	11	16	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	9.3	47	3	4	8	12	16	21	43
70-74	259	9.8	58	3	4	8	12	18	24	42
75-79	232	10.1	83	3	4	8	12	17	25	78
80-84	176	11.5	100	3	4	9	15	23	30	49
85+	203	10.8	74	3	4	8	14	20	26	45
B. *Operated*										
65-69 YRS	80	19.5	280	3	4	14	28	51	63	90
70-74	103	18.7	220	3	4	16	25	38	50	73
75-79	69	23.0	359	5	6	16	32	52	59	87
80-84	48	15.4	123	4	4	11	22	33	39	42
85+	48	16.8	111	4	6	15	22	30	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.9	11	3	3	5	7	10	13	19
B. *Operated*	13	10.3	69	2	3	7	15	23	29	30
2. MULTIPLE DX										
A. *Not Operated*	1078	10.2	71	3	4	8	13	19	25	46
B. *Operated*	348	19.0	236	3	5	14	26	39	54	72
1. SINGLE DX	67	6.8	25	3	3	5	8	13	17	28
2. MULTIPLE DX	1426	12.4	126	3	4	9	15	25	35	64
A. NOT OPERATED	1132	10.0	69	3	4	8	12	18	24	45
B. OPERATED	361	18.7	232	3	5	14	26	39	53	72
TOTAL 65-69 YRS	312	11.6	126	3	3	8	14	22	35	65
70-74	377	12.0	117	3	4	8	15	25	35	63
75-79	312	12.9	172	3	4	9	15	29	38	81
80-84	235	12.1	104	3	4	9	15	26	33	43
85+	257	12.0	84	3	4	10	15	23	30	46
GRAND TOTAL	**1493**	**12.1**	**123**	**3**	**4**	**9**	**15**	**24**	**34**	**64**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	10.6	79	1	1	9	14	25	25	25
70-74	5	6.6	11	3	3	5	9	11	11	11
75-79	4	6.0	21	2	2	5	9	12	12	12
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	8.4	24	2	3	8	11	16	18	20
70-74	29	11.9	109	2	3	8	17	26	29	46
75-79	16	11.0	61	1	2	9	16	23	26	27
80-84	19	14.1	46	5	6	14	19	24	26	27
85+	10	12.8	46	<1	3	13	16	22	23	23
B. *Operated*										
65-69 YRS	3	23.0	289	6	6	23	36	40	40	40
70-74	5	42.6	1281	10	10	21	80	84	84	84
75-79	2	27.5	613	10	10	27	45	45	45	45
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.2	32	1	2	6	10	12	20	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	104	11.2	62	2	3	9	15	23	26	36
B. *Operated*	12	31.8	669	6	9	22	42	80	83	84
1. SINGLE DX	17	7.2	32	1	2	6	10	12	20	25
2. MULTIPLE DX	116	13.4	158	2	3	10	17	25	28	81
A. NOT OPERATED	121	10.7	59	2	3	9	15	22	26	33
B. OPERATED	12	31.8	669	6	9	22	42	80	83	84
TOTAL 65-69 YRS	38	9.9	59	2	3	8	12	19	24	40
70-74	39	15.2	333	2	3	9	19	27	64	84
75-79	22	11.6	106	1	2	9	14	24	34	45
80-84	21	14.0	47	5	6	14	20	24	26	27
85+	13	12.2	57	<1	2	11	17	23	23	23
GRAND TOTAL	**133**	**12.6**	**146**	**2**	**3**	**9**	**16**	**24**	**27**	**80**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	5.8	15	2	2	5	7	10	13	22
70-74	101	6.2	42	1	2	5	7	11	12	40
75-79	98	6.1	30	1	2	4	8	11	13	35
80-84	82	5.9	16	1	2	5	8	11	14	19
85+	60	6.6	16	1	2	6	9	12	14	18
B. *Operated*										
65-69 YRS	11	5.0	10	3	3	4	6	9	14	14
70-74	6	4.0	10	1	1	3	7	9	9	9
75-79	7	3.0	6	1	1	2	5	7	7	7
80-84	4	4.3	20	2	2	2	7	11	11	11
85+	2	3.5	13	<1	<1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	682	7.6	32	2	3	6	9	13	17	30
70-74	844	7.8	36	2	3	7	10	14	18	32
75-79	854	9.0	59	2	3	7	11	16	23	42
80-84	646	8.9	48	2	3	7	11	17	24	39
85+	524	9.0	43	2	3	7	12	17	21	37
B. *Operated*										
65-69 YRS	73	11.7	112	1	2	8	16	29	31	46
70-74	83	11.0	58	2	4	9	15	21	27	82
75-79	85	14.9	179	2	3	11	18	36	49	59
80-84	54	14.7	156	3	4	10	20	30	46	59
85+	37	17.4	154	5	6	15	21	41	44	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	6.1	25	1	2	5	8	11	13	22
B. *Operated*	30	4.1	10	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	3550	8.4	44	2	3	7	10	15	20	37
B. *Operated*	332	13.5	131	2	3	10	17	29	41	58
1. SINGLE DX	480	6.0	24	1	2	5	7	11	13	21
2. MULTIPLE DX	3882	8.9	54	2	3	7	11	17	22	41
A. NOT OPERATED	4000	8.2	43	2	3	7	10	15	20	36
B. OPERATED	362	12.7	127	2	3	9	16	28	40	58
TOTAL 65-69 YRS	875	7.7	38	2	3	6	9	14	19	31
70-74	1034	7.9	39	2	3	7	10	15	18	34
75-79	1044	9.2	69	2	3	7	11	17	24	44
80-84	786	9.0	55	2	3	7	11	18	24	39
85+	623	9.3	52	2	3	7	12	18	22	42
GRAND TOTAL	**4362**	**8.5**	**51**	**2**	**3**	**7**	**10**	**16**	**21**	**40**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	8.7	61	2	2	7	10	17	24	39
70-74	27	6.1	14	2	2	5	9	11	12	16
75-79	10	6.3	21	2	2	5	7	14	16	16
80-84	3	8.7	16	4	4	11	11	11	11	11
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	8	9.4	101	1	1	7	12	26	31	31
70-74	3	11.3	85	6	6	6	18	22	22	22
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	9.0	42	2	2	7	12	18	21	32
70-74	81	9.1	45	2	3	7	10	17	21	38
75-79	78	9.4	33	2	4	8	11	16	22	29
80-84	53	12.6	206	3	3	9	14	28	34	92
85+	40	11.0	70	2	3	10	14	18	21	51
B. *Operated*										
65-69 YRS	41	9.4	35	2	3	9	12	19	22	24
70-74	28	11.4	47	1	2	12	15	22	32	99+
75-79	13	14.2	82	2	3	12	20	26	31	32
80-84	11	13.0	29	6	6	12	15	22	23	23
85+	5	15.0	48	9	9	13	19	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	7.3	34	2	2	6	10	15	16	36
B. *Operated*	14	8.5	77	1	1	6	10	23	29	31
2. MULTIPLE DX										
A. *Not Operated*	377	9.8	68	2	3	8	12	18	23	39
B. *Operated*	98	11.3	46	2	3	11	15	22	25	67
1. SINGLE DX	83	7.5	41	1	2	6	10	16	19	36
2. MULTIPLE DX	475	10.1	64	2	3	9	13	19	24	39
A. NOT OPERATED	446	9.4	63	2	3	8	12	17	22	39
B. OPERATED	112	11.0	50	1	3	10	15	22	25	57
TOTAL 65-69 YRS	202	9.1	45	2	2	7	12	18	22	34
70-74	139	9.1	42	2	2	7	12	18	22	46
75-79	103	9.6	42	2	3	8	12	19	24	30
80-84	68	12.4	167	3	3	9	14	26	32	84
85+	46	11.3	67	2	4	10	15	18	24	51
GRAND TOTAL	**558**	**9.7**	**61**	**2**	**3**	**8**	**12**	**19**	**23**	**39**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	9.5	5	8	8	9	11	11	11	11
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	7.1	55	<1	<1	6	10	18	24	26
70-74	6	5.0	30	1	1	2	11	13	13	13
75-79	4	6.5	34	1	1	6	11	12	12	12
80-84										
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	22.0		22	22	22	22	22	22	22
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.0	5	6	6	7	9	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	6.7	42	<1	1	5	11	13	19	26
B. *Operated*	4	11.5	54	6	6	9	16	22	22	22
1. SINGLE DX	4	8.0	5	6	6	7	9	11	11	11
2. MULTIPLE DX	28	7.4	44	1	1	6	11	15	22	26
A. NOT OPERATED	28	6.9	36	1	1	6	11	13	17	26
B. OPERATED	4	11.5	54	6	6	9	16	22	22	22
TOTAL 65-69 YRS	16	6.9	44	<1	1	6	9	15	23	26
70-74	9	6.7	26	1	1	8	11	12	13	13
75-79	6	9.2	60	1	1	9	12	21	22	22
80-84										
85+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**32**	**7.4**	**39**	**1**	**1**	**7**	**11**	**14**	**21**	**26**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	18	3.5	8	<1	1	2	4	8	10	11
70-74	7	1.3		<1	<1	1	2	2	2	2
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	3	3.7	4	2	2	3	5	6	6	6
85+	6	2.2	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	24	3.7	5	<1	1	3	5	7	8	9
70-74	20	6.2	34	1	1	4	7	14	19	24
75-79	11	4.2	20	2	2	2	5	10	16	17
80-84	5	7.0	11	4	4	6	10	11	11	11
85+	3	8.0	61	3	3	4	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	37	2.8	5	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	63	5.0	20	1	2	3	6	11	16	23
1. SINGLE DX	38	2.7	5	<1	1	2	3	6	8	11
2. MULTIPLE DX	65	5.0	20	1	2	3	6	11	15	23
A. NOT OPERATED	3	3.0	4	1	1	3	4	5	5	5
B. OPERATED	100	4.2	16	<1	1	3	5	9	12	21
TOTAL 65-69 YRS	44	3.5	6	<1	1	3	5	7	9	11
70-74	27	4.9	30	<1	1	2	6	13	16	24
75-79	15	3.9	15	1	2	2	5	6	14	17
80-84	8	5.8	11	2	2	5	8	11	11	11
85+	9	4.1	24	1	1	2	4	12	17	17
GRAND TOTAL	**103**	**4.2**	**15**	**<1**	**1**	**3**	**5**	**9**	**12**	**20**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.1	8	1	1	3	6	7	10	15
70-74	53	4.7	10	1	2	4	5	8	10	17
75-79	39	4.5	5	2	2	4	6	8	9	10
80-84	30	4.0	4	2	2	4	5	7	8	8
85+	34	3.8	7	2	2	3	4	6	8	15
B. *Operated*										
65-69 YRS	4	14.5	114	3	3	15	23	25	25	25
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	718	5.1	15	2	2	4	6	9	12	21
70-74	683	5.4	20	1	2	4	6	10	13	21
75-79	667	5.6	20	2	2	4	7	10	13	24
80-84	504	6.5	47	2	2	5	8	12	16	31
85+	428	6.6	33	2	2	5	8	12	16	31
B. *Operated*										
65-69 YRS	63	12.1	185	2	3	7	15	25	33	83
70-74	66	11.7	85	2	3	9	14	20	33	52
75-79	44	12.0	143	2	3	6	15	29	36	61
80-84	31	11.4	80	2	3	8	14	29	30	36
85+	22	19.7	477	3	4	9	23	57	70	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.2	7	1	2	4	5	8	9	16
B. *Operated*	7	9.6	95	3	3	3	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	3000	5.7	26	2	2	4	7	10	13	25
B. *Operated*	226	12.6	164	2	3	9	15	28	36	67
1. SINGLE DX	222	4.4	10	1	2	4	5	8	10	18
2. MULTIPLE DX	3226	6.2	38	2	2	5	7	11	15	32
A. NOT OPERATED	3215	5.6	24	2	2	4	7	10	13	25
B. OPERATED	233	12.5	161	2	3	9	15	26	36	65
TOTAL 65-69 YRS	844	5.6	31	1	2	4	7	10	13	27
70-74	803	5.9	28	1	2	4	7	11	15	25
75-79	751	5.9	28	2	2	5	7	10	14	32
80-84	566	6.7	48	2	2	5	8	12	17	33
85+	484	7.0	59	2	2	5	8	12	19	44
GRAND TOTAL	**3448**	**6.1**	**37**	**2**	**2**	**5**	**7**	**11**	**15**	**31**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	6.4	23	2	2	5	7	15	17	17
70-74	5	4.8	7	2	2	4	7	8	8	8
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	9.0	79	2	2	6	7	25	26	26
70-74	8	5.6	22	1	2	4	7	14	16	16
75-79	12	9.8	31	5	5	9	10	16	25	26
80-84	3	13.3	165	4	4	8	23	28	28	28
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	3	7.3	9	4	4	8	9	10	10	10
70-74	2	12.5	145	4	4	12	21	21	21	21
75-79	4	8.0	17	3	3	8	11	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.4	16	1	2	5	7	10	15	17
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	34	8.8	51	2	3	7	9	25	26	28
B. *Operated*	9	8.8	31	3	3	8	11	18	21	21
1. SINGLE DX	16	5.8	16	1	2	5	7	10	15	17
2. MULTIPLE DX	43	8.8	46	2	3	7	10	22	26	28
A. NOT OPERATED	48	7.8	43	2	2	6	9	17	26	28
B. OPERATED	11	8.6	26	3	3	8	10	16	21	21
TOTAL 65-69 YRS	22	7.7	44	2	3	5	8	19	25	26
70-74	15	6.3	30	1	2	4	8	16	20	21
75-79	17	9.4	25	4	5	9	10	13	21	26
80-84	4	10.3	148	1	1	6	18	28	28	28
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**59**	**7.9**	**39**	**2**	**3**	**6**	**9**	**17**	**25**	**28**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	12.1	301	1	1	8	11	36	60	60
70-74	11	7.0	53	1	1	3	11	19	21	21
75-79	7	4.3	61	1	1	1	2	18	22	22
80-84	4	6.3	20	1	1	7	10	10	10	10
85+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
65-69 YRS	5	4.0	6	<1	<1	5	6	7	7	7
70-74	4	2.5	2	1	1	2	3	4	4	4
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	8.9	68	1	2	7	12	19	24	40
70-74	31	10.6	113	1	1	9	15	21	34	51
75-79	38	8.0	26	2	3	7	11	15	19	21
80-84	14	8.9	29	2	3	7	13	16	19	20
85+	12	5.8	24	1	1	4	9	14	15	15
B. *Operated*										
65-69 YRS	27	11.0	80	2	2	10	18	25	27	30
70-74	19	11.1	68	2	3	9	16	24	27	30
75-79	11	12.6	166	2	3	8	12	36	43	44
80-84	7	13.1	125	3	3	9	23	30	31	31
85+	4	7.5	15	4	4	6	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.5	118	1	1	3	10	17	22	60
B. *Operated*	10	3.1	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	122	8.8	58	1	2	7	12	16	20	43
B. *Operated*	68	11.3	87	2	2	8	15	27	30	42
1. SINGLE DX	45	6.6	96	<1	1	3	10	12	21	60
2. MULTIPLE DX	190	9.7	69	1	2	7	13	20	27	42
A. NOT OPERATED	157	8.5	71	1	1	6	11	16	21	50
B. OPERATED	78	10.3	84	1	2	7	13	25	30	40
TOTAL 65-69 YRS	69	9.8	101	1	2	7	12	22	27	56
70-74	65	9.6	86	1	1	7	14	21	27	48
75-79	57	8.3	60	1	1	6	11	18	22	43
80-84	25	9.7	55	2	3	8	11	20	28	31
85+	19	5.8	20	1	1	4	7	14	15	15
GRAND TOTAL	**235**	**9.1**	**75**	**1**	**1**	**7**	**12**	**20**	**26**	**45**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	8.8	53	<1	2	8	10	18	27	29
70-74	5	7.2	16	3	3	5	11	12	12	12
75-79	5	6.2	20	3	3	4	8	14	14	14
80-84	1	5.0		5	5	5	5	5	5	5
85+	6	6.7	53	<1	<1	4	7	20	21	21
B. *Operated*										
65-69 YRS	18	7.4	38	<1	<1	7	12	16	20	21
70-74	13	5.7	13	<1	1	5	8	12	12	12
75-79	10	4.4	10	<1	1	4	6	9	11	11
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	3	12.7	4	11	11	12	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	123	10.2	128	2	2	7	11	19	28	67
70-74	120	12.3	149	3	3	10	14	23	36	67
75-79	75	9.7	98	1	3	6	12	20	26	61
80-84	101	9.2	33	3	4	8	10	16	19	33
85+	77	11.6	112	3	3	8	13	25	31	62
B. *Operated*										
65-69 YRS	94	16.9	217	2	3	12	23	43	52	88
70-74	77	14.9	154	3	3	11	20	38	45	99+
75-79	50	16.3	296	2	3	10	24	45	51	99+
80-84	43	14.8	152	2	3	11	20	31	39	62
85+	13	12.7	55	2	3	13	17	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	7.5	37	<1	3	5	9	14	21	29
B. *Operated*	46	6.6	24	<1	<1	6	10	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	496	10.7	107	2	3	8	12	20	27	66
B. *Operated*	277	15.7	195	2	3	12	21	38	49	99+
1. SINGLE DX	75	6.9	29	<1	1	5	10	13	17	27
2. MULTIPLE DX	773	12.5	144	2	3	9	15	26	40	70
A. NOT OPERATED	525	10.5	104	2	3	8	12	20	27	65
B. OPERATED	323	14.4	181	2	3	10	19	34	47	99+
TOTAL 65-69 YRS	247	12.5	163	1	2	9	14	26	45	69
70-74	215	12.7	144	3	3	10	15	30	40	80
75-79	140	11.6	173	2	2	7	15	26	40	95
80-84	147	10.8	74	3	4	9	14	20	27	43
85+	99	11.5	98	2	3	8	14	23	29	57
GRAND TOTAL	**848**	**12.0**	**137**	**2**	**3**	**9**	**14**	**26**	**38**	**69**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74										
75-79	3	16.3	142	8	8	11	25	30	30	30
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	8.4	43	4	4	6	9	17	26	28
70-74	5	8.4	15	5	5	7	10	15	15	15
75-79	4	15.5	16	10	10	16	18	19	19	19
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	9	16.8	130	5	5	17	21	35	40	40
70-74	2	19.5	25	16	16	19	23	23	23	23
75-79	3	13.0	300	3	3	3	26	33	33	33
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	16.3	95	8	8	13	23	30	30	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	9.3	37	3	4	7	12	18	22	28
B. *Operated*	14	16.4	132	3	3	16	23	34	39	40
1. SINGLE DX	4	16.3	95	8	8	13	23	30	30	30
2. MULTIPLE DX	38	11.9	81	3	4	8	17	26	31	40
A. NOT OPERATED	28	10.3	48	3	4	8	14	19	28	30
B. OPERATED	14	16.4	132	3	3	16	23	34	39	40
TOTAL 65-69 YRS	23	12.0	88	4	4	9	17	27	32	40
70-74	7	11.6	43	5	5	8	16	22	23	23
75-79	10	15.0	106	3	3	13	19	31	33	33
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**42**	**12.3**	**82**	**3**	**4**	**9**	**17**	**27**	**31**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.4	3	1	1	4	5	5	5	5
70-74	6	5.7	5	3	3	5	7	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	13	5.0	10	1	1	4	7	9	11	11
70-74	6	5.3	39	2	2	3	4	17	18	18
75-79	5	5.0	46	1	1	3	7	17	17	17
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	9.4	53	2	2	8	12	18	22	39
70-74	36	7.4	20	2	3	7	9	12	16	23
75-79	50	10.3	63	3	3	9	14	18	27	43
80-84	28	9.0	23	3	4	8	12	17	18	19
85+	36	9.9	106	2	3	8	11	14	21	64
B. *Operated*										
65-69 YRS	59	14.2	138	2	4	10	18	33	37	65
70-74	33	13.1	124	2	2	10	16	29	39	46
75-79	21	11.4	126	2	3	6	16	25	37	49
80-84	14	14.2	51	5	6	14	20	30	82	99+
85+	3	9.3	41	2	2	12	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.0	4	1	1	4	5	7	8	9
B. *Operated*	24	5.1	22	1	1	3	7	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	219	9.3	55	2	3	8	11	17	22	41
B. *Operated*	130	13.4	119	2	3	10	18	29	38	73
1. SINGLE DX	42	4.6	14	1	1	4	6	9	13	18
2. MULTIPLE DX	349	10.8	82	2	3	9	14	20	30	49
A. NOT OPERATED	237	8.9	53	2	3	8	11	16	21	40
B. OPERATED	154	12.1	113	2	2	9	17	27	35	66
TOTAL 65-69 YRS	148	10.7	91	2	2	9	14	19	33	41
70-74	81	9.4	71	2	2	7	11	19	28	44
75-79	78	10.1	79	2	3	8	14	20	27	47
80-84	43	10.5	39	3	4	10	15	19	24	99+
85+	41	9.5	97	2	2	8	11	14	20	64
GRAND TOTAL	**391**	**10.2**	**79**	**2**	**3**	**8**	**13**	**19**	**28**	**48**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	10.8	11	7	7	11	13	14	14	14
70-74	10	6.6	19	2	2	6	9	13	14	14
75-79	3	7.7	4	6	6	7	9	10	10	10
80-84	3	4.0		4	4	4	4	4	4	4
85+	3	12.7	116	5	5	8	21	25	25	25
B. *Operated*										
65-69 YRS	2	9.0	72	3	3	9	15	15	15	15
70-74	5	4.4	14	1	1	4	7	10	10	10
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0	2	1	1	2	3	3	3	3
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	7.9	28	2	3	7	10	14	18	25
B. *Operated*	10	4.6	21	1	1	3	6	12	15	15
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	33	6.9	27	1	2	6	9	14	15	25
A. NOT OPERATED	24	8.0	27	2	3	7	10	14	17	25
B. OPERATED	10	4.6	21	1	1	3	6	12	15	15
TOTAL 65-69 YRS	6	10.2	22	3	3	11	14	15	15	15
70-74	15	5.9	18	1	1	6	9	13	14	14
75-79	4	6.3	11	2	2	6	8	10	10	10
80-84	6	4.3	9	1	1	4	4	9	10	10
85+	3	12.7	116	5	5	8	21	25	25	25
GRAND TOTAL	**34**	**7.0**	**27**	**1**	**2**	**6**	**10**	**14**	**15**	**25**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.6	14	<1	1	4	6	8	9	22
70-74	26	5.1	22	<1	1	3	7	12	17	17
75-79	15	6.2	27	1	1	5	7	16	18	19
80-84	10	4.0	5	1	1	3	7	7	7	7
85+	3	4.7	1	4	4	4	6	6	6	6
B. *Operated*										
65-69 YRS	283	5.5	58	<1	1	3	6	11	18	43
70-74	207	4.6	24	<1	1	3	5	11	15	22
75-79	157	4.6	21	<1	1	3	5	10	14	22
80-84	109	4.8	51	1	1	3	5	9	13	39
85+	65	4.6	13	1	1	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	228	8.7	126	1	2	6	9	16	29	66
70-74	149	9.9	127	2	2	7	12	20	25	67
75-79	105	7.4	50	1	2	6	9	13	15	47
80-84	72	10.7	96	2	3	7	13	28	30	40
85+	64	9.3	72	1	2	7	12	20	33	38
B. *Operated*										
65-69 YRS	830	12.2	188	1	2	8	16	26	37	79
70-74	666	11.5	161	1	2	8	15	25	35	68
75-79	437	11.7	168	2	2	8	15	24	41	63
80-84	244	9.9	93	1	2	8	13	22	28	47
85+	176	9.8	129	2	2	7	12	22	30	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	5.0	17	1	1	4	6	9	16	21
B. *Operated*	821	4.9	38	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	618	9.1	105	1	2	6	11	18	28	58
B. *Operated*	2353	11.5	163	1	2	8	15	25	36	66
1. SINGLE DX	911	4.9	36	<1	1	3	6	10	15	25
2. MULTIPLE DX	2971	11.0	152	1	2	7	14	24	34	65
A. NOT OPERATED	708	8.5	95	1	2	6	10	17	25	55
B. OPERATED	3174	9.8	139	1	2	6	13	22	31	63
TOTAL 65-69 YRS	1377	10.0	155	1	2	6	12	22	32	66
70-74	1048	9.8	133	1	2	6	13	21	30	65
75-79	714	9.4	124	1	2	5	12	20	30	60
80-84	435	8.6	86	1	2	5	11	19	27	45
85+	308	8.6	96	1	2	5	11	19	24	56
GRAND TOTAL	**3882**	**9.6**	**131**	**1**	**2**	**6**	**12**	**21**	**30**	**63**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	5.5	33	1	2	4	6	9	18	29
70-74	24	6.3	36	1	2	5	6	13	19	30
75-79	24	6.8	38	1	1	4	9	16	20	24
80-84	12	10.7	75	1	2	9	15	25	28	28
85+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
65-69 YRS	60	10.3	93	1	2	7	14	20	32	46
70-74	49	8.2	54	1	1	5	11	18	27	31
75-79	40	7.6	45	1	1	5	12	18	21	28
80-84	10	8.9	89	2	2	4	11	24	32	32
85+	13	8.2	39	1	2	6	12	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	133	8.2	48	2	2	6	10	17	22	35
70-74	127	9.7	52	2	3	8	13	18	22	42
75-79	124	9.0	84	1	2	6	10	19	31	49
80-84	69	7.3	24	2	3	6	9	15	18	24
85+	44	11.1	158	2	3	7	14	22	32	72
B. *Operated*										
65-69 YRS	349	17.6	253	2	3	14	23	36	51	88
70-74	294	15.1	199	2	3	11	20	31	45	75
75-79	229	17.4	249	2	3	12	22	38	49	83
80-84	137	16.9	227	2	3	13	21	37	47	72
85+	69	12.4	209	2	3	8	15	30	37	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.7	41	1	2	4	8	15	24	30
B. *Operated*	172	8.8	66	1	2	6	13	19	26	40
2. MULTIPLE DX										
A. *Not Operated*	497	8.9	65	2	2	7	11	18	23	43
B. *Operated*	1078	16.4	233	2	3	12	21	35	48	82
1. SINGLE DX	257	8.1	59	1	2	5	11	18	24	38
2. MULTIPLE DX	1575	14.1	192	2	3	10	18	31	42	72
A. NOT OPERATED	582	8.6	62	2	2	6	10	18	23	42
B. OPERATED	1250	15.4	217	2	3	11	20	33	46	79
TOTAL 65-69 YRS	564	14.1	199	2	2	10	18	32	42	75
70-74	494	12.6	148	2	2	9	17	26	36	64
75-79	417	13.4	188	1	2	9	17	30	43	71
80-84	228	13.3	170	2	3	10	17	29	39	65
85+	129	11.3	171	2	2	7	15	23	36	77
GRAND TOTAL	**1832**	**13.2**	**178**	**2**	**2**	**9**	**17**	**29**	**40**	**71**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.8	3	1	2	4	5	6	7	7
70-74	15	5.0	11	1	2	4	7	11	12	12
75-79	11	5.4	4	2	3	5	7	8	9	9
80-84	11	6.5	27	<1	1	5	9	14	19	19
85+	15	11.1	179	2	3	7	8	37	45	48
B. *Operated*										
65-69 YRS	71	13.1	70	1	3	12	17	23	30	42
70-74	59	13.0	111	1	2	11	16	24	31	61
75-79	58	12.7	74	1	3	12	16	26	30	35
80-84	39	14.6	118	2	2	14	19	29	32	53
85+	21	15.0	146	3	4	10	22	34	39	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	8.9	68	1	2	6	11	20	26	40
70-74	190	7.8	68	1	2	5	10	16	22	43
75-79	179	8.0	47	2	2	6	10	17	22	33
80-84	157	9.0	98	2	2	6	11	18	21	67
85+	165	11.1	155	2	2	8	13	19	30	70
B. *Operated*										
65-69 YRS	652	17.2	126	4	6	15	21	31	42	64
70-74	696	18.1	140	4	7	15	23	31	39	69
75-79	642	19.2	192	3	7	16	24	35	45	84
80-84	456	19.8	204	4	6	17	25	36	50	74
85+	365	19.7	166	5	7	17	26	37	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	6.5	55	1	2	5	7	10	17	46
B. *Operated*	248	13.4	94	2	2	12	17	26	31	44
2. MULTIPLE DX										
A. *Not Operated*	880	8.9	86	1	2	6	11	18	24	51
B. *Operated*	2811	18.6	163	4	7	16	23	34	44	72
1. SINGLE DX	313	11.9	93	2	2	10	16	24	31	46
2. MULTIPLE DX	3691	16.3	162	2	4	14	21	31	40	70
A. NOT OPERATED	945	8.7	84	1	2	6	11	17	24	49
B. OPERATED	3059	18.2	159	4	6	15	23	33	42	72
TOTAL 65-69 YRS	925	15.0	121	2	4	13	19	28	37	60
70-74	960	15.5	140	2	4	13	21	29	36	66
75-79	890	16.3	175	2	4	14	21	32	40	72
80-84	663	16.7	193	2	4	14	22	33	42	72
85+	566	16.8	177	3	4	13	22	34	44	70
GRAND TOTAL	**4004**	**16.0**	**158**	**2**	**4**	**13**	**21**	**31**	**39**	**69**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	11.5	113	4	4	11	19	19	19	19
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	8	11.9	37	3	4	11	16	20	21	21
70-74	9	15.9	204	5	6	10	18	41	45	45
75-79	5	15.8	26	11	11	14	19	24	24	24
80-84	3	13.3	33	10	10	10	18	20	20	20
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	8.6	57	2	2	6	11	18	27	32
70-74	26	7.3	45	1	2	5	9	18	24	26
75-79	10	11.4	47	1	2	12	17	20	20	20
80-84	8	5.6	16	2	2	4	7	12	14	14
85+	7	8.6	20	4	4	7	11	16	17	17
B. *Operated*										
65-69 YRS	87	19.7	162	8	8	16	23	36	43	70
70-74	78	18.6	107	8	9	17	24	34	41	88
75-79	69	21.9	231	9	10	17	24	40	57	85
80-84	40	22.5	192	8	10	21	26	38	56	66
85+	29	21.3	206	4	8	16	26	47	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.0	63	4	4	7	16	19	19	19
B. *Operated*	26	13.9	90	4	5	11	17	24	38	45
2. MULTIPLE DX										
A. *Not Operated*	73	8.2	44	2	2	6	11	18	23	31
B. *Operated*	303	20.4	171	8	9	17	24	37	53	79
1. SINGLE DX	29	13.5	86	4	5	10	17	23	36	45
2. MULTIPLE DX	376	18.1	170	3	5	15	23	34	47	70
A. NOT OPERATED	76	8.3	44	2	2	6	11	19	23	30
B. OPERATED	329	19.9	168	8	9	16	24	37	53	74
TOTAL 65-69 YRS	117	17.1	153	3	5	14	22	33	37	69
70-74	115	15.7	119	3	4	13	21	29	40	73
75-79	85	20.1	208	8	9	16	22	32	55	82
80-84	51	19.3	194	3	5	15	24	37	55	66
85+	37	18.5	195	4	5	15	25	44	59	99+
GRAND TOTAL	**405**	**17.7**	**165**	**3**	**5**	**15**	**22**	**34**	**45**	**70**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	5.0	15	1	1	4	7	11	13	18
70-74	28	5.8	90	<1	<1	3	6	9	28	47
75-79	32	6.6	170	<1	<1	3	6	14	16	74
80-84	31	7.1	92	1	1	4	7	18	36	41
85+	23	6.3	22	<1	1	5	10	12	15	18
B. *Operated*										
65-69 YRS	485	11.1	25	3	7	10	13	17	20	29
70-74	433	11.6	33	2	6	11	14	18	22	32
75-79	397	11.9	31	2	7	11	14	18	22	31
80-84	222	13.3	56	3	7	12	16	21	28	49
85+	145	15.3	71	3	6	15	19	24	29	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	455	8.1	59	1	2	6	9	17	22	43
70-74	509	8.6	62	1	2	6	11	18	23	45
75-79	504	9.2	96	1	2	6	10	19	28	54
80-84	424	8.5	67	2	3	6	10	18	25	40
85+	418	10.2	136	2	2	7	12	21	33	77
B. *Operated*										
65-69 YRS	3262	15.3	86	6	8	13	18	25	32	54
70-74	3808	16.4	104	7	8	14	19	28	36	61
75-79	3634	17.3	111	7	9	15	21	30	37	61
80-84	2586	18.6	124	7	9	16	23	32	41	69
85+	1884	19.4	123	7	9	17	24	34	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.0	73	<1	1	4	7	12	17	46
B. *Operated*	1682	12.1	38	3	7	11	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	2310	8.9	83	2	2	6	11	18	26	49
B. *Operated*	15174	17.1	109	7	8	14	20	29	37	62
1. SINGLE DX	1843	11.5	44	2	3	11	14	19	22	36
2. MULTIPLE DX	17484	16.1	114	4	6	14	20	28	36	62
A. NOT OPERATED	2471	8.7	83	1	2	6	10	18	25	49
B. OPERATED	16856	16.6	105	7	8	14	20	29	36	61
TOTAL 65-69 YRS	4249	13.9	82	3	6	12	17	24	30	51
70-74	4778	15.1	100	3	6	13	18	26	33	57
75-79	4567	15.9	112	4	6	13	19	28	35	59
80-84	3263	16.8	124	4	6	14	21	30	38	64
85+	2470	17.5	134	3	6	15	22	32	40	71
GRAND TOTAL	**19327**	**15.6**	**109**	**3**	**6**	**13**	**19**	**28**	**35**	**60**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	5.8	22	1	1	4	7	14	16	18
70-74	23	5.1	24	<1	1	4	5	13	18	21
75-79	25	6.3	22	1	2	4	10	14	15	16
80-84	11	3.8	3	1	2	3	5	6	7	7
85+	8	5.1	14	1	1	4	7	11	12	12
B. *Operated*										
65-69 YRS	349	11.2	53	2	3	12	15	18	22	35
70-74	333	10.8	38	2	2	11	14	19	21	29
75-79	249	12.9	94	2	3	12	16	22	27	49
80-84	183	10.9	62	2	2	10	15	20	27	37
85+	136	12.6	129	2	3	10	17	27	34	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	248	8.6	95	1	2	6	11	16	24	42
70-74	307	8.7	56	2	3	6	11	17	21	40
75-79	269	9.1	71	2	2	7	11	18	28	46
80-84	212	9.7	109	2	3	7	12	19	33	99+
85+	250	8.8	73	2	2	6	10	18	26	46
B. *Operated*										
65-69 YRS	1708	16.1	100	4	6	14	20	28	35	57
70-74	1792	17.0	115	3	6	15	22	30	38	60
75-79	1543	17.2	132	3	5	15	22	31	41	65
80-84	1073	18.3	155	3	5	16	23	34	44	71
85+	743	17.7	167	3	5	15	22	35	43	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.4	20	1	2	4	7	13	15	20
B. *Operated*	1250	11.6	67	2	3	11	15	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	1286	8.9	79	2	2	6	11	17	26	52
B. *Operated*	6859	17.1	127	3	6	15	21	31	39	64
1. SINGLE DX	1337	11.2	66	2	2	10	15	20	24	37
2. MULTIPLE DX	8145	15.8	129	3	4	14	20	30	38	64
A. NOT OPERATED	1373	8.7	76	2	2	6	11	17	25	49
B. OPERATED	8109	16.2	122	3	5	14	20	29	37	63
TOTAL 65-69 YRS	2325	14.5	100	2	4	13	18	26	33	54
70-74	2455	15.0	108	3	4	13	19	28	34	55
75-79	2086	15.5	127	2	4	14	20	29	38	63
80-84	1479	16.0	149	2	3	14	21	31	42	71
85+	1137	15.0	155	2	3	12	20	31	39	73
GRAND TOTAL	**9482**	**15.2**	**122**	**2**	**4**	**13**	**19**	**28**	**36**	**62**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.0	9	1	1	3	6	9	10	10
70-74	19	5.7	27	1	2	4	7	13	18	21
75-79	15	4.0	13	<1	<1	3	6	8	12	13
80-84	9	5.4	5	2	2	6	7	9	9	9
85+	5	4.2	6	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	56	10.1	69	1	1	8	14	21	25	38
70-74	63	12.7	88	1	4	11	15	19	29	57
75-79	53	11.0	88	1	1	9	14	27	32	36
80-84	31	10.9	44	1	4	11	14	18	26	32
85+	16	12.0	44	3	3	13	17	21	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	8.7	58	1	2	7	11	17	23	39
70-74	161	8.7	72	2	2	7	11	16	22	33
75-79	153	9.3	53	1	2	7	12	19	28	35
80-84	103	8.5	45	1	2	7	11	18	23	32
85+	73	10.4	62	3	3	8	13	21	32	87
B. *Operated*										
65-69 YRS	404	18.1	206	3	5	14	22	35	48	72
70-74	436	17.3	127	5	7	15	21	32	38	73
75-79	400	18.4	190	3	5	15	23	35	47	75
80-84	260	19.4	202	4	7	15	24	34	45	76
85+	185	18.0	176	4	6	15	22	32	47	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	4.8	15	<1	1	4	6	10	12	20
B. *Operated*	219	11.3	73	1	2	10	15	21	29	40
2. MULTIPLE DX										
A. *Not Operated*	656	9.0	59	2	2	7	11	19	23	39
B. *Operated*	1685	18.2	178	3	6	15	22	34	44	75
1. SINGLE DX	280	9.9	68	1	2	8	13	20	25	37
2. MULTIPLE DX	2341	15.6	161	2	4	13	20	31	39	73
A. NOT OPERATED	717	8.6	56	1	2	7	11	18	23	37
B. OPERATED	1904	17.4	171	3	5	14	22	33	42	74
TOTAL 65-69 YRS	639	14.7	172	2	3	11	18	31	40	69
70-74	679	14.5	122	3	4	12	19	27	35	66
75-79	621	15.2	163	2	3	12	21	30	39	72
80-84	403	15.6	171	3	4	13	20	30	37	75
85+	279	15.4	149	3	4	13	20	29	37	91
GRAND TOTAL	**2621**	**15.0**	**154**	**2**	**3**	**12**	**19**	**30**	**37**	**72**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	5.4	10	1	1	5	7	10	11	11
70-74	38	5.5	29	1	2	4	6	11	19	27
75-79	24	8.8	153	2	3	5	9	13	34	63
80-84	10	6.4	23	1	1	5	9	13	17	17
85+	10	6.5	31	2	2	4	10	15	20	20
B. *Operated*										
65-69 YRS	57	14.3	97	2	2	14	18	24	26	56
70-74	63	15.3	109	2	3	13	20	28	36	48
75-79	33	17.5	120	3	5	16	22	33	38	51
80-84	25	14.9	121	2	2	12	20	34	39	41
85+	18	16.8	155	3	6	14	19	33	48	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	319	8.5	60	1	2	6	11	17	23	41
70-74	341	9.3	79	2	3	7	11	18	27	46
75-79	306	9.1	68	2	2	7	11	19	22	39
80-84	211	10.0	65	2	3	7	13	20	28	41
85+	151	9.6	80	2	3	7	12	18	23	45
B. *Operated*										
65-69 YRS	785	18.2	156	4	6	15	24	34	43	65
70-74	754	18.8	143	4	6	16	25	34	41	61
75-79	606	19.4	142	4	7	17	25	34	43	63
80-84	397	19.5	163	4	6	17	25	35	47	73
85+	229	19.4	137	4	7	16	25	36	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.4	54	1	2	5	8	11	18	44
B. *Operated*	196	15.5	112	2	3	14	20	28	37	53
2. MULTIPLE DX										
A. *Not Operated*	1328	9.2	70	2	2	7	12	18	25	42
B. *Operated*	2771	18.9	149	4	7	16	25	34	43	65
1. SINGLE DX	299	12.4	110	2	2	10	17	24	34	53
2. MULTIPLE DX	4099	15.8	144	2	4	13	21	31	39	59
A. NOT OPERATED	1431	9.0	69	2	2	7	11	18	24	42
B. OPERATED	2967	18.7	147	4	6	16	24	34	43	64
TOTAL 65-69 YRS	1182	15.2	144	2	3	12	20	31	38	57
70-74	1196	15.5	140	2	4	13	21	30	38	58
75-79	969	15.8	141	2	3	14	21	31	38	60
80-84	643	16.0	148	2	4	13	21	32	39	68
85+	408	15.4	137	3	3	13	20	29	42	56
GRAND TOTAL	**4398**	**15.5**	**142**	**2**	**3**	**13**	**21**	**31**	**38**	**59**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	200	5.0	33	1	1	4	6	9	12	29
70-74	157	6.0	46	1	1	4	7	12	17	43
75-79	80	6.1	27	<1	1	5	8	11	14	30
80-84	39	5.6	20	1	1	4	8	12	16	19
85+	28	8.9	80	1	2	7	10	14	23	49
B. *Operated*										
65-69 YRS	705	9.0	46	1	2	8	12	18	21	33
70-74	569	8.8	54	1	1	8	12	18	24	33
75-79	354	9.1	53	1	1	8	12	18	22	38
80-84	173	8.7	90	1	2	6	11	18	23	57
85+	54	8.4	38	1	2	7	12	19	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2733	8.7	64	1	2	6	11	18	24	42
70-74	2335	9.2	76	2	2	7	11	18	24	47
75-79	1661	9.3	72	2	2	7	12	19	25	45
80-84	864	9.9	82	2	3	7	13	20	27	43
85+	401	10.8	107	2	3	8	13	21	33	59
B. *Operated*										
65-69 YRS	5124	13.0	101	2	3	11	17	24	32	52
70-74	4423	13.4	116	2	3	11	17	26	34	57
75-79	2879	13.5	118	2	3	11	17	26	33	58
80-84	1175	13.5	114	2	3	11	17	26	35	51
85+	475	13.8	109	3	4	11	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	5.8	38	1	1	4	7	11	14	32
B. *Operated*	1855	8.9	54	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	7994	9.2	73	2	2	7	12	19	25	45
B. *Operated*	14076	13.3	110	2	3	11	17	25	33	56
1. SINGLE DX	2359	8.2	52	1	1	7	11	17	21	34
2. MULTIPLE DX	22070	11.8	101	2	3	9	15	23	31	53
A. NOT OPERATED	8498	9.0	72	1	2	7	11	18	25	45
B. OPERATED	15931	12.8	106	2	3	10	16	25	32	54
TOTAL 65-69 YRS	8762	11.1	88	2	2	9	15	22	28	47
70-74	7484	11.6	102	2	3	9	15	23	31	55
75-79	4974	11.7	101	2	3	9	15	23	30	53
80-84	2251	11.6	102	2	3	9	15	23	31	50
85+	958	12.1	106	2	3	9	15	25	34	57
GRAND TOTAL	**24429**	**11.5**	**97**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.5	8	<1	1	3	4	6	11	13
70-74	15	4.1	24	<1	1	3	4	9	17	20
75-79	13	3.5	5	1	1	2	6	7	7	7
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	303	6.3	52	<1	1	2	11	16	20	35
70-74	207	6.7	78	<1	1	2	10	16	20	41
75-79	113	5.4	59	<1	1	2	6	13	19	40
80-84	49	3.3	9	<1	1	2	4	8	10	13
85+	30	3.0	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	135	7.5	87	1	1	5	9	16	23	51
70-74	94	7.2	57	1	1	5	9	16	21	44
75-79	64	8.6	65	1	2	6	11	22	31	91
80-84	37	7.6	35	1	1	6	10	17	21	23
85+	29	8.2	67	1	1	6	11	18	42	99+
B. *Operated*										
65-69 YRS	553	12.7	159	1	1	10	18	29	36	77
70-74	463	13.3	198	1	2	10	19	32	42	99
75-79	281	12.9	161	1	2	9	18	30	39	55
80-84	143	12.1	220	1	1	8	17	30	40	99+
85+	83	13.3	242	1	2	8	19	32	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	11	1	1	3	4	7	9	20
B. *Operated*	702	5.9	57	<1	1	2	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	359	7.7	68	1	1	5	10	17	23	54
B. *Operated*	1523	12.9	181	1	2	10	18	30	40	85
1. SINGLE DX	754	5.8	54	<1	1	2	8	15	19	35
2. MULTIPLE DX	1882	11.9	164	1	2	8	16	28	38	81
A. NOT OPERATED	411	7.2	62	1	1	5	9	16	22	51
B. OPERATED	2225	10.7	152	1	1	7	15	26	36	74
TOTAL 65-69 YRS	1009	9.9	124	1	1	6	14	23	32	55
70-74	779	10.7	156	1	1	6	15	25	36	87
75-79	471	10.3	130	1	1	6	14	27	35	54
80-84	233	9.4	155	1	1	5	12	22	36	99
85+	144	10.0	171	1	2	5	12	24	46	75
GRAND TOTAL	**2636**	**10.2**	**140**	**1**	**1**	**6**	**14**	**24**	**34**	**72**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	4	1	1	3	4	7	7	7
70-74	10	7.1	16	1	2	7	9	13	14	14
75-79	13	5.0	16	1	1	4	7	11	13	14
80-84										
85+	6	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*										
65-69 YRS	78	8.6	117	1	1	5	10	19	34	58
70-74	77	8.2	84	1	2	5	10	19	27	49
75-79	67	7.3	55	1	2	5	9	16	22	43
80-84	50	5.7	21	1	1	5	8	13	16	19
85+	31	7.1	34	1	1	6	10	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	6.6	26	2	2	5	9	12	16	27
70-74	61	7.8	66	1	1	5	10	20	27	39
75-79	68	8.2	55	1	2	6	11	15	19	43
80-84	36	12.6	139	1	2	9	19	28	33	57
85+	22	9.8	163	1	2	6	11	15	36	63
B. *Operated*										
65-69 YRS	180	12.7	170	2	2	9	16	29	39	89
70-74	191	12.9	163	2	2	9	15	28	43	67
75-79	141	13.4	142	1	2	10	19	32	38	47
80-84	108	13.3	204	2	3	8	18	29	49	95
85+	52	15.9	222	1	3	11	18	42	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.0	14	1	1	4	7	10	13	14
B. *Operated*	303	7.6	71	1	1	5	9	16	21	45
2. MULTIPLE DX										
A. *Not Operated*	252	8.5	74	1	2	6	11	18	25	45
B. *Operated*	672	13.2	171	2	2	9	17	30	41	76
1. SINGLE DX	338	7.3	66	1	1	5	9	16	21	45
2. MULTIPLE DX	924	11.9	149	2	2	8	15	27	38	70
A. NOT OPERATED	287	8.0	68	1	2	5	10	16	23	43
B. OPERATED	975	11.5	147	1	2	8	15	26	37	70
TOTAL 65-69 YRS	329	10.3	132	1	2	7	12	23	36	66
70-74	339	10.7	129	1	2	7	13	23	34	62
75-79	289	10.4	104	1	2	7	13	23	34	45
80-84	194	11.2	155	1	2	7	15	25	33	82
85+	111	11.5	163	1	1	9	15	22	42	87
GRAND TOTAL	**1262**	**10.7**	**131**	**1**	**2**	**7**	**14**	**23**	**34**	**63**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	10.7	134	3	3	5	19	24	24	24
70-74	3	5.7	4	4	4	5	7	8	8	8
75-79										
80-84	3	5.3	26	1	1	4	9	11	11	11
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	145	5.7	28	1	2	4	7	12	15	28
70-74	97	5.2	26	1	1	4	6	10	17	28
75-79	69	5.1	14	<1	1	4	7	10	12	20
80-84	43	7.4	105	1	2	4	8	13	20	64
85+	33	4.3	10	2	2	3	5	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	7.6	41	1	2	6	10	15	18	31
70-74	49	7.2	35	2	2	5	9	15	18	99+
75-79	33	6.8	25	2	2	5	9	13	16	25
80-84	19	7.9	46	1	1	6	11	15	23	30
85+	12	9.1	79	2	2	5	11	25	28	29
B. *Operated*										
65-69 YRS	198	8.3	64	2	2	6	10	17	23	49
70-74	190	8.2	61	2	2	6	10	16	24	35
75-79	130	9.8	124	2	2	7	12	20	24	78
80-84	87	9.1	82	2	2	6	11	18	30	46
85+	65	9.6	62	2	2	8	13	19	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.7	45	1	2	5	11	18	24	24
B. *Operated*	387	5.5	32	1	2	4	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*	143	7.5	38	1	2	5	10	15	20	39
B. *Operated*	670	8.8	77	2	2	6	11	18	24	45
1. SINGLE DX	397	5.6	33	1	2	4	7	11	15	29
2. MULTIPLE DX	813	8.6	70	2	2	6	11	18	24	44
A. NOT OPERATED	153	7.5	38	1	2	5	10	15	23	35
B. OPERATED	1057	7.6	63	1	2	5	10	16	22	39
TOTAL 65-69 YRS	376	7.3	50	1	2	5	9	15	20	39
70-74	339	7.2	48	1	2	5	9	15	21	35
75-79	232	8.0	82	1	2	5	10	17	21	40
80-84	152	8.4	83	1	2	6	10	15	29	49
85+	111	8.0	53	2	2	5	11	18	21	36
GRAND TOTAL	**1210**	**7.6**	**60**	**1**	**2**	**5**	**10**	**15**	**22**	**39**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	1	<1	<1	3	3	3	3	3
70-74	4	4.3	7	2	2	4	6	7	7	7
75-79										
80-84	8	5.8	21	2	2	5	6	13	16	16
85+	7	7.1	60	1	1	3	9	20	23	23
B. *Operated*										
65-69 YRS	319	2.8	10	<1	<1	2	3	6	8	17
70-74	341	2.7	6	<1	<1	2	3	6	8	12
75-79	274	2.6	7	<1	<1	2	3	5	7	12
80-84	268	3.3	23	<1	<1	2	3	6	9	33
85+	300	3.7	15	<1	1	3	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	6.9	77	1	1	5	8	12	26	42
70-74	30	7.8	76	<1	1	5	10	18	22	42
75-79	41	5.7	23	2	2	4	7	11	14	26
80-84	30	10.5	106	<1	1	8	13	21	41	42
85+	42	5.9	63	<1	1	3	7	14	26	39
B. *Operated*										
65-69 YRS	504	4.7	42	<1	1	3	5	10	14	37
70-74	582	5.5	49	<1	1	3	7	12	19	39
75-79	618	5.4	41	1	1	3	7	12	17	36
80-84	551	5.6	71	1	1	3	6	12	16	41
85+	590	6.5	73	1	2	3	8	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.5	28	1	1	3	7	12	19	23
B. *Operated*	1502	3.0	12	<1	<1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	164	7.2	66	<1	1	4	9	16	22	42
B. *Operated*	2845	5.6	55	1	1	3	7	12	18	38
1. SINGLE DX	1524	3.0	12	<1	<1	2	3	6	9	17
2. MULTIPLE DX	3009	5.7	56	1	1	3	7	12	18	41
A. NOT OPERATED	186	7.0	62	<1	1	4	9	16	22	42
B. OPERATED	4347	4.7	42	<1	1	3	5	10	15	32
TOTAL 65-69 YRS	847	4.0	32	<1	<1	2	4	9	12	31
70-74	957	4.6	37	<1	1	2	5	10	15	30
75-79	933	4.6	32	<1	1	3	6	10	15	32
80-84	857	5.1	59	<1	1	3	5	11	16	41
85+	939	5.6	55	1	1	3	7	12	18	35
GRAND TOTAL	**4533**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	4.9	7	1	2	4	6	9	10	12
70-74	14	4.4	21	1	2	3	4	15	15	15
75-79	13	7.2	129	1	1	3	9	17	38	43
80-84	18	3.0	4	1	1	3	4	6	8	8
85+	11	4.2	13	<1	<1	3	6	10	12	12
B. *Operated*										
65-69 YRS	1405	6.2	10	2	2	6	8	10	11	16
70-74	1168	6.3	11	2	2	6	8	10	12	17
75-79	892	6.6	11	2	2	6	8	10	12	17
80-84	503	6.4	13	2	3	6	8	10	12	20
85+	330	6.0	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	389	10.0	122	1	2	7	12	22	30	62
70-74	367	9.0	75	1	2	6	11	18	27	49
75-79	270	10.0	125	1	2	7	13	21	28	63
80-84	178	10.4	150	1	3	7	13	23	30	95
85+	153	9.5	81	1	2	7	12	20	27	46
B. *Operated*										
65-69 YRS	3302	8.6	39	2	4	7	10	14	19	34
70-74	3077	8.8	40	3	4	8	10	15	19	35
75-79	2434	9.0	39	3	4	8	10	15	19	35
80-84	1627	9.4	49	3	3	8	11	16	21	42
85+	1091	9.1	45	2	3	8	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.7	27	1	1	3	6	9	12	32
B. *Operated*	4298	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1357	9.7	109	1	2	7	12	20	29	53
B. *Operated*	11531	8.9	41	2	4	8	10	15	20	35
1. SINGLE DX	4388	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX	12888	9.0	48	2	3	8	10	15	21	38
A. NOT OPERATED	1447	9.4	105	1	2	6	12	20	29	53
B. OPERATED	15829	8.2	34	2	3	7	10	14	17	32
TOTAL 65-69 YRS	5130	8.0	38	2	3	7	9	13	18	33
70-74	4626	8.2	37	2	3	7	9	14	17	33
75-79	3609	8.4	40	2	3	7	10	14	18	34
80-84	2326	8.8	50	2	3	7	10	15	20	40
85+	1585	8.5	43	2	3	7	10	16	21	39
GRAND TOTAL	**17276**	**8.3**	**40**	**2**	**3**	**7**	**10**	**14**	**18**	**35**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	3.7	4	1	2	3	5	5	5	16
70-74	53	3.8	2	2	2	4	4	5	7	8
75-79	34	4.5	9	2	3	4	5	6	10	19
80-84	12	6.3	17	3	3	5	6	15	15	15
85+	6	7.5	84	2	2	4	5	24	26	26
B. *Operated*										
65-69 YRS	90	4.0	10	1	1	3	5	8	10	18
70-74	75	3.5	6	1	1	3	4	6	9	12
75-79	47	4.1	9	1	1	3	5	8	10	16
80-84	27	4.3	10	<1	1	4	6	8	11	14
85+	16	6.3	21	1	2	5	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	118	5.6	19	2	2	4	7	11	15	24
70-74	102	6.1	37	1	2	4	8	12	17	36
75-79	69	6.1	19	2	2	4	8	11	14	23
80-84	40	9.9	116	2	3	6	14	21	31	55
85+	52	9.9	212	2	2	5	12	18	28	94
B. *Operated*										
65-69 YRS	250	10.2	131	1	2	8	12	20	29	70
70-74	219	9.4	91	2	2	6	11	22	29	47
75-79	155	9.6	103	2	2	7	12	19	28	49
80-84	87	10.2	116	2	3	7	11	23	34	55
85+	66	11.8	251	2	2	7	12	21	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.2	8	2	2	4	5	5	8	19
B. *Operated*	255	4.0	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	381	6.9	62	2	2	4	8	14	19	38
B. *Operated*	777	10.0	122	2	2	7	12	21	30	60
1. SINGLE DX	424	4.1	9	1	2	3	5	7	10	16
2. MULTIPLE DX	1158	9.0	105	2	2	6	10	18	26	53
A. NOT OPERATED	550	6.1	47	2	2	4	6	12	16	36
B. OPERATED	1032	8.5	101	1	2	5	10	17	26	51
TOTAL 65-69 YRS	522	7.3	78	1	2	4	9	15	22	51
70-74	449	7.0	60	1	2	4	8	16	22	40
75-79	305	7.4	64	2	2	4	9	15	20	44
80-84	166	8.9	96	2	2	5	10	20	30	54
85+	140	10.3	204	2	2	6	12	19	32	90
GRAND TOTAL	**1582**	**7.7**	**84**	**1**	**2**	**5**	**9**	**16**	**22**	**48**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	3.7	9	1	2	3	4	5	6	22
70-74	60	3.7	6	1	2	3	4	5	6	17
75-79	31	3.3	1	1	2	3	4	5	5	5
80-84	12	3.6	3	1	1	3	4	6	7	7
85+	11	6.5	47	1	1	5	7	15	25	26
B. *Operated*										
65-69 YRS	367	5.9	11	1	2	6	8	10	11	15
70-74	295	5.9	12	1	1	6	8	10	12	16
75-79	158	5.9	13	1	1	6	8	10	12	17
80-84	89	7.7	34	2	2	6	10	16	20	28
85+	55	6.3	19	1	1	6	9	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	168	6.3	47	1	1	4	7	14	18	37
70-74	121	6.2	75	1	2	4	6	11	16	61
75-79	113	8.2	148	1	1	4	9	16	26	71
80-84	92	10.6	175	2	2	5	13	25	38	74
85+	67	9.3	66	2	2	7	14	20	29	99+
B. *Operated*										
65-69 YRS	1412	8.4	50	2	2	7	10	14	18	33
70-74	1136	9.0	51	2	2	8	10	16	21	41
75-79	751	9.6	49	1	2	8	12	17	22	38
80-84	386	9.8	70	2	2	8	12	19	23	42
85+	238	11.1	100	2	2	9	14	21	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.8	9	1	2	3	4	5	7	21
B. *Operated*	964	6.1	14	1	2	6	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	561	7.7	99	1	2	4	9	17	24	59
B. *Operated*	3923	9.1	56	2	2	8	11	16	21	40
1. SINGLE DX	1168	5.7	14	1	2	5	8	10	12	20
2. MULTIPLE DX	4484	8.9	61	1	2	8	11	16	21	42
A. NOT OPERATED	765	6.7	78	1	2	4	7	15	21	54
B. OPERATED	4887	8.5	49	1	2	7	10	15	20	36
TOTAL 65-69 YRS	2037	7.6	42	1	2	7	9	13	17	31
70-74	1612	8.1	47	1	2	7	9	14	19	37
75-79	1053	8.7	56	1	2	7	11	16	21	38
80-84	579	9.5	81	2	2	7	12	19	24	44
85+	371	9.9	83	1	2	8	13	20	28	55
GRAND TOTAL	**5652**	**8.3**	**53**	**1**	**2**	**7**	**10**	**15**	**20**	**38**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	2.7	4	1	1	2	3	5	6	13
70-74	70	2.9	13	1	1	2	2	4	8	21
75-79	30	3.3	11	<1	1	2	4	7	9	17
80-84	9	6.3	31	1	1	5	9	16	17	17
85+	7	2.4	2	<1	<1	2	3	5	5	5
B. *Operated*										
65-69 YRS	55	8.1	18	2	3	7	10	12	17	25
70-74	53	10.9	35	4	6	9	13	19	23	31
75-79	28	10.1	18	5	5	9	12	18	19	19
80-84	20	10.8	58	1	3	9	11	24	29	32
85+	5	16.8	148	8	8	13	21	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	341	5.7	59	1	1	3	6	13	18	42
70-74	313	6.2	61	1	1	3	7	15	23	41
75-79	163	6.0	27	1	2	4	8	13	17	22
80-84	101	9.5	128	1	2	6	12	21	27	66
85+	82	10.0	85	1	1	8	13	22	26	51
B. *Operated*										
65-69 YRS	616	15.0	104	6	7	12	18	27	34	77
70-74	504	16.0	117	5	7	13	20	29	41	63
75-79	354	17.7	160	6	7	15	20	32	51	72
80-84	201	17.9	118	7	8	15	23	31	39	69
85+	96	18.1	124	6	7	17	22	31	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.0	10	1	1	2	3	5	8	18
B. *Operated*	161	10.0	34	3	4	8	11	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	1000	6.6	65	1	1	4	8	15	22	41
B. *Operated*	1771	16.3	123	6	7	13	20	29	39	72
1. SINGLE DX	352	6.2	33	1	1	4	9	13	18	26
2. MULTIPLE DX	2771	12.8	124	2	2	10	17	26	33	61
A. NOT OPERATED	1191	6.0	58	1	1	3	7	14	20	38
B. OPERATED	1932	15.8	119	5	7	13	19	29	38	70
TOTAL 65-69 YRS	1087	10.9	102	1	2	9	14	23	30	57
70-74	940	11.5	112	1	2	9	16	24	31	54
75-79	575	13.3	140	2	2	11	17	24	37	64
80-84	331	14.6	132	2	3	12	19	29	34	60
85+	190	14.0	122	1	2	11	19	28	33	66
GRAND TOTAL	**3123**	**12.1**	**118**	**1**	**2**	**10**	**16**	**25**	**32**	**60**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.0	1	2	2	3	4	5	5	5
70-74	4	4.0	1	3	3	4	5	5	5	5
75-79	7	2.7	1	<1	<1	3	4	4	4	4
80-84	4	7.5	136	1	1	2	14	25	25	25
85+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
65-69 YRS	39	10.9	139	1	2	8	14	23	32	64
70-74	47	7.1	46	1	2	5	9	15	24	32
75-79	35	8.5	112	1	1	5	9	25	26	53
80-84	37	7.6	54	1	2	6	10	16	26	32
85+	28	7.8	47	2	2	6	9	19	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	8.5	87	1	1	5	10	25	30	38
70-74	30	6.8	40	2	2	5	9	14	17	32
75-79	35	7.4	72	2	3	6	8	11	25	47
80-84	35	14.8	429	2	2	7	16	39	77	80
85+	31	9.7	140	2	3	5	10	26	41	51
B. *Operated*										
65-69 YRS	123	12.2	132	2	3	9	15	23	33	60
70-74	134	12.4	151	2	3	10	17	26	32	65
75-79	126	14.0	113	2	3	12	20	30	37	62
80-84	97	14.8	228	2	3	10	20	31	42	82
85+	96	10.6	106	2	3	8	14	19	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.4	28	1	1	3	4	7	18	25
B. *Operated*	186	8.4	80	1	2	6	10	19	26	48
2. MULTIPLE DX										
A. *Not Operated*	155	9.6	167	2	2	5	10	21	36	79
B. *Operated*	576	12.8	145	2	3	9	17	27	35	68
1. SINGLE DX	209	7.9	75	1	2	5	10	18	26	44
2. MULTIPLE DX	731	12.1	151	2	3	8	15	26	35	71
A. NOT OPERATED	178	8.9	152	2	2	5	9	19	31	77
B. OPERATED	762	11.7	133	2	2	8	15	25	32	63
TOTAL 65-69 YRS	193	11.2	126	2	2	8	14	23	32	58
70-74	215	10.3	117	2	2	7	13	24	30	47
75-79	203	11.5	112	2	2	7	16	26	35	52
80-84	173	13.1	235	2	2	8	16	29	39	80
85+	156	9.9	102	2	3	7	12	19	29	54
GRAND TOTAL	**940**	**11.2**	**137**	**2**	**2**	**7**	**15**	**25**	**32**	**68**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.3	26	1	1	4	7	11	16	24
70-74	49	6.3	37	1	1	5	8	13	17	37
75-79	50	7.0	48	1	2	5	8	13	23	35
80-84	30	5.4	10	1	2	5	7	10	12	12
85+	17	10.0	142	1	2	6	10	27	42	48
B. *Operated*										
65-69 YRS	1156	6.1	21	1	2	5	8	12	15	24
70-74	1137	5.8	16	1	2	5	8	11	13	21
75-79	951	5.6	13	1	2	5	7	10	12	17
80-84	537	5.9	13	1	2	5	8	11	12	18
85+	257	7.3	36	2	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	599	8.2	64	1	2	6	10	17	25	44
70-74	737	8.2	59	1	2	6	10	18	24	38
75-79	771	8.4	72	1	2	6	10	17	24	49
80-84	640	9.1	82	2	2	7	11	18	24	45
85+	505	9.2	84	2	3	7	11	18	26	54
B. *Operated*										
65-69 YRS	3620	8.4	50	2	2	6	10	16	21	38
70-74	4568	8.6	51	2	3	7	10	16	22	38
75-79	4233	9.0	57	2	3	7	11	17	23	40
80-84	2985	9.6	63	2	3	7	12	18	23	48
85+	1890	10.8	66	3	4	9	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	6.5	44	1	1	5	8	12	17	36
B. *Operated*	4038	5.9	18	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	3252	8.6	71	1	2	6	10	18	24	45
B. *Operated*	17296	9.1	57	2	3	7	11	17	23	41
1. SINGLE DX	4222	6.0	19	1	2	5	8	11	13	21
2. MULTIPLE DX	20548	9.0	59	2	3	7	11	17	23	42
A. NOT OPERATED	3436	8.5	70	1	2	6	10	18	24	45
B. OPERATED	21334	8.5	51	2	2	7	10	16	21	38
TOTAL 65-69 YRS	5413	7.9	46	1	2	6	10	15	20	36
70-74	6491	8.0	47	2	2	6	10	15	21	36
75-79	6005	8.4	53	2	2	6	10	16	21	39
80-84	4192	9.0	61	2	3	7	11	17	22	46
85+	2669	10.1	68	2	3	8	13	19	25	47
GRAND TOTAL	**24770**	**8.5**	**53**	**2**	**2**	**7**	**10**	**16**	**21**	**39**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79	3	3.0	3	1	1	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	24	6.5	26	2	2	5	8	10	16	27
70-74	21	4.7	9	<1	1	5	7	9	10	11
75-79	10	4.7	4	1	1	5	6	7	7	7
80-84	6	4.3	4	2	2	4	5	8	8	8
85+	5	8.2	37	3	3	6	12	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	10.0	52	4	4	8	15	18	18	18
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	6	19.0	378	3	3	14	18	53	57	57
80-84										
85+	5	5.6	23	2	2	4	7	14	14	14
B. *Operated*										
65-69 YRS	37	9.9	149	1	2	6	10	24	43	54
70-74	43	5.5	21	1	2	4	6	12	16	21
75-79	43	7.3	26	2	3	6	9	13	16	29
80-84	31	10.7	193	2	2	5	11	27	45	64
85+	16	8.8	51	1	2	6	13	21	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*	66	5.6	17	1	2	5	7	10	11	26
2. MULTIPLE DX										
A. *Not Operated*	16	11.6	177	2	3	7	15	18	45	57
B. *Operated*	170	8.2	86	2	2	5	10	18	25	52
1. SINGLE DX	70	5.4	16	1	2	5	7	9	11	25
2. MULTIPLE DX	186	8.5	94	2	2	5	10	18	25	56
A. NOT OPERATED	20	9.9	152	1	2	5	13	18	38	57
B. OPERATED	236	7.5	68	1	2	5	9	14	21	47
TOTAL 65-69 YRS	65	8.6	98	2	2	5	10	18	30	52
70-74	66	5.3	17	1	2	4	7	11	13	21
75-79	62	7.8	65	2	2	6	9	14	18	54
80-84	37	9.6	167	2	2	5	9	25	40	64
85+	26	8.1	42	2	2	5	13	18	21	23
GRAND TOTAL	**256**	**7.6**	**74**	**1**	**2**	**5**	**9**	**15**	**21**	**54**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.9	6	<1	<1	2	4	7	8	8
70-74	21	3.7	14	<1	1	2	4	11	12	13
75-79	31	5.3	83	1	1	3	5	8	23	49
80-84	18	4.6	40	<1	<1	3	4	9	20	28
85+	13	6.0	38	1	2	5	7	11	22	25
B. *Operated*										
65-69 YRS	1208	4.4	19	1	1	3	5	9	13	22
70-74	1154	4.1	14	1	1	3	5	7	11	21
75-79	970	4.6	21	1	1	3	5	9	13	25
80-84	706	4.4	16	1	1	3	5	8	10	22
85+	514	5.1	19	1	2	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	7.3	60	1	1	4	9	17	24	45
70-74	196	6.9	44	1	1	5	8	15	21	31
75-79	238	8.2	101	1	1	5	10	18	28	56
80-84	191	9.4	98	1	2	6	11	20	34	49
85+	204	9.2	94	1	2	6	11	23	32	58
B. *Operated*										
65-69 YRS	2496	7.4	59	1	2	5	9	17	23	39
70-74	3056	7.9	79	1	2	5	9	17	25	47
75-79	2861	7.7	64	1	2	5	9	17	23	40
80-84	2114	8.2	73	2	2	5	10	17	25	43
85+	1686	8.8	75	2	2	6	11	18	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	41	<1	<1	3	5	8	12	38
B. *Operated*	4552	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	981	8.2	82	1	2	5	10	18	27	46
B. *Operated*	12213	7.9	70	1	2	5	9	17	24	44
1. SINGLE DX	4654	4.4	18	1	1	3	5	9	12	23
2. MULTIPLE DX	13194	7.9	71	1	2	5	10	17	24	44
A. NOT OPERATED	1083	7.9	79	1	1	5	9	17	26	46
B. OPERATED	16765	7.0	58	1	2	4	8	15	21	39
TOTAL 65-69 YRS	3875	6.4	48	1	2	4	8	15	20	36
70-74	4427	6.8	63	1	2	4	8	15	21	42
75-79	4100	6.9	58	1	2	4	8	15	22	38
80-84	3029	7.4	64	1	2	5	9	16	22	42
85+	2417	8.0	66	2	2	6	10	16	23	47
GRAND TOTAL	**17848**	**7.0**	**60**	**1**	**2**	**5**	**8**	**15**	**22**	**40**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	4.8	7	1	1	5	7	8	9	9
70-74	11	6.2	28	2	2	4	7	13	20	21
75-79	8	2.6	4	<1	<1	2	4	6	6	6
80-84	7	4.4	7	2	2	3	6	9	9	9
85+	6	8.3	18	3	3	9	12	13	13	13
B. *Operated*										
65-69 YRS	163	10.0	33	2	2	9	13	17	19	26
70-74	140	10.3	36	2	2	10	13	17	20	32
75-79	81	10.9	38	1	3	11	13	18	22	33
80-84	45	9.9	42	1	2	9	13	18	22	29
85+	16	10.8	70	1	2	9	16	23	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	163	8.0	45	1	2	6	10	17	22	31
70-74	174	8.6	43	1	2	7	12	18	22	30
75-79	122	9.3	100	1	2	7	11	20	23	60
80-84	85	10.1	65	2	3	8	14	21	26	43
85+	71	11.4	90	2	3	10	14	22	28	54
B. *Operated*										
65-69 YRS	720	13.4	77	2	4	12	17	23	30	48
70-74	706	14.8	90	3	6	13	18	26	33	51
75-79	518	14.5	99	3	5	12	18	26	33	58
80-84	316	15.2	104	3	4	13	20	28	36	51
85+	175	16.4	168	3	5	14	20	29	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.2	15	1	1	4	7	10	12	21
B. *Operated*	445	10.3	37	2	2	10	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	615	9.1	64	1	2	7	12	19	23	42
B. *Operated*	2435	14.5	96	3	5	13	18	26	33	54
1. SINGLE DX	488	9.8	37	1	2	9	13	17	20	30
2. MULTIPLE DX	3050	13.4	94	2	4	12	17	24	31	52
A. NOT OPERATED	658	8.9	62	1	2	7	12	18	23	40
B. OPERATED	2880	13.8	89	2	4	12	17	24	31	52
TOTAL 65-69 YRS	1057	11.9	69	2	3	10	16	22	27	44
70-74	1031	13.1	81	2	3	11	16	23	29	46
75-79	729	13.1	97	2	3	11	16	24	31	57
80-84	453	13.6	95	2	3	11	18	26	33	50
85+	268	14.6	144	2	4	12	18	27	38	98
GRAND TOTAL	**3538**	**12.9**	**88**	**2**	**3**	**11**	**16**	**23**	**30**	**50**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	20	3.2	4	<1	1	3	4	7	8	8
70-74	19	4.2	23	1	1	3	5	8	16	22
75-79	16	3.3	4	1	1	3	4	7	8	8
80-84	15	3.1	2	1	2	3	4	5	6	6
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	17	1	1	4	8	11	11	11
70-74	4	6.8	23	3	3	6	10	13	13	13
75-79	5	5.2	2	3	3	5	6	7	7	7
80-84	7	10.9	47	1	2	11	15	21	22	22
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	22	6.4	73	1	2	3	6	14	28	39
70-74	26	4.3	9	1	2	3	6	10	11	12
75-79	20	5.7	66	1	1	3	6	12	25	37
80-84	14	2.9	1	1	2	3	4	5	5	5
85+	11	5.8	15	2	2	5	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*	72	3.4	8	1	1	3	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	23	7.0	27	1	2	6	10	14	18	22
B. *Operated*	93	5.1	36	1	2	3	5	11	13	38
1. SINGLE DX	75	3.4	8	1	1	3	4	7	8	19
2. MULTIPLE DX	116	5.5	35	1	2	3	6	11	14	38
A. NOT OPERATED	26	6.6	25	1	2	5	8	13	17	22
B. OPERATED	165	4.3	25	1	2	3	5	8	11	35
TOTAL 65-69 YRS	49	4.8	37	1	1	3	5	9	12	39
70-74	50	4.4	15	1	2	3	6	9	12	22
75-79	41	4.7	35	1	1	3	5	8	12	37
80-84	36	4.6	19	1	2	3	5	11	15	22
85+	15	5.0	14	1	2	4	6	11	14	15
GRAND TOTAL	**191**	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**12**	**31**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	11.8	208	1	2	8	14	23	45	83
70-74	22	11.3	158	3	3	6	11	33	44	49
75-79	27	9.0	49	2	2	7	13	21	24	27
80-84	10	14.3	512	1	1	6	14	49	76	76
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	109	14.9	127	2	4	14	18	25	32	67
70-74	66	18.0	154	5	6	15	20	36	47	57
75-79	37	19.8	305	4	7	16	20	51	62	83
80-84	11	13.9	76	6	6	9	20	26	33	34
85+	3	18.7	10	15	15	20	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	11.2	127	2	2	8	13	24	39	70
70-74	170	12.2	171	2	2	7	16	28	47	73
75-79	131	13.5	178	2	3	9	16	33	51	75
80-84	81	11.9	127	2	4	9	13	24	36	61
85+	41	13.5	185	2	3	8	15	38	43	59
B. *Operated*										
65-69 YRS	224	23.3	297	5	7	18	30	52	63	77
70-74	178	23.0	318	5	7	18	29	53	64	99
75-79	142	23.2	282	6	8	18	30	54	79	99+
80-84	34	25.6	373	8	9	16	36	54	63	85
85+	18	21.4	110	7	12	19	23	35	44	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	11.2	181	2	2	7	14	23	41	79
B. *Operated*	226	16.6	162	4	5	14	20	28	43	65
2. MULTIPLE DX										
A. *Not Operated*	652	12.2	152	2	3	8	14	27	46	69
B. *Operated*	596	23.2	297	5	8	18	29	53	64	99+
1. SINGLE DX	337	14.8	174	2	3	12	18	26	43	73
2. MULTIPLE DX	1248	17.4	252	2	4	12	22	41	55	93
A. NOT OPERATED	763	12.0	156	2	3	8	14	26	45	70
B. OPERATED	822	21.4	268	5	7	17	26	47	60	94
TOTAL 65-69 YRS	613	16.3	225	2	3	12	21	36	54	75
70-74	436	17.4	252	3	4	13	22	39	55	93
75-79	337	17.9	250	3	4	14	23	44	60	99+
80-84	136	15.7	240	2	4	10	18	36	52	77
85+	63	15.8	166	2	3	12	21	36	42	58
GRAND TOTAL	**1585**	**16.9**	**237**	**2**	**3**	**12**	**21**	**38**	**55**	**85**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	4	6.3	33	1	1	5	10	14	14	14
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	3	9.3	54	1	1	12	14	15	15	15
70-74	5	10.4	87	1	1	10	18	23	23	23
75-79	3	28.7	280	19	19	19	41	48	48	48
80-84	5	11.4	29	3	3	14	15	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	10.4	66	1	1	9	16	22	25	26
70-74	9	9.0	24	3	3	8	12	17	17	17
75-79	8	16.1	172	3	4	12	21	38	44	44
80-84	9	9.3	71	1	1	6	14	23	27	27
85+	4	5.3	6	2	2	6	7	7	7	7
B. *Operated*										
65-69 YRS	23	23.4	335	2	5	19	37	63	77	99+
70-74	19	22.8	138	7	9	24	30	38	44	48
75-79	11	21.2	297	2	5	15	32	46	59	60
80-84	7	23.3	191	9	10	19	28	47	51	51
85+	7	20.7	145	3	5	23	29	36	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	28	1	1	3	9	14	14	14
B. *Operated*	16	13.9	130	1	1	14	17	23	40	48
2. MULTIPLE DX										
A. *Not Operated*	42	10.5	76	1	2	8	15	22	26	44
B. *Operated*	67	22.6	226	3	7	19	30	47	60	94
1. SINGLE DX	21	11.9	117	1	1	12	16	21	34	48
2. MULTIPLE DX	109	17.9	202	2	3	14	24	38	49	80
A. NOT OPERATED	47	9.9	72	1	2	7	14	21	26	44
B. OPERATED	83	20.9	217	2	5	17	29	46	54	89
TOTAL 65-69 YRS	38	18.2	265	1	2	14	23	48	65	99+
70-74	37	16.0	139	2	3	13	24	34	38	48
75-79	23	19.6	246	2	3	15	28	45	52	60
80-84	21	14.5	133	2	3	14	17	28	39	51
85+	11	15.1	149	2	3	12	25	33	38	38
GRAND TOTAL	**130**	**16.9**	**192**	**1**	**3**	**14**	**24**	**38**	**48**	**73**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	1	2	2	4	4	4	4	4
70-74	8	2.1	1	<1	<1	2	3	3	3	3
75-79	4	4.5	20	1	1	3	7	11	11	11
80-84	1	9.0		9	9	9	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	41	6.0	16	2	3	5	7	12	15	19
70-74	37	5.6	13	2	2	5	7	10	12	21
75-79	20	6.8	12	3	3	6	9	12	13	14
80-84	10	4.2	6	1	1	4	4	7	10	10
85+	2	10.5	85	4	4	10	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	7.8	73	1	1	5	9	18	25	42
70-74	47	7.9	39	2	2	6	12	16	20	28
75-79	35	8.4	140	2	2	5	10	12	18	72
80-84	28	17.0	598	2	3	8	14	51	91	96
85+	13	6.0	24	2	2	4	6	13	19	20
B. *Operated*										
65-69 YRS	144	9.5	93	3	3	6	11	22	32	99+
70-74	121	10.6	129	2	3	6	13	25	34	57
75-79	94	11.9	146	2	3	6	15	28	37	59
80-84	52	10.4	155	3	3	7	11	16	26	70
85+	29	14.2	238	3	4	10	14	33	51	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	7	<1	1	3	4	7	10	11
B. *Operated*	110	5.9	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	158	9.5	175	2	2	6	11	18	27	89
B. *Operated*	440	10.7	131	3	3	6	13	25	36	70
1. SINGLE DX	129	5.5	14	2	2	4	6	11	13	19
2. MULTIPLE DX	598	10.4	143	2	3	6	12	23	34	73
A. NOT OPERATED	177	8.8	160	1	2	5	10	17	25	86
B. OPERATED	550	9.8	112	2	3	6	11	22	32	67
TOTAL 65-69 YRS	226	8.5	76	2	3	6	10	18	25	70
70-74	213	8.8	89	2	2	5	11	20	26	44
75-79	153	10.2	127	2	3	6	12	24	35	66
80-84	91	11.8	284	2	3	7	11	21	55	94
85+	44	11.6	178	2	3	7	13	21	41	74
GRAND TOTAL	**727**	**9.5**	**123**	**2**	**3**	**6**	**11**	**20**	**28**	**70**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	6.1	32	1	1	4	9	12	15	31
70-74	89	8.0	104	1	1	5	9	18	28	60
75-79	76	7.6	48	1	2	6	10	14	19	40
80-84	51	9.6	152	2	2	7	11	18	28	83
85+	21	8.1	41	1	1	6	12	17	22	23
B. *Operated*										
65-69 YRS	196	7.3	65	1	1	5	10	15	18	39
70-74	185	7.6	52	1	1	5	10	16	20	37
75-79	137	6.7	47	1	1	5	8	14	19	39
80-84	72	6.6	57	<1	1	5	8	16	23	41
85+	69	6.5	31	1	2	4	9	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4848	9.3	79	1	2	7	12	20	26	45
70-74	4534	9.4	77	2	2	7	12	19	26	45
75-79	3513	10.0	90	2	2	7	13	20	28	50
80-84	2230	9.9	77	2	3	7	13	20	26	46
85+	1442	10.3	87	2	3	8	13	21	29	51
B. *Operated*										
65-69 YRS	4805	13.1	140	2	3	10	17	27	36	64
70-74	4443	13.3	136	2	3	10	17	27	37	61
75-79	3170	13.1	141	2	3	10	17	27	38	58
80-84	1791	13.3	125	2	3	10	18	28	35	57
85+	1034	13.3	136	2	3	10	17	27	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.6	74	1	1	5	10	15	21	44
B. *Operated*	659	7.1	53	1	1	5	10	15	19	38
2. MULTIPLE DX										
A. *Not Operated*	16567	9.6	82	2	2	7	12	20	27	47
B. *Operated*	15243	13.2	137	2	3	10	17	27	36	62
1. SINGLE DX	996	7.3	60	1	1	5	10	15	20	39
2. MULTIPLE DX	31810	11.4	111	2	3	8	15	23	32	55
A. NOT OPERATED	16904	9.6	81	2	2	7	12	20	27	47
B. OPERATED	15902	13.0	135	2	3	10	17	27	36	61
TOTAL 65-69 YRS	9949	11.1	112	2	2	8	14	23	31	56
70-74	9251	11.2	109	2	2	8	14	23	31	54
75-79	6896	11.4	115	2	2	8	15	23	32	55
80-84	4144	11.3	102	2	3	8	14	24	31	50
85+	2566	11.4	108	2	3	8	15	23	31	59
GRAND TOTAL	**32806**	**11.2**	**110**	**2**	**2**	**8**	**14**	**23**	**31**	**55**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.8	26	2	2	5	8	15	19	19
70-74	11	3.5	10	1	1	2	5	8	11	11
75-79	3	8.0	93	1	1	4	15	19	19	19
80-84	3	9.0	3	7	7	10	10	10	10	10
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	31	6.5	32	1	1	4	10	16	18	20
70-74	21	8.4	45	1	2	6	12	18	23	27
75-79	12	6.9	15	2	2	6	8	14	14	14
80-84	9	7.6	57	1	1	4	11	20	24	24
85+	7	9.3	41	4	4	9	11	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	6.4	39	1	2	5	8	13	17	37
70-74	41	6.8	36	1	1	5	9	16	19	26
75-79	24	11.0	71	2	3	9	16	25	28	32
80-84	28	10.2	79	2	2	8	12	28	30	32
85+	15	9.0	37	2	3	8	12	21	21	21
B. *Operated*										
65-69 YRS	89	14.5	126	2	3	12	19	31	36	56
70-74	76	19.7	379	2	3	13	26	44	66	86
75-79	41	20.3	373	2	3	13	25	51	65	79
80-84	37	20.9	358	3	4	16	26	51	81	99+
85+	14	17.8	211	3	5	13	34	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.7	23	1	1	5	8	11	19	19
B. *Operated*	80	7.4	36	1	2	6	10	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	164	8.1	52	1	2	6	10	18	25	32
B. *Operated*	257	18.1	281	3	3	13	24	41	54	83
1. SINGLE DX	107	7.0	33	1	1	5	9	16	19	25
2. MULTIPLE DX	421	14.2	215	2	2	9	18	33	45	80
A. NOT OPERATED	191	7.7	48	1	1	6	10	18	24	32
B. OPERATED	337	15.5	243	2	3	11	20	36	49	81
TOTAL 65-69 YRS	185	10.4	95	2	2	7	14	22	32	49
70-74	149	13.4	252	1	1	8	16	32	44	83
75-79	80	15.1	245	2	3	10	19	33	51	76
80-84	77	15.0	237	2	3	11	18	31	51	95
85+	37	12.2	117	3	3	8	18	32	39	42
GRAND TOTAL	**528**	**12.7**	**186**	**1**	**2**	**8**	**16**	**29**	**39**	**79**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	6.4	40	<1	1	3	11	16	18	19
70-74	16	5.9	37	1	1	3	8	17	21	22
75-79	16	6.6	43	1	2	4	8	18	22	24
80-84	12	5.5	28	1	2	3	6	14	19	20
85+	7	6.3	62	1	1	2	10	20	22	22
B. *Operated*										
65-69 YRS	25	6.8	50	1	2	4	6	22	25	25
70-74	20	10.1	240	1	2	5	11	20	47	71
75-79	20	6.4	24	1	2	5	9	14	16	17
80-84	10	6.3	34	<1	<1	5	9	15	21	21
85+	10	6.9	19	3	3	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	7.3	89	1	1	5	9	15	21	47
70-74	235	7.9	53	1	2	5	9	17	25	36
75-79	186	8.1	68	1	2	6	10	15	24	40
80-84	163	9.7	93	1	2	7	12	21	28	51
85+	146	8.8	63	1	2	6	12	18	23	39
B. *Operated*										
65-69 YRS	162	12.6	141	2	3	9	16	29	39	64
70-74	167	13.0	156	2	3	9	15	29	41	50
75-79	141	12.5	124	2	3	9	15	28	38	53
80-84	112	10.8	98	2	3	8	13	22	27	58
85+	64	11.1	102	2	3	8	14	22	27	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	6.1	38	1	1	3	9	18	20	24
B. *Operated*	85	7.4	82	1	2	5	8	16	22	55
2. MULTIPLE DX										
A. *Not Operated*	907	8.3	72	1	2	6	10	17	24	40
B. *Operated*	646	12.2	130	2	3	9	15	26	36	62
1. SINGLE DX	152	6.9	62	1	2	4	8	16	22	25
2. MULTIPLE DX	1553	9.9	100	1	2	7	12	21	29	51
A. NOT OPERATED	974	8.1	70	1	2	6	10	17	23	39
B. OPERATED	731	11.6	127	2	3	8	14	25	35	62
TOTAL 65-69 YRS	380	9.5	113	1	2	6	11	22	30	60
70-74	438	9.8	106	1	2	7	12	22	30	46
75-79	363	9.7	91	1	2	7	12	18	31	50
80-84	297	9.8	91	1	2	7	12	21	27	52
85+	227	9.3	73	1	2	7	12	19	25	42
GRAND TOTAL	**1705**	**9.6**	**97**	**1**	**2**	**7**	**12**	**21**	**29**	**51**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.5	123	<1	<1	3	6	15	27	61
70-74	37	4.7	38	1	1	3	5	13	17	32
75-79	37	2.8	10	<1	<1	2	3	7	9	17
80-84	18	10.8	155	1	2	5	14	28	40	46
85+	15	5.7	12	1	1	6	9	9	11	12
B. *Operated*										
65-69 YRS	22	7.6	77	1	2	4	8	26	29	30
70-74	38	11.4	202	1	2	7	13	21	37	80
75-79	28	16.3	347	2	3	7	18	52	58	63
80-84	20	13.4	324	2	3	6	11	39	62	71
85+	16	11.4	330	2	3	7	11	14	59	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	7.0	56	1	1	5	9	15	23	32
70-74	247	7.8	77	1	1	4	10	18	24	47
75-79	287	7.0	69	1	1	4	9	17	21	47
80-84	226	6.9	55	1	1	4	8	16	23	43
85+	177	6.9	39	1	1	5	10	16	20	24
B. *Operated*										
65-69 YRS	253	24.6	364	2	4	22	38	53	68	99+
70-74	240	20.0	264	3	3	15	30	43	51	76
75-79	239	18.5	283	3	4	12	26	50	57	72
80-84	152	16.7	288	2	3	11	21	38	58	75
85+	104	11.5	142	2	3	8	13	27	34	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	5.6	68	<1	1	3	6	13	20	47
B. *Operated*	124	12.2	248	2	2	7	12	30	55	79
2. MULTIPLE DX										
A. *Not Operated*	1196	7.1	60	1	1	4	9	16	22	42
B. *Operated*	988	19.4	299	3	3	13	30	45	57	82
1. SINGLE DX	267	8.6	162	1	1	4	9	20	34	70
2. MULTIPLE DX	2184	12.7	206	1	2	7	16	34	45	71
A. NOT OPERATED	1339	7.0	61	1	1	4	9	16	22	42
B. OPERATED	1112	18.6	298	2	3	12	29	45	57	79
TOTAL 65-69 YRS	570	14.8	274	1	1	8	23	40	53	78
70-74	562	13.1	200	1	2	8	18	34	44	63
75-79	591	11.8	199	1	1	7	14	33	48	65
80-84	416	10.9	177	1	2	6	14	27	38	72
85+	312	8.6	91	1	2	6	11	18	24	57
GRAND TOTAL	**2451**	**12.2**	**202**	**1**	**2**	**7**	**15**	**33**	**45**	**71**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	123	5.9	37	1	1	4	9	15	18	28
70-74	114	5.9	43	1	1	3	7	15	18	34
75-79	87	7.0	38	1	1	5	9	16	20	28
80-84	44	7.5	41	1	1	6	11	17	23	25
85+	35	7.5	33	1	2	7	10	14	20	25
B. *Operated*										
65-69 YRS	372	6.9	44	1	2	5	9	14	18	33
70-74	302	7.7	48	1	1	5	11	17	22	35
75-79	244	7.2	51	1	1	5	10	15	22	42
80-84	116	7.6	72	1	1	6	10	16	19	51
85+	58	7.0	32	1	2	5	10	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	906	8.2	72	1	1	5	10	18	27	46
70-74	941	9.4	73	1	2	7	12	19	25	40
75-79	792	9.9	107	1	2	7	12	21	31	60
80-84	522	10.2	98	2	2	7	13	21	29	53
85+	349	10.5	114	1	2	8	13	21	32	60
B. *Operated*										
65-69 YRS	1169	13.9	152	2	3	10	18	30	40	64
70-74	1251	14.3	151	3	4	11	18	28	39	64
75-79	955	14.8	166	2	3	11	19	32	41	69
80-84	652	15.2	167	2	3	12	19	30	41	71
85+	374	14.4	184	3	4	11	18	29	41	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	6.5	39	1	1	4	9	15	19	29
B. *Operated*	1092	7.3	49	1	1	5	10	15	21	35
2. MULTIPLE DX										
A. *Not Operated*	3510	9.4	89	1	2	7	12	20	28	51
B. *Operated*	4401	14.4	160	2	3	11	19	30	40	69
1. SINGLE DX	1495	7.1	46	1	1	5	10	15	20	34
2. MULTIPLE DX	7911	12.2	134	2	2	9	16	26	36	62
A. NOT OPERATED	3913	9.1	84	1	2	7	12	19	27	49
B. OPERATED	5493	13.0	146	2	2	10	17	28	37	64
TOTAL 65-69 YRS	2570	10.5	113	1	2	7	14	24	33	54
70-74	2608	11.4	114	1	2	9	15	24	31	55
75-79	2078	11.7	133	1	2	8	15	26	37	63
80-84	1334	12.3	136	2	2	9	16	25	34	63
85+	816	11.9	143	2	3	9	15	23	33	82
GRAND TOTAL	**9406**	**11.4**	**124**	**1**	**2**	**8**	**15**	**25**	**33**	**59**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	191	3.3	3	1	1	3	4	5	7	10
70-74	161	3.1	2	1	1	3	4	5	5	7
75-79	94	3.5	4	1	1	3	4	6	7	11
80-84	34	2.9	2	1	2	3	3	4	6	7
85+	16	4.6	3	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	7.5	25	4	4	7	11	11	11	11
85+										
B. *Operated*										
65-69 YRS	174	4.4	19	2	2	3	5	7	11	29
70-74	183	4.5	10	1	2	4	5	8	10	18
75-79	127	4.8	14	2	2	4	5	8	11	20
80-84	65	5.0	27	1	2	4	5	8	11	32
85+	26	5.5	10	1	2	5	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	496	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	8	3.6	11	1	1	3	4	9	11	11
B. *Operated*	575	4.6	16	1	2	4	5	8	10	26
1. SINGLE DX	496	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX	583	4.6	16	1	2	4	5	8	10	26
A. NOT OPERATED	8	3.6	11	1	1	3	4	9	11	11
B. OPERATED	1071	4.0	10	1	2	3	5	7	9	16
TOTAL 65-69 YRS	368	3.8	11	1	2	3	4	6	8	18
70-74	346	3.8	7	1	1	3	5	6	8	12
75-79	222	4.2	10	1	2	4	5	7	9	15
80-84	101	4.4	20	1	2	3	5	8	10	31
85+	42	5.1	7	1	2	5	7	8	10	15
GRAND TOTAL	**1079**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	1.8	3	<1	<1	1	2	3	4	11
70-74	32	2.1	1	<1	1	2	3	4	4	6
75-79	38	2.2	4	<1	<1	1	3	5	7	9
80-84	18	2.1	3	<1	<1	1	2	5	6	6
85+	9	4.4	21	1	1	3	6	12	15	15
B. *Operated*										
65-69 YRS	453	3.5	14	<1	<1	2	4	9	11	19
70-74	381	3.6	17	<1	<1	2	4	9	11	16
75-79	282	3.7	16	<1	<1	2	4	10	12	19
80-84	142	3.5	10	<1	1	2	4	9	11	13
85+	64	4.5	29	1	1	3	5	10	16	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	4.1	14	1	1	3	5	9	11	21
70-74	196	4.3	35	1	1	3	5	8	12	26
75-79	166	5.1	33	1	1	4	7	10	13	28
80-84	126	5.8	29	1	1	4	7	13	16	25
85+	79	6.8	40	1	1	5	9	13	22	80
B. *Operated*										
65-69 YRS	1536	6.3	40	1	1	4	9	14	19	29
70-74	1544	6.6	43	1	1	4	9	15	19	31
75-79	1369	6.9	55	1	1	4	10	15	21	35
80-84	751	7.9	78	1	2	5	10	16	22	46
85+	437	9.1	93	1	2	6	12	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.1	4	<1	<1	1	2	4	6	11
B. *Operated*	1322	3.6	16	<1	1	2	4	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	759	4.9	29	1	1	3	6	10	13	28
B. *Operated*	5637	6.9	54	1	1	4	10	15	20	36
1. SINGLE DX	1468	3.5	15	<1	<1	2	4	9	11	18
2. MULTIPLE DX	6396	6.7	52	1	1	4	9	15	20	35
A. NOT OPERATED	905	4.5	26	1	1	3	5	10	13	27
B. OPERATED	6959	6.3	48	1	1	4	9	14	19	33
TOTAL 65-69 YRS	2230	5.4	34	<1	1	3	8	12	17	27
70-74	2153	5.8	39	1	1	3	8	13	17	29
75-79	1855	6.2	47	1	1	4	9	14	18	33
80-84	1037	7.0	64	1	1	4	9	15	20	39
85+	589	8.2	80	1	2	5	10	19	26	48
GRAND TOTAL	**7864**	**6.1**	**46**	**1**	**1**	**4**	**8**	**14**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	60	4.6	18	<1	<1	3	7	11	12	19
70-74	53	5.1	25	1	1	2	8	13	17	19
75-79	35	4.1	17	<1	1	2	6	10	12	19
80-84	12	2.2	2	1	1	2	3	4	5	5
85+	5	3.0	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.4	11	<1	<1	2	4	9	11	11
70-74	6	4.2	2	2	2	4	5	6	6	6
75-79	5	13.8	128	1	1	14	20	31	31	31
80-84	2	18.5	545	2	2	18	35	35	35	35
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS	115	6.6	36	1	1	5	9	16	17	28
70-74	105	8.5	68	1	1	6	12	18	23	46
75-79	66	9.4	97	1	2	6	15	19	25	54
80-84	29	4.7	20	<1	1	2	8	12	14	14
85+	8	10.3	98	2	2	7	25	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	4	1	1	2	4	6	6	6
B. *Operated*	165	4.4	19	<1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	23	7.4	81	<1	1	4	8	19	32	35
B. *Operated*	323	7.7	60	1	1	5	10	18	23	44
1. SINGLE DX	173	4.3	18	<1	1	2	6	10	13	19
2. MULTIPLE DX	346	7.7	62	1	1	5	10	18	23	42
A. NOT OPERATED	31	6.2	65	1	1	4	6	15	30	35
B. OPERATED	488	6.6	49	1	1	4	9	16	19	34
TOTAL 65-69 YRS	186	5.7	30	<1	1	3	9	13	17	25
70-74	166	7.2	54	1	1	4	10	17	20	40
75-79	108	7.8	77	1	1	5	10	19	22	45
80-84	43	4.7	37	<1	1	2	6	11	14	35
85+	16	6.9	60	<1	1	4	9	26	74	99+
GRAND TOTAL	**519**	**6.6**	**50**	**1**	**1**	**4**	**9**	**16**	**19**	**35**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.8	17	1	1	2	5	11	11	11
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	3	3.0	7	1	1	2	5	6	6	6
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	384	2.7	6	<1	<1	2	3	5	6	12
70-74	288	3.0	13	<1	<1	2	3	5	7	26
75-79	136	3.1	6	1	1	2	4	6	8	13
80-84	42	3.5	29	<1	<1	2	3	6	17	26
85+	28	3.5	21	<1	<1	2	3	8	11	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	6.1	19	1	1	5	8	11	15	19
70-74	30	4.6	12	1	1	4	5	11	13	13
75-79	15	5.3	11	1	2	5	8	11	11	11
80-84	17	4.4	8	<1	1	3	8	8	9	10
85+	10	10.2	141	2	2	6	12	29	41	41
B. *Operated*										
65-69 YRS	526	4.8	29	1	1	3	5	10	13	30
70-74	392	4.9	27	1	1	3	6	11	14	25
75-79	265	5.7	53	1	1	3	7	12	17	32
80-84	100	6.5	41	1	2	4	9	16	20	31
85+	48	5.7	21	1	1	4	7	13	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	8	<1	1	2	3	7	10	11
B. *Operated*	878	2.9	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	93	5.6	28	1	1	4	8	11	13	32
B. *Operated*	1331	5.2	34	1	1	3	6	11	16	28
1. SINGLE DX	891	2.9	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX	1424	5.2	34	1	1	3	6	11	16	28
A. NOT OPERATED	106	5.3	26	1	1	4	7	11	13	29
B. OPERATED	2209	4.3	26	<1	1	3	5	9	13	25
TOTAL 65-69 YRS	936	4.0	20	<1	1	3	4	8	11	24
70-74	712	4.1	22	<1	1	3	5	9	12	25
75-79	419	4.8	37	1	1	3	5	10	14	29
80-84	162	5.4	36	<1	1	3	6	14	19	26
85+	86	5.5	37	<1	1	4	7	12	18	35
GRAND TOTAL	**2315**	**4.3**	**26**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	5	3.8	8	<1	<1	3	6	8	8	8
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	85	2.6	10	<1	<1	2	3	5	8	21
70-74	59	2.8	10	<1	<1	2	3	6	12	16
75-79	59	3.6	18	<1	<1	2	4	8	12	23
80-84	30	2.9	9	<1	<1	2	3	6	8	15
85+	14	3.2	19	<1	<1	2	4	6	15	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	5.9	14	1	2	5	9	12	13	13
70-74	15	6.1	41	1	2	5	7	12	23	27
75-79	29	7.4	22	2	3	5	11	15	16	17
80-84	25	5.6	41	1	1	4	7	10	24	24
85+	13	6.7	19	1	2	6	8	14	16	16
B. *Operated*										
65-69 YRS	165	5.2	34	<1	1	3	7	12	20	38
70-74	143	5.9	38	1	1	4	7	15	19	29
75-79	100	7.7	56	<1	1	5	11	16	23	39
80-84	63	9.1	145	1	2	4	9	23	32	64
85+	39	10.5	255	1	2	4	13	28	32	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.8	8	<1	<1	2	7	8	8	8
B. *Operated*	247	2.9	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	104	6.4	27	1	1	5	9	13	16	26
B. *Operated*	510	6.8	72	<1	1	4	8	16	23	40
1. SINGLE DX	258	3.0	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX	614	6.7	64	1	1	4	8	16	22	39
A. NOT OPERATED	115	6.1	26	1	1	5	8	13	16	25
B. OPERATED	757	5.5	56	<1	1	3	6	14	20	34
TOTAL 65-69 YRS	274	4.5	26	<1	<1	2	6	11	15	26
70-74	222	5.1	32	<1	1	3	5	13	17	29
75-79	189	6.3	42	<1	1	4	9	15	18	33
80-84	120	6.7	93	<1	1	3	8	17	24	55
85+	67	8.1	163	1	1	4	8	18	30	81
GRAND TOTAL	**872**	**5.6**	**52**	**<1**	**1**	**3**	**7**	**14**	**19**	**33**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	112	2.2	2	<1	1	2	2	3	5	8
70-74	83	2.1	1	<1	1	2	2	3	4	6
75-79	54	2.3	2	<1	<1	2	3	4	5	9
80-84	15	2.3	1	<1	1	2	3	4	4	4
85+	9	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	212	2.9	6	1	1	2	3	5	7	14
70-74	159	2.8	3	1	1	2	3	5	7	8
75-79	112	3.6	7	1	2	3	5	7	8	17
80-84	66	3.5	7	1	2	3	4	7	9	15
85+	34	4.7	13	<1	2	4	5	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	273	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	5	1.8		1	1	2	2	2	2	2
B. *Operated*	583	3.2	6	1	1	2	4	6	8	14
1. SINGLE DX	275	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX	588	3.2	6	1	1	2	4	6	8	14
A. NOT OPERATED	7	1.6		1	1	2	2	2	2	2
B. OPERATED	856	2.9	5	<1	1	2	3	5	7	12
TOTAL 65-69 YRS	327	2.6	4	<1	1	2	3	5	6	12
70-74	244	2.6	2	<1	1	2	3	4	6	8
75-79	167	3.2	6	1	1	2	4	6	8	16
80-84	82	3.3	6	1	1	3	3	6	8	14
85+	43	4.0	11	<1	1	3	5	10	12	14
GRAND TOTAL	**863**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	32	8	8	12	16	16	16	16
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	2	16.0	450	1	1	16	31	31	31	31
80-84	3	4.3	2	3	3	4	5	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	31	5.8	58	<1	1	5	7	8	9	44
70-74	15	4.7	5	<1	2	5	7	7	8	8
75-79	9	5.2	9	1	1	6	7	9	9	9
80-84	5	3.4	2	2	2	3	5	5	5	5
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.6	18	1	2	4	7	12	16	17
70-74	15	8.1	43	3	4	5	9	20	24	26
75-79	12	5.1	16	1	2	3	7	12	13	13
80-84	13	9.2	91	2	3	5	12	19	34	38
85+	15	5.2	9	<1	1	5	7	9	10	11
B. *Operated*										
65-69 YRS	378	7.9	21	2	4	7	9	13	16	33
70-74	224	8.8	35	2	3	8	10	14	20	35
75-79	127	9.9	44	2	5	8	11	16	22	41
80-84	56	11.2	61	2	3	9	14	22	25	39
85+	27	8.4	33	2	2	7	11	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.5	88	1	1	4	8	23	31	31
B. *Operated*	61	5.4	35	<1	1	5	7	8	9	41
2. MULTIPLE DX										
A. *Not Operated*	72	6.6	35	1	2	5	8	13	17	35
B. *Operated*	812	8.7	33	2	4	8	10	15	20	35
1. SINGLE DX	71	5.7	42	<1	1	5	7	9	16	41
2. MULTIPLE DX	884	8.5	33	2	3	7	10	14	20	35
A. NOT OPERATED	82	6.7	40	1	2	5	8	13	18	36
B. OPERATED	873	8.5	34	2	3	7	10	14	19	35
TOTAL 65-69 YRS	428	7.6	24	2	2	7	9	13	16	33
70-74	256	8.5	35	2	3	7	10	14	20	32
75-79	150	9.3	45	2	3	8	11	16	21	40
80-84	77	10.1	64	2	3	8	12	21	25	39
85+	44	7.4	28	1	2	6	9	14	19	24
GRAND TOTAL	**955**	**8.3**	**34**	**2**	**2**	**7**	**9**	**14**	**19**	**35**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	3.3	10	1	1	2	6	7	7	7
70-74	3	6.3	20	2	2	6	10	11	11	11
75-79	4	3.5	9	2	2	2	5	8	8	8
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	23	4.9	15	1	1	3	8	9	12	15
70-74	16	5.4	9	1	2	5	8	9	10	11
75-79	19	5.6	17	1	2	4	8	13	14	14
80-84	5	5.0	28	<1	<1	3	7	14	14	14
85+	4	4.8	2	3	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.1	11	1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	67	5.2	13	1	1	4	8	10	13	15
1. SINGLE DX	11	4.1	11	1	1	2	7	9	11	11
2. MULTIPLE DX	68	5.2	13	1	1	4	8	10	13	15
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	78	5.0	13	1	1	4	7	10	13	15
TOTAL 65-69 YRS	27	4.7	13	1	1	3	7	9	12	15
70-74	19	5.5	10	1	2	5	8	10	11	11
75-79	23	5.2	16	1	2	3	8	12	13	14
80-84	5	5.0	28	<1	<1	3	7	14	14	14
85+	5	4.2	3	2	2	5	5	6	6	6
GRAND TOTAL	**79**	**5.0**	**13**	**1**	**1**	**4**	**7**	**10**	**13**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	63	6.7	2	5	5	7	8	9	10	12
70-74	49	7.9	6	5	5	7	9	11	13	17
75-79	27	7.7	8	4	5	7	9	11	13	16
80-84	16	8.8	12	4	5	8	10	15	16	17
85+	3	4.7	1	4	4	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.0	31	1	1	5	10	13	13	13
70-74	1	23.0		23	23	23	23	23	23	23
75-79	3	7.7	33	1	1	11	11	11	11	11
80-84										
85+										
B. *Operated*										
65-69 YRS	342	9.3	39	5	6	8	10	14	18	36
70-74	254	10.6	49	5	6	8	13	18	25	41
75-79	191	12.2	60	6	6	10	14	23	28	45
80-84	101	12.3	56	6	7	10	14	20	26	45
85+	54	11.8	29	6	6	10	16	19	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	158	7.4	6	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	8	8.8	57	1	1	9	12	20	23	23
B. *Operated*	942	10.7	48	5	6	9	12	18	23	39
1. SINGLE DX	158	7.4	6	4	5	7	8	10	12	17
2. MULTIPLE DX	950	10.7	49	5	6	9	12	18	23	39
A. NOT OPERATED	8	8.8	57	1	1	9	12	20	23	23
B. OPERATED	1100	10.2	44	5	6	8	11	17	22	38
TOTAL 65-69 YRS	409	8.9	34	5	5	8	10	13	17	35
70-74	304	10.2	43	5	6	8	12	17	23	39
75-79	221	11.5	55	5	6	9	13	22	28	42
80-84	117	11.8	51	6	6	9	14	19	24	43
85+	57	11.4	30	5	6	10	16	19	20	29
GRAND TOTAL	**1108**	**10.2**	**44**	**5**	**6**	**8**	**12**	**17**	**22**	**38**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	3.3	5	<1	<1	3	6	7	7	7
70-74	6	3.2	6	<1	<1	2	3	8	8	8
75-79	2	6.5	41	2	2	6	11	11	11	11
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	14	3.6	7	1	1	3	6	7	9	10
70-74	11	4.2	5	1	1	4	6	7	9	9
75-79	11	6.2	19	1	2	5	10	13	15	15
80-84	4	10.0	120	2	2	6	17	26	26	26
85+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	3.5	8	<1	<1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	41	5.1	21	1	1	4	6	10	13	26
1. SINGLE DX	19	3.5	8	<1	<1	3	5	8	10	11
2. MULTIPLE DX	42	5.1	21	1	1	4	6	10	13	26
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	60	4.6	17	<1	1	3	6	9	11	25
TOTAL 65-69 YRS	24	3.5	6	<1	1	3	6	6	8	10
70-74	17	3.8	6	<1	1	3	5	8	9	9
75-79	13	6.2	19	1	2	5	11	12	14	15
80-84	5	9.4	92	2	2	7	12	26	26	26
85+	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**61**	**4.6**	**17**	**<1**	**1**	**3**	**6**	**9**	**11**	**25**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	24	3.8	6	<1	1	3	5	7	8	10
70-74	11	3.3	11	1	1	2	3	8	13	13
75-79	10	6.6	20	2	3	5	8	13	18	18
80-84	4	7.0	7	5	5	6	9	11	11	11
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*	13	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	50	4.7	13	1	1	4	6	9	13	18
1. SINGLE DX	15	2.2	3	<1	1	2	2	3	7	8
2. MULTIPLE DX	50	4.7	13	1	1	4	6	9	13	18
A. NOT OPERATED	2	5.0	18	2	2	5	8	8	8	8
B. OPERATED	63	4.1	12	1	1	3	5	8	12	18
TOTAL 65-69 YRS	30	3.6	6	1	1	3	5	7	8	10
70-74	15	2.9	9	1	1	2	3	4	11	13
75-79	14	5.3	19	1	2	5	5	10	16	18
80-84	5	5.8	13	<1	<1	6	7	11	11	11
85+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**65**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	25	5.1	34	<1	1	2	6	14	17	26
70-74	28	2.9	6	<1	<1	2	3	5	10	11
75-79	19	3.1	5	<1	1	3	4	6	8	9
80-84	12	3.9	7	2	2	4	4	7	11	12
85+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	8.0	32	4	4	8	12	12	12	12
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	7.7	49	1	1	7	13	15	15	15
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	64	5.1	17	1	1	3	7	12	13	19
70-74	86	5.5	44	1	1	3	7	12	26	32
75-79	71	6.0	26	1	1	4	8	14	17	24
80-84	39	5.7	32	2	2	3	7	13	20	26
85+	37	6.9	27	1	2	6	9	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	88	3.7	14	<1	1	3	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	9	6.1	29	1	1	4	11	14	15	15
B. *Operated*	297	5.7	30	1	2	4	8	12	15	28
1. SINGLE DX	88	3.7	14	<1	1	3	4	8	11	22
2. MULTIPLE DX	306	5.7	30	1	2	4	8	12	15	28
A. NOT OPERATED	9	6.1	29	1	1	4	11	14	15	15
B. OPERATED	385	5.2	27	1	1	3	7	12	14	28
TOTAL 65-69 YRS	90	5.1	22	1	1	3	7	12	14	24
70-74	116	4.9	36	1	1	3	5	11	13	30
75-79	92	5.3	22	1	1	4	7	13	15	23
80-84	54	5.4	27	2	2	3	7	12	15	26
85+	42	6.3	26	1	2	5	8	12	13	29
GRAND TOTAL	**394**	**5.3**	**27**	**1**	**1**	**3**	**7**	**12**	**14**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	1.8		1	1	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	3	2.3		2	2	2	3	3	3	3
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	5	5.4	23	1	1	4	8	13	13	13
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	9.0	43	3	3	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	14	4.9	21	1	1	3	7	13	15	16
1. SINGLE DX	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	15	5.3	21	1	1	3	8	13	15	16
A. NOT OPERATED	1	10.0		10	10	10	10	10	10	10
B. OPERATED	22	3.8	16	1	1	2	4	9	14	16
TOTAL 65-69 YRS	8	2.0		1	1	2	2	3	3	3
70-74	4	2.0	1	1	1	2	3	3	3	3
75-79	6	4.7	22	1	1	3	7	12	13	13
80-84	2	7.0	18	4	4	7	10	10	10	10
85+	3	9.0	43	3	3	8	14	16	16	16
GRAND TOTAL	**23**	**4.0**	**17**	**1**	**1**	**2**	**4**	**11**	**14**	**16**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.0	48	<1	<1	2	5	15	24	25
70-74	8	3.5	3	1	1	3	5	6	6	6
75-79	5	8.4	14	4	4	7	11	14	14	14
80-84	6	17.7	779	3	3	7	12	68	74	74
85+	3	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
65-69 YRS	87	12.1	57	3	5	10	16	21	25	42
70-74	49	12.5	181	2	2	11	15	21	25	90
75-79	24	10.7	18	3	3	11	14	16	16	16
80-84	10	19.4	60	8	10	16	27	30	32	32
85+	5	20.0	237	1	1	16	34	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.9	99	1	1	5	8	16	27	53
70-74	79	9.0	128	2	3	6	11	16	25	73
75-79	77	9.5	93	2	2	7	13	19	24	90
80-84	70	11.4	175	2	3	7	14	26	55	95
85+	77	11.3	131	3	3	8	14	28	35	60
B. *Operated*										
65-69 YRS	234	17.2	160	3	4	15	21	33	44	70
70-74	236	19.8	253	2	5	16	25	38	52	90
75-79	149	22.9	252	4	7	19	30	48	59	99+
80-84	55	23.9	289	7	8	19	35	58	73	99+
85+	20	20.9	202	4	5	17	30	43	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.3	162	<1	1	4	7	12	23	74
B. *Operated*	175	12.6	94	2	3	11	16	23	27	47
2. MULTIPLE DX										
A. *Not Operated*	365	9.9	126	2	2	7	11	19	31	73
B. *Operated*	694	19.9	227	3	6	16	26	40	53	92
1. SINGLE DX	209	11.8	108	2	2	10	15	22	27	59
2. MULTIPLE DX	1059	16.5	215	2	3	13	21	36	50	90
A. NOT OPERATED	399	9.6	129	2	2	6	11	19	30	74
B. OPERATED	[illegible]	18.5	209	2	5	15	24	37	50	90
TOTAL 65-69 YRS	395	14.2	139	2	3	12	18	30	38	62
70-74	372	16.2	235	2	3	12	21	33	44	89
75-79	255	17.4	220	2	3	13	22	40	53	99
80-84	141	17.1	264	2	3	12	24	40	61	99+
85+	105	13.3	160	3	3	9	16	32	39	59
GRAND TOTAL	**1268**	**15.7**	**200**	**2**	**3**	**12**	**20**	**33**	**48**	**87**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	118	3.8	2	2	2	4	5	6	7	9
70-74	73	3.9	1	2	3	4	4	5	6	7
75-79	35	4.7	5	2	3	4	5	7	8	15
80-84	12	5.0	9	3	3	4	6	9	12	13
85+	5	4.4	2	3	3	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.5	10	2	2	3	6	9	9	9
70-74	4	5.3	4	3	3	5	7	8	8	8
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	7	8.1	54	2	2	5	11	21	23	23
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	173	5.0	14	2	2	4	5	9	11	15
70-74	131	5.2	17	2	3	4	6	8	10	29
75-79	83	7.4	120	2	3	4	7	15	19	73
80-84	30	9.7	199	2	3	5	7	24	36	72
85+	6	7.2	4	4	4	7	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	243	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	18	6.4	25	2	2	5	8	11	19	23
B. *Operated*	423	5.9	50	2	3	4	6	9	14	36
1. SINGLE DX	244	4.1	3	2	2	4	5	6	7	11
2. MULTIPLE DX	441	5.9	49	2	3	4	6	9	14	36
A. NOT OPERATED	19	6.4	23	2	2	5	8	11	18	23
B. OPERATED	666	5.2	34	2	3	4	5	8	11	27
TOTAL 65-69 YRS	295	4.5	10	2	2	4	5	7	9	14
70-74	209	4.7	11	2	3	4	5	7	9	20
75-79	120	6.6	86	2	3	4	6	11	17	48
80-84	49	8.3	133	2	3	5	7	18	29	72
85+	12	5.8	5	3	3	5	7	9	10	10
GRAND TOTAL	**685**	**5.2**	**33**	**2**	**3**	**4**	**5**	**8**	**11**	**27**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	51	7.3	65	3	3	5	8	12	17	56
70-74	26	6.5	15	2	3	5	8	13	14	15
75-79	11	6.1	13	2	3	4	7	12	14	14
80-84	6	14.8	238	2	2	8	27	39	40	40
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.9	38	1	2	7	12	15	22	26
70-74	28	7.9	69	2	3	5	8	16	29	40
75-79	14	10.4	48	2	3	9	13	16	27	30
80-84	2	12.0	8	10	10	12	14	14	14	14
85+	4	5.5	10	2	2	5	8	9	9	9
B. *Operated*										
65-69 YRS	150	10.3	111	3	3	7	13	23	34	99
70-74	138	10.5	53	3	4	8	14	22	26	44
75-79	81	15.2	271	4	4	9	17	28	57	83
80-84	34	13.7	121	5	5	10	18	25	39	52
85+	10	20.4	524	6	7	10	25	58	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*	94	7.4	57	2	3	5	8	14	17	49
2. MULTIPLE DX										
A. *Not Operated*	75	8.3	49	2	2	7	11	15	25	37
B. *Operated*	413	11.9	137	3	4	8	15	24	34	82
1. SINGLE DX	97	7.3	56	2	3	5	8	13	17	48
2. MULTIPLE DX	488	11.3	125	3	3	8	14	23	31	81
A. NOT OPERATED	78	8.2	48	2	2	7	11	15	24	37
B. OPERATED	507	11.0	125	3	3	7	14	23	31	80
TOTAL 65-69 YRS	229	9.3	93	2	3	6	12	20	26	74
70-74	192	9.6	52	3	3	7	13	21	25	39
75-79	107	13.6	221	3	4	9	15	26	49	82
80-84	43	13.5	127	3	4	10	18	27	41	52
85+	14	16.1	414	2	4	9	11	42	71	79
GRAND TOTAL	**585**	**10.7**	**116**	**3**	**3**	**7**	**13**	**22**	**29**	**75**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	47	4.0	6	1	2	3	6	7	8	10
70-74	27	4.8	19	1	1	3	6	9	16	19
75-79	13	4.6	9	1	1	4	7	9	9	9
80-84	6	4.7	10	2	2	3	7	10	10	10
85+	6	7.0	28	2	2	6	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	26	2	2	6	10	12	12	12
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	3.0	8	<1	<1	2	5	5	5	5
80-84	2	3.5	5	2	2	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	123	6.8	28	1	2	7	8	11	14	29
70-74	85	6.7	26	1	2	6	8	12	17	28
75-79	63	6.3	12	2	2	6	9	11	14	15
80-84	25	5.4	17	1	2	3	8	13	14	15
85+	11	5.6	23	1	1	4	9	12	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	99	4.5	11	1	1	3	7	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	9	4.3	15	<1	<1	2	6	11	12	12
B. *Operated*	307	6.5	23	1	2	6	8	11	15	23
1. SINGLE DX	101	4.5	11	1	1	3	6	8	10	18
2. MULTIPLE DX	316	6.4	23	1	2	6	8	11	15	23
A. NOT OPERATED	11	4.2	12	<1	<1	3	5	10	12	12
B. OPERATED	406	6.0	21	1	2	6	8	10	14	22
TOTAL 65-69 YRS	174	6.0	23	1	2	6	8	10	13	23
70-74	113	6.2	25	1	2	5	8	11	17	26
75-79	79	5.9	12	1	2	6	8	10	13	15
80-84	34	5.1	15	2	2	3	7	10	14	15
85+	17	6.1	24	1	1	6	9	15	16	16
GRAND TOTAL	**417**	**6.0**	**21**	**1**	**2**	**6**	**8**	**10**	**14**	**22**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.3	9	<1	<1	2	4	8	9	9
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	138	5.0	24	1	1	3	6	11	13	30
70-74	137	4.7	29	1	1	3	6	10	14	25
75-79	84	3.9	11	1	1	3	4	9	10	16
80-84	56	4.3	13	<1	1	3	5	10	11	19
85+	31	3.6	11	<1	1	3	5	6	7	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	7.2	74	<1	1	4	7	20	30	34
70-74	15	3.5	11	1	1	2	4	10	11	12
75-79	12	6.6	20	1	2	5	9	13	16	17
80-84	16	7.3	47	1	1	4	12	20	21	21
85+	11	5.1	9	1	2	4	6	10	11	11
B. *Operated*										
65-69 YRS	395	7.7	55	1	2	5	10	17	24	32
70-74	365	7.6	49	1	2	5	10	16	22	31
75-79	310	8.8	80	1	2	6	12	19	26	51
80-84	188	9.1	84	1	2	6	13	22	27	45
85+	129	9.8	113	2	2	7	13	22	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	6	<1	<1	3	4	8	9	9
B. *Operated*	446	4.5	21	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	70	6.0	36	1	1	4	7	13	20	31
B. *Operated*	1387	8.3	69	1	2	6	11	18	25	38
1. SINGLE DX	456	4.5	20	1	1	3	6	10	13	21
2. MULTIPLE DX	1457	8.2	67	1	2	6	11	17	25	38
A. NOT OPERATED	80	5.7	32	1	1	4	7	12	18	30
B. OPERATED	1833	7.4	60	1	2	5	10	16	23	37
TOTAL 65-69 YRS	555	7.0	49	1	1	5	9	15	20	32
70-74	519	6.7	44	1	2	4	9	15	20	31
75-79	407	7.8	68	1	1	5	10	17	23	42
80-84	260	8.0	70	1	1	5	11	17	26	40
85+	172	8.3	93	1	2	5	10	19	26	43
GRAND TOTAL	**1913**	**7.3**	**59**	**1**	**1**	**5**	**10**	**16**	**22**	**36**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	4.2	7	1	1	4	6	9	9	11
70-74	54	4.7	31	1	1	2	7	10	16	27
75-79	56	6.1	78	1	1	3	8	13	16	59
80-84	30	6.7	109	<1	1	3	9	12	24	55
85+	20	7.4	26	1	1	7	10	14	17	20
B. *Operated*										
65-69 YRS	304	4.2	16	<1	1	3	5	10	12	18
70-74	297	5.0	43	1	1	3	6	11	15	31
75-79	230	4.3	17	1	1	3	6	10	12	15
80-84	129	4.5	17	1	1	3	6	12	15	17
85+	67	4.1	11	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	332	6.3	45	1	1	4	8	13	19	40
70-74	390	6.3	38	1	1	5	8	13	19	32
75-79	389	7.0	53	1	1	5	9	15	20	48
80-84	357	7.5	60	1	1	5	9	16	23	44
85+	309	8.3	45	1	2	7	11	16	21	33
B. *Operated*										
65-69 YRS	899	8.3	72	1	2	6	11	17	25	46
70-74	868	8.7	66	1	2	7	11	18	22	40
75-79	800	10.0	105	1	2	7	13	21	28	63
80-84	514	10.5	116	2	2	7	13	22	30	62
85+	348	11.7	143	2	3	8	14	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	5.4	45	1	1	3	7	10	14	33
B. *Operated*	1027	4.5	24	1	1	3	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1777	7.1	49	1	1	5	9	15	20	41
B. *Operated*	3429	9.5	93	1	2	7	12	20	27	51
1. SINGLE DX	1255	4.7	28	1	1	3	6	10	13	22
2. MULTIPLE DX	5206	8.7	79	1	2	6	11	18	25	49
A. NOT OPERATED	2005	6.9	49	1	1	5	9	14	19	41
B. OPERATED	4456	8.3	82	1	2	6	11	18	25	49
TOTAL 65-69 YRS	1603	7.0	56	1	1	4	9	15	21	40
70-74	1609	7.3	56	1	1	5	10	15	20	38
75-79	1475	8.2	81	1	1	5	11	17	24	51
80-84	1030	8.6	88	1	2	6	11	18	27	56
85+	744	9.5	93	1	2	7	12	20	27	48
GRAND TOTAL	**6461**	**7.9**	**72**	**1**	**2**	**5**	**10**	**17**	**23**	**45**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	5	3.4	3	1	1	4	5	5	5	5
75-79	3	5.3	10	3	3	4	8	9	9	9
80-84	2	4.5	1	4	4	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	154	4.2	3	2	3	4	5	6	7	11
70-74	105	4.4	3	2	2	4	5	6	8	12
75-79	56	4.5	3	2	3	4	5	7	8	9
80-84	14	5.5	3	2	4	5	6	7	9	9
85+	4	4.0	6	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	5.7	43	<1	1	4	6	10	12	42
70-74	42	4.9	8	2	2	4	5	8	10	16
75-79	51	5.8	15	1	2	5	7	11	16	19
80-84	31	7.2	26	2	2	6	9	13	21	22
85+	13	7.2	12	2	4	7	9	12	14	15
B. *Operated*										
65-69 YRS	294	6.1	19	3	3	5	7	12	15	24
70-74	176	6.6	32	2	3	5	8	11	13	29
75-79	121	6.8	19	3	3	5	8	12	16	23
80-84	53	11.2	83	3	4	8	15	25	33	41
85+	14	10.6	95	1	3	8	13	24	36	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.2	4	1	2	4	5	7	9	9
B. *Operated*	333	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	180	5.9	22	1	2	5	7	11	14	22
B. *Operated*	658	6.9	31	3	3	5	8	13	16	33
1. SINGLE DX	344	4.3	3	2	3	4	5	6	8	11
2. MULTIPLE DX	838	6.7	29	2	3	5	8	12	16	29
A. NOT OPERATED	191	5.8	21	1	2	5	7	10	13	22
B. OPERATED	991	6.0	23	2	3	5	7	11	14	25
TOTAL 65-69 YRS	492	5.5	17	2	3	4	6	10	13	23
70-74	328	5.6	20	2	3	5	7	10	12	17
75-79	231	6.0	15	2	3	5	7	11	13	22
80-84	100	9.0	58	2	3	6	10	20	25	38
85+	31	8.3	52	1	3	7	10	14	22	39
GRAND TOTAL	**1182**	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	5.6	9	2	2	5	7	10	11	14
70-74	20	6.0	20	2	2	5	7	8	16	23
75-79	17	8.9	107	2	2	6	9	23	37	43
80-84	14	5.7	13	1	2	5	8	10	14	15
85+	8	9.4	62	2	2	7	12	22	26	26
B. *Operated*										
65-69 YRS	55	3.8	3	1	2	4	5	6	7	7
70-74	46	4.6	18	1	2	4	5	7	11	27
75-79	18	3.7	4	1	1	4	4	5	8	10
80-84	5	5.0	5	2	2	5	6	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	335	8.4	51	2	3	6	10	16	21	44
70-74	391	9.1	53	2	3	7	11	17	24	40
75-79	363	9.0	41	2	3	8	12	18	20	55
80-84	236	9.8	63	2	3	8	12	18	25	40
85+	209	11.5	136	3	4	9	13	21	31	99
B. *Operated*										
65-69 YRS	153	8.9	77	2	3	6	10	21	29	46
70-74	121	9.1	64	3	3	7	10	19	22	43
75-79	81	9.9	56	2	3	8	13	22	28	79
80-84	56	12.9	104	3	4	10	16	30	32	53
85+	25	13.8	69	4	4	14	19	29	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	6.6	34	2	2	5	8	10	15	35
B. *Operated*	125	4.2	8	1	2	4	5	6	7	18
2. MULTIPLE DX										
A. *Not Operated*	1534	9.4	63	2	3	7	12	18	23	46
B. *Operated*	436	9.9	74	2	3	7	12	21	29	53
1. SINGLE DX	221	5.2	21	1	2	4	6	9	11	26
2. MULTIPLE DX	1970	9.5	66	2	3	7	12	18	24	47
A. NOT OPERATED	1630	9.2	62	2	3	7	11	18	23	44
B. OPERATED	561	8.6	65	2	3	6	11	19	27	46
TOTAL 65-69 YRS	580	7.9	53	2	3	6	9	15	21	44
70-74	578	8.7	53	2	3	6	10	17	23	39
75-79	479	8.9	45	2	3	7	12	18	21	54
80-84	311	10.1	70	2	3	8	13	19	27	43
85+	243	11.6	127	3	4	9	14	22	31	99+
GRAND TOTAL	**2191**	**9.1**	**63**	**2**	**3**	**7**	**11**	**18**	**24**	**45**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	6.3	13	2	2	6	8	10	12	21
70-74	72	7.0	38	2	2	6	8	12	22	36
75-79	38	5.7	9	1	3	5	7	9	12	15
80-84	20	6.1	10	2	2	6	8	10	11	13
85+	13	3.9	1	1	2	4	5	5	6	6
B. *Operated*										
65-69 YRS	5	5.2	28	1	1	3	8	14	14	14
70-74	2	6.0	8	4	4	6	8	8	8	8
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	3	9.0	49	4	4	6	14	17	17	17
85+	1	36.0		36	36	36	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	755	6.9	16	2	3	6	9	12	14	20
70-74	675	7.3	28	2	3	6	9	13	16	28
75-79	582	7.8	33	2	3	6	10	13	16	34
80-84	343	8.3	62	2	3	6	10	14	20	50
85+	227	8.2	60	2	3	6	10	14	20	38
B. *Operated*										
65-69 YRS	120	11.3	64	2	3	10	14	22	31	60
70-74	94	12.2	105	2	3	9	16	23	27	58
75-79	78	14.3	103	4	5	11	19	27	43	85
80-84	33	17.5	287	4	4	12	21	37	53	80
85+	16	13.2	84	1	2	13	20	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	6.2	19	2	2	5	8	10	13	22
B. *Operated*	14	7.6	89	1	1	4	8	19	32	36
2. MULTIPLE DX										
A. *Not Operated*	2582	7.5	33	2	3	6	9	13	16	32
B. *Operated*	341	12.9	109	3	4	10	17	25	35	63
1. SINGLE DX	249	6.3	23	1	2	5	8	11	14	22
2. MULTIPLE DX	2923	8.1	45	2	3	7	10	14	19	40
A. NOT OPERATED	2817	7.4	32	2	3	6	9	13	16	31
B. OPERATED	355	12.7	109	2	4	10	17	25	35	61
TOTAL 65-69 YRS	972	7.4	24	2	3	6	9	13	16	28
70-74	843	7.8	40	2	3	6	9	14	19	31
75-79	701	8.4	44	2	3	7	10	15	20	43
80-84	399	8.9	84	2	3	7	10	15	25	59
85+	257	8.4	64	2	3	6	10	16	22	36
GRAND TOTAL	**3172**	**8.0**	**43**	**2**	**3**	**6**	**10**	**14**	**19**	**39**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	6.0	12	2	2	6	7	10	13	19
70-74	68	5.6	7	2	2	5	7	9	9	13
75-79	49	6.4	15	2	2	6	8	12	14	17
80-84	24	6.8	32	2	2	5	9	15	21	23
85+	16	7.0	19	2	3	7	8	12	17	19
B. *Operated*										
65-69 YRS	3	8.3	24	5	5	6	12	14	14	14
70-74	2	16.5	25	13	13	16	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	805	9.4	53	3	3	8	11	16	20	38
70-74	753	9.6	63	3	3	8	11	17	23	49
75-79	618	10.5	60	3	4	9	13	19	24	38
80-84	515	11.6	98	3	4	9	14	22	31	64
85+	410	11.3	66	3	4	10	13	21	26	51
B. *Operated*										
65-69 YRS	109	19.0	230	6	6	14	22	40	55	89
70-74	114	24.1	346	5	7	18	31	56	78	99+
75-79	85	20.1	196	5	8	16	22	36	57	66
80-84	61	17.3	146	5	7	14	20	37	47	57
85+	39	21.5	187	6	7	19	30	49	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	6.1	14	2	2	6	8	11	14	20
B. *Operated*	5	11.6	38	5	5	13	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	3101	10.3	67	3	4	8	12	18	24	47
B. *Operated*	408	20.6	242	5	7	16	24	46	58	99+
1. SINGLE DX	257	6.2	14	2	2	6	8	11	14	20
2. MULTIPLE DX	3509	11.5	98	3	4	9	14	21	30	62
A. NOT OPERATED	3353	10.0	64	3	3	8	12	18	24	46
B. OPERATED	413	20.5	241	5	7	16	24	46	58	99+
TOTAL 65-69 YRS	1012	10.1	79	3	3	8	12	18	24	55
70-74	937	11.1	117	3	3	8	13	22	32	78
75-79	752	11.3	83	3	4	9	14	20	27	53
80-84	600	12.0	104	3	4	9	15	23	31	63
85+	465	12.0	83	3	4	10	14	22	30	58
GRAND TOTAL	**3766**	**11.1**	**94**	**3**	**4**	**9**	**13**	**21**	**29**	**59**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	681	6.4	23	2	3	5	8	11	13	20
70-74	516	6.5	22	2	3	5	8	11	13	28
75-79	350	6.3	16	2	3	5	8	10	12	19
80-84	225	7.2	19	2	3	6	9	12	16	27
85+	90	7.5	23	2	2	6	10	15	18	21
B. *Operated*										
65-69 YRS	117	5.1	47	1	1	3	4	11	17	37
70-74	100	4.2	34	1	1	2	3	9	14	36
75-79	67	4.4	29	<1	1	2	3	15	19	22
80-84	27	3.7	10	1	2	2	5	10	11	11
85+	15	8.1	88	2	2	2	14	17	30	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7471	8.1	36	3	3	7	10	14	18	31
70-74	6916	8.1	33	3	3	7	10	14	18	32
75-79	5377	8.7	45	3	3	7	10	15	21	39
80-84	3289	9.2	72	3	3	7	11	17	22	55
85+	1958	9.5	55	3	4	8	11	17	23	48
B. *Operated*										
65-69 YRS	2706	17.0	236	2	3	13	22	37	51	90
70-74	2448	17.1	222	2	4	13	22	38	51	99
75-79	1724	17.9	230	2	4	14	23	40	54	99+
80-84	968	18.5	224	2	4	15	26	42	57	99+
85+	580	19.0	256	3	5	14	26	42	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	6.6	21	2	3	6	8	11	13	23
B. *Operated*	326	4.7	38	1	1	2	4	11	16	34
2. MULTIPLE DX										
A. *Not Operated*	25011	8.5	44	3	3	7	10	15	19	37
B. *Operated*	8426	17.5	231	2	4	13	23	39	53	99+
1. SINGLE DX	2188	6.3	24	2	2	5	8	11	14	24
2. MULTIPLE DX	33437	10.8	106	3	3	8	12	21	31	64
A. NOT OPERATED	26873	8.4	42	3	3	7	10	15	19	36
B. OPERATED	8752	17.0	230	2	3	13	22	38	52	99+
TOTAL 65-69 YRS	10975	10.1	101	2	3	7	12	20	28	60
70-74	9980	10.2	95	2	3	7	12	20	30	59
75-79	7518	10.7	102	2	3	8	13	21	30	62
80-84	4509	11.1	117	2	3	8	13	22	34	85
85+	2643	11.5	114	3	4	8	13	23	34	70
GRAND TOTAL	**35625**	**10.5**	**102**	**2**	**3**	**8**	**12**	**21**	**30**	**63**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	3	8.0	43	2	2	7	13	15	15	15
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	4	7.5	30	2	2	6	11	15	15	15
A. NOT OPERATED	3	8.0	43	2	2	7	13	15	15	15
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 65-69 YRS	3	3.0	7	1	1	2	5	6	6	6
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**5**	**6.2**	**31**	**1**	**1**	**6**	**9**	**15**	**15**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	4.5	24	1	1	3	5	10	16	25
70-74	56	3.8	5	<1	1	4	5	6	8	12
75-79	44	4.8	13	<1	1	4	6	9	12	18
80-84	43	5.3	26	1	1	4	7	10	12	30
85+	33	4.4	10	1	1	3	6	8	11	16
B. *Operated*										
65-69 YRS	26	7.2	43	2	3	5	7	20	23	27
70-74	16	5.5	13	1	2	5	6	10	14	16
75-79	9	10.0	30	4	4	10	12	19	21	21
80-84	3	9.7	80	4	4	5	16	20	20	20
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1391	6.2	31	1	2	5	8	12	15	30
70-74	1620	6.7	32	1	2	5	8	13	17	27
75-79	1568	7.2	45	1	2	5	9	14	18	32
80-84	1143	7.3	40	2	2	6	9	14	19	36
85+	834	7.4	39	2	2	6	9	14	19	34
B. *Operated*										
65-69 YRS	227	11.7	148	2	3	8	14	24	38	76
70-74	227	13.6	97	3	4	11	18	25	33	51
75-79	171	13.3	97	3	4	11	17	26	36	57
80-84	126	16.3	208	3	4	13	21	34	51	99
85+	55	14.4	108	3	4	13	21	28	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	4.5	17	1	1	3	5	9	12	23
B. *Operated*	55	7.2	34	2	3	5	8	16	21	27
2. MULTIPLE DX										
A. *Not Operated*	6556	6.9	37	1	2	5	9	13	17	32
B. *Operated*	806	13.5	131	3	4	10	17	26	38	66
1. SINGLE DX	310	5.0	21	1	1	4	6	10	15	24
2. MULTIPLE DX	7362	7.6	52	1	2	6	9	15	20	40
A. NOT OPERATED	6811	6.8	37	1	2	5	9	13	17	31
B. OPERATED	861	13.1	127	3	4	10	17	26	37	62
TOTAL 65-69 YRS	1723	6.9	49	1	2	5	8	14	18	39
70-74	1919	7.4	44	1	2	5	9	15	20	35
75-79	1792	7.7	52	2	2	6	9	15	20	39
80-84	1315	8.1	63	2	2	6	10	16	22	48
85+	923	7.7	45	2	2	6	9	15	21	45
GRAND TOTAL	**7672**	**7.5**	**51**	**1**	**2**	**6**	**9**	**15**	**20**	**39**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	128	4	4	12	20	20	20	20
70-74	8	4.5	7	2	2	4	6	9	9	9
75-79	5	14.6	315	4	4	7	20	46	46	46
80-84	7	6.3	31	1	1	5	9	16	17	17
85+	8	15.5	540	4	4	7	13	55	72	72
B. *Operated*										
65-69 YRS	6	8.2	48	1	1	7	15	16	16	16
70-74	4	10.8	137	2	2	6	17	28	28	28
75-79	3	7.3	2	6	6	7	8	9	9	9
80-84	6	6.8	12	3	3	7	9	12	12	12
85+	6	7.3	28	2	2	6	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	10.2	61	3	3	8	13	21	27	33
70-74	333	10.3	82	3	3	8	12	19	27	53
75-79	379	10.3	77	3	3	8	13	21	29	46
80-84	367	10.5	80	3	3	8	13	21	28	70
85+	454	10.2	83	2	3	8	13	19	26	68
B. *Operated*										
65-69 YRS	94	16.7	128	3	4	15	22	36	41	79
70-74	110	16.3	201	3	5	12	21	35	45	96
75-79	119	15.4	170	4	5	11	18	33	39	81
80-84	114	14.0	110	3	4	12	18	25	34	80
85+	145	15.2	180	3	4	11	20	32	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.0	210	2	2	5	9	19	46	72
B. *Operated*	25	8.0	37	1	2	7	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	1780	10.3	78	3	3	8	13	20	27	56
B. *Operated*	582	15.5	160	3	4	12	20	33	40	73
1. SINGLE DX	55	9.1	131	2	2	6	9	17	26	71
2. MULTIPLE DX	2362	11.6	103	3	3	9	14	23	32	65
A. NOT OPERATED	1810	10.3	80	3	3	8	13	20	28	57
B. OPERATED	607	15.2	157	3	4	12	20	31	39	73
TOTAL 65-69 YRS	349	11.9	87	3	3	9	16	25	32	52
70-74	455	11.7	116	3	4	8	14	24	35	60
75-79	506	11.6	105	3	3	9	14	24	34	66
80-84	494	11.2	88	3	3	9	14	23	28	70
85+	613	11.4	115	2	3	8	14	23	32	71
GRAND TOTAL	**2417**	**11.5**	**103**	**3**	**3**	**8**	**14**	**23**	**32**	**66**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	5.7	27	1	2	5	6	13	19	22
70-74	15	6.5	25	1	2	6	9	12	18	20
75-79	4	4.8		4	4	5	5	5	5	5
80-84	3	5.3	5	4	4	4	7	8	8	8
85+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	12	8.3	20	3	4	8	9	13	20	21
70-74	2	10.0		10	10	10	77	99+	99+	99+
75-79	2	4.5	25	1	1	4	8	8	8	8
80-84	2	10.5	61	5	5	10	16	16	16	16
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	44	5.7	21	1	2	5	7	10	17	22
B. *Operated*	18	8.3	20	2	4	8	10	19	64	99+
1. SINGLE DX	4	6.0	10	3	3	5	8	10	10	10
2. MULTIPLE DX	62	6.5	22	1	2	6	8	13	20	90
A. NOT OPERATED	46	5.6	20	1	2	4	7	10	17	22
B. OPERATED	20	8.4	19	2	4	8	10	18	56	99+
TOTAL 65-69 YRS	31	6.7	25	2	2	6	8	12	21	22
70-74	17	6.9	23	1	2	7	10	18	68	99+
75-79	9	4.7	4	1	2	5	6	8	8	8
80-84	6	7.8	22	4	4	6	10	15	16	16
85+	3	3.3	6	1	1	3	5	6	6	6
GRAND TOTAL	**66**	**6.4**	**21**	**1**	**2**	**6**	**8**	**12**	**20**	**87**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	5.4	20	1	1	4	8	12	16	18
70-74	23	5.2	23	1	1	4	7	11	18	19
75-79	26	3.3	3	1	1	3	5	6	7	8
80-84	20	5.0	12	<1	1	4	7	10	12	12
85+	6	3.2	3	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	33	3.6	8	<1	1	3	5	8	10	10
70-74	22	5.2	45	<1	1	3	6	10	20	32
75-79	10	3.3	3	<1	1	3	5	6	6	6
80-84	10	8.0	45	1	1	6	11	19	23	23
85+	3	5.3	16	3	3	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	330	8.6	64	2	2	7	10	16	23	37
70-74	351	7.5	45	2	2	6	10	14	19	29
75-79	288	8.1	40	2	2	7	11	15	18	27
80-84	229	9.3	70	2	3	7	11	18	25	39
85+	183	9.0	63	2	3	7	11	19	24	46
B. *Operated*										
65-69 YRS	205	10.3	67	1	2	9	14	20	25	43
70-74	194	11.5	114	2	3	8	15	27	34	82
75-79	122	13.4	114	3	3	10	17	27	39	69
80-84	74	14.4	192	2	3	10	16	31	52	61
85+	41	14.7	260	3	4	11	15	34	41	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.6	14	1	1	4	5	9	12	19
B. *Operated*	78	4.7	24	<1	1	3	6	10	12	29
2. MULTIPLE DX										
A. *Not Operated*	1381	8.4	55	2	2	7	10	16	21	36
B. *Operated*	636	12.0	119	2	3	9	15	25	35	59
1. SINGLE DX	176	4.6	18	<1	1	3	6	9	12	22
2. MULTIPLE DX	2017	9.5	78	2	2	7	12	19	25	50
A. NOT OPERATED	1479	8.1	53	2	2	6	10	16	21	35
B. OPERATED	714	11.2	114	2	2	8	15	24	33	59
TOTAL 65-69 YRS	591	8.8	63	1	2	7	11	18	23	39
70-74	590	8.6	71	2	2	6	11	18	25	57
75-79	446	9.1	66	2	2	7	12	18	24	45
80-84	333	10.1	98	2	3	7	12	20	29	58
85+	233	9.8	100	2	3	7	12	19	25	48
GRAND TOTAL	**2193**	**9.1**	**75**	**2**	**2**	**7**	**11**	**18**	**25**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	2.9	2	1	1	3	4	5	5	7
70-74	46	4.9	9	1	2	4	6	9	11	12
75-79	27	4.5	11	1	2	4	5	9	11	16
80-84	16	4.6	3	2	2	4	6	8	8	8
85+	16	5.4	10	1	2	5	7	10	12	13
B. *Operated*										
65-69 YRS	11	4.3	7	1	1	4	6	8	10	10
70-74	9	5.4	28	1	1	3	7	15	16	16
75-79	8	4.6	18	1	1	3	6	12	14	14
80-84	5	3.4	5	2	2	2	5	7	7	7
85+	3	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	344	6.3	18	2	2	5	8	12	14	19
70-74	378	6.2	15	2	2	5	8	11	13	21
75-79	343	6.5	26	2	2	5	8	12	16	24
80-84	252	6.9	50	2	2	5	8	12	16	41
85+	213	6.8	38	2	2	5	8	13	17	40
B. *Operated*										
65-69 YRS	56	8.9	45	2	3	7	11	17	23	35
70-74	52	9.0	39	2	2	8	11	17	21	30
75-79	77	12.1	135	2	2	7	18	28	40	53
80-84	41	11.1	107	1	2	8	14	21	33	53
85+	31	10.7	80	3	3	8	14	25	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.3	8	1	2	4	5	8	10	13
B. *Operated*	36	4.6	13	1	2	4	6	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	1530	6.5	27	2	2	5	8	12	15	25
B. *Operated*	257	10.4	85	2	2	7	14	22	29	47
1. SINGLE DX	175	4.4	9	1	2	4	6	8	10	15
2. MULTIPLE DX	1787	7.0	37	2	2	5	9	13	17	36
A. NOT OPERATED	1669	6.3	26	2	2	5	8	12	15	24
B. OPERATED	293	9.7	80	2	2	7	13	21	28	45
TOTAL 65-69 YRS	445	6.3	21	2	2	5	8	12	15	25
70-74	485	6.3	18	2	2	5	8	11	14	22
75-79	455	7.3	48	2	2	5	9	15	20	41
80-84	314	7.3	56	2	2	5	8	14	18	44
85+	263	7.1	42	2	2	5	9	13	17	40
GRAND TOTAL	**1962**	**6.8**	**35**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	4.6	17	1	2	4	5	7	11	27
70-74	92	5.1	37	1	1	4	6	9	15	38
75-79	109	5.8	37	1	2	4	6	10	20	35
80-84	93	5.0	14	2	2	4	6	9	12	20
85+	139	6.2	66	1	2	5	7	10	13	35
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	4.7	4	3	3	4	6	7	7	7
75-79										
80-84	3	14.7	34	8	8	17	18	19	19	19
85+	3	21.3	1012	1	1	5	45	58	58	58
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4200	6.6	32	2	2	5	8	12	16	31
70-74	5534	7.0	43	2	2	5	8	13	17	35
75-79	6249	7.6	41	2	3	6	9	14	19	35
80-84	6199	8.0	45	2	3	6	10	15	19	36
85+	7815	8.6	60	2	3	7	10	16	21	47
B. *Operated*										
65-69 YRS	410	14.8	167	2	3	11	19	30	41	72
70-74	544	14.4	138	3	4	11	19	30	43	99+
75-79	573	15.6	186	3	5	12	19	32	44	96
80-84	517	16.2	173	4	5	13	20	35	48	99+
85+	573	17.2	187	4	6	14	22	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	5.5	39	1	2	4	6	9	13	29
B. *Operated*	10	12.5	292	1	2	6	17	38	58	58
2. MULTIPLE DX										
A. *Not Operated*	29997	7.7	46	2	3	6	9	14	19	37
B. *Operated*	2617	15.7	172	3	5	12	20	32	44	99+
1. SINGLE DX	485	5.7	45	1	2	4	6	10	16	33
2. MULTIPLE DX	32614	8.3	61	2	3	6	10	16	22	45
A. NOT OPERATED	30472	7.6	46	2	3	6	9	14	19	37
B. OPERATED	2627	15.7	172	3	5	12	20	32	44	99+
TOTAL 65-69 YRS	4653	7.3	50	2	2	5	9	14	19	39
70-74	6173	7.6	56	2	2	6	9	14	20	44
75-79	6931	8.2	58	2	3	6	10	16	21	44
80-84	6812	8.6	59	2	3	7	10	16	22	45
85+	8530	9.2	74	2	3	7	11	17	23	54
GRAND TOTAL	33099	8.3	61	2	3	6	10	16	21	45

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	3.9	7	1	1	4	5	7	10	13
70-74	37	5.7	159	<1	1	3	6	8	9	79
75-79	77	4.1	7	1	1	4	5	8	9	13
80-84	65	4.1	8	<1	<1	4	5	8	11	14
85+	79	4.2	12	1	1	3	6	10	11	16
B. *Operated*										
65-69 YRS	8	8.1	17	3	4	7	10	14	16	16
70-74	17	6.9	17	2	3	6	8	14	16	17
75-79	11	4.3	6	1	1	4	5	8	10	10
80-84	12	6.9	8	2	3	8	9	10	11	11
85+	12	7.8	59	<1	1	6	9	18	27	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	785	6.1	21	1	2	5	8	11	14	25
70-74	1080	6.1	23	1	2	5	8	11	14	22
75-79	1213	6.3	37	1	2	5	8	11	15	23
80-84	1234	6.6	39	1	2	5	8	12	16	29
85+	1482	6.8	42	1	2	5	8	13	17	32
B. *Operated*										
65-69 YRS	369	9.3	51	2	3	8	11	18	25	39
70-74	468	9.9	61	3	4	8	12	16	21	46
75-79	522	9.6	48	3	4	8	12	16	20	38
80-84	402	10.9	68	3	4	9	14	20	27	47
85+	388	11.8	113	3	3	9	14	23	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	4.3	26	<1	1	4	5	8	11	15
B. *Operated*	60	6.8	22	2	2	6	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	5794	6.4	34	1	2	5	8	12	15	27
B. *Operated*	2149	10.3	67	3	4	8	12	18	25	47
1. SINGLE DX	373	4.7	26	1	1	4	6	9	11	16
2. MULTIPLE DX	7943	7.5	46	1	2	6	9	14	18	36
A. NOT OPERATED	6107	6.3	34	1	2	5	8	12	15	26
B. OPERATED	2209	10.2	66	3	4	8	12	18	25	47
TOTAL 65-69 YRS	1217	7.0	32	1	2	6	9	13	18	32
70-74	1602	7.2	40	2	2	6	9	13	17	37
75-79	1823	7.2	41	1	2	6	9	13	16	30
80-84	1713	7.5	48	1	2	6	9	14	18	35
85+	1961	7.7	59	1	2	6	9	15	19	42
GRAND TOTAL	8316	7.4	45	1	2	6	9	14	18	35

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	8.5	42	3	3	7	13	17	17	17
70-74										
75-79										
80-84										
85+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	8.1	9	3	4	9	9	12	14	14
70-74	5	9.2	32	2	2	8	13	17	17	17
75-79	4	5.3	4	3	3	5	7	8	8	8
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	8	4.8	7	1	1	5	6	8	9	9
B. *Operated*										
65-69 YRS	1	58.0		58	58	58	58	58	58	58
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.5	28	2	2	3	7	15	17	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	6.8	13	2	2	7	9	11	14	17
B. *Operated*	3	27.7	762	4	4	21	49	58	58	58
1. SINGLE DX	8	5.5	28	2	2	3	7	15	17	17
2. MULTIPLE DX	31	8.8	102	2	3	7	9	15	21	58
A. NOT OPERATED	36	6.5	16	2	2	6	9	12	16	17
B. OPERATED	3	27.7	762	4	4	21	49	58	58	58
TOTAL 65-69 YRS	14	11.8	192	3	3	9	10	21	50	58
70-74	6	8.3	30	2	2	7	12	16	17	17
75-79	4	5.3	4	3	3	5	7	8	8	8
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	13	5.3	27	1	2	4	6	11	19	21
GRAND TOTAL	**39**	**8.1**	**88**	**2**	**2**	**6**	**9**	**16**	**19**	**58**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	3.0	15	<1	1	2	4	6	8	19
70-74	176	2.9	8	1	1	2	4	6	9	14
75-79	221	3.0	9	<1	1	2	4	7	9	16
80-84	233	3.1	9	<1	1	2	4	7	10	12
85+	255	3.6	35	1	1	2	4	6	9	23
B. *Operated*										
65-69 YRS	39	8.1	48	2	3	7	9	15	23	37
70-74	50	7.9	25	2	3	7	11	15	18	22
75-79	60	7.0	46	2	2	5	8	14	17	44
80-84	38	6.4	23	1	2	5	9	13	15	23
85+	29	5.1	16	1	2	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1750	5.1	27	1	1	4	7	11	14	28
70-74	2038	5.1	30	1	1	4	7	11	13	24
75-79	2242	5.8	42	1	1	4	7	12	15	29
80-84	2203	6.0	35	1	1	4	8	12	16	30
85+	2512	6.6	67	1	1	5	8	13	19	44
B. *Operated*										
65-69 YRS	615	10.9	106	2	3	8	13	22	28	57
70-74	750	10.3	71	2	3	8	13	20	26	49
75-79	837	10.9	94	2	3	8	13	22	29	45
80-84	747	11.2	96	3	4	9	14	21	28	98
85+	639	11.4	92	3	3	9	14	21	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1027	3.1	16	<1	1	2	4	6	9	18
B. *Operated*	216	7.1	34	2	2	5	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*	10745	5.8	42	1	1	4	7	12	15	31
B. *Operated*	3588	10.9	91	2	3	8	14	21	28	58
1. SINGLE DX	1243	3.8	21	1	1	2	5	8	11	21
2. MULTIPLE DX	14333	7.1	59	1	1	5	9	15	20	39
A. NOT OPERATED	11772	5.6	40	1	1	4	7	11	15	30
B. OPERATED	3804	10.7	89	2	3	8	13	21	28	55
TOTAL 65-69 YRS	2546	6.4	52	1	1	5	8	14	19	34
70-74	3014	6.3	45	1	1	4	8	13	18	31
75-79	3360	6.9	59	1	1	5	9	14	20	38
80-84	3221	7.0	53	1	1	5	9	15	19	38
85+	3435	7.3	73	1	1	5	9	15	21	45
GRAND TOTAL	**15576**	**6.8**	**57**	**1**	**1**	**5**	**9**	**14**	**19**	**38**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.2	7	2	2	6	7	8	8	8
70-74	3	13.7	4	12	12	13	15	16	16	16
75-79	3	9.7	96	4	4	4	17	21	21	21
80-84										
85+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	13	8.5	35	2	2	7	12	17	20	21
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX	14	8.1	34	2	2	6	12	16	20	21
A. NOT OPERATED	15	7.9	33	2	2	6	12	16	20	21
B. OPERATED	2	2.5	5	1	1	2	4	4	4	4
TOTAL 65-69 YRS	7	5.0	5	2	2	5	7	8	8	8
70-74	3	13.7	4	12	12	13	15	16	16	16
75-79	5	6.6	66	1	1	4	8	21	21	21
80-84										
85+	2	7.0	50	2	2	7	12	12	12	12
GRAND TOTAL	**17**	**7.2**	**32**	**1**	**2**	**5**	**12**	**15**	**19**	**21**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	2.9	11	<1	1	1	3	7	13	14
70-74	29	5.9	34	<1	1	4	8	10	23	25
75-79	35	5.1	17	1	1	4	7	10	11	21
80-84	20	6.8	76	<1	1	3	8	16	27	37
85+	22	3.5	8	1	1	3	4	7	10	13
B. *Operated*										
65-69 YRS	50	7.5	30	1	2	7	10	14	20	27
70-74	49	6.8	20	1	2	6	9	11	17	22
75-79	31	8.5	44	1	2	7	12	16	22	33
80-84	20	8.9	74	2	2	6	10	20	29	38
85+	17	8.2	17	1	4	8	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	829	6.5	38	1	1	5	8	12	17	29
70-74	817	6.9	40	1	1	5	9	14	17	31
75-79	723	7.2	52	<1	1	5	9	15	20	38
80-84	485	7.3	42	1	2	6	9	15	19	32
85+	424	6.9	41	1	2	5	9	14	18	33
B. *Operated*										
65-69 YRS	536	11.6	107	2	3	8	14	23	31	50
70-74	486	12.1	108	3	3	9	15	25	34	53
75-79	427	12.2	105	2	3	10	15	24	31	56
80-84	303	13.3	94	3	4	11	18	26	34	52
85+	196	13.7	157	3	4	10	16	27	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	4.5	26	1	1	3	6	9	14	25
B. *Operated*	167	7.7	33	1	2	7	10	14	20	32
2. MULTIPLE DX										
A. *Not Operated*	3278	6.9	43	1	1	5	9	14	18	34
B. *Operated*	1948	12.3	110	2	3	9	15	25	33	55
1. SINGLE DX	323	6.2	32	1	1	5	9	12	17	29
2. MULTIPLE DX	5226	8.9	75	1	2	7	11	18	26	46
A. NOT OPERATED	3434	6.8	42	1	1	5	9	14	18	34
B. OPERATED	2115	12.0	105	2	3	9	15	24	33	53
TOTAL 65-69 YRS	1465	8.3	69	1	2	6	10	17	22	44
70-74	1381	8.7	69	1	2	7	11	17	24	44
75-79	1216	9.0	75	1	1	7	12	19	26	47
80-84	828	9.5	71	1	2	7	12	20	28	40
85+	659	8.8	84	1	2	6	11	17	26	59
GRAND TOTAL	**5549**	**8.8**	**73**	**1**	**2**	**7**	**11**	**18**	**25**	**45**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.9	4	1	1	2	4	6	7	7
70-74	2	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	2	10.0	98	3	3	10	17	17	17	17
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	4.3	6	2	2	4	5	9	9	9
70-74	6	4.3	6	1	1	4	6	8	8	8
75-79	4	4.0	2	3	3	4	5	6	6	6
80-84										
85+	3	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
65-69 YRS	6	7.3	2	5	5	7	8	9	9	9
70-74	7	11.6	28	3	4	12	15	18	19	19
75-79	3	7.0	7	5	5	6	9	10	10	10
80-84	1	28.0		28	28	28	28	28	28	28
85+	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	3	1	1	2	3	5	7	7
B. *Operated*	5	6.6	37	2	2	4	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	19	4.4	4	1	2	4	6	8	9	9
B. *Operated*	19	10.0	34	4	5	8	12	18	24	28
1. SINGLE DX	16	4.0	15	1	2	3	4	7	14	17
2. MULTIPLE DX	38	7.2	26	2	3	6	9	13	18	28
A. NOT OPERATED	30	3.8	4	1	2	3	5	7	8	9
B. OPERATED	24	9.3	35	3	3	8	11	17	22	28
TOTAL 65-69 YRS	21	5.2	14	1	2	4	7	9	13	17
70-74	17	7.3	26	2	3	6	10	15	18	19
75-79	7	5.3	6	3	3	5	6	9	10	10
80-84	2	15.0	338	2	2	15	28	28	28	28
85+	7	5.3	6	2	2	5	7	9	9	9
GRAND TOTAL	**54**	**6.3**	**25**	**2**	**2**	**5**	**8**	**12**	**17**	**28**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	13	2.8	4	<1	<1	2	3	5	8	9
70-74	18	3.1	4	<1	<1	3	3	6	7	7
75-79	6	1.7	1	<1	<1	1	2	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	5.0	32	<1	<1	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.4	15	2	2	6	9	12	12	12
70-74	7	6.4	3	5	5	6	8	9	9	9
75-79	9	7.1	13	2	2	8	10	12	12	12
80-84	6	4.3	2	3	3	4	5	7	7	7
85+	3	10.0	91	4	4	5	17	21	21	21
B. *Operated*										
65-69 YRS	28	6.4	39	1	1	4	9	16	22	23
70-74	34	7.4	215	<1	1	4	7	13	21	86
75-79	19	7.6	48	2	2	6	11	19	25	26
80-84	12	16.3	633	1	2	8	18	42	86	93
85+	9	10.7	71	1	2	7	14	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	19	2	2	3	8	10	10	10
B. *Operated*	40	2.8	4	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	30	6.6	15	2	3	6	8	11	12	21
B. *Operated*	102	8.5	173	1	1	5	10	19	24	89
1. SINGLE DX	43	3.0	5	<1	<1	2	3	6	9	10
2. MULTIPLE DX	132	8.1	138	1	2	5	9	17	23	87
A. NOT OPERATED	33	6.4	15	2	3	5	8	11	12	21
B. OPERATED	142	6.9	132	<1	1	3	8	14	23	87
TOTAL 65-69 YRS	47	5.5	29	<1	1	3	8	13	18	23
70-74	59	6.0	128	<1	1	3	6	9	14	80
75-79	35	6.3	34	1	2	4	9	12	20	26
80-84	20	11.3	407	1	1	5	12	19	56	93
85+	14	9.7	64	<1	1	7	11	24	25	25
GRAND TOTAL	**175**	**6.8**	**110**	**<1**	**1**	**4**	**8**	**13**	**22**	**71**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	14.5	150	1	2	12	20	34	39	51
70-74	31	10.9	122	<1	1	7	15	24	34	47
75-79	24	10.2	69	1	3	8	13	20	29	36
80-84	31	9.8	103	1	1	4	14	26	33	37
85+	19	5.9	41	<1	1	4	7	16	22	25
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	14.0		14	14	14	14	14	14	14
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	219	9.6	86	2	2	7	13	18	23	44
70-74	248	9.2	57	2	2	7	12	20	27	36
75-79	307	9.7	86	2	2	7	12	21	30	48
80-84	229	8.2	39	2	2	7	11	17	21	29
85+	241	7.6	44	2	2	6	9	15	20	35
B. *Operated*										
65-69 YRS	16	21.8	388	2	4	14	29	44	69	80
70-74	25	18.3	464	3	4	10	17	43	76	90
75-79	20	24.8	588	2	3	15	34	71	79	84
80-84	15	12.3	94	3	3	11	14	20	37	43
85+	11	13.3	186	4	5	8	16	32	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	10.5	104	1	1	7	14	25	34	48
B. *Operated*	4	9.0	33	1	1	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1244	8.9	64	2	2	7	12	18	24	42
B. *Operated*	87	18.8	385	3	4	12	20	43	72	88
1. SINGLE DX	134	10.4	102	1	1	7	14	25	34	48
2. MULTIPLE DX	1331	9.5	90	2	2	7	12	19	27	47
A. NOT OPERATED	1374	9.0	68	2	2	7	12	19	25	42
B. OPERATED	91	18.4	373	2	4	12	18	43	71	88
TOTAL 65-69 YRS	261	10.8	118	2	2	8	14	21	31	50
70-74	305	10.1	101	1	2	7	14	21	28	58
75-79	352	10.6	124	2	2	7	13	23	34	67
80-84	276	8.6	49	2	2	7	12	18	22	36
85+	271	7.7	50	2	2	6	9	15	21	36
GRAND TOTAL	**1465**	**9.6**	**92**	**2**	**2**	**7**	**12**	**20**	**27**	**47**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	164	10.1	91	1	2	7	13	22	31	52
70-74	238	10.6	171	2	2	7	12	20	28	84
75-79	300	11.5	131	1	2	8	15	23	39	88
80-84	297	9.5	73	2	2	7	12	20	27	47
85+	265	8.8	87	1	2	6	11	21	35	99+
B. *Operated*										
65-69 YRS	7	4.6	10	1	1	4	8	9	9	9
70-74	11	7.3	68	1	1	5	8	20	29	30
75-79	9	9.1	215	3	3	4	7	32	48	48
80-84	4	13.5	164	1	1	13	24	26	26	26
85+	5	6.0	6	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1018	12.0	132	2	3	9	15	25	37	95
70-74	1681	11.5	139	2	3	8	14	26	37	99+
75-79	2393	11.1	130	2	3	8	14	23	38	99+
80-84	2410	11.1	136	2	3	8	13	25	40	99+
85+	2521	10.9	146	2	3	7	13	24	42	99+
B. *Operated*										
65-69 YRS	106	15.8	186	2	4	12	20	43	52	99+
70-74	170	18.3	279	3	4	14	26	47	85	99+
75-79	230	18.8	232	3	5	15	27	48	99+	99+
80-84	213	19.3	324	3	5	14	24	55	90	99+
85+	210	17.3	217	4	5	13	22	39	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1264	10.1	111	1	2	7	13	21	32	87
B. *Operated*	36	7.7	92	1	2	4	8	22	29	48
2. MULTIPLE DX										
A. *Not Operated*	10023	11.2	137	2	3	8	14	25	39	99+
B. *Operated*	929	18.1	253	3	4	14	25	47	78	99+
1. SINGLE DX	1300	10.0	111	1	2	7	13	21	31	85
2. MULTIPLE DX	10952	11.8	151	2	3	8	14	27	43	99+
A. NOT OPERATED	11287	11.1	134	2	3	8	14	24	38	99+
B. OPERATED	965	17.7	251	3	4	14	24	47	76	99+
TOTAL 65-69 YRS	1295	12.0	132	2	3	8	15	26	38	99+
70-74	2100	11.9	157	2	3	8	15	27	40	99+
75-79	2932	11.8	143	2	3	8	15	26	42	99+
80-84	2924	11.6	148	2	3	8	14	26	43	99+
85+	3001	11.1	148	2	3	7	13	26	44	99+
GRAND TOTAL	**12252**	**11.6**	**147**	**2**	**3**	**8**	**14**	**26**	**42**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	11.6	55	4	4	9	19	22	23	23
70-74	10	6.8	17	2	2	6	8	13	16	16
75-79	13	15.1	90	3	3	15	19	27	35	37
80-84	12	12.3	95	1	2	11	19	26	31	32
85+	6	4.3	34	1	1	2	4	15	16	16
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	15.8	297	2	3	11	20	36	80	99+
70-74	143	12.2	193	2	3	8	14	23	35	94
75-79	201	12.9	210	2	4	9	14	23	32	85
80-84	196	10.7	111	2	3	7	13	25	33	66
85+	210	11.0	154	2	3	7	12	23	43	99+
B. *Operated*										
65-69 YRS	6	4.2	5	2	2	4	5	8	8	8
70-74	20	22.3	324	6	8	15	31	60	85	99+
75-79	21	24.6	489	3	4	21	36	72	85	99+
80-84	18	23.4	529	6	7	18	27	85	99	99+
85+	13	15.5	127	4	5	15	30	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	10.9	72	1	2	9	16	22	24	37
B. *Operated*	4	4.8	3	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	827	12.0	179	2	3	8	14	25	36	93
B. *Operated*	78	20.6	376	4	4	15	31	71	99+	99+
1. SINGLE DX	56	10.4	70	1	2	8	16	22	24	37
2. MULTIPLE DX	905	12.8	201	2	3	9	15	28	45	99+
A. NOT OPERATED	879	12.0	172	2	3	8	14	24	36	91
B. OPERATED	82	19.9	370	3	4	14	30	70	99+	99+
TOTAL 65-69 YRS	95	14.5	256	2	3	10	18	32	76	99+
70-74	174	13.0	208	2	3	9	15	30	48	98
75-79	236	14.0	236	3	4	9	15	31	40	89
80-84	227	11.8	152	2	3	8	14	26	35	98
85+	229	11.0	151	2	3	7	13	24	45	99+
GRAND TOTAL	**961**	**12.6**	**194**	**2**	**3**	**9**	**15**	**28**	**43**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	4.7	14	1	1	4	5	8	17	18
70-74	21	10.5	257	1	3	5	9	23	49	74
75-79	9	9.3	82	<1	2	6	10	23	32	32
80-84	5	4.6	1	4	4	4	5	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	575	9.6	78	2	2	7	12	21	28	42
70-74	334	9.4	84	2	3	7	12	18	25	54
75-79	177	9.7	65	2	3	8	13	20	23	55
80-84	51	11.1	163	2	3	7	12	23	43	64
85+	30	7.3	75	1	2	5	8	14	16	48
B. *Operated*										
65-69 YRS	32	18.5	163	3	6	16	23	37	42	58
70-74	37	17.0	139	4	5	16	21	34	86	99+
75-79	13	15.6	70	5	6	15	22	28	30	30
80-84	9	19.8	85	4	7	23	28	30	30	30
85+	3	17.3	100	6	6	21	24	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.6	84	1	2	4	6	15	18	59
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1167	9.6	81	2	3	7	12	20	26	50
B. *Operated*	94	17.6	128	4	6	17	23	33	41	99+
1. SINGLE DX	85	6.6	84	1	2	4	6	15	18	59
2. MULTIPLE DX	1261	10.2	89	2	3	7	13	21	28	53
A. NOT OPERATED	1252	9.4	82	2	3	7	12	19	26	50
B. OPERATED	94	17.6	128	4	6	17	23	33	41	99+
TOTAL 65-69 YRS	656	9.7	83	2	2	7	12	21	28	43
70-74	392	10.2	102	2	3	7	13	21	28	80
75-79	199	10.1	67	2	3	8	13	20	25	54
80-84	65	11.8	152	2	3	7	13	28	34	63
85+	34	8.0	81	1	2	5	9	17	24	48
GRAND TOTAL	**1346**	**9.9**	**90**	**2**	**3**	**7**	**13**	**21**	**28**	**53**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	7.6	36	1	1	6	11	17	17	17
70-74	16	5.1	35	1	1	3	5	13	21	24
75-79	12	5.9	8	2	3	5	8	10	11	11
80-84	10	4.6	7	3	3	3	5	9	10	10
85+	8	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	8.7	56	2	2	6	11	18	26	34
70-74	202	8.3	94	2	2	6	9	17	22	54
75-79	197	7.1	30	2	2	6	8	13	16	33
80-84	134	7.2	26	2	2	6	9	14	17	25
85+	99	7.8	34	2	3	6	10	15	19	32
B. *Operated*										
65-69 YRS	12	15.6	287	3	3	10	15	50	52	52
70-74	16	9.9	38	2	3	10	13	20	22	22
75-79	13	11.0	71	2	2	11	18	21	28	30
80-84	7	9.6	41	1	1	9	15	18	18	18
85+	3	10.3	16	8	8	8	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.4	21	1	1	4	6	11	16	24
B. *Operated*	1	10.0		10	10	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	796	7.8	52	2	2	6	9	15	21	34
B. *Operated*	51	11.5	103	2	3	10	15	19	30	52
1. SINGLE DX	58	5.5	21	1	1	4	7	11	17	93
2. MULTIPLE DX	847	8.1	55	2	2	6	10	16	21	36
A. NOT OPERATED	853	7.7	50	2	2	6	9	15	20	34
B. OPERATED	52	11.5	101	2	3	10	15	21	46	99
TOTAL 65-69 YRS	187	9.1	71	2	2	6	11	18	29	51
70-74	234	8.2	87	1	2	6	10	17	22	50
75-79	223	7.3	32	2	2	6	9	13	17	33
80-84	151	7.1	26	2	2	6	9	14	17	25
85+	110	7.5	33	2	2	6	9	15	19	31
GRAND TOTAL	**905**	**7.9**	**54**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	15.3	90	2	5	14	19	32	34	39
70-74	67	15.2	129	1	2	13	22	32	35	92
75-79	27	14.0	95	1	2	13	20	28	33	39
80-84	14	13.9	162	2	2	8	21	31	40	42
85+	4	8.5	17	4	4	8	11	14	14	14
B. *Operated*										
65-69 YRS										
70-74	1	45.0		45	45	45	45	45	45	45
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	201	18.6	239	3	4	15	25	36	51	86
70-74	124	18.0	204	3	4	15	24	38	47	70
75-79	87	16.2	139	2	3	14	23	32	37	59
80-84	38	12.4	63	3	4	11	17	23	27	39
85+	12	20.3	304	5	6	15	27	46	62	65
B. *Operated*										
65-69 YRS	21	28.6	421	11	14	22	43	72	98	99+
70-74	7	19.0	132	9	9	19	33	81	99+	99+
75-79	9	31.7	311	9	10	34	42	55	63	63
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	14.9	104	1	3	13	20	31	34	44
B. *Operated*	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	462	17.5	200	3	4	14	24	34	46	75
B. *Operated*	37	27.5	344	9	10	22	42	62	99	99+
1. SINGLE DX	238	15.1	108	1	3	14	20	32	35	46
2. MULTIPLE DX	499	18.3	216	3	4	15	24	38	47	86
A. NOT OPERATED	699	16.7	169	2	4	14	22	32	40	70
B. OPERATED	38	28.0	343	9	10	23	42	62	98	99+
TOTAL 65-69 YRS	347	18.0	205	3	5	15	23	35	46	88
70-74	199	17.3	179	2	4	14	24	35	45	86
75-79	123	16.9	157	2	3	15	23	33	42	64
80-84	52	12.8	87	2	3	10	18	26	30	42
85+	16	17.3	254	4	5	11	21	37	57	65
GRAND TOTAL	**737**	**17.2**	**183**	**2**	**4**	**14**	**23**	**34**	**43**	**79**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.0	30	9	9	11	16	21	21	21
70-74	4	19.8	158	11	11	15	28	38	38	38
75-79										
80-84	1	34.0		34	34	34	34	34	34	34
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.6	59	3	3	7	9	18	30	31
70-74	9	11.7	55	3	3	9	19	20	20	20
75-79	3	17.7	16	14	14	17	21	22	22	22
80-84	1	34.0		34	34	34	34	34	34	34
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.3	116	9	9	12	24	36	38	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	11.6	76	3	4	8	18	22	32	34
B. *Operated*										
1. SINGLE DX	9	18.3	116	9	9	12	24	36	38	38
2. MULTIPLE DX	25	11.6	76	3	4	8	18	22	32	34
A. NOT OPERATED	34	13.4	93	3	4	10	19	31	34	38
B. OPERATED										
TOTAL 65-69 YRS	15	9.8	53	3	4	8	10	21	28	31
70-74	13	14.2	91	3	4	12	19	24	35	38
75-79	3	17.7	16	14	14	17	21	22	22	22
80-84	2	34.0		34	34	34	34	34	34	34
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**34**	**13.4**	**93**	**3**	**4**	**10**	**19**	**31**	**34**	**38**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	152	15.2	193	1	3	13	19	33	38	78
70-74	95	18.4	228	2	3	16	24	40	46	68
75-79	43	17.2	134	3	6	16	21	29	38	64
80-84	18	22.0	451	4	5	11	36	57	68	73
85+	7	18.3	181	4	4	15	27	39	42	42
B. *Operated*										
65-69 YRS										
70-74	2	23.0	32	19	19	23	27	27	27	27
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	390	17.3	195	3	5	14	23	32	43	83
70-74	270	19.2	245	3	5	15	26	39	55	91
75-79	118	17.9	214	3	4	14	23	42	50	99+
80-84	67	12.9	94	4	5	10	17	31	38	99+
85+	34	14.5	134	3	4	13	19	42	50	99+
B. *Operated*										
65-69 YRS	33	27.0	211	8	9	25	36	48	55	58
70-74	23	36.0	604	9	11	30	40	74	92	98
75-79	12	33.1	816	6	8	22	65	96	99	99+
80-84	4	17.5	20	12	12	17	20	23	23	23
85+	3	13.7	12	10	10	14	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	16.9	210	2	3	14	21	36	44	74
B. *Operated*	3	18.0	91	8	8	19	25	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	879	17.5	205	3	5	14	23	35	49	95
B. *Operated*	75	29.7	429	8	9	24	39	62	83	99+
1. SINGLE DX	318	16.9	209	2	3	14	21	36	44	74
2. MULTIPLE DX	954	18.5	233	3	5	14	24	38	54	96
A. NOT OPERATED	1194	17.3	206	3	4	14	22	35	47	87
B. OPERATED	78	29.2	420	8	9	24	39	60	81	99+
TOTAL 65-69 YRS	575	17.3	201	3	4	14	22	33	44	77
70-74	390	20.0	275	2	4	16	27	40	57	93
75-79	174	18.7	245	3	5	15	23	43	57	99+
80-84	89	15.0	172	4	5	10	18	35	57	99+
85+	44	15.1	130	3	4	13	19	42	45	99+
GRAND TOTAL	**1272**	**18.1**	**227**	**3**	**4**	**14**	**23**	**37**	**51**	**92**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	793	19.1	180	2	5	17	26	36	46	73
70-74	650	19.3	202	2	5	16	25	38	50	72
75-79	525	18.9	187	2	4	16	26	36	45	65
80-84	242	18.7	178	2	3	16	26	35	42	58
85+	60	16.8	219	1	3	14	23	33	40	80
B. *Operated*										
65-69 YRS	2	17.0		17	17	17	17	17	17	17
70-74	6	24.3	691	3	3	17	27	70	75	75
75-79	4	32.3	143	19	19	31	40	48	48	48
80-84	2	22.0	128	14	14	22	30	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2216	20.1	234	3	5	16	27	39	52	83
70-74	2062	19.7	229	3	4	16	28	40	52	83
75-79	1551	19.8	244	3	4	15	27	41	50	79
80-84	745	18.8	239	3	4	15	24	38	51	84
85+	323	18.8	276	3	4	14	25	41	56	96
B. *Operated*										
65-69 YRS	193	31.7	410	7	9	28	43	60	70	99
70-74	176	28.9	354	6	8	27	38	58	77	99+
75-79	116	27.7	321	7	9	24	37	59	71	99+
80-84	61	30.5	495	5	8	26	44	90	99+	99+
85+	25	29.0	298	4	8	30	44	60	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2270	19.0	189	2	4	16	26	36	46	70
B. *Operated*	14	25.2	336	4	7	19	30	51	70	75
2. MULTIPLE DX										
A. *Not Operated*	6897	19.7	237	3	4	16	27	40	52	83
B. *Operated*	571	29.8	379	6	9	27	40	60	77	99+
1. SINGLE DX	2284	19.0	190	2	4	16	26	37	46	71
2. MULTIPLE DX	7468	20.5	255	3	5	16	28	42	54	85
A. NOT OPERATED	9167	19.5	225	3	4	16	27	39	50	80
B. OPERATED	585	29.7	378	6	8	27	40	60	77	99+
TOTAL 65-69 YRS	3204	20.5	239	3	5	17	28	40	53	84
70-74	2894	20.2	236	3	5	16	28	41	53	83
75-79	2196	20.0	238	3	4	16	27	41	51	77
80-84	1050	19.5	247	3	4	16	26	39	53	94
85+	408	19.1	275	3	4	14	26	42	57	96
GRAND TOTAL	**9752**	**20.1**	**240**	**3**	**5**	**16**	**27**	**41**	**53**	**83**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	300	18.0	157	2	5	15	25	33	41	74
70-74	211	16.8	170	1	2	15	23	33	44	60
75-79	88	21.7	188	6	7	20	28	32	48	73
80-84	39	20.9	260	2	6	16	28	42	55	79
85+	18	14.8	104	2	3	14	22	28	34	38
B. *Operated*										
65-69 YRS	4	35.3	216	14	14	40	45	46	46	46
70-74	3	13.3	14	9	9	15	16	16	16	16
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	700	18.9	155	4	6	16	25	35	44	64
70-74	503	18.6	175	4	5	16	24	36	47	68
75-79	295	18.3	184	3	4	15	24	38	49	70
80-84	144	19.2	217	4	6	15	25	40	52	72
85+	45	17.8	271	4	5	14	23	35	69	99+
B. *Operated*										
65-69 YRS	76	24.9	221	6	10	23	31	39	43	89
70-74	45	31.0	426	8	9	27	44	60	65	94
75-79	25	35.4	481	13	16	28	51	78	86	99+
80-84	10	39.9	399	8	17	41	62	84	99	99+
85+	4	36.8	1559	10	10	21	61	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	18.2	172	2	4	16	25	33	44	71
B. *Operated*	8	24.6	226	9	10	16	40	45	46	46
2. MULTIPLE DX										
A. *Not Operated*	1687	18.7	174	4	5	16	24	36	47	69
B. *Operated*	160	29.5	371	7	10	26	38	60	77	99
1. SINGLE DX	664	18.3	173	2	4	16	25	34	44	70
2. MULTIPLE DX	1847	19.6	200	4	6	16	26	38	50	77
A. NOT OPERATED	2343	18.5	174	3	5	16	24	35	46	70
B. OPERATED	168	29.3	364	7	10	25	38	59	77	99
TOTAL 65-69 YRS	1080	19.1	164	4	6	16	26	36	44	69
70-74	762	18.8	197	3	5	15	24	38	48	69
75-79	408	20.0	219	3	5	17	27	39	55	80
80-84	194	20.6	252	3	6	16	28	44	54	78
85+	67	18.2	302	3	5	15	23	35	66	99
GRAND TOTAL	**2511**	**19.3**	**193**	**3**	**5**	**16**	**25**	**37**	**48**	**75**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	154	10.5	76	1	2	9	14	22	25	44
70-74	120	13.2	154	1	2	9	18	30	40	58
75-79	95	9.4	107	1	1	6	12	22	30	52
80-84	58	9.9	123	<1	1	6	14	23	31	61
85+	63	10.8	139	1	1	7	13	27	38	57
B. *Operated*										
65-69 YRS	4	6.3	21	1	1	6	10	11	11	11
70-74	4	13.0	349	3	3	4	23	41	41	41
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	662	11.6	121	2	3	8	15	24	33	60
70-74	744	11.7	123	2	3	8	16	25	33	56
75-79	726	10.3	93	2	2	7	14	23	29	49
80-84	645	10.3	102	2	3	8	13	22	29	60
85+	535	10.1	102	2	3	7	12	21	30	57
B. *Operated*										
65-69 YRS	68	19.0	288	4	5	13	27	39	58	99
70-74	72	18.2	220	5	6	14	22	40	52	78
75-79	68	15.3	204	2	3	11	20	34	62	99+
80-84	55	18.0	341	3	4	11	19	48	64	80
85+	34	15.8	108	4	5	12	24	29	37	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	10.9	116	1	1	8	15	24	33	56
B. *Operated*	9	8.8	157	1	1	4	9	29	41	41
2. MULTIPLE DX										
A. *Not Operated*	3312	10.8	109	2	3	8	14	23	31	56
B. *Operated*	297	17.4	241	3	5	12	22	39	56	98
1. SINGLE DX	499	10.9	116	1	1	8	15	24	33	56
2. MULTIPLE DX	3609	11.4	123	2	3	8	14	24	34	62
A. NOT OPERATED	3802	10.9	109	2	2	8	14	23	31	56
B. OPERATED	306	17.2	240	3	4	12	22	39	56	97
TOTAL 65-69 YRS	888	12.0	130	2	2	9	16	25	34	61
70-74	940	12.4	137	2	3	9	17	26	38	57
75-79	890	10.6	104	2	2	7	14	23	30	59
80-84	758	10.8	124	2	2	8	13	22	33	64
85+	632	10.5	107	2	2	7	13	23	33	56
GRAND TOTAL	**4108**	**11.3**	**122**	**2**	**2**	**8**	**14**	**24**	**34**	**61**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	6.1	30	1	2	4	9	13	17	28
70-74	53	6.3	35	1	2	5	7	13	22	26
75-79	40	8.3	235	<1	1	3	7	14	53	71
80-84	27	5.1	142	<1	<1	3	4	7	16	64
85+	14	3.6	12	1	1	2	4	8	13	14
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	23.0		23	23	23	23	23	23	23
80-84										
85+										
MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	460	6.8	70	1	2	4	8	15	22	36
70-74	465	6.5	50	1	2	4	7	14	19	36
75-79	337	6.2	63	1	1	4	7	13	20	32
80-84	209	5.1	23	1	1	4	7	11	15	25
85+	129	5.5	36	1	1	4	6	10	20	34
B. *Operated*										
65-69 YRS	32	10.6	207	1	2	5	9	31	52	55
70-74	19	8.5	41	1	1	8	11	20	22	22
75-79	9	14.7	177	3	3	11	20	37	37	37
80-84	11	11.5	54	3	5	9	12	25	27	27
85+	4	9.0	39	4	4	8	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	6.3	84	<1	1	3	7	13	19	61
B. *Operated*	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	1600	6.3	54	1	1	4	7	14	20	34
B. *Operated*	75	10.6	128	1	3	7	11	24	37	54
1. SINGLE DX	211	6.3	84	<1	1	3	7	13	19	61
2. MULTIPLE DX	1675	6.5	58	1	1	4	7	14	21	36
A. NOT OPERATED	1809	6.3	57	1	1	4	7	13	20	35
B. OPERATED	77	10.6	128	1	3	7	11	24	37	54
TOTAL 65-69 YRS	567	6.9	73	1	2	4	8	15	23	44
70-74	538	6.6	48	1	2	5	7	14	20	34
75-79	387	6.7	85	1	1	4	7	14	22	54
80-84	247	5.4	38	1	1	4	7	11	15	27
85+	147	5.4	35	1	1	4	6	10	18	31
GRAND TOTAL	**1886**	**6.5**	**61**	**1**	**1**	**4**	**7**	**14**	**21**	**37**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	159	11.5	120	2	3	7	16	25	34	50
70-74	133	12.5	121	1	3	9	19	25	33	62
75-79	72	11.2	125	1	2	7	14	23	36	53
80-84	35	9.9	99	1	2	7	14	22	32	46
85+	8	5.5	6	2	2	6	7	8	9	9
B. *Operated*										
65-69 YRS	2	45.5	1301	20	20	45	71	71	71	71
70-74	5	29.4	613	11	11	17	44	70	70	70
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	724	11.5	93	2	3	8	15	25	32	42
70-74	734	10.4	88	2	3	7	13	22	30	44
75-79	496	9.6	78	2	3	7	12	21	25	42
80-84	295	11.1	131	2	3	8	14	25	31	61
85+	146	9.6	63	2	3	7	13	20	28	40
B. *Operated*										
65-69 YRS	67	20.7	338	4	4	14	29	46	57	84
70-74	49	13.1	61	3	4	10	17	24	27	40
75-79	55	16.5	154	5	5	13	19	34	42	61
80-84	24	17.7	335	4	5	10	22	38	56	86
85+	8	23.0	170	11	12	19	28	45	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	11.5	118	1	2	7	15	25	34	52
B. *Operated*	7	34.0	687	11	11	20	61	71	71	71
2. MULTIPLE DX										
A. *Not Operated*	2395	10.6	92	2	3	8	14	23	30	44
B. *Operated*	203	17.5	219	4	5	13	22	35	47	81
1. SINGLE DX	414	11.9	134	1	2	7	16	25	35	62
2. MULTIPLE DX	2598	11.1	105	2	3	8	14	24	31	49
A. NOT OPERATED	2802	10.7	95	2	3	8	14	23	30	48
B. OPERATED	210	18.0	241	4	5	13	23	37	51	81
TOTAL 65-69 YRS	952	12.2	123	2	3	8	16	28	34	53
70-74	921	10.9	96	2	3	8	14	23	30	48
75-79	623	10.4	93	2	3	8	13	22	29	51
80-84	354	11.5	144	2	3	8	14	26	32	64
85+	162	10.1	74	2	3	8	13	20	29	43
GRAND TOTAL	**3012**	**11.3**	**109**	**2**	**3**	**8**	**14**	**24**	**32**	**50**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	8.2	55	1	1	6	13	20	25	29
70-74	37	7.3	45	1	1	5	10	17	21	28
75-79	24	8.2	89	1	2	5	9	21	34	38
80-84	15	5.7	17	1	1	5	9	11	13	14
85+	7	3.1	11	<1	<1	1	4	9	10	10
B. *Operated*										
65-69 YRS	16	6.3	77	1	1	4	6	9	29	38
70-74	4	3.5	10	1	1	2	5	8	8	8
75-79	6	5.5	12	2	2	5	5	11	12	12
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	8.7	79	1	2	6	12	18	24	47
70-74	218	9.1	107	1	2	6	11	21	27	74
75-79	171	9.3	70	2	2	7	12	20	30	39
80-84	100	9.4	63	1	2	7	14	21	26	70
85+	87	5.6	16	1	2	5	7	12	16	69
B. *Operated*										
65-69 YRS	47	11.1	235	2	2	6	11	21	50	84
70-74	32	11.2	178	3	3	6	11	27	46	64
75-79	21	19.4	321	3	4	15	24	46	65	72
80-84	8	17.3	130	6	6	14	27	33	36	36
85+	8	13.3	72	3	3	12	20	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	7.4	52	1	1	5	10	18	22	33
B. *Operated*	27	5.6	49	1	1	4	6	9	16	38
2. MULTIPLE DX										
A. *Not Operated*	818	8.7	77	1	2	6	11	19	24	49
B. *Operated*	116	13.2	221	2	3	8	15	28	49	76
1. SINGLE DX	155	7.1	52	1	1	5	9	15	22	37
2. MULTIPLE DX	934	9.2	97	1	2	6	11	20	28	59
A. NOT OPERATED	946	8.5	74	1	2	6	11	19	24	47
B. OPERATED	143	11.8	197	2	2	7	13	27	41	73
TOTAL 65-69 YRS	350	8.8	97	1	2	5	11	19	26	49
70-74	291	9.0	106	1	2	6	11	21	28	69
75-79	222	10.0	102	2	2	7	12	22	32	52
80-84	124	9.4	66	1	2	7	13	22	27	56
85+	102	6.0	24	1	2	5	8	14	18	61
GRAND TOTAL	**1089**	**8.9**	**91**	**1**	**2**	**6**	**11**	**20**	**27**	**52**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	255	9.8	94	1	2	5	14	28	29	40
70-74	129	9.6	86	1	2	5	14	22	28	42
75-79	43	9.6	93	1	2	5	13	26	30	35
80-84	20	8.7	61	1	1	5	13	22	24	25
85+	7	7.9	76	1	1	3	13	22	24	24
B. *Operated*										
65-69 YRS	4	6.5	31	1	1	5	10	14	14	14
70-74	1	27.0		27	27	27	27	27	27	27
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2221	11.9	96	2	3	8	20	27	30	39
70-74	1292	11.9	106	2	3	8	20	28	30	43
75-79	533	11.2	102	2	2	7	17	26	29	39
80-84	157	9.7	73	2	2	6	13	22	27	35
85+	38	11.0	115	1	1	5	19	29	33	35
B. *Operated*										
65-69 YRS	136	20.3	180	4	5	20	28	37	43	95
70-74	90	19.2	174	3	5	17	27	35	46	68
75-79	37	16.9	84	2	6	16	22	31	32	33
80-84	10	11.7	70	3	3	9	20	24	27	27
85+	1	35.0		35	35	35	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	9.7	89	1	2	5	14	25	29	40
B. *Operated*	6	9.3	95	1	1	5	14	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	4241	11.7	99	2	3	8	20	27	30	39
B. *Operated*	274	19.2	163	3	5	19	27	33	41	70
1. SINGLE DX	460	9.7	89	1	2	5	14	26	29	40
2. MULTIPLE DX	4515	12.2	106	2	3	8	21	28	30	42
A. NOT OPERATED	4695	11.5	99	2	2	7	20	27	30	39
B. OPERATED	280	19.0	163	3	5	18	27	33	41	69
TOTAL 65-69 YRS	2616	12.1	104	2	3	8	21	28	30	42
70-74	1512	12.1	112	2	3	8	20	28	30	45
75-79	614	11.4	102	2	2	7	18	26	29	38
80-84	187	9.7	71	2	2	6	13	22	27	33
85+	46	11.1	119	1	1	5	19	30	34	35
GRAND TOTAL	**4975**	**11.9**	**105**	**2**	**3**	**8**	**20**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	21.0		21	21	21	21	21	21	21
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	11.1	95	2	3	7	21	26	31	32
70-74	14	14.8	55	5	6	13	21	27	29	29
75-79	5	21.0	32	13	13	21	25	28	28	28
80-84	2	5.0		5	5	5	5	5	5	5
85+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	3	13.7	33	7	7	17	17	17	17	17
70-74	4	13.5	31	6	6	14	17	19	19	19
75-79	4	15.8	523	3	3	5	28	50	50	50
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	45	12.8	80	3	3	11	21	27	29	32
B. *Operated*	11	14.4	174	3	4	13	17	31	48	50
1. SINGLE DX	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX	56	13.1	96	3	3	11	20	27	30	49
A. NOT OPERATED	46	13.0	80	3	3	11	21	27	29	32
B. OPERATED	11	14.4	174	3	4	13	17	31	48	50
TOTAL 65-69 YRS	25	11.4	86	2	3	7	18	23	31	32
70-74	19	14.8	48	5	6	14	20	25	28	29
75-79	9	18.7	220	3	3	19	25	41	50	50
80-84	2	5.0		5	5	5	5	5	5	5
85+	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**57**	**13.2**	**96**	**3**	**3**	**11**	**21**	**26**	**30**	**49**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	17.5	116	4	4	19	26	31	32	32
70-74	3	11.0	21	6	6	12	14	15	15	15
75-79	2	12.0	72	6	6	12	18	18	18	18
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	18.3	168	2	3	16	28	38	42	52
70-74	41	15.7	59	5	7	15	21	27	29	30
75-79	16	16.3	108	3	4	16	28	30	30	30
80-84	5	6.8	25	1	1	5	12	12	12	12
85+	2	20.5	265	9	9	20	32	32	32	32
B. *Operated*										
65-69 YRS	2	25.5	41	21	21	25	30	30	30	30
70-74	1	22.0		22	22	22	22	22	22	22
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	14.2	92	2	4	13	23	28	31	32
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	128	16.8	123	2	4	15	25	30	38	45
B. *Operated*	4	19.3	120	4	4	21	26	30	30	30
1. SINGLE DX	14	14.2	92	2	4	13	23	28	31	32
2. MULTIPLE DX	132	16.9	122	2	4	15	25	30	37	44
A. NOT OPERATED	142	16.5	120	2	4	15	24	30	36	43
B. OPERATED	4	19.3	120	4	4	21	26	30	30	30
TOTAL 65-69 YRS	74	18.4	158	2	3	17	28	35	42	51
70-74	45	15.5	57	5	6	15	21	27	29	30
75-79	18	15.8	102	3	4	16	28	30	30	30
80-84	6	6.3	21	1	1	5	12	12	12	12
85+	3	14.3	246	2	2	9	26	32	32	32
GRAND TOTAL	**146**	**16.6**	**119**	**2**	**4**	**15**	**24**	**30**	**36**	**43**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.0	47	<1	1	1	3	13	23	27
70-74	19	1.9	1	<1	<1	2	2	4	4	4
75-79	7	1.3		<1	<1	1	2	2	2	2
80-84	4	1.3		<1	<1	1	2	2	2	2
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	4.8	25	<1	1	3	6	10	12	30
70-74	79	5.7	48	1	1	3	6	14	23	33
75-79	57	7.4	161	1	1	3	7	13	33	69
80-84	22	4.4	29	1	1	3	6	15	51	99+
85+	13	4.2	9	1	1	3	7	8	9	9
B. *Operated*										
65-69 YRS	11	12.8	93	1	2	12	21	26	31	31
70-74	8	11.5	112	1	1	10	16	28	33	33
75-79	2	6.0	18	3	3	6	9	9	9	9
80-84	2	4.5	1	4	4	4	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.5	19	<1	<1	1	2	4	8	27
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	300	5.5	57	1	1	3	6	11	20	47
B. *Operated*	23	11.0	87	1	2	10	17	24	32	33
1. SINGLE DX	53	2.5	19	<1	<1	1	2	4	7	27
2. MULTIPLE DX	323	5.9	61	1	1	3	7	12	22	41
A. NOT OPERATED	352	5.0	52	1	1	3	6	10	19	35
B. OPERATED	24	10.7	86	1	2	9	16	23	32	33
TOTAL 65-69 YRS	161	5.2	36	<1	1	3	6	11	19	31
70-74	106	5.5	49	1	1	3	6	14	22	33
75-79	66	6.7	143	1	1	3	6	11	31	68
80-84	28	3.9	24	1	1	3	5	10	29	99+
85+	15	3.8	9	1	1	3	7	8	9	9
GRAND TOTAL	**376**	**5.4**	**56**	**1**	**1**	**3**	**6**	**12**	**21**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.3	108	4	4	10	20	28	28	28
70-74	7	7.0	68	<1	1	4	7	22	25	25
75-79	3	8.0	76	2	2	4	14	18	18	18
80-84	1	13.0		13	13	13	13	13	13	13
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	12.2	119	2	2	8	18	29	35	43
70-74	23	13.0	120	3	4	10	17	25	37	49
75-79	22	12.6	129	2	3	9	18	24	37	50
80-84	17	5.8	18	1	1	6	7	12	15	16
85+	10	5.9	74	1	1	3	4	18	30	30
B. *Operated*										
65-69 YRS	4	16.3	73	8	8	15	23	27	27	27
70-74	3	15.3	37	10	10	14	20	22	22	22
75-79	4	12.0	25	5	5	13	15	16	16	16
80-84	2	34.0	1458	7	7	34	61	61	61	61
85+	1	62.0		62	62	62	62	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	9.3	71	<1	2	5	13	25	27	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	114	10.9	107	2	2	6	16	26	31	49
B. *Operated*	14	20.6	335	5	7	14	22	61	62	62
1. SINGLE DX	15	9.3	71	<1	2	5	13	25	27	28
2. MULTIPLE DX	128	12.0	139	2	2	8	16	27	33	61
A. NOT OPERATED	129	10.8	103	2	2	6	16	26	31	49
B. OPERATED	14	20.6	335	5	7	14	22	61	62	62
TOTAL 65-69 YRS	50	12.6	112	2	2	8	19	28	32	43
70-74	33	12.0	105	3	3	8	17	24	30	49
75-79	29	12.0	107	2	3	9	17	22	30	50
80-84	20	9.0	167	1	1	6	9	15	38	61
85+	11	11.0	352	1	1	4	6	43	60	62
GRAND TOTAL	**143**	**11.7**	**132**	**2**	**2**	**8**	**16**	**27**	**32**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.6	6	1	1	3	5	7	9	10
70-74	11	3.4	6	1	1	2	5	7	8	8
75-79	8	3.1	3	1	1	3	4	6	7	7
80-84	9	5.1	7	2	2	6	7	8	9	9
85+	8	3.9	18	1	1	3	4	11	14	14
B. *Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	4.8	16	1	1	4	6	9	11	23
70-74	166	5.6	36	1	2	4	6	11	14	27
75-79	146	5.0	17	1	2	4	6	10	12	22
80-84	99	6.0	34	1	2	4	7	11	15	37
85+	61	4.9	13	1	1	4	6	9	13	18
B. *Operated*										
65-69 YRS	29	8.5	130	1	1	6	8	20	28	59
70-74	17	11.1	150	2	3	7	12	21	43	54
75-79	14	11.8	54	4	5	9	15	25	26	26
80-84	4	29.5	924	9	9	17	49	74	74	74
85+	3	8.0	37	4	4	5	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.8	7	1	1	3	5	7	9	14
B. *Operated*	5	6.2	32	2	2	4	8	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	664	5.2	24	1	2	4	6	10	13	25
B. *Operated*	67	11.1	169	2	2	7	12	24	30	71
1. SINGLE DX	59	4.0	9	1	1	3	5	8	10	16
2. MULTIPLE DX	731	5.8	40	1	2	4	7	11	15	28
A. NOT OPERATED	718	5.1	23	1	2	4	6	10	13	23
B. OPERATED	72	10.7	160	2	2	7	12	23	26	71
TOTAL 65-69 YRS	240	5.2	31	1	1	4	6	10	12	26
70-74	196	5.9	46	1	2	4	7	11	15	42
75-79	170	5.5	23	1	2	4	7	10	14	26
80-84	112	6.8	75	2	2	5	8	12	17	56
85+	72	4.9	14	1	1	4	6	10	15	17
GRAND TOTAL	**790**	**5.6**	**38**	**1**	**2**	**4**	**7**	**10**	**15**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	61	7.4	54	1	1	5	9	14	21	45
70-74	56	7.9	71	1	1	5	10	21	29	34
75-79	31	7.4	55	<1	1	3	12	17	24	30
80-84	28	8.2	53	2	2	6	11	18	26	30
85+	10	7.7	47	<1	<1	6	8	19	22	22
B. *Operated*										
65-69 YRS										
70-74										
75-79	2	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	344	8.5	69	2	2	6	10	18	25	40
70-74	265	8.9	71	2	2	6	12	18	26	45
75-79	226	9.1	87	1	2	6	12	19	26	41
80-84	147	7.8	46	2	2	6	10	14	25	32
85+	81	8.1	133	1	2	5	9	16	23	75
B. *Operated*										
65-69 YRS	32	12.5	65	4	4	9	18	26	28	29
70-74	20	8.8	55	2	3	6	10	22	26	28
75-79	16	17.5	237	2	3	16	26	55	86	99+
80-84	10	21.5	404	3	5	17	19	50	76	76
85+	6	25.0	418	7	7	21	32	58	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	7.7	58	1	1	5	10	18	24	33
B. *Operated*	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1063	8.6	75	1	2	6	11	18	25	40
B. *Operated*	84	14.5	174	3	4	10	20	28	43	92
1. SINGLE DX	188	7.6	57	1	1	5	10	18	24	33
2. MULTIPLE DX	1147	9.0	84	1	2	6	11	20	26	46
A. NOT OPERATED	1249	8.5	73	1	2	6	11	18	25	39
B. OPERATED	86	14.3	172	3	4	9	20	28	40	91
TOTAL 65-69 YRS	437	8.7	68	1	2	6	10	19	26	41
70-74	341	8.7	70	1	2	6	12	18	26	43
75-79	275	9.3	95	1	1	6	12	22	31	56
80-84	185	8.6	73	2	2	6	11	18	25	35
85+	97	9.1	154	1	1	6	10	21	28	78
GRAND TOTAL	**1335**	**8.8**	**81**	**1**	**2**	**6**	**11**	**19**	**26**	**45**

1,650 Hospitals, United States, January-December 1984

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	10.2	86	1	3	7	13	25	29	43
70-74	84	11.4	124	1	1	8	15	26	36	49
75-79	57	9.9	133	1	2	5	14	22	33	65
80-84	28	9.8	74	2	2	7	13	21	25	41
85+	13	6.9	49	1	1	5	9	16	24	26
B. *Operated*										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	552	10.5	118	2	3	7	12	24	32	55
70-74	633	9.5	83	2	3	7	10	21	29	45
75-79	515	9.5	93	2	3	6	12	20	26	51
80-84	325	8.5	54	2	3	6	10	17	22	37
85+	199	8.5	79	2	3	6	10	17	23	65
B. *Operated*										
65-69 YRS	66	13.8	199	2	4	9	17	32	47	74
70-74	66	13.9	128	3	4	11	18	32	38	94
75-79	55	15.0	223	4	4	9	19	33	52	75
80-84	31	12.8	81	3	4	11	16	21	29	47
85+	12	18.5	276	5	6	13	31	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	10.3	104	1	2	7	14	23	32	48
B. *Operated*	4	4.8	8	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2224	9.5	90	2	3	6	11	20	28	48
B. *Operated*	230	14.2	171	3	4	10	18	32	48	82
1. SINGLE DX	282	10.2	103	1	2	7	13	23	32	48
2. MULTIPLE DX	2454	9.9	99	2	3	7	12	21	30	53
A. NOT OPERATED	2502	9.6	91	2	3	6	11	21	28	48
B. OPERATED	234	14.1	170	3	4	10	18	32	48	81
TOTAL 65-69 YRS	716	10.7	122	2	3	7	13	25	32	55
70-74	785	10.0	92	2	3	7	12	23	30	47
75-79	627	10.0	110	2	3	7	12	22	30	54
80-84	384	9.0	58	2	3	7	11	18	22	41
85+	224	9.0	91	2	3	6	11	20	26	94
GRAND TOTAL	**2736**	**10.0**	**99**	**2**	**3**	**7**	**12**	**22**	**30**	**51**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	7.3	52	1	1	4	10	19	23	23
70-74	5	10.8	70	2	2	8	16	24	24	24
75-79	3	14.7	177	6	6	8	24	30	30	30
80-84	3	8.0	37	4	4	5	12	15	15	15
85+										
B. *Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	9.4	66	1	2	7	13	23	27	30
B. *Operated*	3	5.7	2	4	4	6	7	7	7	7
1. SINGLE DX	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX	23	8.9	59	1	2	7	12	23	26	30
A. NOT OPERATED	21	9.5	63	1	2	7	13	23	27	30
B. OPERATED	3	5.7	2	4	4	6	7	7	7	7
TOTAL 65-69 YRS	12	7.3	41	1	1	5	10	17	22	23
70-74	6	10.2	58	2	2	8	13	23	24	24
75-79	3	14.7	177	6	6	8	24	30	30	30
80-84	3	8.0	37	4	4	5	12	15	15	15
85+										
GRAND TOTAL	**24**	**9.0**	**57**	**1**	**2**	**7**	**12**	**23**	**26**	**30**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	9.4	149	1	2	3	13	17	40	52
70-74	7	11.4	104	<1	1	9	14	29	32	32
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	2	10.5	25	7	7	10	14	14	14	14
85+	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	9	10.1	108	2	2	4	16	27	27	27
70-74	9	9.2	60	1	3	7	11	22	28	28
75-79	1	11.0		11	11	11	11	11	11	11
80-84	2	7.0	50	2	2	7	12	12	12	12
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	17.3	182	3	5	15	20	34	54	93
70-74	67	17.1	317	1	3	14	20	40	87	99+
75-79	56	14.5	179	3	4	12	18	23	33	90
80-84	44	14.6	94	3	3	13	21	30	33	36
85+	26	13.4	63	4	6	13	16	22	28	42
B. *Operated*										
65-69 YRS	64	24.7	346	2	4	24	34	55	67	98
70-74	50	22.0	268	6	8	17	27	46	59	99+
75-79	32	27.3	458	3	6	22	36	53	76	97
80-84	19	30.2	511	8	13	24	39	86	99	99+
85+	4	19.3	22	15	15	18	23	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.0	105	<1	1	6	12	16	30	52
B. *Operated*	22	9.8	70	1	2	7	13	27	28	28
2. MULTIPLE DX										
A. *Not Operated*	276	15.9	189	3	4	14	19	31	40	99
B. *Operated*	169	24.9	355	3	7	21	35	54	75	99+
1. SINGLE DX	54	9.3	89	<1	2	7	13	18	28	51
2. MULTIPLE DX	445	19.3	270	3	4	15	24	39	59	99+
A. NOT OPERATED	308	15.2	184	2	3	13	18	30	40	99
B. OPERATED	191	23.2	345	2	5	18	32	48	72	99+
TOTAL 65-69 YRS	173	18.9	259	2	3	15	26	40	59	96
70-74	133	18.1	280	2	4	14	22	40	63	99+
75-79	91	18.8	308	3	4	14	22	37	50	95
80-84	67	18.7	257	3	4	15	25	36	46	99+
85+	35	12.9	66	1	4	13	17	22	25	42
GRAND TOTAL	**499**	**18.2**	**260**	**2**	**4**	**14**	**23**	**38**	**56**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	8.6	23	3	4	7	11	14	18	27
70-74	127	8.3	36	2	3	7	10	16	20	33
75-79	93	8.3	38	2	3	6	10	17	25	70
80-84	44	8.7	43	2	3	8	10	16	22	36
85+	13	10.8	37	2	2	11	14	18	23	24
B. *Operated*										
65-69 YRS	4	13.3	77	4	4	13	20	23	23	23
70-74	3	8.3	25	3	3	9	12	13	13	13
75-79	3	9.0	52	3	3	7	14	17	17	17
80-84	2	12.0	18	9	9	12	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	640	10.6	99	2	3	8	13	21	29	76
70-74	979	10.4	80	2	3	8	12	22	32	63
75-79	1003	11.1	111	3	3	9	13	20	29	74
80-84	675	10.6	69	3	4	8	13	20	28	55
85+	319	11.7	118	3	3	9	13	24	44	99+
B. *Operated*										
65-69 YRS	89	17.6	220	3	5	13	21	40	53	71
70-74	115	17.9	185	4	6	15	24	43	56	99+
75-79	118	16.8	149	4	5	16	24	39	57	99+
80-84	67	16.3	263	3	4	10	21	45	66	99+
85+	32	20.8	453	4	5	14	28	59	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	8.5	34	2	3	7	11	16	21	32
B. *Operated*	12	10.8	42	3	3	9	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*	3616	10.8	93	3	3	8	13	21	30	76
B. *Operated*	421	17.5	214	4	5	14	23	42	57	99+
1. SINGLE DX	376	8.6	34	2	3	7	11	16	21	32
2. MULTIPLE DX	4037	11.5	110	3	3	9	14	23	34	89
A. NOT OPERATED	3980	10.6	88	3	3	8	13	21	29	75
B. OPERATED	433	17.3	210	4	5	14	23	42	57	99+
TOTAL 65-69 YRS	820	11.2	109	3	3	8	13	22	30	74
70-74	1224	10.9	90	2	3	8	13	23	34	79
75-79	1217	11.4	113	3	3	9	14	22	31	85
80-84	788	11.0	86	3	4	8	13	21	31	66
85+	364	12.4	150	3	4	10	14	26	46	99+
GRAND TOTAL	**4413**	**11.2**	**104**	**3**	**3**	**8**	**13**	**23**	**32**	**87**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	9.8	79	1	2	7	13	22	32	36
70-74	11	9.7	12	4	5	10	13	41	92	99+
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84										
85+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
65-69 YRS	5	3.0	1	2	2	3	4	4	4	4
70-74	1	20.0		20	20	20	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	99	10.2	85	2	2	8	13	18	35	99+
70-74	56	10.2	53	3	3	8	14	22	24	29
75-79	20	12.4	108	3	4	9	14	27	37	44
80-84	4	18.0	285	1	1	15	29	41	41	41
85+	2	10.5	41	6	6	10	15	15	15	15
B. *Operated*										
65-69 YRS	31	13.4	109	2	4	12	15	23	34	56
70-74	18	14.1	146	2	3	12	17	23	42	55
75-79	2	15.0	2	14	14	15	16	16	16	16
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	9.8	58	2	2	8	13	22	33	99+
B. *Operated*	6	5.8	49	2	2	3	4	18	20	20
2. MULTIPLE DX										
A. *Not Operated*	181	10.6	81	2	3	8	14	22	27	87
B. *Operated*	51	13.7	115	2	3	12	16	23	34	56
1. SINGLE DX	44	9.3	58	2	2	7	12	21	31	99+
2. MULTIPLE DX	232	11.3	90	2	3	9	14	22	28	68
A. NOT OPERATED	219	10.5	77	2	3	8	14	22	29	99+
B. OPERATED	57	12.9	113	2	3	12	16	22	31	56
TOTAL 65-69 YRS	159	10.5	89	2	2	8	14	19	32	96
70-74	86	11.1	68	3	3	10	15	22	24	83
75-79	24	12.0	95	3	4	9	14	25	34	44
80-84	4	18.0	285	1	1	15	29	41	41	41
85+	3	14.3	64	6	6	15	20	22	22	22
GRAND TOTAL	**276**	**11.0**	**85**	**2**	**3**	**9**	**14**	**22**	**29**	**89**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	4.1	31	1	1	3	5	7	8	38
70-74	98	4.5	12	1	2	3	5	9	13	18
75-79	66	3.5	7	1	1	3	5	6	7	18
80-84	41	5.3	24	1	1	4	6	12	18	20
85+	25	4.4	16	<1	1	3	5	7	15	18
B. *Operated*										
65-69 YRS	3	5.0	9	2	2	5	7	8	8	8
70-74	3	5.0	7	3	3	4	7	8	8	8
75-79	4	5.5	14	3	3	4	8	11	11	11
80-84	2	17.5	365	4	4	17	31	31	31	31
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1108	6.8	47	1	2	5	8	13	18	38
70-74	1049	6.8	42	1	2	5	8	13	18	33
75-79	865	7.2	45	2	2	5	9	14	19	34
80-84	622	8.0	57	2	2	6	10	16	22	46
85+	442	7.8	57	2	2	6	10	16	22	64
B. *Operated*										
65-69 YRS	121	13.1	108	2	3	10	18	29	37	99+
70-74	118	14.4	209	2	3	11	18	30	56	99+
75-79	84	13.7	187	3	3	10	18	28	32	96
80-84	49	14.5	202	2	3	10	19	36	63	99+
85+	31	12.6	87	2	3	8	17	28	30	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.2	19	1	1	3	5	7	12	20
B. *Operated*	13	6.9	59	2	2	4	8	15	28	31
2. MULTIPLE DX										
A. *Not Operated*	4086	7.2	48	1	2	5	9	14	19	39
B. *Operated*	403	13.7	163	2	3	10	18	29	40	99+
1. SINGLE DX	351	4.3	21	1	1	3	5	8	12	20
2. MULTIPLE DX	4489	7.8	62	2	2	6	9	16	22	46
A. NOT OPERATED	4424	7.0	46	1	2	5	8	14	19	39
B. OPERATED	416	13.5	161	2	3	10	18	29	39	99+
TOTAL 65-69 YRS	1340	7.1	55	1	2	5	8	14	21	40
70-74	1268	7.3	60	1	2	5	9	15	20	47
75-79	1019	7.5	59	2	2	5	9	15	21	40
80-84	714	8.3	68	1	2	6	10	18	25	58
85+	499	7.9	58	1	2	6	10	16	23	57
GRAND TOTAL	**4840**	**7.5**	**60**	**1**	**2**	**5**	**9**	**15**	**21**	**44**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	214	5.8	29	1	2	4	7	11	17	27
70-74	205	6.4	45	1	2	5	8	12	16	39
75-79	201	6.8	42	1	2	5	7	15	22	33
80-84	133	7.8	52	1	2	6	9	16	21	60
85+	60	6.8	50	1	1	6	8	12	16	48
B. *Operated*										
65-69 YRS	153	5.7	27	1	1	4	8	14	17	29
70-74	135	7.2	44	1	2	5	9	16	23	32
75-79	99	8.3	59	1	2	6	11	20	26	36
80-84	48	8.5	43	1	2	6	13	19	19	24
85+	15	8.0	67	1	1	4	13	18	26	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1695	11.1	137	2	3	7	14	25	36	77
70-74	2239	11.2	128	2	3	7	13	26	37	72
75-79	2388	11.7	149	2	3	8	14	26	41	99+
80-84	1789	11.4	126	2	3	8	14	23	37	94
85+	1383	11.0	113	2	3	8	13	22	33	87
B. *Operated*										
65-69 YRS	901	14.4	220	2	2	10	18	34	52	99+
70-74	950	15.4	221	2	3	11	21	36	50	99+
75-79	926	15.5	187	2	3	12	21	33	46	97
80-84	504	15.6	204	2	4	12	20	35	60	99+
85+	291	15.6	236	2	3	12	19	34	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	813	6.6	42	1	2	5	8	13	18	36
B. *Operated*	450	7.1	43	1	1	5	9	17	23	31
2. MULTIPLE DX										
A. *Not Operated*	9494	11.3	133	2	3	8	14	25	37	86
B. *Operated*	3572	15.2	211	2	3	11	20	34	50	99+
1. SINGLE DX	1263	6.8	42	1	2	5	8	14	20	34
2. MULTIPLE DX	13066	12.4	157	2	3	8	15	28	41	94
A. NOT OPERATED	10307	10.9	127	2	3	7	13	24	36	81
B. OPERATED	4022	14.3	199	2	2	10	19	32	47	99+
TOTAL 65-69 YRS	2963	11.4	155	2	2	7	14	26	39	87
70-74	3529	11.9	152	2	3	8	15	28	40	76
75-79	3614	12.3	155	2	3	8	15	28	41	96
80-84	2474	12.0	140	2	3	9	15	25	39	99+
85+	1749	11.6	135	2	3	8	14	24	37	92
GRAND TOTAL	**14329**	**11.9**	**149**	**2**	**3**	**8**	**15**	**27**	**39**	**90**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	3.3	5	1	1	3	4	5	9	12
70-74	17	3.7	6	1	1	3	5	6	9	10
75-79	15	2.9	2	1	1	3	4	5	5	5
80-84	4	2.5	6	1	1	2	4	6	6	6
85+	5	3.8	15	1	1	2	6	10	10	10
B. *Operated*										
65-69 YRS	5	5.4	11	2	2	5	7	11	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	207	4.5	10	1	2	4	6	9	11	12
70-74	133	4.5	9	1	2	4	5	8	11	16
75-79	90	5.3	23	1	2	4	6	10	14	29
80-84	35	4.7	8	1	2	4	6	9	10	12
85+	22	4.6	8	1	2	4	6	10	11	11
B. *Operated*										
65-69 YRS	44	6.2	22	2	2	5	8	13	17	22
70-74	22	7.2	14	2	4	6	9	13	15	16
75-79	14	5.5	7	2	2	5	7	8	11	12
80-84	5	7.6	7	5	5	7	9	12	12	12
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.3	5	1	1	3	5	6	9	11
B. *Operated*	6	4.8	11	2	2	4	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	487	4.7	12	1	2	4	6	9	11	15
B. *Operated*	86	6.5	17	2	2	5	8	12	14	22
1. SINGLE DX	91	3.4	6	1	1	3	5	6	10	12
2. MULTIPLE DX	573	4.9	13	1	2	4	6	9	12	17
A. NOT OPERATED	572	4.5	11	1	2	4	5	9	11	15
B. OPERATED	92	6.4	17	2	2	5	8	12	14	22
TOTAL 65-69 YRS	300	4.6	11	1	2	4	6	9	11	18
70-74	173	4.8	11	1	2	4	6	9	12	16
75-79	119	5.0	19	1	2	4	6	9	13	24
80-84	44	4.8	9	1	1	4	7	9	11	12
85+	28	4.6	10	1	1	4	6	10	11	11
GRAND TOTAL	**664**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**16**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.5	1	2	2	2	3	4	4	4
70-74	5	2.0	1	1	1	2	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	469	1.9	3	<1	<1	2	2	3	3	7
70-74	403	1.9	2	<1	<1	2	2	3	4	6
75-79	323	2.0	3	<1	<1	2	2	3	4	7
80-84	197	2.0	2	<1	<1	2	2	3	5	9
85+	88	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.1	15	<1	1	5	6	11	15	16
70-74	40	4.8	19	1	1	4	6	11	15	20
75-79	21	4.8	32	<1	1	3	6	9	17	27
80-84	18	4.6	9	<1	1	4	6	10	11	11
85+	9	4.9	19	<1	<1	3	7	12	14	14
B. *Operated*										
65-69 YRS	682	2.7	5	<1	1	2	3	5	7	12
70-74	570	3.3	19	1	1	2	3	6	9	21
75-79	450	3.1	16	<1	1	2	3	5	8	24
80-84	260	3.4	17	1	1	2	3	6	10	27
85+	149	3.3	8	1	1	2	4	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	1	1	1	2	3	4	4	4
B. *Operated*	1480	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	120	4.8	18	<1	1	4	6	10	14	22
B. *Operated*	2111	3.1	13	<1	1	2	3	5	8	19
1. SINGLE DX	1492	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	2231	3.2	13	<1	1	2	3	6	9	19
A. NOT OPERATED	132	4.6	17	1	1	4	6	10	14	21
B. OPERATED	3591	2.6	9	<1	1	2	3	4	6	13
TOTAL 65-69 YRS	1187	2.5	4	<1	<1	2	3	4	6	12
70-74	1018	2.8	13	<1	1	2	3	5	7	18
75-79	795	2.7	11	<1	1	2	3	4	7	17
80-84	477	2.9	11	<1	1	2	3	5	8	20
85+	246	3.0	7	<1	1	2	3	6	8	14
GRAND TOTAL	**3723**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.6	23	1	1	4	7	11	16	26
70-74	128	5.1	21	1	1	4	7	11	13	46
75-79	79	6.5	42	1	2	4	8	13	17	40
80-84	46	5.0	15	1	2	4	6	10	11	22
85+	38	4.9	17	1	1	4	6	12	14	19
B. *Operated*										
65-69 YRS	397	3.4	13	<1	1	2	3	6	10	23
70-74	285	3.6	9	1	1	3	4	8	10	15
75-79	147	3.4	9	1	1	2	4	7	9	16
80-84	62	4.5	25	1	1	2	5	13	15	24
85+	34	4.1	17	1	1	3	4	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	903	7.8	72	1	2	5	9	15	22	53
70-74	908	7.4	52	2	2	5	9	15	19	41
75-79	706	8.6	68	2	2	6	10	17	23	49
80-84	430	8.3	54	2	3	6	10	15	22	42
85+	295	8.1	48	2	3	6	11	16	21	81
B. *Operated*										
65-69 YRS	767	8.4	128	1	2	4	10	19	29	74
70-74	580	9.0	124	1	2	5	11	21	31	91
75-79	410	9.9	144	1	2	6	13	23	39	99+
80-84	221	13.1	261	2	2	7	15	29	52	80
85+	111	10.3	143	1	2	6	12	22	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	5.5	25	1	1	4	7	11	16	28
B. *Operated*	925	3.6	12	1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	3242	7.9	61	2	2	6	10	15	22	45
B. *Operated*	2089	9.5	146	1	2	5	11	22	33	83
1. SINGLE DX	1359	4.2	17	1	1	3	5	9	12	22
2. MULTIPLE DX	5331	8.5	95	2	2	6	10	18	26	70
A. NOT OPERATED	3676	7.7	57	2	2	6	9	15	21	44
B. OPERATED	3014	7.7	113	1	1	4	9	18	27	74
TOTAL 65-69 YRS	2210	7.1	81	1	2	4	8	15	22	54
70-74	1901	7.2	69	1	2	5	9	15	22	58
75-79	1342	8.3	87	1	2	6	10	18	25	74
80-84	759	9.2	117	2	2	6	11	18	27	73
85+	478	8.1	68	1	2	6	10	17	22	58
GRAND TOTAL	**6690**	**7.7**	**82**	**1**	**2**	**5**	**9**	**16**	**23**	**59**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	530	3.7	3	1	2	3	5	6	7	11
70-74	399	3.9	5	1	2	3	5	6	8	12
75-79	267	4.0	5	1	2	3	5	7	8	12
80-84	126	4.0	3	2	2	4	5	6	8	10
85+	61	4.6	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	2.4	3	<1	<1	1	4	5	5	5
70-74	18	2.7	3	1	1	2	4	6	6	6
75-79	17	4.1	24	<1	<1	2	6	9	16	20
80-84	5	3.4	13	<1	<1	<1	6	9	9	9
85+	9	4.6	23	<1	<1	2	9	12	13	13
B. *Operated*										
65-69 YRS	907	4.5	6	2	2	4	5	7	9	14
70-74	801	5.0	16	2	2	4	6	8	10	17
75-79	534	4.6	7	2	2	4	6	7	9	15
80-84	317	5.0	15	2	2	4	6	8	10	18
85+	123	5.1	12	2	3	5	6	8	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*	1383	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	66	3.3	12	<1	<1	2	5	7	10	19
B. *Operated*	2682	4.7	10	2	2	4	6	8	9	15
1. SINGLE DX	1389	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX	2748	4.7	11	2	2	4	6	8	9	15
A. NOT OPERATED	72	3.2	11	<1	<1	2	5	7	9	18
B. OPERATED	4065	4.4	8	2	2	4	5	7	9	14
TOTAL 65-69 YRS	1457	4.2	5	1	2	4	5	7	8	13
70-74	1220	4.6	12	1	2	4	5	8	10	15
75-79	819	4.4	7	1	2	4	6	7	9	15
80-84	448	4.7	12	2	2	4	6	8	9	14
85+	193	4.9	10	2	2	4	6	8	9	14
GRAND TOTAL	**4137**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	1.6	1	1	1	1	2	3	4	4
70-74	27	2.4	8	<1	<1	2	2	4	9	15
75-79	13	1.8	1	1	1	2	2	3	5	5
80-84	13	2.1	3	<1	<1	1	3	5	6	6
85+	9	1.8	1	1	1	1	3	4	4	4
B. *Operated*										
65-69 YRS	209	2.5	3	<1	1	2	3	4	5	10
70-74	189	2.6	5	<1	1	2	3	4	5	12
75-79	148	2.6	2	1	1	2	3	4	5	7
80-84	94	2.5	3	1	1	2	3	4	6	11
85+	52	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	3.0	7	<1	1	2	4	6	10	11
70-74	34	4.1	47	1	1	2	3	7	25	31
75-79	45	3.4	12	1	1	2	5	7	10	17
80-84	31	4.7	26	1	1	3	6	9	11	28
85+	33	3.7	14	1	1	3	4	7	14	16
B. *Operated*										
65-69 YRS	264	3.6	9	1	1	3	4	7	10	17
70-74	296	3.6	13	1	1	3	4	7	10	15
75-79	313	3.7	11	1	1	3	4	6	9	20
80-84	207	3.9	9	1	1	3	5	7	10	18
85+	131	4.1	12	1	1	3	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.9	3	<1	1	1	2	4	4	12
B. *Operated*	692	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	187	3.7	20	1	1	2	4	8	11	29
B. *Operated*	1211	3.7	11	1	1	3	4	7	10	17
1. SINGLE DX	784	2.5	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	1398	3.7	12	1	1	3	4	7	10	18
A. NOT OPERATED	279	3.1	15	1	1	2	3	6	9	25
B. OPERATED	1903	3.3	8	1	1	3	4	6	9	15
TOTAL 65-69 YRS	547	3.0	6	1	1	2	4	5	8	14
70-74	546	3.3	12	1	1	2	4	6	8	15
75-79	519	3.3	9	1	1	3	4	6	8	17
80-84	345	3.5	9	1	1	3	4	7	9	18
85+	225	3.5	10	1	1	3	4	7	10	15
GRAND TOTAL	**2182**	**3.3**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	1.9	4	1	1	1	2	5	7	7
70-74	10	1.8	1	<1	<1	2	2	3	3	3
75-79	7	2.6	1	1	1	3	3	4	4	4
80-84	6	2.5	2	1	1	2	3	5	5	5
85+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	102	2.8	4	1	1	2	3	5	6	12
70-74	118	2.6	2	1	1	2	3	4	5	9
75-79	105	2.6	4	<1	1	2	3	4	5	12
80-84	48	2.3	1	1	1	2	3	3	4	7
85+	32	3.3	8	1	1	3	4	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	3.6	8	1	1	3	4	7	10	12
70-74	37	3.9	15	1	1	3	4	7	10	22
75-79	29	4.9	33	1	1	4	5	10	13	31
80-84	26	5.5	171	1	1	3	3	7	21	69
85+	18	5.1	17	1	1	4	8	10	14	17
B. *Operated*										
65-69 YRS	179	3.4	10	1	1	2	4	7	10	19
70-74	191	3.6	18	1	1	2	4	6	8	20
75-79	166	3.7	12	1	1	3	4	7	8	20
80-84	117	4.1	21	1	1	3	4	7	12	27
85+	89	4.8	72	1	1	3	5	8	9	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	2	1	1	2	3	3	5	7
B. *Operated*	405	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	131	4.5	48	1	1	3	5	8	12	38
B. *Operated*	742	3.8	21	1	1	3	4	7	9	22
1. SINGLE DX	441	2.6	3	1	1	2	3	4	5	10
2. MULTIPLE DX	873	3.9	25	1	1	3	4	7	10	24
A. NOT OPERATED	167	4.0	39	1	1	3	4	7	10	29
B. OPERATED	1147	3.4	15	1	1	2	4	6	8	19
TOTAL 65-69 YRS	311	3.2	8	1	1	2	4	6	9	16
70-74	356	3.2	12	1	1	2	4	6	8	12
75-79	307	3.4	11	1	1	3	4	6	8	19
80-84	197	3.8	36	1	1	3	4	6	10	28
85+	143	4.4	49	1	1	3	5	8	10	37
GRAND TOTAL	**1314**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	1.7	1	<1	<1	1	2	4	4	4
70-74	24	1.8	3	<1	<1	1	2	2	5	10
75-79	24	1.5		<1	<1	1	2	2	3	3
80-84	28	1.8	1	<1	<1	1	2	3	4	5
85+	11	1.9	2	<1	<1	2	2	4	6	6
B. *Operated*										
65-69 YRS	8377	1.9	1	<1	1	2	2	3	3	4
70-74	10886	2.0	1	<1	1	2	2	3	3	4
75-79	11693	2.0	1	1	1	2	2	3	3	4
80-84	8772	2.0	1	1	1	2	2	3	3	4
85+	5830	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	1.9	4	<1	<1	1	2	4	5	11
70-74	352	2.1	5	<1	<1	1	2	4	7	11
75-79	398	2.5	10	<1	1	1	2	5	8	18
80-84	353	2.2	8	<1	<1	1	2	4	6	13
85+	257	2.2	9	<1	<1	1	2	4	7	14
B. *Operated*										
65-69 YRS	9403	2.3	3	1	1	2	2	3	4	9
70-74	13099	2.4	4	1	1	2	2	3	4	10
75-79	14577	2.4	3	1	1	2	2	3	4	9
80-84	11264	2.4	4	1	1	2	2	3	5	10
85+	8189	2.6	7	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	1.7	1	<1	<1	1	2	2	4	8
B. *Operated*	45558	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1589	2.2	7	<1	<1	1	2	4	7	13
B. *Operated*	56532	2.4	4	1	1	2	2	3	4	10
1. SINGLE DX	45661	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	58121	2.4	4	1	1	2	2	3	4	10
A. NOT OPERATED	1692	2.2	7	<1	<1	1	2	4	6	13
B. OPERATED	102090	2.2	3	1	1	2	2	3	4	8
TOTAL 65-69 YRS	18025	2.1	2	1	1	2	2	3	3	7
70-74	24361	2.2	3	1	1	2	2	3	4	8
75-79	26692	2.2	2	1	1	2	2	3	4	8
80-84	20417	2.2	3	1	1	2	2	3	4	8
85+	14287	2.4	5	1	1	2	2	3	4	9
GRAND TOTAL	**103782**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	192	2.0	1	<1	1	2	2	3	4	7
70-74	194	1.9	1	<1	1	2	2	3	3	6
75-79	226	1.9	1	1	1	2	2	3	3	7
80-84	140	2.0	1	<1	1	2	2	3	3	6
85+	100	2.1	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	2.4	7	<1	<1	1	3	7	8	8
70-74	6	1.0		1	1	1	1	1	1	1
75-79	7	3.9	24	1	1	1	8	12	12	12
80-84	2	1.0		1	1	1	1	1	1	1
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	200	2.3	1	1	1	2	2	3	4	7
70-74	286	2.3	2	1	1	2	2	4	5	7
75-79	247	2.5	8	1	1	2	2	4	5	14
80-84	189	2.1	1	1	1	2	2	3	4	6
85+	125	2.5	6	1	1	2	3	3	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	852	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	25	2.5	9	<1	1	1	2	8	10	12
B. *Operated*	1047	2.3	3	1	1	2	2	3	4	8
1. SINGLE DX	856	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	1072	2.3	4	1	1	2	2	3	5	9
A. NOT OPERATED	29	2.3	8	<1	<1	1	2	7	10	12
B. OPERATED	1899	2.2	3	1	1	2	2	3	4	7
TOTAL 65-69 YRS	399	2.2	1	1	1	2	2	3	4	8
70-74	488	2.1	2	<1	1	2	2	3	4	7
75-79	481	2.3	5	1	1	2	2	3	4	11
80-84	331	2.1	1	1	1	2	2	3	3	6
85+	229	2.3	4	1	1	2	2	3	4	10
GRAND TOTAL	**1928**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.6	3	1	1	2	3	5	6	6
70-74	17	3.8	6	<1	1	4	5	7	9	10
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	50	2.2	2	1	1	2	2	3	7	8
70-74	38	1.9	1	<1	<1	2	2	3	4	6
75-79	11	2.4	1	1	1	2	3	4	5	5
80-84	8	2.1	2	<1	<1	1	3	4	4	4
85+	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	5.1	13	1	2	4	7	10	12	16
70-74	61	5.2	12	2	2	4	7	10	12	16
75-79	41	5.4	15	1	2	5	7	12	14	18
80-84	19	5.5	11	1	2	6	7	9	13	16
85+	8	4.9	18	1	1	3	8	12	12	12
B. *Operated*										
65-69 YRS	87	4.4	57	1	1	2	5	9	12	48
70-74	76	3.8	26	1	1	2	4	10	13	32
75-79	40	4.4	29	1	1	2	4	11	16	28
80-84	16	4.4	35	1	1	2	3	11	20	24
85+	11	2.7	8	<1	<1	2	3	6	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.4	5	1	1	3	4	7	8	10
B. *Operated*	113	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	190	5.2	13	1	2	4	7	11	13	16
B. *Operated*	230	4.1	38	1	1	2	4	10	13	30
1. SINGLE DX	141	2.3	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	420	4.6	27	1	1	3	6	10	13	21
A. NOT OPERATED	218	5.0	12	1	2	4	7	10	12	16
B. OPERATED	343	3.4	27	1	1	2	3	7	11	24
TOTAL 65-69 YRS	205	4.0	30	1	1	2	5	8	11	16
70-74	192	3.9	16	1	1	3	4	9	11	18
75-79	95	4.6	20	1	1	3	5	10	14	24
80-84	43	4.5	19	<1	1	3	6	8	13	24
85+	26	3.0	10	<1	<1	2	3	10	11	12
GRAND TOTAL	**561**	**4.0**	**22**	**1**	**1**	**2**	**5**	**9**	**12**	**19**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	6.4	150	<1	<1	3	7	12	15	72
70-74	24	4.5	14	1	1	3	6	9	12	17
75-79	32	4.3	21	<1	<1	3	4	8	19	20
80-84	16	4.7	13	1	2	3	7	8	12	14
85+	14	5.5	27	<1	1	4	6	14	19	20
B. *Operated*										
65-69 YRS	466	2.1	2	<1	<1	2	3	4	4	7
70-74	438	2.1	4	<1	<1	2	2	4	4	8
75-79	441	2.1	2	<1	<1	2	2	3	4	7
80-84	324	2.3	2	<1	1	2	3	4	5	7
85+	243	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	4.6	25	<1	1	3	6	8	11	30
70-74	118	6.0	26	<1	1	5	8	13	16	25
75-79	123	6.0	32	1	1	5	7	11	13	33
80-84	97	6.8	56	1	1	5	8	14	19	44
85+	92	6.6	65	1	1	5	8	12	19	50
B. *Operated*										
65-69 YRS	764	2.9	8	1	1	2	3	5	7	15
70-74	899	3.2	18	1	1	2	4	5	7	18
75-79	905	3.2	8	1	1	2	4	6	8	15
80-84	709	3.4	19	1	1	2	4	6	8	23
85+	504	3.3	8	1	1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.1	55	<1	1	3	6	10	15	36
B. *Operated*	1912	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	528	6.0	40	1	1	4	7	11	17	31
B. *Operated*	3781	3.2	12	1	1	2	4	5	8	16
1. SINGLE DX	2032	2.4	6	<1	<1	2	3	4	5	9
2. MULTIPLE DX	4309	3.5	17	1	1	2	4	7	9	20
A. NOT OPERATED	648	5.8	43	1	1	4	7	11	16	31
B. OPERATED	5693	2.9	9	<1	1	2	3	5	7	14
TOTAL 65-69 YRS	1362	2.9	11	<1	1	2	3	5	7	15
70-74	1479	3.1	15	<1	1	2	3	5	8	17
75-79	1501	3.1	9	<1	1	2	4	6	8	15
80-84	1146	3.4	18	1	1	2	4	6	8	22
85+	853	3.4	14	1	1	2	4	6	9	16
GRAND TOTAL	**6341**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	4.2	23	1	1	3	5	6	9	32
70-74	42	3.4	9	<1	1	3	5	6	7	18
75-79	35	3.9	5	1	1	4	5	7	8	10
80-84	22	4.2	9	1	1	3	6	8	10	11
85+	14	6.9	21	1	1	6	12	14	14	14
B. *Operated*										
65-69 YRS	565	2.2	2	<1	1	2	2	3	4	9
70-74	621	2.1	2	<1	1	2	2	3	3	9
75-79	652	2.2	3	<1	1	2	2	3	4	10
80-84	428	2.2	3	<1	1	2	2	3	5	9
85+	232	2.1	3	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	200	4.6	13	1	1	4	6	9	11	21
70-74	203	4.9	14	1	1	4	7	9	12	21
75-79	170	6.0	27	1	1	4	8	13	17	26
80-84	128	5.2	14	1	1	4	7	10	14	17
85+	100	5.7	24	1	2	4	7	10	13	30
B. *Operated*										
65-69 YRS	1031	3.6	15	1	1	2	4	7	10	17
70-74	1172	3.6	14	1	1	2	4	7	10	19
75-79	1057	3.4	11	1	1	2	3	7	10	17
80-84	717	3.2	16	1	1	2	3	6	8	17
85+	403	4.0	39	1	1	2	3	8	12	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.2	14	1	1	4	5	8	10	18
B. *Operated*	2498	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	801	5.2	18	1	1	4	7	10	13	22
B. *Operated*	4380	3.5	16	1	1	2	4	7	10	19
1. SINGLE DX	2658	2.3	3	<1	1	2	2	3	5	10
2. MULTIPLE DX	5181	3.8	17	1	1	2	4	8	11	20
A. NOT OPERATED	961	5.0	17	1	1	4	7	10	13	21
B. OPERATED	6878	3.0	11	1	1	2	3	5	9	17
TOTAL 65-69 YRS	1843	3.3	12	1	1	2	4	6	9	16
70-74	2038	3.2	11	1	1	2	3	7	10	18
75-79	1914	3.2	11	1	1	2	3	7	10	17
80-84	1295	3.1	12	1	1	2	3	6	8	15
85+	749	3.7	26	1	1	2	4	7	10	27
GRAND TOTAL	**7839**	**3.3**	**13**	**1**	**1**	**2**	**3**	**7**	**9**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	23.0	1423	3	3	4	33	90	90	90
70-74	9	2.3	2	1	1	2	3	4	4	4
75-79	4	4.0	1	3	3	4	5	5	5	5
80-84	5	5.8	4	4	4	5	7	9	9	9
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	11	2.0	1	<1	<1	2	2	4	5	5
70-74	10	1.8		1	1	2	2	3	3	3
75-79	9	1.9	1	<1	<1	2	2	3	3	3
80-84	3	2.0		2	2	2	2	2	2	2
85+	5	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	5.9	40	1	2	4	7	10	17	38
70-74	74	6.0	125	1	1	3	5	9	13	73
75-79	53	5.9	28	2	2	4	7	10	14	32
80-84	32	7.5	18	2	2	7	10	13	15	19
85+	25	4.3	11	1	1	3	6	10	11	13
B. *Operated*										
65-69 YRS	66	3.9	14	1	1	3	4	8	11	22
70-74	58	5.0	19	1	2	3	6	11	16	21
75-79	38	3.9	5	1	1	3	5	7	9	10
80-84	34	4.2	9	1	1	3	7	8	10	13
85+	15	8.9	248	<1	2	5	7	10	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.4	304	1	1	4	5	9	33	90
B. *Operated*	38	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	250	6.0	57	1	2	4	7	11	15	39
B. *Operated*	211	4.6	30	1	1	3	6	9	11	22
1. SINGLE DX	63	4.1	125	<1	1	2	3	5	7	80
2. MULTIPLE DX	461	5.3	45	1	1	4	7	10	13	32
A. NOT OPERATED	275	6.1	78	1	2	4	7	11	15	51
B. OPERATED	249	4.2	27	1	1	3	5	8	10	21
TOTAL 65-69 YRS	148	5.3	75	1	1	3	6	10	14	40
70-74	151	5.1	70	1	1	3	5	9	13	55
75-79	104	4.7	18	1	1	4	6	9	10	27
80-84	74	5.6	15	1	2	5	8	11	13	18
85+	47	5.4	88	<1	1	3	6	10	11	65
GRAND TOTAL	**524**	**5.2**	**55**	**1**	**1**	**3**	**6**	**10**	**13**	**34**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	8	<1	<1	1	5	6	6	6
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
65-69 YRS	164	1.8	1	<1	1	2	2	3	3	6
70-74	82	1.7		<1	1	2	2	3	3	3
75-79	41	1.9	1	<1	1	2	2	3	3	4
80-84	15	1.9	1	<1	1	2	2	3	4	5
85+	13	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	4.9	13	1	2	4	6	11	14	14
70-74	45	5.6	13	1	1	5	7	11	12	16
75-79	34	7.2	37	1	1	6	9	13	17	32
80-84	26	7.0	27	2	3	6	9	12	15	28
85+	19	6.2	20	2	3	4	9	12	16	19
B. *Operated*										
65-69 YRS	270	2.9	8	1	1	2	3	5	7	17
70-74	160	2.4	3	1	1	2	3	4	6	8
75-79	70	3.1	14	1	1	2	3	5	9	25
80-84	25	6.9	254	1	1	2	4	11	37	80
85+	20	4.4	18	<1	1	3	6	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	4	<1	<1	3	5	6	7	7
B. *Operated*	315	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	175	6.0	21	1	2	5	8	11	14	26
B. *Operated*	545	3.0	20	1	1	2	3	5	8	19
1. SINGLE DX	325	1.8	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	720	3.7	21	1	1	2	4	8	11	20
A. NOT OPERATED	185	5.8	20	1	2	5	8	11	13	25
B. OPERATED	860	2.6	13	1	1	2	3	4	6	15
TOTAL 65-69 YRS	488	2.8	7	1	1	2	3	5	7	14
70-74	290	2.7	6	1	1	2	3	5	7	13
75-79	146	3.7	19	1	1	2	4	9	11	28
80-84	66	5.8	109	1	1	3	6	10	14	72
85+	55	4.2	16	1	1	3	5	10	12	19
GRAND TOTAL	**1045**	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	4.4	5	2	2	4	6	8	9	9
70-74	7	3.4	3	<1	<1	4	5	5	5	5
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84	3	15.3	170	3	3	14	25	29	29	29
85+	10	6.0	14	3	3	5	6	11	16	16
B. *Operated*										
65-69 YRS	29	3.2	14	1	1	2	3	8	13	17
70-74	17	3.1	11	<1	<1	2	3	7	12	14
75-79	15	4.5	31	<1	<1	2	4	17	17	17
80-84	5	3.4	15	1	1	1	5	10	10	10
85+	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	7.7	47	1	2	6	9	15	28	30
70-74	62	8.3	32	3	3	7	10	15	18	33
75-79	60	9.2	48	2	3	7	11	20	27	30
80-84	43	12.4	248	3	3	7	11	36	58	66
85+	42	8.1	55	2	3	6	10	13	21	43
B. *Operated*										
65-69 YRS	92	6.1	87	1	1	3	7	15	27	85
70-74	79	8.0	108	1	2	3	9	22	27	56
75-79	56	9.5	103	1	1	6	14	25	38	96
80-84	45	13.2	188	2	2	8	20	25	41	64
85+	25	11.0	70	1	2	11	16	19	29	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.6	24	2	2	5	6	9	15	29
B. *Operated*	70	3.4	16	<1	1	2	3	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	274	9.0	78	2	3	6	10	16	28	56
B. *Operated*	297	8.7	114	1	1	4	12	22	33	65
1. SINGLE DX	108	4.2	20	<1	1	3	5	10	14	22
2. MULTIPLE DX	571	8.8	96	1	2	6	11	20	29	62
A. NOT OPERATED	312	8.5	72	2	3	6	10	15	28	53
B. OPERATED	367	7.7	99	1	1	3	10	20	27	64
TOTAL 65-69 YRS	203	6.1	59	1	1	3	7	13	24	51
70-74	165	7.4	67	1	2	5	9	15	22	45
75-79	134	8.7	70	1	2	6	12	21	29	50
80-84	96	12.4	206	1	2	7	13	26	55	65
85+	81	8.5	55	1	2	6	11	16	23	40
GRAND TOTAL	**679**	**8.1**	**87**	**1**	**2**	**5**	**10**	**18**	**27**	**59**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	331	2.9	3	1	1	3	4	5	6	10
70-74	262	3.2	4	1	1	3	4	6	8	9
75-79	231	3.3	4	1	1	3	4	6	7	11
80-84	127	3.3	4	1	1	3	4	6	7	10
85+	79	4.1	9	1	2	3	5	8	10	18
B. *Operated*										
65-69 YRS	61	3.9	6	1	1	3	5	8	9	12
70-74	49	3.7	12	1	1	2	4	8	11	16
75-79	24	3.5	5	1	2	3	4	8	9	9
80-84	5	3.0	3	1	1	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1516	4.4	9	1	2	4	6	8	10	15
70-74	1615	4.5	11	1	2	4	6	8	11	16
75-79	1477	4.7	11	1	2	4	6	9	11	17
80-84	976	5.0	13	1	2	4	6	9	12	19
85+	636	5.3	12	1	2	4	7	10	12	17
B. *Operated*										
65-69 YRS	147	6.9	32	2	2	5	9	13	19	30
70-74	161	6.5	24	2	2	5	8	13	19	23
75-79	115	7.7	23	2	3	7	10	13	16	27
80-84	59	9.0	44	3	4	7	12	16	19	40
85+	47	7.1	17	2	2	6	10	13	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	3.2	4	1	1	3	4	6	7	10
B. *Operated*	140	3.7	8	1	1	3	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	6220	4.7	11	1	2	4	6	9	11	17
B. *Operated*	529	7.2	28	2	2	6	9	14	17	27
1. SINGLE DX	1170	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	6749	4.9	13	1	2	4	6	9	12	18
A. NOT OPERATED	7250	4.5	10	1	2	4	6	8	10	16
B. OPERATED	669	6.5	26	2	2	5	8	13	16	26
TOTAL 65-69 YRS	2055	4.4	10	1	2	4	5	8	10	16
70-74	2087	4.5	12	1	2	4	6	8	11	18
75-79	1847	4.7	12	1	2	4	6	9	11	17
80-84	1167	5.0	15	1	2	4	6	9	12	19
85+	763	5.3	13	1	2	4	7	10	12	18
GRAND TOTAL	**7919**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.8		<1	<1	2	2	2	2	2
70-74	6	2.0		2	2	2	2	2	2	2
75-79	3	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	170	2.0	1	1	1	2	3	3	4	5
70-74	106	2.0	1	1	1	2	3	3	3	5
75-79	61	2.1	1	1	1	2	3	3	4	5
80-84	17	1.5		1	1	1	2	2	3	3
85+	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	2	1	1	2	3	5	5	5
70-74	8	6.4	23	2	2	5	9	13	15	15
75-79	4	1.8		1	1	2	2	2	2	2
80-84	4	7.8	92	2	2	4	13	22	22	22
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	117	2.5	1	1	1	2	3	4	5	6
70-74	57	2.4	1	1	1	2	3	3	4	6
75-79	36	2.5	2	1	1	2	3	4	5	7
80-84	11	2.6	1	1	1	3	3	4	4	4
85+	4	2.5		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9		<1	2	2	2	2	2	2
B. *Operated*	360	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	22	4.7	27	1	1	2	5	11	18	22
B. *Operated*	225	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	375	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	247	2.7	4	1	1	2	3	4	5	10
A. NOT OPERATED	37	3.6	18	1	2	2	3	9	13	22
B. OPERATED	585	2.2	1	1	1	2	3	3	4	6
TOTAL 65-69 YRS	298	2.2	1	1	1	2	3	3	4	6
70-74	177	2.3	3	1	1	2	3	3	4	10
75-79	104	2.2	1	1	1	2	3	3	4	6
80-84	32	2.7	13	1	1	2	3	4	5	22
85+	11	2.5	1	1	1	2	3	4	5	5
GRAND TOTAL	**622**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.7	6	<1	<1	4	5	7	8	9
70-74	15	4.8	6	1	1	4	7	8	9	9
75-79	15	3.5	4	1	1	4	4	6	8	8
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	186	2.0	2	<1	1	2	2	3	4	10
70-74	113	2.2	1	1	1	2	3	3	4	6
75-79	56	1.9	1	<1	1	2	2	3	3	6
80-84	19	1.7	1	<1	1	2	2	2	3	4
85+	10	2.1	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	4.4	9	1	2	4	6	8	9	19
70-74	71	4.4	7	<1	1	4	6	8	10	11
75-79	37	4.4	6	1	2	4	5	6	10	13
80-84	32	6.2	36	1	2	5	7	11	14	34
85+	27	6.1	16	2	2	5	8	13	14	15
B. *Operated*										
65-69 YRS	312	2.7	6	1	1	2	3	5	7	15
70-74	184	2.5	2	1	1	2	3	4	5	9
75-79	117	3.1	6	1	1	2	4	6	8	13
80-84	34	3.5	10	1	1	2	4	9	11	14
85+	16	6.6	99	1	1	3	6	18	34	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.9	5	1	1	4	5	8	8	9
B. *Operated*	384	2.0	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	250	4.8	13	1	2	4	6	8	11	15
B. *Operated*	663	2.9	8	1	1	2	3	5	7	14
1. SINGLE DX	439	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	913	3.4	10	1	1	2	4	7	9	15
A. NOT OPERATED	305	4.7	11	1	1	4	6	8	11	15
B. OPERATED	1047	2.5	6	1	1	2	3	4	6	14
TOTAL 65-69 YRS	602	2.8	6	1	1	2	3	5	7	14
70-74	383	2.9	4	1	1	2	3	5	7	10
75-79	225	3.0	5	1	1	2	4	6	7	11
80-84	87	4.1	20	1	1	2	6	9	11	27
85+	55	5.4	39	1	1	3	7	12	15	39
GRAND TOTAL	**1352**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	18	5	5	8	11	11	11	11
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	9.4	51	2	2	8	10	19	20	34
70-74	40	8.5	26	1	3	7	11	17	19	23
75-79	34	11.2	102	3	3	8	12	24	34	49
80-84	22	8.1	30	1	2	6	12	15	19	22
85+	9	7.4	17	4	4	6	9	14	17	17
B. *Operated*										
65-69 YRS	27	10.5	91	2	2	7	18	29	40	99+
70-74	15	14.7	112	1	2	12	22	32	33	33
75-79	8	13.9	219	1	2	8	19	39	46	46
80-84	7	12.0	27	4	5	13	16	18	18	18
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	9	4	4	6	10	11	11	11
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	135	9.2	51	2	3	7	12	18	22	37
B. *Operated*	58	12.1	104	1	2	10	18	31	33	95
1. SINGLE DX	7	6.1	10	2	2	5	9	11	11	11
2. MULTIPLE DX	193	10.1	68	2	2	8	13	20	31	48
A. NOT OPERATED	141	9.1	50	2	3	7	11	18	21	36
B. OPERATED	59	11.9	104	1	2	9	17	30	33	95
TOTAL 65-69 YRS	59	9.8	67	2	2	8	14	22	32	93
70-74	58	9.8	55	1	2	8	12	19	28	33
75-79	44	11.6	116	2	3	8	13	25	38	49
80-84	29	9.0	32	2	3	7	13	17	18	22
85+	10	6.9	18	2	3	6	9	13	17	17
GRAND TOTAL	**200**	**10.0**	**67**	**2**	**2**	**8**	**12**	**20**	**30**	**47**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	4.3	10	1	1	3	7	9	9	9
70-74	12	4.3	4	1	2	4	6	7	8	8
75-79	7	5.1	10	2	2	4	8	10	10	10
80-84	5	2.8	3	2	2	2	3	6	6	6
85+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
65-69 YRS	51	6.6	50	1	1	2	12	19	20	26
70-74	43	5.9	31	1	1	2	11	15	17	18
75-79	13	16.1	647	1	2	10	18	41	86	96
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	317	8.2	49	2	2	6	10	17	22	35
70-74	368	8.9	54	2	3	7	11	16	22	40
75-79	316	8.9	38	3	3	7	11	17	21	35
80-84	210	9.6	83	2	3	7	11	17	24	61
85+	122	8.6	31	2	3	7	11	17	22	24
B. *Operated*										
65-69 YRS	607	12.6	128	2	2	11	17	27	36	55
70-74	464	12.3	147	2	2	10	17	28	36	58
75-79	225	13.5	155	2	2	11	19	29	37	57
80-84	54	15.1	218	1	2	10	20	33	53	67
85+	22	13.9	118	2	3	10	23	29	37	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.3	7	1	2	4	6	9	9	10
B. *Operated*	107	7.5	119	1	1	2	12	18	20	57
2. MULTIPLE DX										
A. *Not Operated*	1333	8.8	52	2	3	7	11	17	22	41
B. *Operated*	1372	12.8	142	2	2	11	17	28	36	57
1. SINGLE DX	141	6.7	94	1	1	3	10	16	19	33
2. MULTIPLE DX	2705	10.8	102	2	2	8	14	23	31	52
A. NOT OPERATED	1367	8.7	51	2	3	7	11	17	22	41
B. OPERATED	1479	12.4	142	2	2	10	17	27	36	57
TOTAL 65-69 YRS	983	10.8	103	2	2	8	15	24	31	49
70-74	887	10.4	105	2	2	7	14	22	31	50
75-79	561	10.9	103	2	2	8	14	22	30	54
80-84	269	10.6	114	2	3	8	12	20	32	65
85+	146	9.3	47	2	3	8	12	20	23	33
GRAND TOTAL	**2846**	**10.6**	**102**	**2**	**2**	**8**	**14**	**22**	**30**	**52**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	299	4.3	8	1	2	3	6	8	10	14
70-74	278	4.6	13	1	2	4	6	8	12	19
75-79	176	4.2	7	1	2	4	5	8	9	13
80-84	117	4.5	12	1	2	4	5	10	13	16
85+	61	4.8	20	1	1	4	6	8	11	29
B. *Operated*										
65-69 YRS	31	4.4	9	1	2	4	5	8	13	14
70-74	22	4.4	11	1	1	3	5	11	12	13
75-79	14	3.3	5	1	1	3	4	7	9	9
80-84	8	5.6	24	<1	<1	4	10	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2989	5.8	17	2	2	5	7	10	13	20
70-74	2918	6.1	28	2	2	5	7	11	15	28
75-79	2317	6.7	44	2	2	5	8	12	16	33
80-84	1538	6.7	31	2	2	5	8	13	16	29
85+	1068	7.0	46	2	2	5	8	14	19	41
B. *Operated*										
65-69 YRS	459	9.8	71	2	2	7	12	19	25	47
70-74	381	10.7	97	2	3	8	14	20	27	43
75-79	268	10.4	54	2	3	9	14	19	24	36
80-84	151	11.0	103	2	3	9	15	19	26	66
85+	106	12.7	111	2	3	10	17	25	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	931	4.4	11	1	2	4	6	8	11	17
B. *Operated*	76	4.3	10	1	1	3	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	10830	6.3	31	2	2	5	8	12	15	29
B. *Operated*	1365	10.5	82	2	3	8	14	20	26	47
1. SINGLE DX	1007	4.4	11	1	2	4	6	8	11	16
2. MULTIPLE DX	12195	6.8	38	2	2	5	8	13	17	32
A. NOT OPERATED	11761	6.2	29	2	2	5	7	11	15	28
B. OPERATED	1441	10.2	80	2	2	8	13	20	26	47
TOTAL 65-69 YRS	3778	6.2	25	2	2	5	8	11	15	25
70-74	3599	6.5	36	2	2	5	8	12	16	30
75-79	2775	6.9	44	2	2	5	8	13	17	33
80-84	1814	6.9	38	2	2	5	8	13	17	30
85+	1236	7.4	53	2	2	5	9	15	21	51
GRAND TOTAL	**13202**	**6.6**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	5.3	13	1	2	5	7	9	11	21
70-74	111	6.3	13	2	3	5	8	11	14	17
75-79	91	6.0	13	2	2	5	8	11	13	17
80-84	111	6.8	30	2	2	5	8	13	16	30
85+	71	7.5	43	2	3	6	8	13	17	40
B. *Operated*										
65-69 YRS	20	3.0	8	1	1	2	3	7	10	11
70-74	12	4.2	10	2	2	3	6	10	10	10
75-79	4	5.3	28	1	1	4	9	12	12	12
80-84	2	7.0	2	6	6	7	8	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2109	8.3	47	2	3	7	10	15	19	35
70-74	2467	8.3	42	2	3	7	10	15	20	33
75-79	2323	8.4	36	2	3	7	10	15	20	33
80-84	1974	9.3	70	2	3	7	11	17	22	56
85+	1593	9.7	68	3	3	7	12	19	25	51
B. *Operated*										
65-69 YRS	363	11.6	106	2	2	9	15	26	32	55
70-74	327	13.4	158	2	3	10	16	28	40	87
75-79	248	12.9	88	2	4	10	17	26	34	49
80-84	186	14.2	138	4	5	12	18	27	38	96
85+	113	15.8	143	4	5	12	22	30	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	6.3	21	2	2	5	8	11	14	25
B. *Operated*	39	3.8	10	1	1	2	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	10466	8.7	51	2	3	7	11	16	21	39
B. *Operated*	1237	13.1	125	2	3	10	17	27	36	78
1. SINGLE DX	529	6.1	21	2	2	5	8	11	14	24
2. MULTIPLE DX	11703	9.2	61	2	3	7	11	17	23	43
A. NOT OPERATED	10956	8.6	50	2	3	7	10	16	21	38
B. OPERATED	1276	12.8	124	2	3	10	17	27	35	77
TOTAL 65-69 YRS	2598	8.6	56	2	3	7	10	16	21	39
70-74	2917	8.8	57	2	3	7	10	16	22	39
75-79	2666	8.8	42	2	3	7	11	16	21	36
80-84	2273	9.5	75	2	3	7	11	18	24	57
85+	1778	10.0	74	3	3	7	12	20	26	55
GRAND TOTAL	**12232**	**9.1**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.3	37	1	1	4	9	12	21	26
70-74	26	7.4	29	3	3	6	9	16	19	25
75-79	11	7.4	20	3	3	6	11	14	16	16
80-84	8	13.6	150	1	1	13	17	33	39	39
85+	6	8.8	63	3	3	6	10	23	24	24
B. *Operated*										
65-69 YRS	33	5.5	25	1	1	4	7	11	14	25
70-74	24	6.9	103	1	2	5	7	9	24	53
75-79	9	7.3	38	1	1	7	12	16	18	18
80-84	4	9.5	23	5	5	9	13	15	15	15
85+	3	5.3	4	3	3	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	346	8.4	48	2	3	7	11	17	21	30
70-74	313	9.6	74	2	3	7	11	20	26	52
75-79	332	10.3	76	2	3	8	13	21	26	52
80-84	253	10.9	70	3	4	8	14	19	27	45
85+	175	11.8	124	3	3	9	15	22	30	65
B. *Operated*										
65-69 YRS	440	13.6	162	2	2	10	18	29	38	65
70-74	338	12.5	113	2	3	9	17	25	33	50
75-79	185	16.0	209	3	3	11	21	35	53	99+
80-84	91	16.6	252	3	4	12	20	37	53	95
85+	39	16.4	140	3	5	12	24	39	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	7.8	47	1	2	6	10	17	23	35
B. *Operated*	73	6.4	50	1	1	5	8	12	15	47
2. MULTIPLE DX										
A. *Not Operated*	1419	9.9	74	2	3	7	12	20	25	48
B. *Operated*	1093	14.0	163	2	3	10	18	30	40	75
1. SINGLE DX	150	7.1	49	1	2	5	9	14	18	39
2. MULTIPLE DX	2512	11.7	117	2	3	9	15	24	33	63
A. NOT OPERATED	1496	9.8	73	2	3	7	12	19	25	46
B. OPERATED	1166	13.5	160	2	3	10	18	29	39	74
TOTAL 65-69 YRS	845	10.9	114	2	2	8	14	23	30	58
70-74	701	10.8	95	2	3	8	14	22	29	51
75-79	537	12.1	128	2	3	9	16	27	35	76
80-84	356	12.4	123	3	4	9	15	25	32	72
85+	223	12.4	126	3	3	9	17	25	37	73
GRAND TOTAL	**2662**	**11.5**	**114**	**2**	**3**	**8**	**15**	**24**	**32**	**61**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1378	9.9	13	4	6	10	12	14	16	21
70-74	1203	10.2	16	4	6	10	12	15	16	23
75-79	760	10.4	17	4	6	10	12	15	18	24
80-84	441	10.4	17	5	6	10	12	15	17	23
85+	288	10.0	22	3	5	9	12	15	19	26
B. *Operated*										
65-69 YRS	172	10.7	72	2	3	10	13	16	20	37
70-74	78	11.4	44	2	2	11	14	20	25	29
75-79	47	12.4	46	3	4	11	15	21	25	36
80-84	21	13.5	44	4	7	14	15	23	27	31
85+	9	15.2	35	6	7	18	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11437	11.4	29	5	6	11	14	17	21	31
70-74	12251	11.9	36	5	6	11	14	18	22	35
75-79	10813	12.3	42	5	6	11	14	19	24	37
80-84	7818	12.7	50	5	6	11	15	20	25	41
85+	5401	13.0	58	5	6	11	15	21	27	46
B. *Operated*										
65-69 YRS	3128	15.1	101	3	6	13	18	26	34	60
70-74	2585	16.4	108	5	7	14	19	28	36	58
75-79	1631	18.0	127	7	8	15	22	32	41	68
80-84	897	18.1	108	7	8	16	23	32	40	68
85+	559	18.9	107	7	9	17	23	32	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4070	10.1	16	4	6	10	12	15	17	23
B. *Operated*	327	11.4	59	2	3	11	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	47720	12.1	41	5	6	11	14	19	23	36
B. *Operated*	8800	16.6	111	5	7	14	20	29	37	63
1. SINGLE DX	4397	10.2	19	4	6	10	12	15	17	24
2. MULTIPLE DX	56520	12.8	54	5	6	11	15	21	26	43
A. NOT OPERATED	51790	12.0	39	5	6	11	14	19	23	35
B. OPERATED	9127	16.4	110	5	7	14	20	29	37	63
TOTAL 65-69 YRS	16115	12.0	44	4	6	11	14	19	23	38
70-74	16117	12.5	49	5	6	11	14	20	25	40
75-79	13251	12.9	55	5	6	11	15	21	26	44
80-84	9177	13.1	57	5	7	12	15	21	27	44
85+	6257	13.4	64	5	6	12	16	22	28	47
GRAND TOTAL	**60917**	**12.6**	**52**	**5**	**6**	**11**	**15**	**20**	**25**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	659	3.5	4	1	1	3	4	6	8	10
70-74	559	3.8	10	1	1	3	5	7	8	13
75-79	437	3.8	5	1	2	3	5	7	8	10
80-84	269	3.8	5	1	2	3	5	6	8	13
85+	180	3.9	8	1	1	3	5	7	10	15
B. *Operated*										
65-69 YRS	179	3.2	8	1	1	2	3	8	10	14
70-74	83	3.1	15	1	1	2	3	6	9	25
75-79	28	3.6	16	1	1	2	4	9	13	18
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8257	4.8	11	1	2	4	6	9	11	17
70-74	8491	5.1	15	2	2	4	6	9	11	19
75-79	7277	5.3	16	2	2	4	7	10	12	20
80-84	5224	5.5	19	2	2	4	7	10	13	20
85+	3550	5.4	17	2	2	4	7	10	13	20
B. *Operated*										
65-69 YRS	3450	6.3	41	1	2	4	9	14	17	29
70-74	2274	6.6	42	1	2	4	9	14	19	30
75-79	1074	8.3	71	1	2	6	11	17	23	46
80-84	382	9.9	79	2	2	8	13	20	28	51
85+	198	11.1	119	3	3	8	14	22	31	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2104	3.7	6	1	1	3	5	7	8	12
B. *Operated*	293	3.3	11	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	32799	5.2	15	2	2	4	6	9	12	19
B. *Operated*	7378	7.0	51	1	2	5	10	15	19	35
1. SINGLE DX	2397	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	40177	5.5	22	1	2	4	7	10	13	23
A. NOT OPERATED	34903	5.1	15	2	2	4	6	9	11	19
B. OPERATED	7671	6.8	50	1	2	4	10	15	19	34
TOTAL 65-69 YRS	12545	5.1	19	1	2	4	6	10	13	21
70-74	11407	5.3	21	1	2	4	7	10	13	22
75-79	8816	5.6	23	2	2	4	7	10	13	23
80-84	5877	5.7	24	2	2	4	7	10	13	22
85+	3929	5.6	23	2	2	5	7	10	13	24
GRAND TOTAL	**42574**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	735	4.5	7	1	2	4	6	8	9	13
70-74	763	4.6	7	2	2	4	6	8	9	14
75-79	576	4.7	10	1	2	4	6	8	10	15
80-84	361	5.1	10	2	2	4	6	9	11	16
85+	234	4.9	11	1	2	4	6	9	11	17
B. *Operated*										
65-69 YRS	143	6.5	31	1	1	5	9	14	17	25
70-74	116	5.8	24	1	1	5	8	12	15	26
75-79	41	6.4	26	1	2	6	9	15	16	19
80-84	13	6.3	34	<1	1	5	10	16	18	18
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10016	5.9	16	2	2	5	7	10	13	20
70-74	10851	6.2	17	2	2	5	8	11	14	21
75-79	9770	6.4	19	2	3	5	8	11	14	22
80-84	6830	6.7	26	2	3	5	8	12	15	26
85+	4211	6.9	29	2	3	6	8	12	16	29
B. *Operated*										
65-69 YRS	3909	9.8	62	2	2	9	13	19	24	37
70-74	2878	10.8	77	2	2	9	14	21	26	42
75-79	1485	11.9	81	2	3	10	15	22	28	43
80-84	645	13.3	113	3	4	11	17	26	34	61
85+	240	13.5	107	4	4	11	18	25	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2669	4.7	8	2	2	4	6	8	10	14
B. *Operated*	314	6.2	28	1	1	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	41678	6.3	20	2	3	5	8	11	14	23
B. *Operated*	9157	10.8	76	2	2	9	14	21	26	42
1. SINGLE DX	2983	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX	50835	7.1	33	2	2	6	9	13	17	29
A. NOT OPERATED	44347	6.2	19	2	2	5	8	11	14	22
B. OPERATED	9471	10.7	75	2	2	9	14	20	26	42
TOTAL 65-69 YRS	14803	6.9	31	2	2	5	9	13	17	29
70-74	14608	7.0	32	2	2	5	9	13	17	29
75-79	11872	7.0	30	2	3	6	9	13	17	28
80-84	7849	7.2	36	2	3	6	9	13	17	31
85+	4686	7.1	35	2	3	6	9	13	17	33
GRAND TOTAL	**53818**	**7.0**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	182	5.1	29	1	2	4	6	9	13	27
70-74	143	4.9	30	1	2	3	6	9	12	26
75-79	110	4.7	10	1	2	4	6	9	11	16
80-84	77	6.2	41	1	2	4	9	12	17	86
85+	46	5.5	18	2	2	4	7	9	12	27
B. *Operated*										
65-69 YRS	1329	4.7	22	1	1	2	7	12	15	21
70-74	659	5.5	32	1	1	2	9	13	17	26
75-79	207	5.2	34	1	1	2	8	14	18	25
80-84	37	6.0	40	1	1	2	9	17	19	23
85+	5	5.8	53	1	1	2	10	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3437	6.0	22	2	2	5	7	11	14	23
70-74	3737	6.4	25	2	2	5	8	12	15	23
75-79	3439	6.7	28	2	2	5	8	12	16	28
80-84	2734	7.3	32	2	3	6	9	13	17	32
85+	2272	7.9	53	2	3	6	9	14	20	44
B. *Operated*										
65-69 YRS	7795	8.1	64	1	2	6	12	17	22	39
70-74	4826	9.2	82	1	2	7	13	19	25	44
75-79	1899	10.5	102	1	2	8	14	22	30	52
80-84	502	12.3	133	2	2	10	17	27	34	62
85+	207	13.7	177	2	3	10	16	26	38	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	5.2	26	1	2	4	6	10	13	27
B. *Operated*	2237	5.0	27	1	1	2	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	15619	6.8	31	2	2	5	8	12	16	29
B. *Operated*	15229	8.9	79	1	2	7	12	19	24	44
1. SINGLE DX	2795	5.0	27	1	1	2	7	12	15	24
2. MULTIPLE DX	30848	7.8	56	2	2	6	10	16	21	38
A. NOT OPERATED	16177	6.7	31	2	2	5	8	12	16	29
B. OPERATED	17466	8.4	74	1	2	6	12	18	24	42
TOTAL 65-69 YRS	12743	7.1	49	1	2	5	10	15	19	33
70-74	9365	7.8	57	1	2	6	10	16	21	36
75-79	5655	7.9	56	2	2	6	10	16	21	40
80-84	3350	8.0	51	2	2	6	10	15	20	40
85+	2530	8.3	65	2	3	6	10	15	21	47
GRAND TOTAL	**33643**	**7.6**	**54**	**1**	**2**	**6**	**10**	**16**	**20**	**37**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	9.9	15	5	6	9	12	15	17	22
70-74	108	10.0	43	5	6	9	11	14	16	41
75-79	78	9.1	22	2	5	8	10	14	18	30
80-84	49	11.0	28	3	5	11	13	15	21	33
85+	31	10.3	28	4	5	9	12	17	22	27
B. *Operated*										
65-69 YRS	26	12.3	52	3	4	11	15	20	30	31
70-74	25	11.5	38	2	4	11	14	16	24	32
75-79	8	12.6	15	9	9	11	16	18	18	18
80-84	4	4.8	8	2	2	4	7	8	8	8
85+	4	9.8	2	8	8	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1291	11.9	37	5	6	11	14	18	22	35
70-74	1364	12.2	40	5	7	11	14	19	23	35
75-79	1210	12.8	54	5	6	11	15	20	25	44
80-84	824	13.0	56	5	6	11	15	21	27	46
85+	570	14.2	71	5	7	12	18	23	30	48
B. *Operated*										
65-69 YRS	410	16.0	89	6	8	14	20	27	36	54
70-74	365	16.8	148	6	8	14	20	27	39	72
75-79	288	17.3	127	7	8	14	20	31	44	98
80-84	192	17.0	119	6	8	15	20	28	39	80
85+	98	16.8	86	7	8	16	21	29	34	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	9.9	26	4	6	9	12	15	17	25
B. *Operated*	67	11.4	39	2	4	11	14	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	5259	12.6	49	5	6	11	15	20	25	39
B. *Operated*	1353	16.7	117	6	8	14	20	28	39	71
1. SINGLE DX	483	10.1	28	4	5	9	12	15	18	31
2. MULTIPLE DX	6612	13.4	65	5	7	12	16	22	27	47
A. NOT OPERATED	5675	12.4	47	5	6	11	15	20	24	38
B. OPERATED	1420	16.4	115	6	8	14	20	28	38	67
TOTAL 65-69 YRS	1877	12.6	50	5	6	11	15	21	25	41
70-74	1862	12.9	65	5	7	11	15	21	26	43
75-79	1584	13.4	69	5	7	12	16	22	28	48
80-84	1069	13.6	68	5	7	12	16	23	29	50
85+	703	14.4	73	5	7	12	18	24	30	51
GRAND TOTAL	**7095**	**13.2**	**63**	**5**	**7**	**11**	**15**	**21**	**27**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	8.7	30	5	5	6	13	15	15	15
70-74	5	16.8	59	10	10	15	21	29	29	29
75-79	1	31.0		31	31	31	31	31	31	31
80-84										
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	2	17.5	265	6	6	17	29	29	29	29
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	26.9	157	7	10	29	35	45	47	74
70-74	113	27.8	223	5	8	28	35	45	59	72
75-79	109	26.4	188	9	11	24	36	45	51	65
80-84	62	25.6	203	3	6	25	36	45	49	57
85+	50	29.2	235	5	7	28	37	44	53	87
B. *Operated*										
65-69 YRS	67	34.3	207	13	15	33	43	54	59	74
70-74	84	37.5	235	15	19	36	46	64	82	99+
75-79	50	34.1	213	14	19	31	44	50	60	80
80-84	25	35.4	223	12	18	39	44	57	59	66
85+	24	37.3	191	18	21	33	45	56	68	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	15.1	79	5	5	13	19	30	31	31
B. *Operated*	4	11.3	151	<1	<1	7	19	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	447	27.1	196	6	9	28	35	45	51	66
B. *Operated*	250	35.7	216	14	18	34	44	56	66	99+
1. SINGLE DX	14	14.0	93	1	4	11	19	29	31	31
2. MULTIPLE DX	697	30.2	220	7	12	30	40	48	58	81
A. NOT OPERATED	457	26.8	196	6	9	28	35	45	51	66
B. OPERATED	254	35.3	224	14	17	34	44	55	66	99
TOTAL 65-69 YRS	184	29.2	193	7	11	29	37	47	55	73
70-74	204	31.4	251	6	12	30	40	53	65	99+
75-79	161	28.7	209	9	12	28	38	46	54	68
80-84	87	28.4	226	4	9	28	41	47	55	63
85+	75	31.5	236	6	10	30	39	48	56	83
GRAND TOTAL	**711**	**29.9**	**222**	**7**	**11**	**29**	**39**	**48**	**58**	**81**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	98	3.1	9	<1	1	2	3	6	9	18
70-74	82	2.7	3	1	1	2	4	5	6	8
75-79	46	3.1	5	<1	1	2	4	6	8	10
80-84	27	3.4	10	1	1	2	5	7	11	14
85+	28	3.5	6	1	1	3	4	6	9	11
B. *Operated*										
65-69 YRS	3	5.0	7	2	2	6	7	7	7	7
70-74	3	3.7	2	2	2	4	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	823	4.7	13	1	1	4	6	9	12	17
70-74	832	5.2	20	1	2	4	6	10	13	23
75-79	712	5.5	28	1	2	4	7	11	14	25
80-84	499	6.0	21	1	2	5	8	11	14	25
85+	357	6.2	23	2	2	5	7	12	15	31
B. *Operated*										
65-69 YRS	69	10.1	128	2	2	8	12	22	25	72
70-74	91	10.8	60	3	4	9	13	20	26	44
75-79	51	11.5	68	2	4	10	14	22	26	41
80-84	41	14.2	270	2	4	11	16	22	39	99
85+	19	14.8	402	2	5	11	14	17	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.0	6	1	1	2	4	6	8	12
B. *Operated*	7	4.3	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	3223	5.4	21	1	2	4	7	10	13	23
B. *Operated*	271	11.5	134	2	3	9	14	21	26	74
1. SINGLE DX	288	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	3494	5.8	32	1	2	4	7	11	14	26
A. NOT OPERATED	3504	5.2	20	1	2	4	6	10	13	23
B. OPERATED	278	11.3	132	2	3	9	13	21	25	72
TOTAL 65-69 YRS	993	4.9	23	1	1	4	6	10	13	22
70-74	1008	5.5	25	1	1	4	7	11	14	25
75-79	810	5.7	32	1	2	4	7	11	14	28
80-84	567	6.4	43	1	2	5	8	12	16	28
85+	404	6.4	42	1	2	5	8	12	15	31
GRAND TOTAL	**3782**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	485	2.9	5	<1	1	2	4	6	7	11
70-74	397	3.2	7	<1	1	2	4	7	9	12
75-79	280	3.2	5	<1	1	2	4	6	8	11
80-84	166	3.9	17	1	1	3	5	8	11	26
85+	127	4.0	9	1	1	3	5	8	10	15
B. *Operated*										
65-69 YRS	16	6.3	62	<1	1	4	8	11	26	33
70-74	7	5.7	28	1	1	4	10	14	14	14
75-79	10	6.8	81	1	1	4	6	21	31	31
80-84	4	9.8	86	2	2	7	16	23	23	23
85+	5	6.0	2	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4616	5.1	17	1	2	4	6	10	13	21
70-74	5229	5.7	25	1	2	4	7	11	14	25
75-79	4984	6.1	27	1	2	5	8	12	15	27
80-84	3825	7.0	42	2	2	5	8	13	18	33
85+	3212	7.5	55	2	2	6	9	14	19	45
B. *Operated*										
65-69 YRS	472	10.6	76	2	3	8	13	21	26	54
70-74	534	10.9	92	2	3	9	14	20	26	69
75-79	504	12.1	113	2	3	10	15	23	36	67
80-84	421	13.7	142	3	4	11	16	27	39	78
85+	333	12.8	119	3	4	10	17	25	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.2	7	<1	1	2	4	6	8	13
B. *Operated*	42	6.6	52	1	1	5	8	13	26	33
2. MULTIPLE DX										
A. *Not Operated*	21866	6.2	32	1	2	5	8	12	15	28
B. *Operated*	2264	11.9	108	2	3	9	15	23	31	69
1. SINGLE DX	1497	3.3	9	<1	1	2	4	7	8	14
2. MULTIPLE DX	24130	6.7	42	1	2	5	8	13	17	34
A. NOT OPERATED	23321	6.0	31	1	2	5	7	12	15	27
B. OPERATED	2306	11.8	107	2	3	9	15	22	31	69
TOTAL 65-69 YRS	5589	5.4	24	1	1	4	7	11	14	25
70-74	6167	6.0	32	1	2	4	8	12	15	27
75-79	5778	6.5	37	1	2	5	8	13	17	33
80-84	4416	7.6	55	2	2	6	9	15	20	39
85+	3677	7.9	62	2	2	6	10	15	20	49
GRAND TOTAL	**25627**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	396	3.8	10	1	1	3	5	8	9	15
70-74	364	4.0	8	1	1	3	5	8	9	15
75-79	312	4.3	12	1	1	3	6	8	9	16
80-84	183	4.5	9	1	1	4	6	9	11	12
85+	170	4.7	14	1	1	4	6	10	12	21
B. *Operated*										
65-69 YRS	191	5.4	12	1	2	5	7	10	12	14
70-74	269	5.9	16	2	2	5	7	11	14	22
75-79	270	6.0	20	2	2	5	7	11	13	20
80-84	209	6.1	14	2	2	5	7	11	14	18
85+	216	6.8	24	2	3	6	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6315	5.8	21	1	2	5	7	11	14	23
70-74	6938	6.2	24	2	2	5	8	12	15	25
75-79	6532	6.6	28	2	2	5	8	12	16	26
80-84	5049	6.9	31	2	2	6	8	13	17	29
85+	4070	7.3	40	2	2	6	9	14	18	32
B. *Operated*										
65-69 YRS	2422	9.3	61	2	3	7	11	18	23	47
70-74	3252	9.2	48	2	3	7	12	17	22	37
75-79	3592	9.9	57	3	3	8	12	18	23	42
80-84	3075	10.4	70	3	3	8	13	19	24	49
85+	2745	11.0	80	3	4	9	13	20	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	4.2	10	1	1	3	5	8	10	15
B. *Operated*	1155	6.0	18	2	2	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	28904	6.5	28	2	2	5	8	12	16	27
B. *Operated*	15086	10.0	63	3	3	8	12	18	24	46
1. SINGLE DX	2580	5.0	14	1	2	4	6	10	12	19
2. MULTIPLE DX	43990	7.7	43	2	2	6	9	15	19	34
A. NOT OPERATED	30329	6.4	27	2	2	5	8	12	15	26
B. OPERATED	16241	9.7	61	2	3	8	12	18	23	44
TOTAL 65-69 YRS	9324	6.6	34	1	2	5	8	12	16	30
70-74	10823	7.0	33	2	2	6	9	13	18	29
75-79	10706	7.6	40	2	2	6	9	14	18	33
80-84	8516	8.1	47	2	3	6	10	15	20	35
85+	7201	8.6	58	2	3	7	11	16	22	42
GRAND TOTAL	**46570**	**7.5**	**41**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	460	6.1	23	2	2	5	7	12	15	20
70-74	621	5.9	20	2	2	5	7	11	14	21
75-79	693	6.1	20	2	2	5	8	11	14	24
80-84	760	6.3	24	2	2	5	8	12	16	22
85+	911	6.5	26	2	2	5	8	12	15	31
B. *Operated*										
65-69 YRS	15	9.8	102	<1	1	8	12	29	33	35
70-74	17	9.5	34	3	3	8	11	17	24	27
75-79	12	11.2	109	<1	1	7	14	29	36	37
80-84	8	14.3	218	1	1	10	24	38	39	39
85+	13	8.8	25	2	2	10	13	26	84	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16926	8.2	39	2	3	7	10	15	19	32
70-74	22732	8.5	43	2	3	7	10	15	20	34
75-79	24396	8.8	46	2	3	7	11	16	21	36
80-84	23166	9.0	56	2	3	7	11	17	22	40
85+	24623	9.4	62	3	3	7	11	17	23	43
B. *Operated*										
65-69 YRS	2097	14.7	136	2	4	11	19	30	38	59
70-74	2582	15.8	161	3	5	13	20	32	41	78
75-79	2537	16.3	163	4	5	13	21	32	42	77
80-84	2053	16.3	144	4	6	13	20	30	42	77
85+	1872	17.3	173	4	6	14	22	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3445	6.2	23	2	2	5	8	11	14	24
B. *Operated*	65	10.3	81	1	2	8	13	27	36	90
2. MULTIPLE DX										
A. *Not Operated*	111843	8.8	50	2	3	7	11	16	21	37
B. *Operated*	11141	16.1	156	4	5	13	20	31	42	78
1. SINGLE DX	3510	6.3	24	2	2	5	8	12	15	26
2. MULTIPLE DX	122984	9.5	64	3	3	7	11	18	23	44
A. NOT OPERATED	115288	8.7	49	2	3	7	11	16	21	37
B. OPERATED	11206	16.0	156	4	5	13	20	31	42	78
TOTAL 65-69 YRS	19498	8.9	54	2	3	7	11	17	22	39
70-74	25952	9.1	59	2	3	7	11	17	22	42
75-79	27638	9.4	61	2	3	7	11	18	23	42
80-84	25987	9.5	66	3	3	7	12	18	24	46
85+	27419	9.8	73	3	3	8	12	19	25	50
GRAND TOTAL	**126494**	**9.4**	**63**	**2**	**3**	**7**	**11**	**18**	**23**	**44**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.1	12	1	2	4	7	9	13	16
70-74	108	4.8	14	1	1	4	6	9	11	22
75-79	81	6.7	27	1	2	5	8	13	15	31
80-84	44	6.5	14	2	3	6	8	12	14	16
85+	37	7.5	31	1	2	6	10	14	19	28
B. *Operated*										
65-69 YRS	242	5.0	31	1	1	2	7	13	15	23
70-74	151	5.1	26	1	1	2	9	13	16	23
75-79	65	6.7	50	1	2	2	9	16	24	28
80-84	24	6.2	48	2	2	2	9	15	22	29
85+	8	13.6	122	2	2	14	18	30	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2800	7.8	42	2	3	6	10	15	19	31
70-74	2620	8.3	49	2	3	7	10	16	20	35
75-79	2180	8.6	45	2	3	7	10	16	21	37
80-84	1505	8.6	51	2	3	7	10	16	22	41
85+	1137	9.2	66	2	3	7	11	17	24	40
B. *Operated*										
65-69 YRS	1923	9.9	96	1	2	8	14	21	27	54
70-74	1615	11.5	120	1	2	9	16	24	32	53
75-79	999	12.3	129	2	2	10	16	26	33	59
80-84	396	14.5	171	2	2	12	19	30	36	75
85+	165	15.6	142	3	5	13	21	26	46	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	5.7	18	1	2	5	7	11	14	21
B. *Operated*	490	5.4	36	1	1	2	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	10242	8.4	49	2	3	7	10	16	21	35
B. *Operated*	5098	11.4	120	1	2	9	15	24	32	57
1. SINGLE DX	903	5.6	27	1	2	3	8	13	15	25
2. MULTIPLE DX	15340	9.4	74	2	2	7	12	19	25	45
A. NOT OPERATED	10655	8.3	48	2	3	7	10	16	20	35
B. OPERATED	5588	10.9	115	1	2	9	15	23	31	55
TOTAL 65-69 YRS	5108	8.4	63	2	2	6	11	17	22	40
70-74	4494	9.3	76	2	2	7	12	19	25	45
75-79	3325	9.6	73	2	2	7	12	19	26	44
80-84	1969	9.7	80	2	3	7	12	19	27	47
85+	1347	9.9	79	2	3	7	12	20	26	53
GRAND TOTAL	**16243**	**9.2**	**72**	**2**	**2**	**7**	**12**	**19**	**24**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	4.1	5	1	1	4	6	7	7	7
70-74	13	3.7	8	<1	1	3	5	7	10	11
75-79	8	5.0	10	1	1	5	8	9	9	9
80-84	11	4.8	5	2	2	4	7	8	8	8
85+	6	2.2	2	1	1	2	2	5	5	5
B. *Operated*										
65-69 YRS	4	5.0	37	1	1	2	8	14	14	14
70-74	6	5.8	44	2	2	3	6	18	19	19
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	349	6.4	26	2	2	5	8	12	15	30
70-74	396	6.9	25	2	2	6	8	13	18	26
75-79	521	7.2	48	2	2	5	8	13	18	44
80-84	453	8.4	75	2	3	6	10	15	21	63
85+	487	8.4	58	2	3	6	10	16	23	46
B. *Operated*										
65-69 YRS	185	7.8	53	1	2	6	11	16	20	42
70-74	145	10.2	84	2	2	8	14	22	32	48
75-79	96	9.7	65	2	2	8	14	21	27	39
80-84	53	15.1	248	2	4	10	17	28	44	89
85+	44	11.0	157	3	3	8	14	19	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.1	7	1	1	4	6	8	8	11
B. *Operated*	11	5.2	34	1	1	3	5	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	2206	7.5	49	2	2	6	9	14	20	41
B. *Operated*	523	9.8	96	2	2	8	13	20	27	54
1. SINGLE DX	57	4.3	12	1	1	3	6	8	10	19
2. MULTIPLE DX	2729	8.0	59	2	2	6	10	15	21	46
A. NOT OPERATED	2252	7.4	48	2	2	6	9	14	19	41
B. OPERATED	534	9.7	95	2	2	7	13	19	27	52
TOTAL 65-69 YRS	546	6.8	35	1	2	5	9	14	17	32
70-74	560	7.6	43	2	2	6	9	16	21	34
75-79	625	7.5	51	2	2	6	9	15	20	41
80-84	518	9.0	96	2	3	6	10	18	22	68
85+	537	8.5	67	2	2	6	10	16	23	60
GRAND TOTAL	**2786**	**7.9**	**58**	**2**	**2**	**6**	**9**	**15**	**21**	**46**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	11.5	150	1	1	9	12	33	35	35
70-74	3	1.3		1	1	1	2	2	2	2
75-79	8	14.4	173	<1	1	12	24	32	35	35
80-84	4	6.8	14	2	2	7	9	11	11	11
85+	3	11.3	50	5	5	10	17	19	19	19
B. *Operated*										
65-69 YRS	16	21.9	721	<1	1	16	22	79	88	90
70-74	11	20.4	152	2	6	18	26	36	48	49
75-79	5	19.6	124	7	7	19	25	37	37	37
80-84	1	24.0		24	24	24	24	24	24	24
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	11.6	103	<1	1	7	18	29	32	35
70-74	46	15.3	235	3	3	10	23	43	73	99+
75-79	42	17.9	142	2	4	17	24	31	39	57
80-84	34	18.2	148	4	5	17	23	40	46	47
85+	38	15.3	100	2	6	13	22	31	42	99+
B. *Operated*										
65-69 YRS	78	27.2	274	7	9	23	37	60	83	99+
70-74	85	28.2	271	9	10	26	36	56	64	92
75-79	42	36.0	378	12	15	33	52	74	84	99+
80-84	21	29.1	567	5	6	26	33	64	92	93
85+	5	34.0	634	2	2	34	45	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	10.4	110	<1	1	7	15	26	35	35
B. *Operated*	33	21.1	402	1	2	18	24	39	80	90
2. MULTIPLE DX										
A. *Not Operated*	188	15.9	153	2	4	14	23	31	46	99+
B. *Operated*	231	29.5	329	8	10	26	39	61	75	99+
1. SINGLE DX	57	16.6	303	1	1	13	22	33	45	90
2. MULTIPLE DX	419	23.4	295	4	5	20	33	53	68	99+
A. NOT OPERATED	212	15.2	151	1	3	13	22	31	45	99+
B. OPERATED	264	28.4	344	6	9	24	37	60	76	99+
TOTAL 65-69 YRS	128	22.4	325	2	4	19	33	55	72	99+
70-74	145	23.0	287	3	5	19	33	54	65	99+
75-79	97	25.5	325	3	5	21	34	58	71	99+
80-84	60	21.4	318	4	5	18	28	42	47	93
85+	46	17.1	177	2	5	13	24	34	52	99+
GRAND TOTAL	**476**	**22.6**	**301**	**3**	**4**	**19**	**31**	**50**	**67**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	47.5	3445	6	6	47	89	89	89	89
70-74	1	20.0		20	20	99+	99+	99+	99+	99+
75-79	7	24.4	444	8	8	15	35	60	65	65
80-84	2	28.5	41	24	24	28	33	33	33	33
85+	5	21.6	165	3	3	25	28	38	38	38
B. *Operated*										
65-69 YRS	19	43.5	667	12	17	40	66	87	94	99+
70-74	9	38.8	332	19	21	34	47	67	78	78
75-79	5	42.0	291	16	16	49	52	60	60	60
80-84	2	48.0	2048	16	16	48	80	80	80	80
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	26.5	493	4	7	25	39	95	99+	99+
B. *Operated*	35	42.3	532	16	17	40	56	84	88	99+
1. SINGLE DX										
2. MULTIPLE DX	52	37.2	565	7	10	34	55	87	97	99+
A. NOT OPERATED	17	26.5	493	4	7	25	39	95	99+	99+
B. OPERATED	35	42.3	532	16	17	40	56	84	88	99+
TOTAL 65-69 YRS	21	43.9	774	7	14	40	74	88	93	99+
70-74	10	36.9	330	19	20	39	64	99+	99+	99+
75-79	12	31.8	430	8	9	30	49	61	64	65
80-84	4	38.3	823	16	16	28	56	80	80	80
85+	5	21.6	165	3	3	25	28	38	38	38
GRAND TOTAL	**52**	**37.2**	**565**	**7**	**10**	**34**	**55**	**87**	**97**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	9.3	78	<1	1	6	14	21	24	38
70-74	37	10.0	80	1	2	7	13	19	32	40
75-79	49	10.1	58	1	1	9	16	22	29	99+
80-84	39	9.4	29	3	3	8	12	18	20	22
85+	22	10.4	57	1	2	10	15	24	25	27
B. *Operated*										
65-69 YRS	51	11.9	146	3	4	8	12	25	33	68
70-74	57	12.6	86	3	4	10	15	28	34	38
75-79	53	10.9	61	4	4	9	12	20	29	45
80-84	46	12.8	57	4	5	11	17	25	29	32
85+	25	11.5	41	5	5	10	13	18	26	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	292	13.5	149	2	3	10	17	30	36	67
70-74	361	13.6	108	3	4	11	17	26	35	85
75-79	419	13.8	125	3	4	11	17	30	41	60
80-84	411	15.5	170	2	4	12	20	30	38	80
85+	343	14.8	177	3	4	12	17	29	41	75
B. *Operated*										
65-69 YRS	256	21.5	320	5	7	15	27	50	72	99+
70-74	309	20.4	275	4	5	15	27	44	60	99+
75-79	255	21.2	249	6	7	17	27	46	61	99+
80-84	207	20.8	222	6	7	17	27	43	57	99+
85+	134	24.1	297	7	10	19	30	50	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	9.8	59	1	2	8	14	20	25	39
B. *Operated*	232	12.0	82	3	4	9	14	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	1826	14.3	146	3	4	11	18	29	38	74
B. *Operated*	1161	21.3	272	5	7	16	28	47	65	99+
1. SINGLE DX	414	11.0	73	2	3	9	14	22	28	42
2. MULTIPLE DX	2987	17.0	207	3	5	13	22	36	49	98
A. NOT OPERATED	2008	13.9	139	2	3	11	17	29	37	74
B. OPERATED	1393	19.8	253	5	6	15	26	44	60	99+
TOTAL 65-69 YRS	634	16.4	232	2	4	12	21	36	52	98
70-74	764	16.1	185	3	4	12	21	34	45	96
75-79	776	15.8	172	3	4	12	21	34	46	97
80-84	703	16.6	179	3	5	13	21	32	43	86
85+	524	16.8	215	3	5	13	20	36	50	98
GRAND TOTAL	**3401**	**16.3**	**194**	**3**	**4**	**12**	**21**	**34**	**47**	**94**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	20.6	275	5	6	16	27	42	59	78
70-74	141	17.7	167	4	5	15	23	31	39	83
75-79	193	21.3	279	5	8	15	27	42	62	80
80-84	151	20.1	236	4	6	16	28	42	61	99+
85+	128	18.8	241	4	6	14	23	42	60	88
B. *Operated*										
65-69 YRS	70	28.9	383	8	10	25	44	63	76	99+
70-74	63	31.6	361	8	10	29	48	74	99+	99+
75-79	72	31.0	479	6	11	24	48	81	99	99+
80-84	54	26.7	391	8	9	20	35	72	93	99+
85+	47	25.8	298	7	8	23	36	46	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	745	19.8	242	4	6	15	26	40	60	90
B. *Operated*	306	29.1	389	8	10	24	43	66	91	99+
1. SINGLE DX										
2. MULTIPLE DX	1051	22.5	302	5	7	17	29	51	66	99+
A. NOT OPERATED	745	19.8	242	4	6	15	26	40	60	90
B. OPERATED	306	29.1	389	8	10	24	43	66	91	99+
TOTAL 65-69 YRS	202	23.5	326	6	7	17	31	51	66	96
70-74	204	22.0	267	4	7	18	29	49	65	99+
75-79	265	24.0	350	6	8	18	31	59	69	99+
80-84	205	21.9	283	5	7	17	29	52	73	99+
85+	175	20.7	264	4	6	16	27	43	61	98
GRAND TOTAL	**1051**	**22.5**	**302**	**5**	**7**	**17**	**29**	**51**	**66**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	3.6	8	1	1	3	4	7	10	13
70-74	46	4.0	13	1	1	3	5	10	11	19
75-79	41	4.1	11	<1	1	3	5	9	12	14
80-84	16	5.1	31	1	1	4	6	8	19	24
85+	16	6.9	26	2	3	6	9	13	19	22
B. *Operated*										
65-69 YRS	1117	5.3	14	1	2	5	7	10	12	19
70-74	1035	5.0	12	1	1	5	6	9	12	17
75-79	661	5.3	15	1	1	5	6	10	13	20
80-84	302	5.8	29	1	1	5	7	11	14	24
85+	77	5.7	28	1	1	5	6	10	19	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	432	6.5	61	1	2	5	8	12	16	47
70-74	524	6.2	34	1	2	5	8	12	15	32
75-79	541	7.0	38	1	2	6	8	13	16	35
80-84	389	7.3	44	2	3	6	9	13	16	26
85+	295	8.3	82	2	3	6	10	15	21	66
B. *Operated*										
65-69 YRS	4851	7.7	45	2	2	6	9	15	19	36
70-74	4895	7.9	45	2	2	6	10	15	19	33
75-79	3464	8.6	56	2	2	7	10	16	22	40
80-84	1542	8.8	56	2	2	7	11	17	22	38
85+	484	9.4	60	2	2	7	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.3	15	1	1	3	5	10	12	22
B. *Operated*	3192	5.3	15	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2181	6.9	49	1	2	5	8	13	16	37
B. *Operated*	15236	8.1	49	2	2	6	10	15	20	37
1. SINGLE DX	3353	5.2	15	1	1	5	7	10	12	19
2. MULTIPLE DX	17417	8.0	49	2	2	6	10	15	20	37
A. NOT OPERATED	2342	6.7	47	1	2	5	8	13	16	36
B. OPERATED	18428	7.6	45	2	2	6	9	15	19	34
TOTAL 65-69 YRS	6442	7.2	41	1	2	6	9	14	18	32
70-74	6500	7.3	40	2	2	6	9	14	18	31
75-79	4707	7.9	49	2	2	6	10	15	20	38
80-84	2249	8.1	51	1	2	6	10	16	21	36
85+	872	8.7	65	2	2	6	11	18	22	39
GRAND TOTAL	**20770**	**7.5**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	13.7	167	2	3	9	17	38	41	52
70-74	54	13.8	213	3	4	8	14	33	46	70
75-79	47	13.6	119	4	4	10	17	28	35	60
80-84	34	12.6	88	2	3	11	16	35	81	99+
85+	25	14.6	241	2	3	10	14	42	50	68
B. *Operated*										
65-69 YRS	225	12.4	128	2	3	9	16	26	38	90
70-74	247	13.4	166	2	3	10	17	28	43	84
75-79	165	13.9	153	2	4	11	18	27	40	80
80-84	56	14.6	157	1	3	11	20	32	39	65
85+	21	14.7	147	1	3	11	21	33	39	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	196	13.6	161	3	4	9	15	34	43	85
B. *Operated*	714	13.3	149	2	3	10	17	27	39	83
1. SINGLE DX										
2. MULTIPLE DX	910	13.4	152	2	3	10	17	29	41	83
A. NOT OPERATED	196	13.6	161	3	4	9	15	34	43	85
B. OPERATED	714	13.3	149	2	3	10	17	27	39	83
TOTAL 65-69 YRS	261	12.6	133	2	3	9	16	26	39	84
70-74	301	13.5	174	2	3	9	17	29	44	77
75-79	212	13.8	145	2	4	11	18	27	38	70
80-84	90	13.9	131	2	3	11	18	33	39	99+
85+	46	14.7	194	1	3	10	17	33	44	68
GRAND TOTAL	**910**	**13.4**	**152**	**2**	**3**	**10**	**17**	**29**	**41**	**83**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	8.3	47	2	2	6	10	15	21	40
70-74	228	9.0	54	2	3	7	11	17	25	40
75-79	233	10.6	115	2	3	7	13	20	28	61
80-84	206	9.6	65	2	3	8	11	17	27	42
85+	184	10.3	132	2	4	8	11	19	30	94
B. *Operated*										
65-59 YRS	54	7.9	57	1	2	6	9	16	23	39
70-74	45	8.1	46	2	2	6	9	19	24	32
75-79	31	8.5	46	2	2	8	11	14	19	36
80-84	15	10.9	151	2	4	6	10	39	41	42
85+	10	7.7	14	2	2	8	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2584	11.2	100	3	3	8	13	22	30	67
70-74	3541	11.5	100	3	4	9	14	22	30	62
75-79	3880	12.1	111	3	4	9	14	24	32	71
80-84	3350	12.3	109	3	4	9	15	24	32	68
85+	3244	12.7	113	3	4	10	15	25	33	78
B. *Operated*										
65-69 YRS	800	14.5	185	3	4	10	17	30	45	81
70-74	884	14.9	196	3	4	11	18	35	51	99+
75-79	690	17.5	267	3	4	12	23	46	66	99+
80-84	440	18.9	269	3	5	14	24	46	69	99+
85+	327	20.4	272	4	5	16	28	43	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	9.6	83	2	3	7	11	18	26	53
B. *Operated*	155	8.3	57	2	2	6	10	17	24	39
2. MULTIPLE DX										
A. *Not Operated*	16599	12.0	107	3	4	9	14	23	32	69
B. *Operated*	3141	16.5	231	3	4	12	21	38	56	99+
1. SINGLE DX	1201	9.4	80	2	3	7	11	18	26	48
2. MULTIPLE DX	19740	12.7	130	3	4	9	15	26	36	80
A. NOT OPERATED	17645	11.8	106	3	4	9	14	23	32	68
B. OPERATED	3296	16.1	226	3	4	11	21	38	55	99+
TOTAL 65-69 YRS	3633	11.7	118	3	3	9	14	24	32	70
70-74	4698	12.0	118	3	3	9	14	24	34	72
75-79	4834	12.7	137	3	4	9	15	26	38	83
80-84	4011	12.9	129	3	4	10	16	26	36	80
85+	3765	13.2	132	3	4	10	16	27	37	83
GRAND TOTAL	**20941**	**12.5**	**127**	**3**	**4**	**9**	**15**	**25**	**36**	**79**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1113	14.7	148	3	5	11	19	30	43	93
70-74	1550	15.6	184	4	5	11	19	31	44	86
75-79	1692	15.6	161	4	5	12	19	31	43	83
80-84	1570	16.0	163	4	5	12	20	32	43	88
85+	1282	15.3	143	4	5	12	19	31	41	98
B. *Operated*										
65-69 YRS	297	20.2	325	4	6	14	27	52	68	99+
70-74	317	20.7	267	4	6	16	28	49	58	99+
75-79	275	23.5	346	5	7	19	31	63	94	99+
80-84	181	24.8	371	6	8	20	35	62	87	99+
85+	131	23.1	228	7	10	19	30	54	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7207	15.5	161	4	5	12	19	31	43	88
B. *Operated*	1201	22.1	313	5	7	17	30	54	79	99+
1. SINGLE DX										
2. MULTIPLE DX	8408	16.4	188	4	5	12	20	34	48	99+
A. NOT OPERATED	7207	15.5	161	4	5	12	19	31	43	88
B. OPERATED	1201	22.1	313	5	7	17	30	54	79	99+
TOTAL 65-69 YRS	1410	15.8	190	3	5	11	20	34	48	99+
70-74	1867	16.4	201	4	5	12	20	34	48	90
75-79	1967	16.7	194	4	5	13	21	35	50	99+
80-84	1751	16.9	192	4	5	13	21	35	47	99
85+	1413	16.0	156	4	5	13	20	33	45	99+
GRAND TOTAL	**8408**	**16.4**	**188**	**4**	**5**	**12**	**20**	**34**	**48**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	487	3.9	9	1	1	3	5	7	9	16
70-74	569	3.6	7	1	1	3	5	7	9	13
75-79	615	4.5	31	1	1	3	5	8	11	19
80-84	522	4.5	19	1	1	3	6	8	10	21
85+	535	4.7	26	1	1	3	6	9	12	23
B. *Operated*										
65-69 YRS	238	4.1	14	1	1	3	5	8	10	19
70-74	206	4.3	21	1	1	3	6	8	9	18
75-79	131	4.2	10	1	1	4	6	8	10	16
80-84	63	4.9	13	1	2	4	6	10	12	17
85+	23	3.9	9	1	1	3	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4523	5.5	18	1	2	4	7	10	12	21
70-74	6276	5.8	20	2	2	5	7	10	13	22
75-79	7406	6.4	34	2	2	5	8	12	15	30
80-84	7284	6.9	47	2	2	5	8	13	17	39
85+	7457	7.2	53	2	2	5	8	13	18	46
B. *Operated*										
65-69 YRS	1682	7.3	50	2	2	6	9	14	18	37
70-74	1849	8.0	44	2	2	6	10	16	20	34
75-79	1609	8.6	69	2	2	7	11	16	22	40
80-84	1071	10.0	87	2	3	8	12	19	26	58
85+	663	12.9	172	2	3	9	16	29	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2728	4.2	19	1	1	3	5	8	10	19
B. *Operated*	661	4.3	15	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	32946	6.4	37	2	2	5	8	12	16	32
B. *Operated*	6874	8.8	73	2	2	7	11	17	23	51
1. SINGLE DX	3389	4.2	18	1	1	3	5	8	10	19
2. MULTIPLE DX	39820	6.8	44	2	2	5	8	13	17	36
A. NOT OPERATED	35674	6.3	36	2	2	5	8	11	15	31
B. OPERATED	7535	8.4	69	2	2	6	10	17	22	49
TOTAL 65-69 YRS	6930	5.8	26	1	2	5	7	11	14	25
70-74	8900	6.1	26	2	2	5	7	11	15	25
75-79	9761	6.6	40	2	2	5	8	12	17	31
80-84	8940	7.1	51	2	2	5	8	13	18	43
85+	8678	7.4	63	2	2	5	9	14	20	57
GRAND TOTAL	**43209**	**6.6**	**42**	**2**	**2**	**5**	**8**	**12**	**17**	**35**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	307	8.0	58	2	2	6	10	15	21	37
70-74	370	8.8	57	2	2	7	11	17	24	47
75-79	424	9.3	82	2	2	7	11	19	27	49
80-84	403	9.5	62	2	3	7	12	19	25	43
85+	435	10.1	72	2	3	8	13	19	26	48
B. *Operated*										
65-69 YRS	45	10.4	331	1	2	4	8	25	58	89
70-74	52	8.9	49	2	3	7	11	18	23	36
75-79	45	12.8	173	1	2	9	19	28	44	54
80-84	16	8.9	40	2	3	7	13	18	21	23
85+	11	10.0	38	3	3	10	16	45	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2841	10.7	96	2	3	8	13	20	28	55
70-74	4202	11.2	110	2	3	8	14	22	30	69
75-79	4844	11.9	109	3	4	9	15	23	32	72
80-84	4784	12.4	120	3	4	9	15	24	34	78
85+	4990	12.2	117	3	4	9	15	24	33	73
B. *Operated*										
65-69 YRS	649	14.9	191	3	4	10	18	36	51	99+
70-74	809	16.9	275	3	4	11	21	40	58	99+
75-79	767	17.6	242	3	4	13	22	41	56	99+
80-84	548	18.5	221	4	6	15	24	42	69	99+
85+	389	22.7	323	4	7	18	29	52	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	9.2	67	2	3	7	11	18	25	46
B. *Operated*	169	10.4	155	2	2	7	11	22	40	85
2. MULTIPLE DX										
A. *Not Operated*	21661	11.8	112	3	4	9	14	23	32	71
B. *Operated*	3162	17.6	251	3	5	13	23	41	59	99+
1. SINGLE DX	2108	9.3	74	2	2	7	11	18	25	49
2. MULTIPLE DX	24823	12.6	133	3	4	9	15	25	36	81
A. NOT OPERATED	23600	11.6	109	3	3	9	14	22	32	68
B. OPERATED	3331	17.3	249	3	4	12	22	41	58	99+
TOTAL 65-69 YRS	3842	11.2	115	2	3	8	13	22	34	69
70-74	5433	11.9	135	2	3	9	14	24	34	83
75-79	6080	12.5	129	3	4	9	15	25	36	77
80-84	5751	12.8	129	3	4	10	16	25	37	86
85+	5825	12.8	134	3	4	9	15	25	36	80
GRAND TOTAL	**26931**	**12.3**	**130**	**3**	**4**	**9**	**15**	**24**	**36**	**79**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1161	14.8	178	3	4	11	19	32	45	91
70-74	1712	14.9	170	3	4	11	19	32	44	85
75-79	1867	15.0	148	3	5	12	19	32	43	99+
80-84	1801	15.1	152	3	5	12	19	31	44	99+
85+	1782	15.0	150	4	5	12	18	30	43	99+
B. *Operated*										
65-69 YRS	233	18.1	203	4	6	13	25	39	59	99+
70-74	262	20.9	310	5	6	15	28	52	74	99+
75-79	278	25.0	387	5	7	19	37	62	89	99+
80-84	210	22.3	234	6	8	18	31	48	70	99+
85+	168	24.0	316	7	9	18	32	56	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8323	15.0	158	3	5	12	19	31	44	99+
B. *Operated*	1151	22.0	299	5	7	17	30	53	73	99+
1. SINGLE DX										
2. MULTIPLE DX	9474	15.8	180	3	5	12	20	33	48	99+
A. NOT OPERATED	8323	15.0	158	3	5	12	19	31	44	99+
B. OPERATED	1151	22.0	299	5	7	17	30	53	73	99+
TOTAL 65-69 YRS	1394	15.3	183	3	4	11	20	33	49	99+
70-74	1974	15.7	193	3	4	11	20	34	48	98
75-79	2145	16.3	190	4	5	12	21	35	50	99+
80-84	2011	15.8	165	4	5	12	20	33	47	99+
85+	1950	15.8	171	4	5	12	19	32	47	99+
GRAND TOTAL	**9474**	**15.8**	**180**	**3**	**5**	**12**	**20**	**33**	**48**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	122	4.1	14	1	1	3	5	8	11	19
70-74	150	4.8	25	1	1	3	5	9	12	26
75-79	119	5.1	14	1	2	4	6	10	13	50
80-84	92	5.3	15	1	2	4	7	11	14	20
85+	110	5.9	62	1	2	4	7	12	15	85
B. *Operated*										
65-69 YRS	81	4.8	17	1	1	3	7	11	14	19
70-74	73	4.3	24	<1	1	3	5	10	12	31
75-79	54	5.0	20	2	2	3	6	11	16	21
80-84	24	4.3	20	1	1	2	6	10	16	17
85+	6	9.7	214	1	1	4	8	36	39	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1475	7.2	54	2	2	5	8	13	19	42
70-74	1952	7.8	54	2	2	6	9	15	21	45
75-79	2324	8.4	70	2	3	6	10	16	23	48
80-84	2176	8.9	79	2	3	7	10	18	26	99+
85+	2383	8.8	78	2	3	6	10	17	25	67
B. *Operated*										
65-69 YRS	535	10.0	148	2	2	7	12	21	33	94
70-74	558	10.2	116	2	2	7	13	20	32	83
75-79	531	11.2	126	2	2	8	14	24	35	99+
80-84	311	12.1	127	2	3	9	16	26	33	99+
85+	213	14.3	175	2	4	11	19	32	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	5.0	26	1	2	4	6	10	13	27
B. *Operated*	238	4.8	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	10310	8.3	69	2	3	6	10	16	23	60
B. *Operated*	2148	11.1	135	2	2	8	14	24	36	99+
1. SINGLE DX	831	4.9	26	1	1	3	6	10	14	26
2. MULTIPLE DX	12458	8.8	81	2	2	6	10	17	25	68
A. NOT OPERATED	10903	8.1	67	2	2	6	10	16	23	58
B. OPERATED	2386	10.5	128	2	2	7	13	23	33	99+
TOTAL 65-69 YRS	2213	7.7	76	2	2	5	9	15	21	52
70-74	2733	8.0	66	2	2	6	10	16	22	51
75-79	3028	8.7	79	2	2	6	10	17	25	57
80-84	2603	9.1	84	2	3	7	11	18	27	99+
85+	2712	9.1	88	2	3	7	11	19	27	81
GRAND TOTAL	**13289**	**8.6**	**79**	**2**	**2**	**6**	**10**	**17**	**25**	**67**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	6.1	35	<1	<1	3	9	16	17	17
70-74	14	3.0	11	1	1	2	2	8	12	13
75-79	13	3.2	3	1	1	2	5	6	6	6
80-84	9	3.2	2	1	1	3	4	6	6	6
85+	13	5.9	27	2	3	4	6	12	20	22
B. *Operated*										
65-69 YRS	187	5.6	35	1	1	3	9	13	15	31
70-74	144	5.7	30	1	1	3	9	11	14	28
75-79	90	5.6	41	1	1	3	7	12	15	37
80-84	45	7.6	85	1	1	3	11	16	24	46
85+	33	5.3	20	1	1	4	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	204	6.1	35	1	2	4	8	12	17	29
70-74	277	6.5	31	1	2	5	8	13	18	33
75-79	329	7.8	39	1	2	6	10	16	21	37
80-84	294	9.5	105	2	3	7	11	20	29	71
85+	400	9.2	102	2	2	7	10	18	31	83
B. *Operated*										
65-69 YRS	1947	12.3	140	1	2	10	16	27	36	73
70-74	1849	13.3	158	2	2	10	17	28	39	78
75-79	1356	14.7	182	2	2	11	19	31	44	78
80-84	922	17.2	215	2	3	14	22	36	49	90
85+	849	17.2	239	3	4	13	22	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.2	17	1	1	3	5	9	14	22
B. *Operated*	499	5.8	38	1	1	3	9	13	15	34
2. MULTIPLE DX										
A. *Not Operated*	1504	8.0	68	2	2	6	10	16	23	49
B. *Operated*	6923	14.3	179	2	2	11	18	30	42	85
1. SINGLE DX	558	5.6	36	1	1	3	8	13	15	33
2. MULTIPLE DX	8427	13.2	165	2	2	10	17	28	40	82
A. NOT OPERATED	1563	7.9	67	1	2	6	9	15	23	48
B. OPERATED	7422	13.7	174	1	2	10	18	30	41	82
TOTAL 65-69 YRS	2348	11.2	128	1	2	9	15	24	34	69
70-74	2284	11.9	142	1	2	9	15	26	35	71
75-79	1788	12.9	158	2	2	10	17	27	41	76
80-84	1270	15.0	197	2	3	11	19	32	44	87
85+	1295	14.3	205	2	3	10	18	31	45	99+
GRAND TOTAL	**8985**	**12.7**	**160**	**1**	**2**	**9**	**16**	**28**	**39**	**80**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	2.5	15	<1	<1	1	2	6	13	16
70-74	23	4.1	17	1	1	3	4	11	13	16
75-79	29	4.8	15	1	1	4	6	10	15	16
80-84	18	6.4	24	1	2	5	9	14	16	18
85+	14	5.9	31	1	1	5	7	11	20	23
B. *Operated*										
65-69 YRS	231	9.0	30	1	2	9	11	15	18	28
70-74	212	10.3	39	2	2	11	13	16	19	26
75-79	153	10.3	35	1	1	10	13	17	19	27
80-84	62	11.3	31	2	2	12	14	17	20	30
85+	21	11.0	44	1	2	10	16	19	22	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	225	5.8	33	1	1	4	7	12	16	32
70-74	287	6.3	37	1	1	5	8	13	17	28
75-79	335	7.5	56	1	2	5	9	17	23	45
80-84	261	7.9	38	1	2	7	10	16	20	34
85+	281	7.6	48	2	2	6	9	14	21	42
B. *Operated*										
65-69 YRS	1901	14.4	109	2	6	12	17	24	33	60
70-74	1942	14.8	107	2	4	13	17	26	34	65
75-79	1342	15.9	133	2	6	13	19	29	40	81
80-84	612	16.8	133	2	4	14	21	31	40	67
85+	236	18.8	195	3	5	15	23	34	42	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.7	20	<1	1	3	6	11	15	20
B. *Operated*	679	10.0	35	1	2	10	13	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	1389	7.1	44	1	2	5	9	14	20	39
B. *Operated*	6033	15.3	120	2	5	13	18	27	36	67
1. SINGLE DX	779	9.3	36	1	2	10	12	16	19	27
2. MULTIPLE DX	7422	13.7	116	2	3	12	17	25	34	65
A. NOT OPERATED	1489	6.9	43	1	1	5	9	14	20	38
B. OPERATED	6712	14.7	114	2	4	12	17	26	35	66
TOTAL 65-69 YRS	2373	12.9	102	2	3	11	15	23	31	58
70-74	2464	13.3	101	2	3	12	16	24	32	59
75-79	1859	13.8	122	2	3	12	17	26	36	70
80-84	953	13.8	115	2	3	12	17	27	35	62
85+	552	12.5	140	2	2	9	16	28	35	68
GRAND TOTAL	**8201**	**13.3**	**110**	**2**	**3**	**11**	**16**	**24**	**33**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	52	2	2	3	12	15	15	15
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	64	6.9	22	1	1	6	10	14	14	23
70-74	65	6.6	25	1	2	6	9	13	16	24
75-79	22	7.7	23	2	2	8	9	11	17	25
80-84	20	9.2	81	1	2	8	11	12	28	44
85+	7	12.3	21	6	6	12	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	6.9	89	<1	1	4	7	15	29	44
70-74	16	6.6	37	1	1	5	8	15	20	22
75-79	23	5.7	13	1	1	5	9	10	12	13
80-84	20	6.7	35	1	1	5	8	17	20	22
85+	18	8.0	160	<1	1	5	8	11	39	57
B. *Operated*										
65-69 YRS	352	12.6	104	2	3	10	16	24	32	50
70-74	323	13.1	143	2	3	10	16	24	36	63
75-79	260	13.5	138	2	3	10	17	27	34	59
80-84	130	14.1	165	2	3	11	18	26	35	78
85+	58	14.6	199	2	4	11	17	27	34	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	20	2	2	2	3	11	15	15
B. *Operated*	178	7.4	31	1	2	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	101	6.7	63	1	1	5	8	14	20	50
B. *Operated*	1123	13.2	135	2	3	10	16	25	34	61
1. SINGLE DX	186	7.2	31	1	2	7	10	13	15	25
2. MULTIPLE DX	1224	12.7	132	2	3	10	16	24	34	60
A. NOT OPERATED	109	6.5	61	1	1	4	8	14	19	49
B. OPERATED	1301	12.4	125	2	2	10	15	24	33	59
TOTAL 65-69 YRS	443	11.4	96	2	2	9	14	23	30	50
70-74	405	11.8	127	2	2	9	15	22	33	56
75-79	308	12.4	126	2	2	9	16	23	33	56
80-84	171	12.6	146	2	3	10	16	24	33	71
85+	83	13.0	180	2	2	10	15	26	32	78
GRAND TOTAL	**1410**	**12.0**	**122**	**2**	**2**	**9**	**15**	**23**	**32**	**57**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.3	18	1	1	4	7	12	14	15
70-74	38	4.8	14	1	1	4	7	10	12	16
75-79	27	6.3	24	<1	1	6	10	13	15	19
80-84	11	5.5	9	2	2	5	7	10	12	12
85+	10	6.1	7	1	2	7	8	9	9	9
B. *Operated*										
65-69 YRS	448	7.3	46	1	1	7	10	14	17	32
70-74	345	7.4	40	1	1	7	10	15	19	32
75-79	234	7.3	35	1	1	7	10	15	18	24
80-84	134	7.4	27	1	2	7	11	14	17	22
85+	74	9.1	81	1	2	7	13	18	20	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	7.1	55	1	1	5	9	14	19	39
70-74	221	8.1	77	1	2	6	10	15	20	46
75-79	198	8.1	32	2	2	8	11	14	19	35
80-84	181	8.5	41	2	3	7	11	16	19	31
85+	197	9.2	60	2	2	8	12	17	20	58
B. *Operated*										
65-69 YRS	3143	12.7	124	2	2	10	16	24	32	63
70-74	2953	12.8	122	2	2	11	16	25	33	71
75-79	2108	14.2	151	2	2	11	18	30	40	75
80-84	1282	14.2	147	2	3	11	18	28	37	81
85+	1032	15.0	146	3	4	12	19	30	41	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.5	16	1	1	4	8	11	13	17
B. *Operated*	1235	7.5	42	1	1	7	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	1021	8.2	54	1	2	7	11	15	19	42
B. *Operated*	10518	13.4	134	2	2	11	17	26	36	72
1. SINGLE DX	1359	7.3	40	1	1	6	10	15	18	31
2. MULTIPLE DX	11539	13.0	129	2	2	10	16	26	35	71
A. NOT OPERATED	1145	7.9	51	1	2	7	10	15	19	36
B. OPERATED	11753	12.8	128	2	2	10	16	25	34	70
TOTAL 65-69 YRS	3853	11.7	114	1	2	10	15	23	30	59
70-74	3557	11.9	114	1	2	10	15	24	32	68
75-79	2567	13.0	136	2	2	10	16	27	38	70
80-84	1608	12.9	130	2	3	10	16	25	33	75
85+	1313	13.7	135	2	3	11	18	27	37	90
GRAND TOTAL	**12898**	**12.4**	**123**	**2**	**2**	**10**	**16**	**25**	**33**	**68**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	5.7	113	<1	1	3	5	13	18	73
70-74	48	3.9	10	1	1	3	5	9	10	14
75-79	45	5.0	16	<1	1	4	7	9	11	22
80-84	23	4.3	5	1	1	4	6	7	8	10
85+	24	4.2	18	<1	1	3	5	10	16	17
B. *Operated*										
65-69 YRS	310	5.3	41	1	1	3	7	12	15	30
70-74	261	5.1	31	1	1	3	7	11	17	28
75-79	166	5.4	25	1	1	4	7	12	14	28
80-84	81	5.2	27	1	1	3	7	11	14	29
85+	51	9.8	64	1	2	7	15	24	25	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	569	6.7	52	1	1	5	9	13	18	29
70-74	614	6.8	35	1	2	5	9	13	18	35
75-79	504	7.2	46	1	2	6	9	14	19	39
80-84	458	8.7	69	1	2	6	11	18	24	34
85+	428	8.7	78	2	2	6	10	17	24	55
B. *Operated*										
65-69 YRS	1901	11.3	140	1	2	8	14	25	35	68
70-74	1796	11.5	138	1	2	8	15	25	35	63
75-79	1349	12.9	188	2	2	9	16	28	41	89
80-84	872	14.3	178	2	2	11	19	31	41	87
85+	541	14.7	172	2	3	11	19	31	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	4.7	41	1	1	3	6	10	13	21
B. *Operated*	869	5.5	36	1	1	3	7	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	2573	7.5	55	1	2	6	9	15	20	39
B. *Operated*	6459	12.4	159	2	2	9	16	27	38	77
1. SINGLE DX	1064	5.4	37	1	1	3	7	12	16	28
2. MULTIPLE DX	9032	11.0	134	1	2	8	14	24	34	69
A. NOT OPERATED	2768	7.3	54	1	2	5	9	14	20	38
B. OPERATED	7328	11.6	149	1	2	8	15	26	36	72
TOTAL 65-69 YRS	2835	9.6	117	1	2	6	12	21	30	60
70-74	2719	9.7	109	1	2	7	12	21	30	55
75-79	2064	10.8	145	1	2	7	13	23	34	80
80-84	1434	11.9	142	1	2	9	15	26	35	72
85+	1044	11.8	134	2	2	8	15	25	34	72
GRAND TOTAL	**10096**	**10.4**	**127**	**1**	**2**	**7**	**13**	**23**	**32**	**67**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	494	7.5	11	3	4	7	9	11	14	18
70-74	354	8.0	16	3	4	7	9	14	16	21
75-79	299	7.7	14	3	4	7	10	13	15	18
80-84	181	7.8	14	2	3	7	10	12	14	19
85+	129	8.0	15	3	3	8	11	13	15	38
B. *Operated*										
65-69 YRS	209	7.9	18	1	2	8	11	13	15	20
70-74	147	7.3	12	1	2	7	10	12	13	15
75-79	86	8.0	21	2	3	8	10	14	16	21
80-84	59	7.7	16	2	2	7	10	13	14	20
85+	38	9.6	36	2	3	9	12	15	21	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2149	9.1	27	3	4	8	11	15	18	27
70-74	2150	9.4	28	3	4	8	11	15	18	27
75-79	1823	9.6	32	3	4	8	11	16	19	32
80-84	1303	10.1	45	4	4	9	12	17	21	42
85+	980	10.3	50	3	4	9	12	17	21	42
B. *Operated*										
65-69 YRS	1014	10.5	49	3	4	9	13	18	23	39
70-74	1086	11.1	60	3	4	9	13	19	24	47
75-79	868	12.0	72	3	5	10	14	21	28	53
80-84	590	12.4	75	4	5	10	14	21	29	51
85+	371	12.5	96	3	4	10	15	22	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1457	7.7	13	3	4	7	10	12	15	19
B. *Operated*	539	7.8	18	2	2	8	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*	8405	9.6	34	3	4	8	11	16	19	33
B. *Operated*	3929	11.5	66	3	4	10	14	20	26	50
1. SINGLE DX	1996	7.8	15	2	3	7	10	13	15	20
2. MULTIPLE DX	12334	10.2	45	3	4	9	12	17	21	38
A. NOT OPERATED	9862	9.3	31	3	4	8	11	15	18	31
B. OPERATED	4468	11.0	61	3	4	9	13	19	24	47
TOTAL 65-69 YRS	3866	9.2	31	3	4	8	11	15	19	30
70-74	3737	9.6	37	3	4	9	11	16	19	32
75-79	3076	10.1	43	3	4	9	12	17	21	39
80-84	2133	10.5	52	3	4	9	12	17	22	43
85+	1518	10.6	60	3	4	9	13	18	24	51
GRAND TOTAL	**14330**	**9.8**	**41**	**3**	**4**	**9**	**12**	**16**	**20**	**36**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	8.3	87	1	2	6	9	18	25	47
70-74	36	12.0	116	1	3	8	15	31	36	40
75-79	51	13.0	200	3	4	10	15	21	27	81
80-84	45	10.2	53	2	4	8	13	16	26	41
85+	33	9.2	26	1	3	9	12	17	18	21
B. *Operated*										
65-69 YRS	336	6.4	52	2	2	4	6	12	20	43
70-74	217	7.4	43	2	2	5	9	19	24	28
75-79	107	7.6	45	1	2	6	9	18	21	33
80-84	67	12.9	117	2	3	10	17	24	36	58
85+	32	15.1	113	2	4	13	24	30	34	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	316	11.4	86	3	4	9	15	21	30	52
70-74	404	11.0	79	3	4	9	14	21	26	55
75-79	531	11.4	75	3	3	9	14	21	27	41
80-84	484	11.2	73	3	4	8	14	22	27	41
85+	468	11.2	83	3	4	9	14	22	29	48
B. *Operated*										
65-69 YRS	634	11.5	136	2	3	7	15	26	35	56
70-74	534	14.6	182	3	3	10	20	33	43	74
75-79	480	17.4	220	3	4	13	24	38	51	68
80-84	301	19.4	232	3	5	16	25	40	56	99+
85+	191	20.2	248	3	5	17	26	40	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	10.8	105	1	3	8	13	20	27	61
B. *Operated*	759	7.8	62	2	2	5	9	19	24	41
2. MULTIPLE DX										
A. *Not Operated*	2203	11.2	78	3	4	9	14	21	28	46
B. *Operated*	2140	15.5	199	3	3	11	21	35	45	84
1. SINGLE DX	951	8.4	72	2	2	5	10	19	25	42
2. MULTIPLE DX	4343	13.3	142	3	3	10	17	28	37	66
A. NOT OPERATED	2395	11.2	81	3	4	9	14	21	28	46
B. OPERATED	2899	13.5	175	2	3	9	19	31	42	68
TOTAL 65-69 YRS	1313	10.1	106	2	3	6	13	23	32	51
70-74	1191	12.0	127	2	3	8	15	26	35	64
75-79	1169	13.6	148	2	3	10	17	28	38	61
80-84	897	14.0	143	3	4	10	18	28	38	70
85+	724	13.6	141	3	4	10	18	28	36	81
GRAND TOTAL	**5294**	**12.4**	**133**	**2**	**3**	**9**	**16**	**26**	**36**	**63**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	2.5	7	<1	<1	2	3	4	5	17
70-74	33	3.2	8	<1	<1	2	4	6	10	14
75-79	36	3.4	13	<1	<1	2	4	6	8	21
80-84	25	3.5	11	<1	<1	3	4	6	10	17
85+	12	3.3	4	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	161	4.2	3	1	2	4	5	7	7	10
70-74	109	4.5	5	2	2	4	5	8	9	12
75-79	53	4.6	7	1	2	4	6	7	11	14
80-84	32	5.2	4	1	2	5	7	8	8	10
85+	17	4.5	4	1	1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	351	3.9	6	1	1	3	5	7	9	13
70-74	325	4.5	14	1	2	3	6	9	11	20
75-79	267	4.8	13	1	2	4	6	11	12	17
80-84	234	5.2	28	1	2	4	6	9	13	34
85+	226	5.8	36	1	2	4	7	11	15	30
B. *Operated*										
65-69 YRS	1624	5.7	17	2	3	5	7	10	12	20
70-74	1131	6.0	17	2	3	5	7	10	13	23
75-79	636	6.7	23	2	3	5	8	13	15	27
80-84	296	8.1	31	2	3	7	10	14	19	28
85+	149	8.2	51	2	3	6	9	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.1	9	<1	<1	2	4	6	8	17
B. *Operated*	372	4.5	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1403	4.7	18	1	1	4	6	9	12	20
B. *Operated*	3836	6.3	21	2	3	5	7	11	14	24
1. SINGLE DX	517	4.1	6	<1	1	4	5	7	8	13
2. MULTIPLE DX	5239	5.8	21	2	2	5	7	11	14	24
A. NOT OPERATED	1548	4.6	18	1	1	4	6	9	12	19
B. OPERATED	4208	6.1	20	2	3	5	7	11	14	24
TOTAL 65-69 YRS	2175	5.3	15	1	2	5	6	9	11	18
70-74	1598	5.6	16	2	2	5	7	10	12	22
75-79	992	5.9	20	1	2	5	7	12	14	23
80-84	587	6.6	30	1	2	5	8	13	16	30
85+	404	6.6	41	2	2	5	8	12	16	33
GRAND TOTAL	**5756**	**5.7**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	173	6.8	15	1	2	7	9	11	14	19
70-74	173	7.1	27	1	2	7	9	12	16	25
75-79	144	6.9	19	1	2	7	9	12	13	20
80-84	91	7.6	89	1	2	6	9	13	16	60
85+	78	6.4	30	1	1	6	8	12	14	33
B. *Operated*										
65-69 YRS	162	7.3	35	1	1	7	10	12	15	32
70-74	116	7.8	25	1	2	7	10	14	17	25
75-79	83	7.4	35	1	1	7	10	15	16	32
80-84	40	8.7	31	2	3	8	11	15	19	26
85+	26	9.3	31	1	2	8	11	19	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1753	7.0	29	1	2	6	9	13	16	27
70-74	2041	7.0	26	2	2	6	9	13	16	28
75-79	1973	7.5	40	2	2	6	10	14	18	32
80-84	1562	7.4	29	2	2	6	9	14	17	28
85+	1256	7.5	43	2	2	6	9	14	17	37
B. *Operated*										
65-69 YRS	1008	11.2	105	2	2	9	13	21	29	64
70-74	1096	11.1	68	2	3	9	14	21	27	47
75-79	830	12.3	132	2	3	10	15	22	31	72
80-84	569	13.0	119	2	4	10	15	24	33	55
85+	397	12.8	130	2	3	9	15	25	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	7.0	31	1	2	6	9	12	14	21
B. *Operated*	427	7.7	32	1	2	7	11	14	16	31
2. MULTIPLE DX										
A. *Not Operated*	8585	7.3	33	2	2	6	9	13	17	29
B. *Operated*	3900	11.8	105	2	3	9	14	22	30	59
1. SINGLE DX	1086	7.3	31	1	2	7	10	13	15	26
2. MULTIPLE DX	12485	8.7	60	2	2	7	11	16	21	42
A. NOT OPERATED	9244	7.3	33	2	2	6	9	13	17	28
B. OPERATED	4327	11.4	100	2	3	9	14	21	29	56
TOTAL 65-69 YRS	3096	8.4	57	1	2	7	11	15	21	41
70-74	3426	8.3	43	2	2	7	11	16	20	34
75-79	3030	8.8	69	2	2	7	11	16	21	44
80-84	2262	8.8	60	2	3	7	11	16	21	43
85+	1757	8.7	67	2	2	7	11	16	22	47
GRAND TOTAL	**13571**	**8.6**	**58**	**2**	**2**	**7**	**11**	**16**	**21**	**40**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	3.9	7	1	1	3	5	7	8	16
70-74	49	4.3	5	1	1	4	5	8	8	10
75-79	42	4.3	10	1	1	4	5	8	12	16
80-84	30	4.4	6	1	2	4	5	7	8	12
85+	36	4.8	16	1	2	4	6	8	10	24
B. *Operated*										
65-69 YRS	13	3.5	9	1	1	2	4	7	11	12
70-74	10	3.3	8	1	1	3	4	8	11	11
75-79	6	4.2	21	<1	<1	2	9	11	11	11
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	803	5.8	15	2	2	5	7	10	13	23
70-74	832	6.5	26	2	2	5	8	12	15	25
75-79	703	6.5	20	2	2	5	8	11	15	25
80-84	621	7.3	38	2	3	6	9	13	17	27
85+	551	7.1	34	2	2	6	9	13	17	26
B. *Operated*										
65-69 YRS	122	8.7	93	1	2	6	11	17	26	54
70-74	118	9.0	56	2	2	7	12	18	23	40
75-79	72	10.2	102	2	2	8	11	21	25	62
80-84	45	10.0	48	2	3	9	12	15	25	38
85+	30	13.0	115	3	4	10	16	31	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	4.3	8	1	1	4	5	7	9	16
B. *Operated*	32	3.5	10	1	1	2	4	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	3510	6.6	26	2	2	5	8	12	15	26
B. *Operated*	387	9.6	80	2	2	7	12	19	25	45
1. SINGLE DX	252	4.2	9	1	1	4	5	7	9	16
2. MULTIPLE DX	3897	6.9	32	2	2	5	8	13	16	28
A. NOT OPERATED	3730	6.5	25	2	2	5	8	12	15	25
B. OPERATED	419	9.1	77	1	2	7	11	17	25	44
TOTAL 65-69 YRS	1001	6.0	25	2	2	5	7	11	14	26
70-74	1009	6.7	29	2	2	5	8	12	16	26
75-79	823	6.7	28	2	2	5	8	12	16	27
80-84	698	7.3	38	2	3	6	9	13	17	27
85+	618	7.3	39	2	2	6	9	14	18	33
GRAND TOTAL	**4149**	**6.7**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	249	5.0	9	2	2	4	6	8	10	17
70-74	228	5.2	8	2	2	5	7	9	10	16
75-79	198	5.0	7	2	2	4	6	8	10	14
80-84	120	5.3	10	1	2	5	6	9	12	17
85+	127	5.7	16	2	2	5	7	10	11	23
B. *Operated*										
65-69 YRS	9	4.3	27	<1	<1	2	7	13	16	16
70-74	9	4.4	10	1	1	3	7	9	10	10
75-79	9	8.3	96	2	2	4	10	24	33	33
80-84	4	5.0	9	2	2	5	7	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5879	7.1	30	2	3	6	8	12	15	29
70-74	6177	7.2	23	2	3	6	9	12	15	25
75-79	5198	7.3	24	2	3	6	9	13	16	26
80-84	3629	7.7	30	3	3	6	9	13	17	28
85+	3218	8.1	35	2	3	7	10	14	18	30
B. *Operated*										
65-69 YRS	521	11.2	82	2	3	9	14	21	33	55
70-74	519	11.8	102	3	3	9	15	23	31	69
75-79	385	12.5	88	3	4	10	16	25	31	46
80-84	241	13.4	80	4	5	11	18	26	33	55
85+	172	15.3	144	3	5	13	19	29	36	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	922	5.2	9	2	2	5	6	9	10	16
B. *Operated*	31	5.6	40	<1	1	3	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	24101	7.4	28	2	3	6	9	13	16	27
B. *Operated*	1838	12.3	96	3	4	10	16	25	32	59
1. SINGLE DX	953	5.2	10	2	2	4	6	9	10	16
2. MULTIPLE DX	25939	7.7	34	2	3	6	9	14	18	31
A. NOT OPERATED	25023	7.3	27	2	3	6	9	13	16	27
B. OPERATED	1869	12.2	95	3	4	10	15	24	32	59
TOTAL 65-69 YRS	6658	7.3	35	2	3	6	9	13	16	33
70-74	6933	7.5	30	2	3	6	9	13	16	30
75-79	5790	7.6	29	2	3	6	9	13	17	29
80-84	3994	7.9	34	3	3	6	10	14	19	32
85+	3517	8.3	42	2	3	7	10	15	19	33
GRAND TOTAL	**26892**	**7.6**	**33**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	115	2.0	1	1	1	2	2	3	4	5
70-74	55	2.1	2	1	1	2	3	3	4	10
75-79	22	2.9	10	<1	<1	2	3	4	9	16
80-84	8	1.8	1	<1	<1	1	2	4	4	4
85+	6	2.5	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	2.3	3	<1	<1	2	3	5	6	6
70-74	6	2.5	3	<1	<1	2	4	5	5	5
75-79	4	3.5	2	2	2	3	4	5	5	5
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	508	2.4	2	1	1	2	3	4	5	9
70-74	284	2.5	3	1	1	2	3	4	5	9
75-79	125	2.6	2	1	1	2	3	4	5	7
80-84	38	2.7	2	1	1	2	4	5	6	7
85+	15	5.9	27	1	1	4	9	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	206	2.1	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	22	2.7	3	<1	<1	2	4	5	6	6
B. *Operated*	970	2.5	3	1	1	2	3	4	5	11
1. SINGLE DX	208	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX	992	2.5	3	1	1	2	3	4	5	11
A. NOT OPERATED	24	2.7	3	<1	<1	2	4	5	6	6
B. OPERATED	1176	2.5	3	1	1	2	3	4	5	10
TOTAL 65-69 YRS	635	2.3	2	1	1	2	3	4	5	8
70-74	345	2.5	2	1	1	2	3	4	5	9
75-79	151	2.6	3	1	1	2	3	4	5	10
80-84	46	2.6	2	<1	1	2	3	5	5	7
85+	23	4.7	20	1	1	4	5	13	15	17
GRAND TOTAL	**1200**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	68	2.2	1	<1	1	2	3	4	4	5
70-74	45	2.5	3	<1	<1	2	3	5	6	9
75-79	38	2.1	1	<1	<1	2	3	3	4	4
80-84	12	2.2	2	1	1	2	2	4	6	6
85+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5	1	<1	<1	1	2	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	3	4.3	9	1	1	5	6	7	7	7
80-84	4	2.5	4	1	1	2	4	5	5	5
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	269	2.8	3	1	1	2	3	5	6	9
70-74	180	2.9	6	1	1	2	3	5	6	10
75-79	123	3.0	4	1	1	2	4	5	7	12
80-84	35	2.4	2	<1	1	2	3	4	4	9
85+	15	4.9	33	1	2	3	5	7	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	167	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	4	<1	1	1	3	5	7	7
B. *Operated*	622	2.9	5	1	1	2	4	5	6	10
1. SINGLE DX	168	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX	637	2.9	5	1	1	2	4	5	6	10
A. NOT OPERATED	16	2.3	4	<1	1	1	3	5	6	7
B. OPERATED	789	2.8	4	1	1	2	3	5	6	9
TOTAL 65-69 YRS	342	2.7	2	1	1	2	3	4	6	8
70-74	227	2.8	5	1	1	2	3	5	6	10
75-79	164	2.8	4	1	1	2	4	5	6	11
80-84	51	2.4	2	<1	1	2	3	4	5	9
85+	21	4.2	25	1	1	3	4	6	15	25
GRAND TOTAL	**805**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	26	2.0	1	1	1	2	2	3	4	6
70-74	20	1.9	1	1	1	2	2	3	4	4
75-79	13	2.3	4	1	1	2	3	6	7	7
80-84	10	1.5		1	1	1	2	2	2	2
85+	17	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	9.5	145	<1	<1	9	18	18	18	18
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	33	4.3	97	1	1	2	3	7	13	57
70-74	12	3.2	7	1	1	3	3	6	10	11
75-79	14	2.4	3	1	1	2	3	4	6	7
80-84	3	4.0	9	1	1	4	6	7	7	7
85+	13	2.3	5	<1	<1	1	2	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	86	1.8	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	6	7.2	45	<1	<1	5	12	17	18	18
B. *Operated*	75	3.4	45	1	1	2	3	6	9	46
1. SINGLE DX	88	1.8	1	1	1	2	2	3	3	7
2. MULTIPLE DX	81	3.7	46	<1	1	2	3	7	11	45
A. NOT OPERATED	8	5.8	39	<1	<1	3	9	16	18	18
B. OPERATED	161	2.5	22	1	1	2	2	4	7	14
TOTAL 65-69 YRS	63	3.4	55	1	1	2	2	6	11	52
70-74	33	2.5	4	1	1	2	3	4	6	11
75-79	28	2.7	6	1	1	2	3	7	8	12
80-84	14	2.3	3	1	1	2	2	5	7	7
85+	31	1.7	3	<1	<1	1	2	3	5	9
GRAND TOTAL	**169**	**2.7**	**23**	**1**	**1**	**2**	**2**	**5**	**7**	**17**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	52	2.5	4	<1	<1	2	3	4	9	10
70-74	35	2.4	1	1	1	2	3	4	4	5
75-79	29	3.5	7	1	1	3	5	6	7	13
80-84	20	3.1	3	1	1	2	5	6	6	6
85+	8	4.3	4	2	2	4	6	7	7	7
B. *Operated*										
65-69 YRS	456	2.1	3	<1	1	2	2	3	4	9
70-74	314	2.1	3	1	1	2	2	3	4	10
75-79	193	2.4	5	<1	1	2	3	4	6	14
80-84	85	2.5	9	<1	1	2	2	3	7	17
85+	37	3.0	8	1	1	2	3	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	273	4.8	10	1	2	4	6	9	11	15
70-74	215	5.2	19	1	1	4	7	9	13	24
75-79	164	5.0	19	1	1	4	7	9	12	29
80-84	112	5.6	16	2	2	4	7	13	15	16
85+	74	6.2	21	1	2	5	8	12	14	24
B. *Operated*										
65-69 YRS	987	3.7	29	1	1	2	4	7	11	25
70-74	699	4.1	32	1	1	2	4	9	13	25
75-79	455	5.0	42	1	1	3	5	12	18	36
80-84	189	6.4	64	1	1	3	7	17	22	43
85+	92	5.8	52	1	1	3	6	14	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.9	4	<1	1	2	4	5	6	10
B. *Operated*	1085	2.2	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*	838	5.2	16	1	2	4	7	10	13	18
B. *Operated*	2422	4.4	37	1	1	2	4	9	15	30
1. SINGLE DX	1229	2.3	4	<1	1	2	2	4	5	13
2. MULTIPLE DX	3260	4.6	31	1	1	3	5	10	14	29
A. NOT OPERATED	982	4.8	15	1	1	4	6	10	12	18
B. OPERATED	3507	3.7	27	1	1	2	4	7	13	26
TOTAL 65-69 YRS	1768	3.4	19	1	1	2	4	7	10	20
70-74	1263	3.8	23	1	1	2	4	8	12	22
75-79	841	4.4	29	1	1	3	5	9	14	30
80-84	406	5.2	39	1	1	3	6	13	17	31
85+	211	5.4	32	1	1	3	7	12	15	32
GRAND TOTAL	**4489**	**4.0**	**25**	**1**	**1**	**2**	**4**	**8**	**13**	**25**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1148	6.3	12	2	3	6	8	10	13	19
70-74	1121	6.7	15	2	3	6	8	11	14	19
75-79	972	6.8	15	3	3	6	8	11	14	21
80-84	817	7.1	18	3	3	6	9	12	15	23
85+	1066	7.6	25	2	3	7	9	13	16	25
B. *Operated*										
65-69 YRS	99	8.3	29	2	2	7	11	14	19	27
70-74	92	8.4	27	2	2	8	12	15	18	23
75-79	64	9.5	38	2	3	8	12	18	23	27
80-84	28	13.9	138	2	4	12	16	22	29	65
85+	32	11.2	58	3	5	9	13	23	29	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11468	8.5	33	3	4	7	10	15	18	29
70-74	14248	9.2	43	3	4	8	11	16	20	35
75-79	15030	9.6	47	3	4	8	12	17	21	36
80-84	13765	10.2	58	3	4	8	12	18	22	42
85+	17496	10.7	60	3	4	9	13	19	23	44
B. *Operated*										
65-69 YRS	1904	15.8	138	4	5	13	20	30	41	75
70-74	2206	16.9	175	4	6	13	21	33	46	87
75-79	1926	17.8	178	5	6	14	22	33	48	87
80-84	1561	19.1	215	5	7	15	23	38	51	95
85+	1398	19.6	191	6	7	16	25	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5124	6.9	17	2	3	6	8	12	14	21
B. *Operated*	315	9.4	45	2	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	72007	9.7	50	3	4	8	12	17	21	38
B. *Operated*	8995	17.6	179	4	6	14	22	34	47	93
1. SINGLE DX	5439	7.0	19	2	3	6	9	12	14	23
2. MULTIPLE DX	81002	10.6	70	3	4	8	13	19	25	49
A. NOT OPERATED	77131	9.5	48	3	4	8	12	17	21	37
B. OPERATED	9310	17.4	177	4	6	14	22	34	46	92
TOTAL 65-69 YRS	14619	9.3	52	3	4	8	11	16	21	40
70-74	17667	10.0	65	3	4	8	12	18	24	46
75-79	17992	10.3	66	3	4	8	12	19	24	47
80-84	16171	10.9	79	3	4	9	13	19	25	52
85+	19992	11.2	73	3	4	9	14	20	26	53
GRAND TOTAL	**86441**	**10.4**	**68**	**3**	**4**	**8**	**12**	**19**	**24**	**48**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	4.7	9	1	2	4	6	9	9	16
70-74	109	4.4	6	2	2	4	6	8	9	11
75-79	85	4.4	6	1	2	4	6	7	9	14
80-84	66	4.3	7	1	2	4	6	7	9	15
85+	48	5.7	13	2	2	5	8	10	13	18
B. *Operated*										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	848	5.6	11	2	2	5	7	10	13	17
70-74	975	6.0	15	2	2	5	7	11	13	21
75-79	887	6.2	18	2	2	5	8	11	14	23
80-84	733	6.9	36	2	3	5	8	12	15	27
85+	664	7.5	29	2	3	6	9	13	18	30
B. *Operated*										
65-69 YRS	33	11.4	92	3	5	9	12	19	27	55
70-74	42	14.4	143	4	6	11	16	27	40	67
75-79	42	13.6	195	4	5	9	12	29	45	76
80-84	32	12.4	54	4	4	12	15	18	23	42
85+	32	16.4	93	5	6	14	24	28	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	4.6	8	2	2	4	6	8	9	15
B. *Operated*	4	9.5	26	3	3	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	4107	6.3	21	2	3	5	8	12	14	23
B. *Operated*	181	13.7	121	4	5	11	16	27	36	63
1. SINGLE DX	408	4.7	8	2	2	4	6	8	10	15
2. MULTIPLE DX	4288	6.7	28	2	3	5	8	12	15	27
A. NOT OPERATED	4511	6.2	20	2	2	5	8	11	14	22
B. OPERATED	185	13.6	120	4	5	11	15	27	35	63
TOTAL 65-69 YRS	978	5.7	15	2	2	5	7	10	13	19
70-74	1127	6.2	22	2	2	5	8	11	14	23
75-79	1015	6.3	26	2	2	5	8	11	14	27
80-84	832	6.9	36	2	2	5	8	13	16	27
85+	744	7.8	34	2	3	6	10	15	19	30
GRAND TOTAL	**4696**	**6.5**	**26**	**2**	**2**	**5**	**8**	**12**	**15**	**26**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	296	6.1	19	2	2	5	7	11	14	22
70-74	276	6.1	21	2	2	5	7	11	14	20
75-79	168	5.8	12	2	2	5	7	10	13	22
80-84	99	5.6	13	2	2	5	7	9	11	22
85+	68	5.4	8	2	2	5	7	10	11	12
B. Operated										
65-69 YRS	43	3.9	12	1	1	2	5	9	10	17
70-74	28	4.1	15	<1	1	3	7	9	10	18
75-79	27	5.0	16	<1	1	3	8	12	13	14
80-84	10	6.3	14	<1	1	6	9	11	12	12
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2562	7.6	34	2	3	6	9	13	17	30
70-74	2719	7.6	31	2	3	6	9	13	17	28
75-79	2099	8.0	40	2	3	6	9	14	19	36
80-84	1463	8.1	43	2	3	7	10	14	19	35
85+	1142	7.7	31	2	3	6	9	14	18	31
B. Operated										
65-69 YRS	454	9.8	103	1	2	7	12	20	29	49
70-74	365	10.5	89	2	3	8	14	20	32	77
75-79	255	11.7	139	2	2	9	15	24	32	79
80-84	166	11.9	131	2	3	10	14	25	32	85
85+	74	13.9	188	2	4	11	16	31	43	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	907	5.9	17	2	2	5	7	10	13	20
B. Operated	108	4.5	14	<1	1	3	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	9985	7.7	35	2	3	6	9	14	18	32
B. Operated	1314	10.8	115	2	2	8	13	23	32	76
1. SINGLE DX	1015	5.8	17	2	2	5	7	10	13	19
2. MULTIPLE DX	11299	8.1	46	2	3	6	10	15	20	37
A. NOT OPERATED	10892	7.6	34	2	3	6	9	13	18	31
B. OPERATED	1422	10.4	110	2	2	8	13	22	31	75
TOTAL 65-69 YRS	3355	7.7	43	2	3	6	9	14	18	34
70-74	3388	7.7	38	2	3	6	9	14	18	36
75-79	2549	8.2	49	2	3	6	10	15	20	43
80-84	1738	8.3	51	2	3	7	10	15	21	38
85+	1284	7.9	41	2	3	6	10	14	19	34
GRAND TOTAL	**12314**	**7.9**	**44**	**2**	**3**	**6**	**10**	**14**	**19**	**36**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	140	7.2	49	2	2	6	9	14	18	28
70-74	136	6.7	20	2	2	6	8	13	16	22
75-79	93	6.4	43	2	2	5	7	10	15	42
80-84	46	6.3	37	1	2	5	8	11	14	40
85+	14	10.2	77	2	4	7	11	27	31	32
B. Operated										
65-69 YRS	3	7.3	12	4	4	7	10	11	11	11
70-74	4	4.3	11	2	2	3	6	9	9	9
75-79	4	5.8	41	1	1	3	10	15	15	15
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1450	8.8	49	2	3	7	11	16	21	38
70-74	1608	8.7	45	2	3	7	11	16	21	38
75-79	1170	9.1	64	2	3	7	11	17	23	44
80-84	638	8.8	59	3	3	7	11	16	21	37
85+	302	9.0	64	2	3	7	11	16	23	48
B. Operated										
65-69 YRS	187	15.9	232	3	4	12	19	35	47	99
70-74	165	15.7	155	2	4	13	19	33	43	79
75-79	124	16.5	192	3	4	11	22	39	48	81
80-84	66	19.9	268	6	6	14	26	51	62	99+
85+	23	20.5	328	5	5	16	28	55	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	6.9	38	2	2	5	8	13	17	27
B. Operated	13	5.8	22	1	1	4	9	13	15	15
2. MULTIPLE DX										
A. Not Operated	5168	8.8	53	2	3	7	11	16	22	41
B. Operated	565	16.6	209	3	5	12	20	39	50	99+
1. SINGLE DX	442	6.8	38	2	2	5	8	13	17	27
2. MULTIPLE DX	5733	9.6	74	2	3	7	11	18	26	49
A. NOT OPERATED	5597	8.7	53	2	3	7	11	16	21	40
B. OPERATED	578	16.4	208	3	4	12	20	39	49	99+
TOTAL 65-69 YRS	1780	9.4	73	2	3	7	11	18	24	45
70-74	1913	9.1	57	2	3	7	11	17	23	43
75-79	1391	9.5	79	2	3	7	11	18	28	50
80-84	751	9.6	86	2	3	7	11	18	26	59
85+	340	9.8	89	2	3	7	12	19	29	63
GRAND TOTAL	**6175**	**9.4**	**72**	**2**	**3**	**7**	**11**	**18**	**25**	**48**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1105	5.2	10	1	2	5	7	9	11	17
70-74	880	5.6	12	2	2	5	7	10	12	17
75-79	535	5.5	11	2	2	5	7	10	12	17
80-84	240	6.0	15	1	2	5	8	11	13	19
85+	132	5.8	11	2	2	5	7	11	12	17
B. *Operated*										
65-69 YRS	15	8.7	14	3	4	8	12	14	15	15
70-74	12	6.3	33	<1	1	5	8	15	20	21
75-79	8	8.8	20	3	4	9	12	15	16	16
80-84	3	6.3	4	4	4	7	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5467	7.0	23	2	3	6	9	12	15	25
70-74	5013	7.3	26	2	3	6	9	13	16	26
75-79	3538	7.6	33	2	3	6	9	13	17	28
80-84	1899	7.8	35	2	3	6	10	14	18	30
85+	1200	8.6	46	2	3	7	10	15	19	33
B. *Operated*										
65-69 YRS	331	12.2	99	3	4	10	14	23	34	60
70-74	288	13.0	91	3	4	11	16	25	31	69
75-79	195	13.1	103	3	5	10	16	24	34	53
80-84	96	15.2	128	4	5	13	18	30	40	56
85+	63	16.1	181	4	5	13	20	33	46	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2892	5.5	11	2	2	5	7	10	12	17
B. *Operated*	38	7.8	21	1	2	7	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	17117	7.4	29	2	3	6	9	13	16	28
B. *Operated*	973	13.2	107	3	4	11	16	25	35	65
1. SINGLE DX	2930	5.5	12	2	2	5	7	10	12	17
2. MULTIPLE DX	18090	7.7	35	2	3	6	9	14	18	31
A. NOT OPERATED	20009	7.1	27	2	3	6	9	13	16	27
B. OPERATED	1011	13.0	104	3	4	10	16	25	34	63
TOTAL 65-69 YRS	6918	7.0	26	2	3	6	9	12	15	27
70-74	6193	7.3	29	2	3	6	9	13	17	28
75-79	4276	7.6	35	2	3	6	9	14	18	29
80-84	2238	8.0	39	2	3	6	10	14	18	31
85+	1395	8.6	52	2	3	7	10	15	20	37
GRAND TOTAL	**21020**	**7.4**	**32**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	967	6.2	21	2	2	5	8	11	14	23
70-74	862	6.6	29	2	2	5	8	11	14	22
75-79	603	6.2	19	2	2	5	8	11	14	27
80-84	279	7.0	31	2	2	6	9	12	16	34
85+	141	7.0	54	2	2	6	8	12	16	29
B. *Operated*										
65-69 YRS	41	6.6	35	1	1	4	9	16	21	23
70-74	31	5.8	22	1	1	4	8	13	16	18
75-79	26	7.3	23	2	3	6	9	15	17	22
80-84	9	8.3	43	<1	1	6	11	19	23	23
85+	6	7.0	24	3	3	5	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8305	8.1	42	2	3	7	10	15	19	34
70-74	8604	8.3	43	2	3	7	10	15	20	33
75-79	6494	8.5	48	2	3	7	10	16	21	37
80-84	3553	8.8	59	2	3	7	11	16	21	44
85+	1915	9.0	63	2	3	7	11	16	21	50
B. *Operated*										
65-69 YRS	953	13.9	175	2	4	10	17	29	42	79
70-74	952	13.9	162	3	4	10	18	28	43	99+
75-79	691	15.0	167	3	4	11	19	30	43	99
80-84	373	14.6	153	3	4	11	18	31	44	73
85+	149	15.6	171	3	4	12	20	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2852	6.4	26	2	2	5	8	11	14	25
B. *Operated*	113	6.7	28	1	2	5	9	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	28871	8.4	47	2	3	7	10	15	20	36
B. *Operated*	3118	14.3	167	3	4	11	18	29	44	99+
1. SINGLE DX	2965	6.4	26	2	2	5	8	11	15	24
2. MULTIPLE DX	31989	9.0	62	2	3	7	11	17	22	45
A. NOT OPERATED	31723	8.2	45	2	3	7	10	15	20	35
B. OPERATED	3231	14.0	164	3	4	10	18	29	43	99+
TOTAL 65-69 YRS	10266	8.5	55	2	3	7	10	16	21	41
70-74	10449	8.7	55	2	3	7	10	16	22	41
75-79	7814	8.9	60	2	3	7	11	17	23	43
80-84	4214	9.2	68	2	3	7	11	17	23	51
85+	2211	9.3	73	2	3	7	11	17	24	59
GRAND TOTAL	**34954**	**8.8**	**59**	**2**	**3**	**7**	**11**	**16**	**22**	**44**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.4	15	1	1	5	7	12	13	13
70-74	6	3.8	5	2	2	3	4	8	8	8
75-79	6	7.2	20	2	2	7	11	13	13	13
80-84	5	5.4	9	<1	<1	6	8	8	8	8
85+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
65-69 YRS	32	6.5	11	2	3	5	9	11	14	14
70-74	45	8.0	37	2	3	6	11	14	17	36
75-79	25	6.9	24	2	3	6	9	13	17	24
80-84	20	6.8	22	1	2	5	9	13	17	20
85+	9	9.9	66	3	3	9	11	22	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	78	6.9	24	2	2	6	9	13	16	28
70-74	90	7.5	21	2	3	7	10	13	16	23
75-79	82	9.3	112	2	3	7	9	14	28	60
80-84	59	9.0	44	3	3	7	12	14	23	36
85+	44	8.7	47	2	3	8	10	18	29	99+
B. *Operated*										
65-69 YRS	353	12.0	97	3	4	9	14	25	32	47
70-74	367	12.3	94	3	4	10	16	23	32	47
75-79	238	12.3	106	3	4	9	16	25	35	53
80-84	156	14.6	132	4	5	11	19	30	42	69
85+	73	13.3	126	4	4	10	16	31	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.8	13	1	2	5	9	12	13	13
B. *Operated*	131	7.4	28	2	3	6	10	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	353	8.2	50	2	3	7	10	14	21	52
B. *Operated*	1187	12.6	104	3	4	9	16	25	33	51
1. SINGLE DX	159	7.1	26	2	2	6	9	13	15	29
2. MULTIPLE DX	1540	11.6	95	3	3	8	14	23	32	51
A. NOT OPERATED	381	8.0	48	2	3	7	10	14	20	48
B. OPERATED	1318	12.0	99	3	4	9	15	24	33	50
TOTAL 65-69 YRS	472	10.6	82	2	3	8	13	22	29	40
70-74	508	11.0	80	3	3	8	14	21	29	44
75-79	351	11.1	103	3	3	8	13	23	32	55
80-84	240	12.4	108	3	4	10	15	25	36	55
85+	128	11.5	96	3	4	9	13	28	35	65
GRAND TOTAL	**1699**	**11.1**	**90**	**3**	**3**	**8**	**14**	**23**	**31**	**50**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	4.6	14	1	1	4	6	9	12	18
70-74	210	5.6	17	1	2	5	7	11	14	21
75-79	149	5.4	20	1	1	4	7	11	13	23
80-84	134	5.9	18	1	2	5	7	12	15	20
85+	155	6.4	24	1	1	5	8	13	16	22
B. *Operated*										
65-69 YRS	248	6.8	40	1	1	5	9	14	19	30
70-74	218	6.6	49	1	1	4	10	15	19	37
75-79	149	5.8	27	1	1	4	8	13	16	27
80-84	63	8.7	72	1	1	6	12	21	26	42
85+	34	11.2	136	2	2	8	14	21	32	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3924	7.6	40	2	2	6	10	14	18	34
70-74	4555	8.3	47	2	3	7	10	16	20	36
75-79	4401	8.7	50	2	3	7	11	16	22	36
80-84	3660	9.3	55	2	3	8	12	17	22	37
85+	3805	9.7	60	2	3	8	12	18	23	40
B. *Operated*										
65-69 YRS	1905	12.1	135	2	2	9	16	26	37	70
70-74	2030	12.6	133	2	3	9	17	27	36	78
75-79	1571	14.0	143	2	3	11	18	28	39	68
80-84	1036	15.3	157	3	4	12	19	30	42	76
85+	777	17.1	202	3	5	13	21	35	44	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	5.5	19	1	1	4	7	11	14	22
B. *Operated*	712	6.9	49	1	1	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	20345	8.7	50	2	3	7	11	16	21	37
B. *Operated*	7319	13.6	149	2	3	10	18	29	39	76
1. SINGLE DX	1571	6.2	33	1	1	5	8	13	17	28
2. MULTIPLE DX	27664	10.0	81	2	3	8	12	20	26	51
A. NOT OPERATED	21204	8.6	50	2	3	7	11	16	21	36
B. OPERATED	8031	13.0	144	2	3	10	17	28	37	72
TOTAL 65-69 YRS	6288	8.8	73	2	2	7	11	18	24	49
70-74	7013	9.4	75	2	2	7	12	19	25	47
75-79	6270	9.9	78	2	3	7	12	20	26	49
80-84	4893	10.5	82	2	3	8	13	20	27	53
85+	4771	10.8	90	2	3	8	13	21	27	55
GRAND TOTAL	**29235**	**9.8**	**79**	**2**	**3**	**7**	**12**	**19**	**26**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.6	3	1	1	3	5	6	6	6
70-74	5	6.2	71	<1	<1	3	9	21	21	21
75-79	5	7.6	45	2	2	5	11	19	19	19
80-84	2	1.0		1	1	1	1	1	1	1
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	211	2.5	4	<1	1	2	3	4	5	11
70-74	140	2.6	8	<1	1	2	3	4	6	16
75-79	72	2.5	1	1	1	2	3	4	5	6
80-84	52	2.5	4	1	1	2	3	4	5	13
85+	37	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	4.4	13	<1	1	4	6	9	12	18
70-74	64	5.6	31	<1	1	4	7	14	20	25
75-79	52	4.3	49	1	1	2	4	9	13	47
80-84	30	5.3	15	1	1	5	7	9	12	20
85+	24	5.3	12	<1	1	5	8	10	11	12
B. *Operated*										
65-69 YRS	791	3.3	12	1	1	2	3	5	9	17
70-74	622	3.2	10	1	1	2	3	6	9	19
75-79	470	3.4	17	1	1	2	4	6	8	19
80-84	270	3.5	12	1	2	2	4	7	9	17
85+	241	3.7	25	1	2	2	3	7	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.8	29	<1	1	3	5	12	20	21
B. *Operated*	512	2.5	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	242	4.9	25	<1	1	3	6	10	14	22
B. *Operated*	2394	3.3	14	1	1	2	3	6	9	19
1. SINGLE DX	533	2.6	6	1	1	2	3	4	5	13
2. MULTIPLE DX	2636	3.5	15	1	1	2	4	6	9	19
A. NOT OPERATED	263	4.9	26	<1	1	3	6	10	14	22
B. OPERATED	2906	3.2	12	1	1	2	3	5	8	19
TOTAL 65-69 YRS	1081	3.2	11	1	1	2	3	5	8	17
70-74	831	3.3	12	1	1	2	3	6	9	21
75-79	599	3.4	18	1	1	2	3	6	8	19
80-84	354	3.5	11	1	1	2	4	7	9	17
85+	304	3.7	21	1	1	2	3	7	10	20
GRAND TOTAL	**3169**	**3.3**	**14**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.6	11	<1	1	4	6	10	11	12
70-74	23	4.7	8	1	2	4	6	8	10	14
75-79	13	3.8	3	1	2	3	5	7	7	7
80-84	8	6.5	10	4	4	5	9	12	12	12
85+	9	7.7	13	4	4	7	9	13	15	15
B. *Operated*										
65-69 YRS	151	2.9	4	1	1	3	4	5	7	11
70-74	113	2.9	4	1	1	2	3	5	6	12
75-79	61	3.7	12	1	1	2	4	8	11	16
80-84	40	3.3	4	1	1	3	4	7	8	8
85+	28	4.0	30	1	1	3	4	6	12	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	133	6.0	15	1	2	5	8	11	14	19
70-74	123	7.7	34	2	2	6	9	15	21	30
75-79	126	6.8	25	2	2	6	8	12	16	28
80-84	113	7.9	32	2	2	6	10	16	17	29
85+	133	8.6	44	3	3	7	10	15	19	34
B. *Operated*										
65-69 YRS	292	5.3	45	1	1	3	5	10	16	41
70-74	258	4.7	47	1	1	3	5	9	13	22
75-79	177	5.6	47	1	2	3	6	12	18	34
80-84	102	5.7	31	1	2	4	7	11	13	33
85+	86	9.1	87	1	2	7	12	19	27	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.0	10	1	2	4	7	9	12	15
B. *Operated*	393	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	628	7.4	30	2	2	6	9	14	17	28
B. *Operated*	915	5.6	50	1	2	3	6	12	17	35
1. SINGLE DX	467	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX	1543	6.3	43	1	2	4	8	13	17	32
A. NOT OPERATED	702	7.1	29	2	2	6	9	13	17	27
B. OPERATED	1308	4.9	38	1	1	3	5	10	14	32
TOTAL 65-69 YRS	597	4.8	28	1	1	3	6	10	13	25
70-74	517	5.0	35	1	1	3	6	10	14	24
75-79	377	5.7	33	1	2	4	7	12	16	33
80-84	263	6.3	29	1	2	5	8	13	16	28
85+	256	8.2	58	2	2	6	10	16	20	57
GRAND TOTAL	**2010**	**5.7**	**36**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	162	3.5	8	1	1	3	4	6	8	12
70-74	123	4.0	10	1	1	3	5	8	10	17
75-79	109	4.4	20	1	1	3	5	9	12	28
80-84	63	4.6	21	1	1	3	6	9	16	26
85+	64	3.5	5	1	1	3	5	6	8	11
B. *Operated*										
65-69 YRS	156	4.7	20	<1	1	3	6	9	12	25
70-74	121	4.8	16	<1	1	4	7	10	12	19
75-79	114	4.6	16	1	1	4	6	9	10	24
80-84	66	4.7	13	1	1	4	6	9	10	22
85+	74	5.9	36	<1	<1	4	9	12	17	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1783	4.9	14	1	2	4	6	9	11	19
70-74	1747	5.3	16	1	2	4	7	10	12	22
75-79	1448	5.6	20	1	2	5	7	10	13	22
80-84	1106	6.3	34	2	2	5	8	12	15	27
85+	973	6.3	25	2	2	5	8	12	15	28
B. *Operated*										
65-69 YRS	1465	8.0	64	1	2	6	10	16	22	45
70-74	1360	9.0	85	1	2	6	11	19	28	49
75-79	1289	8.7	79	1	2	6	11	17	23	50
80-84	949	9.3	100	1	2	7	11	19	26	54
85+	726	10.4	124	2	2	7	13	20	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.9	12	1	1	3	5	7	10	18
B. *Operated*	531	4.9	20	<1	1	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	7057	5.6	21	1	2	4	7	10	13	23
B. *Operated*	5789	8.9	86	1	2	6	11	18	25	50
1. SINGLE DX	1052	4.4	16	1	1	3	6	9	11	23
2. MULTIPLE DX	12846	7.1	53	1	2	5	8	14	19	39
A. NOT OPERATED	7578	5.5	20	1	2	4	7	10	13	23
B. OPERATED	6320	8.6	82	1	2	6	10	17	24	49
TOTAL 65-69 YRS	3566	6.1	37	1	2	5	7	12	16	33
70-74	3351	6.8	47	1	2	5	8	13	19	37
75-79	2960	6.9	48	1	2	5	8	13	19	38
80-84	2184	7.5	64	1	2	6	9	15	20	41
85+	1837	7.8	68	1	2	6	9	15	21	40
GRAND TOTAL	**13898**	**6.9**	**51**	**1**	**2**	**5**	**8**	**13**	**19**	**38**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.2	6	<1	1	4	6	8	10	11
70-74	58	4.4	8	<1	2	4	5	8	9	17
75-79	55	4.0	7	<1	1	3	6	7	9	14
80-84	34	5.3	9	<1	2	5	7	9	9	15
85+	36	4.9	7	1	2	5	7	8	10	12
B. *Operated*										
65-69 YRS	52	5.7	15	<1	1	5	8	12	14	15
70-74	64	5.9	21	<1	<1	5	9	11	14	24
75-79	60	6.9	64	<1	1	5	8	11	18	54
80-84	33	5.3	15	1	2	4	7	11	12	17
85+	16	7.8	33	1	2	6	9	14	22	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	598	5.9	14	2	2	5	7	10	14	20
70-74	632	6.3	17	2	2	5	8	12	14	21
75-79	597	6.7	22	2	2	6	8	12	16	26
80-84	452	7.3	28	2	3	6	9	13	18	29
85+	406	7.5	33	2	3	6	9	14	18	29
B. *Operated*										
65-69 YRS	663	8.3	36	2	3	7	10	16	19	34
70-74	658	9.0	49	2	3	7	10	17	23	37
75-79	588	9.6	51	2	3	8	12	16	21	43
80-84	372	9.1	60	2	3	7	10	18	22	44
85+	291	9.9	57	3	3	8	13	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.4	7	<1	2	4	6	8	9	14
B. *Operated*	225	6.2	31	<1	1	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	2685	6.7	22	2	2	6	8	12	16	25
B. *Operated*	2572	9.1	49	2	3	7	11	17	21	38
1. SINGLE DX	467	5.3	19	<1	1	4	7	9	12	20
2. MULTIPLE DX	5257	7.9	37	2	3	6	10	15	19	31
A. NOT OPERATED	2927	6.5	21	2	2	5	8	12	15	24
B. OPERATED	2797	8.8	48	2	3	7	11	17	21	37
TOTAL 65-69 YRS	1372	7.0	26	2	2	6	9	13	17	28
70-74	1412	7.5	34	2	3	6	9	14	18	28
75-79	1300	7.9	39	2	2	6	10	15	18	32
80-84	891	7.9	42	2	2	6	9	15	20	33
85+	749	8.3	43	2	3	7	10	16	20	35
GRAND TOTAL	**5724**	**7.6**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	120	5.0	7	2	2	4	6	8	10	16
70-74	111	5.2	24	1	2	5	6	8	10	27
75-79	102	5.8	20	2	3	5	7	10	11	28
80-84	67	6.1	20	2	3	5	7	10	12	32
85+	43	6.3	10	3	3	6	7	11	14	15
B. *Operated*										
65-69 YRS	90	8.5	29	3	4	8	11	14	17	32
70-74	73	9.1	41	2	3	8	12	17	24	33
75-79	82	9.0	27	3	3	8	12	15	19	28
80-84	67	9.3	30	3	5	8	11	17	21	29
85+	35	11.5	75	2	4	8	15	23	33	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	860	7.0	26	2	3	6	8	12	15	28
70-74	985	7.0	18	3	3	6	8	13	15	22
75-79	921	7.3	23	3	3	6	9	13	15	24
80-84	784	8.2	47	3	3	7	10	14	18	39
85+	736	9.1	62	3	3	7	10	16	22	46
B. *Operated*										
65-69 YRS	970	11.5	99	3	4	8	13	22	29	54
70-74	1039	11.6	91	3	4	9	15	22	30	54
75-79	1039	11.7	95	3	4	9	14	22	30	54
80-84	808	12.4	97	3	4	10	15	24	32	65
85+	688	13.6	108	4	5	11	17	26	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	5.5	17	2	2	5	7	9	11	16
B. *Operated*	347	9.2	36	2	4	8	12	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	4286	7.7	34	3	3	6	9	13	17	30
B. *Operated*	4544	12.0	98	3	4	9	15	23	31	56
1. SINGLE DX	790	7.1	29	2	3	6	9	13	16	30
2. MULTIPLE DX	8830	9.9	72	3	4	7	12	18	25	49
A. NOT OPERATED	4729	7.5	33	2	3	6	9	13	16	30
B. OPERATED	4891	11.8	94	3	4	9	14	23	31	55
TOTAL 65-69 YRS	2040	9.1	65	3	3	7	11	17	23	49
70-74	2208	9.1	59	3	3	7	11	18	23	43
75-79	2144	9.5	63	3	3	7	11	17	23	47
80-84	1726	10.2	73	3	4	8	12	19	25	52
85+	1502	11.1	87	3	4	8	14	21	29	57
GRAND TOTAL	**9620**	**9.7**	**69**	**3**	**3**	**7**	**11**	**18**	**25**	**49**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	181	3.8	5	<1	1	3	5	7	9	11
70-74	147	4.4	5	2	2	4	5	8	9	12
75-79	108	4.4	6	1	2	4	6	8	9	12
80-84	64	5.0	6	2	2	4	7	8	10	13
85+	47	4.6	11	1	1	4	5	9	13	16
B. *Operated*										
65-69 YRS	24	7.8	41	<1	<1	7	10	17	22	24
70-74	22	7.6	24	<1	1	7	9	14	18	19
75-79	23	6.9	19	<1	<1	5	10	13	16	17
80-84	5	7.0	94	1	1	4	10	24	24	24
85+	9	8.3	13	4	4	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1323	5.8	17	2	2	5	7	10	12	20
70-74	1256	5.9	14	2	2	5	7	11	13	20
75-79	1085	6.4	26	2	3	5	8	11	14	21
80-84	765	6.9	34	2	3	6	8	12	15	26
85+	583	7.8	50	2	3	6	9	14	17	41
B. *Operated*										
65-69 YRS	348	10.7	86	3	4	8	13	20	30	58
70-74	339	11.1	75	3	4	9	13	20	29	42
75-79	251	11.3	114	2	4	8	14	22	28	79
80-84	163	12.2	146	3	4	9	14	21	33	84
85+	136	11.4	82	3	3	9	14	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	4.3	6	1	2	4	5	7	9	13
B. *Operated*	83	7.5	29	<1	<1	7	10	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	5012	6.4	25	2	2	5	8	11	14	23
B. *Operated*	1237	11.2	96	3	4	9	13	21	30	58
1. SINGLE DX	630	4.7	10	1	2	4	6	9	10	17
2. MULTIPLE DX	6249	7.3	43	2	3	6	9	13	17	33
A. NOT OPERATED	5559	6.1	24	2	2	5	8	11	14	22
B. OPERATED	1320	11.0	92	3	4	9	13	20	29	54
TOTAL 65-69 YRS	1876	6.6	33	2	2	5	8	11	15	31
70-74	1764	6.8	30	2	2	5	8	12	15	29
75-79	1467	7.1	43	2	3	6	9	13	16	31
80-84	997	7.6	55	2	3	6	9	14	18	39
85+	775	8.2	56	2	3	6	10	15	19	46
GRAND TOTAL	**6879**	**7.1**	**40**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	265	4.9	5	2	2	5	6	8	9	12
70-74	226	5.0	5	2	2	5	6	8	9	12
75-79	201	5.7	13	2	3	5	7	9	10	21
80-84	97	6.2	13	2	3	5	7	10	13	22
85+	79	6.9	46	3	3	6	8	10	13	49
B. *Operated*										
65-69 YRS	81	8.7	20	3	4	8	11	15	18	22
70-74	70	9.2	13	5	5	8	11	14	16	21
75-79	74	10.7	62	2	4	10	13	17	23	51
80-84	49	12.5	94	3	4	10	15	22	32	50
85+	31	14.2	75	5	6	13	17	22	40	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1363	6.6	18	2	3	5	8	11	14	24
70-74	1502	7.1	22	2	3	6	9	12	15	26
75-79	1398	7.7	30	3	3	6	9	14	18	29
80-84	1157	8.1	32	3	3	7	10	14	18	30
85+	1066	9.2	52	3	3	7	11	16	21	39
B. *Operated*										
65-69 YRS	703	13.8	119	4	5	11	17	25	36	61
70-74	819	14.0	144	4	5	11	16	26	38	68
75-79	762	15.2	139	5	6	12	18	27	37	81
80-84	569	15.2	137	4	5	12	18	28	37	84
85+	496	16.4	146	5	6	13	20	32	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	5.4	12	2	3	5	7	9	10	15
B. *Operated*	305	10.5	48	3	5	9	12	17	22	44
2. MULTIPLE DX										
A. *Not Operated*	6486	7.6	30	3	3	6	9	13	17	30
B. *Operated*	3349	14.8	137	4	5	12	18	28	38	76
1. SINGLE DX	1173	6.7	26	2	3	6	8	12	15	27
2. MULTIPLE DX	9835	10.1	78	3	3	8	12	19	26	53
A. NOT OPERATED	7354	7.4	29	2	3	6	9	13	16	29
B. OPERATED	3654	14.4	131	4	5	11	17	27	37	74
TOTAL 65-69 YRS	2412	8.6	58	2	3	6	10	16	22	42
70-74	2617	9.1	70	3	3	7	11	16	22	47
75-79	2435	10.0	76	3	3	8	12	19	25	53
80-84	1872	10.3	76	3	4	8	12	19	27	53
85+	1672	11.3	91	3	4	9	13	21	31	63
GRAND TOTAL	**11008**	**9.7**	**74**	**3**	**3**	**7**	**12**	**18**	**25**	**50**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.3	4	1	2	4	6	7	7	7
70-74	11	6.8	5	4	4	6	8	10	11	11
75-79	21	6.5	3	4	4	6	8	9	10	10
80-84	14	6.6	6	3	4	6	9	10	11	11
85+	20	7.5	25	1	2	7	11	14	17	19
B. *Operated*										
65-69 YRS	43	11.4	26	4	5	11	15	19	21	23
70-74	32	10.4	38	4	4	10	12	20	21	31
75-79	26	13.5	55	6	6	12	17	26	29	34
80-84	6	12.2	61	4	4	11	14	25	26	26
85+	11	15.7	113	2	4	14	20	31	41	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	134	7.7	27	2	3	6	9	13	17	30
70-74	144	7.7	22	2	3	7	10	15	17	22
75-79	133	8.3	30	2	3	7	10	14	19	28
80-84	116	9.8	57	3	4	8	11	17	25	46
85+	97	10.6	82	3	4	8	12	20	26	55
B. *Operated*										
65-69 YRS	261	16.4	137	5	6	13	21	32	45	65
70-74	272	16.9	117	5	6	14	21	33	40	55
75-79	236	17.0	118	5	6	14	21	34	40	77
80-84	140	18.9	186	4	6	15	23	38	46	75
85+	123	18.2	248	5	6	13	23	37	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.4	10	2	3	6	8	11	12	18
B. *Operated*	118	12.0	46	4	5	11	15	21	25	37
2. MULTIPLE DX										
A. *Not Operated*	624	8.7	42	2	3	7	10	15	20	34
B. *Operated*	1032	17.2	147	5	6	14	22	34	42	71
1. SINGLE DX	198	9.8	39	2	4	8	13	18	22	33
2. MULTIPLE DX	1656	14.0	124	3	4	11	18	28	38	62
A. NOT OPERATED	704	8.4	38	2	3	7	10	15	19	32
B. OPERATED	1150	16.7	139	4	6	14	21	33	41	70
TOTAL 65-69 YRS	452	13.0	107	3	4	10	16	27	35	62
70-74	459	13.3	98	3	4	11	17	26	35	50
75-79	416	13.5	98	4	4	11	17	27	37	53
80-84	276	14.3	142	3	4	11	17	27	40	67
85+	251	14.3	175	3	4	10	18	28	42	74
GRAND TOTAL	**1854**	**13.6**	**117**	**3**	**4**	**11**	**17**	**27**	**36**	**61**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	247	3.1	3	1	1	3	4	5	7	9
70-74	202	3.9	8	1	1	3	5	7	10	14
75-79	144	3.9	13	1	1	3	5	7	8	14
80-84	94	4.1	7	1	1	4	5	7	9	15
85+	80	3.4	5	1	1	3	4	6	8	73
B. *Operated*										
65-69 YRS	30	5.0	26	<1	<1	3	6	14	15	18
70-74	28	3.8	6	<1	<1	4	5	7	10	11
75-79	25	6.6	41	<1	1	4	9	15	20	29
80-84	17	5.9	36	<1	1	3	9	17	20	21
85+	8	8.3	19	1	2	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3133	5.4	16	2	2	4	7	9	12	20
70-74	3087	5.7	16	2	2	5	7	10	13	21
75-79	2614	6.5	36	2	2	5	8	12	15	27
80-84	1976	6.5	26	2	2	5	8	12	15	24
85+	1696	6.9	27	2	2	6	8	13	17	27
B. *Operated*										
65-69 YRS	946	8.8	58	2	3	7	10	17	23	36
70-74	902	8.8	65	2	3	7	10	16	21	56
75-79	817	9.3	59	2	3	7	11	18	22	41
80-84	561	10.5	105	3	4	8	12	20	27	88
85+	362	10.2	61	3	4	8	12	19	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	3.6	7	1	1	3	5	7	8	12
B. *Operated*	108	5.4	26	<1	<1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	12506	6.1	24	2	2	5	7	11	14	23
B. *Operated*	3588	9.3	68	2	3	7	11	17	23	46
1. SINGLE DX	875	3.8	10	1	1	3	5	7	10	15
2. MULTIPLE DX	16094	6.8	36	2	2	5	8	12	16	31
A. NOT OPERATED	13273	5.9	23	2	2	5	7	11	14	23
B. OPERATED	3696	9.2	67	2	3	7	11	17	23	45
TOTAL 65-69 YRS	4356	6.0	27	1	2	5	7	11	14	27
70-74	4219	6.3	28	2	2	5	8	11	15	27
75-79	3600	7.0	42	2	2	5	8	13	17	34
80-84	2648	7.2	45	2	2	6	9	13	18	36
85+	2146	7.3	34	2	2	6	9	14	18	29
GRAND TOTAL	**16969**	**6.6**	**35**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	3.8	7	1	1	3	5	8	10	12
70-74	45	3.9	11	<1	1	3	5	7	12	16
75-79	46	4.5	11	1	1	4	6	10	12	14
80-84	18	5.4	10	2	2	5	8	10	12	12
85+	23	5.1	26	1	1	4	6	9	16	25
B. *Operated*										
65-69 YRS	25	15.3	104	6	7	13	19	28	37	51
70-74	13	6.7	35	<1	1	4	10	14	20	22
75-79	13	8.5	38	2	2	7	12	19	20	20
80-84	13	10.8	33	2	4	11	16	19	20	20
85+	7	19.7	726	1	1	17	19	66	78	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	565	5.8	28	1	2	4	7	11	15	25
70-74	601	6.0	21	1	2	5	8	11	15	24
75-79	464	6.3	24	1	2	5	8	12	15	27
80-84	410	6.3	19	2	2	5	8	12	15	21
85+	321	7.3	42	2	2	6	9	14	17	38
B. *Operated*										
65-69 YRS	301	14.7	136	2	3	12	20	28	41	55
70-74	296	15.9	173	3	5	12	20	33	40	68
75-79	263	16.6	125	4	5	14	22	32	41	50
80-84	174	16.4	198	3	4	13	21	29	47	74
85+	124	16.3	94	4	6	14	21	32	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	4.3	12	1	1	3	6	9	11	15
B. *Operated*	71	12.1	133	1	2	9	17	21	28	72
2. MULTIPLE DX										
A. *Not Operated*	2361	6.2	26	1	2	5	8	12	16	25
B. *Operated*	1158	15.9	148	3	4	13	21	31	41	62
1. SINGLE DX	257	6.5	57	1	1	4	8	14	19	32
2. MULTIPLE DX	3519	9.4	87	2	2	7	12	20	27	49
A. NOT OPERATED	2547	6.1	25	1	2	5	8	12	15	24
B. OPERATED	1229	15.6	148	3	4	13	20	30	40	63
TOTAL 65-69 YRS	945	8.7	82	1	2	6	11	20	26	50
70-74	955	8.9	89	1	2	6	11	18	26	51
75-79	786	9.7	82	2	2	7	12	21	29	45
80-84	615	9.2	90	2	2	7	11	19	24	58
85+	475	9.7	81	2	2	7	12	19	29	45
GRAND TOTAL	**3776**	**9.2**	**85**	**2**	**2**	**6**	**11**	**20**	**27**	**49**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	5	2	2	6	6	6	6	6
70-74										
75-79										
80-84										
85+	2	9.0	50	4	4	9	14	14	14	14
B. *Operated*										
65-69 YRS	164	5.3	8	3	3	5	6	8	10	20
70-74	109	5.8	7	3	3	5	7	10	11	14
75-79	60	6.0	10	2	3	5	7	8	11	21
80-84	29	7.1	15	2	3	6	8	11	16	19
85+	21	4.7	6	1	2	5	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.8	17	<1	<1	5	9	11	11	11
70-74	10	4.2	3	2	2	4	6	7	7	7
75-79	10	6.4	34	1	2	4	7	15	22	22
80-84	5	11.0	18	6	6	10	14	17	17	17
85+	5	8.8	45	3	3	6	14	19	19	19
B. *Operated*										
65-69 YRS	212	7.7	26	3	4	7	9	13	17	24
70-74	179	8.3	35	3	4	7	10	14	17	35
75-79	110	9.4	54	4	4	8	11	16	19	44
80-84	65	11.4	110	4	4	9	11	18	37	63
85+	37	12.2	172	4	5	8	12	21	25	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	17	2	2	6	6	12	14	14
B. *Operated*	383	5.7	9	2	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	35	6.7	25	1	3	5	9	13	18	22
B. *Operated*	603	8.9	53	3	4	7	10	15	19	43
1. SINGLE DX	390	5.7	9	2	3	5	7	9	11	18
2. MULTIPLE DX	638	8.8	52	3	4	7	10	15	19	43
A. NOT OPERATED	42	6.5	23	1	2	5	8	13	18	22
B. OPERATED	986	7.6	38	3	3	6	9	13	17	32
TOTAL 65-69 YRS	386	6.6	19	3	3	6	8	11	15	21
70-74	298	7.2	25	3	3	6	8	12	15	31
75-79	180	8.1	40	3	4	7	9	14	19	28
80-84	99	10.1	81	3	4	8	11	17	24	55
85+	65	9.4	114	2	3	7	11	18	22	74
GRAND TOTAL	**1028**	**7.6**	**38**	**3**	**3**	**6**	**9**	**13**	**17**	**30**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.7	3	6	6	7	9	10	10	10
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	2	20.5	365	7	7	20	34	34	34	34
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	175	8.8	21	4	5	8	10	13	15	31
70-74	124	8.6	12	4	5	8	10	13	15	22
75-79	74	9.3	12	5	6	9	11	12	17	22
80-84	33	9.8	15	5	5	10	12	15	19	20
85+	18	11.2	13	7	8	10	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	11.1	53	1	3	10	13	21	27	29
70-74	13	8.7	43	<1	1	9	12	17	22	23
75-79	12	9.6	20	2	5	9	11	15	20	21
80-84	6	18.3	91	7	8	16	19	34	36	36
85+	8	9.1	35	3	3	8	12	19	21	21
B. *Operated*										
65-69 YRS	481	12.9	87	5	6	11	14	21	27	51
70-74	394	12.4	42	5	6	11	15	21	24	33
75-79	309	14.7	114	6	7	12	17	24	30	69
80-84	161	15.7	127	6	7	12	18	27	36	68
85+	148	16.8	134	6	8	13	20	32	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.5	69	4	5	7	9	20	33	34
B. *Operated*	424	9.0	16	4	5	8	11	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	52	10.7	49	1	3	9	14	20	23	36
B. *Operated*	1493	13.8	92	6	7	11	16	23	30	65
1. SINGLE DX	435	9.0	17	4	5	8	11	13	16	22
2. MULTIPLE DX	1545	13.7	91	5	7	11	16	23	29	64
A. NOT OPERATED	63	10.5	52	1	3	9	12	20	25	36
B. OPERATED	1917	12.8	79	5	6	11	15	21	27	54
TOTAL 65-69 YRS	675	11.8	72	5	6	10	13	20	24	46
70-74	533	11.4	38	4	6	10	14	19	23	31
75-79	397	13.5	97	6	7	11	15	22	28	67
80-84	201	14.8	112	5	6	12	17	25	35	61
85+	174	15.9	122	6	8	12	19	31	37	67
GRAND TOTAL	**1980**	**12.7**	**78**	**5**	**6**	**10**	**15**	**21**	**27**	**53**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	6	1	1	3	5	6	6	6
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	13	5.5	6	2	3	5	7	9	10	10
70-74	8	6.3	17	2	2	5	9	12	13	13
75-79	5	7.6	29	2	2	8	10	16	16	16
80-84	4	5.8	6	4	4	5	7	9	9	9
85+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	4.9	26	1	1	3	6	7	18	22
70-74	10	4.5	4	2	2	4	6	7	8	8
75-79	6	4.7	10	1	1	4	6	10	10	10
80-84	8	9.1	26	4	4	7	13	17	18	18
85+	3	7.0	3	6	6	6	8	9	9	9
B. *Operated*										
65-69 YRS	27	7.8	19	2	3	6	11	15	16	17
70-74	29	11.7	237	4	4	7	11	20	25	87
75-79	20	9.5	46	3	4	8	9	18	27	33
80-84	3	5.7	6	3	3	6	7	8	8	8
85+	7	15.3	206	3	4	11	17	40	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.2	4	1	1	3	5	6	6	6
B. *Operated*	32	6.1	11	2	2	5	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	42	5.7	19	1	2	5	7	10	16	22
B. *Operated*	86	10.0	115	3	3	7	11	18	21	72
1. SINGLE DX	38	5.6	11	2	2	5	8	10	12	16
2. MULTIPLE DX	128	8.6	87	2	3	6	10	16	20	55
A. NOT OPERATED	48	5.4	18	1	2	5	6	10	15	22
B. OPERATED	118	8.9	89	2	3	7	10	16	20	59
TOTAL 65-69 YRS	59	6.2	19	1	2	5	8	13	15	22
70-74	49	8.9	153	2	2	6	9	17	20	87
75-79	31	8.3	39	2	3	8	9	15	21	33
80-84	15	7.5	18	3	4	6	9	15	17	18
85+	12	11.7	133	3	5	8	12	26	43	46
GRAND TOTAL	**166**	**7.9**	**71**	**2**	**2**	**6**	**9**	**15**	**18**	**44**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.1	3	<1	<1	1	2	5	7	7
70-74	10	3.5	5	1	1	3	4	7	9	9
75-79	10	2.8	3	<1	<1	3	4	5	6	6
80-84	6	2.3	1	<1	<1	2	3	4	4	4
85+	11	3.3	10	1	1	2	4	8	12	12
B. *Operated*										
65-69 YRS	3972	3.4	3	1	1	3	4	5	6	8
70-74	3090	3.6	3	1	2	3	4	6	7	9
75-79	2059	3.7	3	1	2	3	5	6	7	9
80-84	1021	4.1	5	1	2	4	5	6	8	11
85+	486	4.3	6	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	3.0	7	<1	<1	2	4	6	9	13
70-74	137	2.9	7	<1	<1	2	4	6	7	13
75-79	97	3.9	24	<1	<1	3	4	8	11	31
80-84	97	4.9	15	<1	1	4	6	11	13	17
85+	67	5.5	22	1	1	4	8	11	15	22
B. *Operated*										
65-69 YRS	5819	4.5	9	1	2	4	5	8	10	15
70-74	5409	4.9	13	2	2	4	6	8	11	19
75-79	4120	5.2	17	2	2	4	6	9	12	21
80-84	2334	6.0	26	2	2	5	7	10	14	25
85+	1225	6.4	28	2	2	5	8	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.8	5	<1	<1	2	4	5	7	12
B. *Operated*	10628	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	510	3.9	15	<1	1	3	5	9	12	17
B. *Operated*	18907	5.1	16	2	2	4	6	9	11	20
1. SINGLE DX	10678	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX	19417	5.1	16	1	2	4	6	9	11	20
A. NOT OPERATED	560	3.8	14	<1	1	3	5	8	11	17
B. OPERATED	29535	4.6	12	1	2	4	5	8	10	17
TOTAL 65-69 YRS	9916	4.0	7	1	2	4	5	7	8	14
70-74	8646	4.4	10	1	2	4	5	7	9	16
75-79	6286	4.7	13	1	2	4	6	8	10	19
80-84	3458	5.4	20	2	2	4	6	9	12	23
85+	1789	5.8	23	2	2	5	7	10	14	25
GRAND TOTAL	**30095**	**4.5**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.7	4	1	1	2	3	6	7	7
70-74	5	1.4		<1	<1	1	2	2	2	2
75-79	6	1.5	1	<1	<1	1	2	3	3	3
80-84	7	1.1		<1	<1	1	1	2	2	2
85+	12	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*										
65-69 YRS	221	4.4	6	1	2	4	6	7	8	12
70-74	206	4.7	5	2	2	4	6	8	8	12
75-79	183	4.6	4	2	2	4	6	8	8	12
80-84	164	5.1	9	1	2	5	7	8	10	17
85+	149	6.1	19	2	2	5	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	5.9	22	1	1	5	8	11	15	21
70-74	32	4.3	9	1	1	4	6	8	9	13
75-79	41	5.0	23	1	1	4	7	10	15	23
80-84	53	6.0	27	1	1	4	8	14	17	25
85+	80	6.7	159	1	1	4	7	12	17	85
B. *Operated*										
65-69 YRS	529	6.9	31	2	3	6	8	12	17	30
70-74	733	8.2	53	2	3	6	10	15	20	39
75-79	688	7.8	34	2	3	6	9	15	20	31
80-84	616	9.3	73	3	3	7	11	18	22	46
85+	584	10.2	77	3	4	8	12	18	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*	923	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	230	5.8	69	1	1	4	7	12	15	32
B. *Operated*	3150	8.5	55	2	3	7	10	16	20	38
1. SINGLE DX	962	4.8	8	1	2	4	6	8	10	15
2. MULTIPLE DX	3380	8.3	56	2	3	6	10	15	20	38
A. NOT OPERATED	269	5.2	61	<1	1	3	7	11	14	25
B. OPERATED	4073	7.7	46	2	3	6	9	14	19	36
TOTAL 65-69 YRS	783	6.1	25	2	2	5	7	11	15	27
70-74	976	7.3	43	2	3	6	8	13	18	36
75-79	918	7.0	29	2	3	5	8	13	18	30
80-84	840	8.2	60	2	3	6	10	16	20	39
85+	825	9.0	77	2	3	7	11	16	21	52
GRAND TOTAL	**4342**	**7.5**	**48**	**2**	**3**	**6**	**9**	**14**	**19**	**35**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	111	3.3	2	1	2	3	4	6	6	8
70-74	72	4.1	5	1	2	4	5	7	9	14
75-79	45	3.8	5	<1	1	4	5	7	9	9
80-84	13	4.1	3	1	2	5	5	6	7	7
85+	6	4.3	7	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	3.6	9	1	1	3	4	8	11	12
70-74	12	4.0	7	<1	1	4	6	8	9	9
75-79	9	6.4	20	<1	1	7	9	13	13	13
80-84	5	4.2	17	1	1	2	6	11	11	11
85+	4	11.5	363	1	1	3	22	40	40	40
B. *Operated*										
65-69 YRS	262	5.5	20	1	2	4	7	10	13	22
70-74	210	5.2	9	2	2	5	7	9	11	15
75-79	108	6.6	36	1	2	5	7	13	23	59
80-84	42	6.2	18	2	3	5	7	10	12	27
85+	29	6.2	17	2	2	4	8	13	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5		2	2	2	3	3	3	3
B. *Operated*	247	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	42	5.1	42	<1	1	3	6	11	13	40
B. *Operated*	651	5.7	19	1	2	5	7	10	14	25
1. SINGLE DX	251	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX	693	5.6	20	1	2	5	7	10	13	26
A. NOT OPERATED	46	4.9	39	1	1	3	6	11	13	40
B. OPERATED	898	5.1	15	1	2	4	6	9	12	23
TOTAL 65-69 YRS	387	4.8	15	1	2	4	6	9	12	19
70-74	296	4.9	8	1	2	4	6	9	11	15
75-79	162	5.8	28	1	2	5	7	10	19	31
80-84	60	5.6	15	1	2	5	7	9	11	26
85+	39	6.5	45	1	1	4	8	13	15	40
GRAND TOTAL	**944**	**5.1**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	13	1	1	3	5	10	11	11
70-74	12	2.9	3	1	1	3	4	6	7	7
75-79	3	5.3	44	1	1	2	10	13	13	13
80-84	3	2.0	1	<1	<1	2	3	3	3	3
85+	4	4.8	2	4	4	4	6	7	7	7
B. *Operated*										
65-69 YRS	582	5.3	7	2	2	5	7	9	10	14
70-74	443	5.3	6	2	2	5	7	8	9	12
75-79	275	5.4	9	2	2	5	7	9	10	15
80-84	95	5.7	8	2	3	5	8	9	11	14
85+	42	6.0	15	1	2	5	7	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	3.9	11	1	1	3	4	8	12	17
70-74	86	4.6	15	1	1	4	6	9	10	23
75-79	71	4.5	10	1	1	4	6	9	11	15
80-84	48	5.5	35	1	1	4	7	12	16	33
85+	35	7.0	39	1	2	5	9	17	21	28
B. *Operated*										
65-69 YRS	1339	7.4	21	2	3	6	9	12	15	25
70-74	1136	7.6	25	2	3	7	9	13	16	26
75-79	725	8.4	46	3	3	7	10	15	19	34
80-84	331	8.9	37	3	4	7	10	16	20	36
85+	127	9.3	50	2	3	8	12	18	22	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.5	8	1	1	3	4	7	11	13
B. *Operated*	1437	5.4	7	2	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	322	4.8	19	1	1	4	6	10	13	24
B. *Operated*	3658	7.8	30	2	3	7	9	14	17	29
1. SINGLE DX	1466	5.3	7	2	2	5	7	9	10	13
2. MULTIPLE DX	3980	7.6	30	2	3	6	9	13	17	29
A. NOT OPERATED	351	4.7	18	1	1	4	6	10	13	22
B. OPERATED	5095	7.1	25	2	3	6	9	12	15	26
TOTAL 65-69 YRS	2010	6.6	17	2	3	6	8	11	14	22
70-74	1677	6.8	21	2	3	6	8	11	14	25
75-79	1074	7.4	36	2	3	6	9	13	17	31
80-84	477	7.9	33	2	3	7	9	14	18	32
85+	208	8.2	42	2	3	6	11	17	20	40
GRAND TOTAL	**5446**	**7.0**	**25**	**2**	**3**	**6**	**9**	**12**	**15**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	3.6	4	1	1	3	4	6	7	[illegible]
70-74	74	3.2	3	<1	1	3	4	6	6	[illegible]
75-79	58	3.9	4	1	2	4	5	7	8	10
80-84	39	3.6	5	<1	1	3	5	7	8	10
85+	24	3.8	8	1	2	3	4	6	11	14
B. *Operated*										
65-69 YRS	29	7.3	7	2	3	8	9	10	11	11
70-74	27	8.3	11	2	3	9	11	12	13	15
75-79	15	8.2	11	2	2	8	11	12	13	14
80-84	6	9.0	10	5	5	9	10	14	14	14
85+	5	9.0	16	3	3	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1306	4.8	11	2	2	4	6	8	10	16
70-74	1328	5.0	13	2	2	4	6	9	10	17
75-79	1099	5.3	17	2	2	4	6	9	12	22
80-84	866	6.0	18	2	2	5	7	11	14	24
85+	712	6.6	28	2	2	5	8	12	16	31
B. *Operated*										
65-69 YRS	496	9.5	48	2	3	9	11	16	21	35
70-74	397	9.1	44	2	3	8	12	17	20	33
75-79	279	11.5	79	2	3	10	15	21	28	43
80-84	185	10.6	79	2	3	8	14	22	31	55
85+	107	12.6	103	2	3	10	16	23	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.6	4	1	1	3	5	6	7	10
B. *Operated*	82	8.0	10	2	3	8	10	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	5311	5.4	16	2	2	4	7	9	12	21
B. *Operated*	1464	10.1	62	2	3	9	12	18	24	47
1. SINGLE DX	359	4.6	9	1	2	4	6	9	11	14
2. MULTIPLE DX	6775	6.4	30	2	2	5	8	12	16	29
A. NOT OPERATED	5588	5.3	16	2	2	4	6	9	12	21
B. OPERATED	1546	10.0	59	2	3	9	12	18	23	45
TOTAL 65-69 YRS	1913	6.0	24	2	2	5	8	11	14	23
70-74	1826	5.8	22	2	2	5	7	11	14	22
75-79	1451	6.5	34	2	2	5	8	12	17	30
80-84	1096	6.7	31	2	2	5	8	13	17	32
85+	848	7.3	41	2	2	5	9	14	19	38
GRAND TOTAL	**7134**	**6.3**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	89	4.1	5	1	2	4	5	6	7	14
70-74	71	4.1	3	1	2	4	5	6	8	10
75-79	71	3.9	6	1	1	4	5	7	8	16
80-84	32	4.8	8	1	2	4	6	8	12	13
85+	20	3.7	4	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.5	4	<1	1	4	5	6	7	7
70-74	22	6.5	21	1	2	5	7	14	17	20
75-79	15	5.0	7	2	2	5	7	8	10	11
80-84	12	4.9	17	<1	1	4	7	11	14	14
85+	6	5.7	1	4	4	6	7	7	7	7
B. *Operated*										
65-69 YRS	147	5.4	14	1	2	4	7	10	12	22
70-74	180	5.9	34	2	2	5	7	9	12	35
75-79	131	6.4	17	3	3	5	8	11	13	27
80-84	95	7.5	33	2	3	5	10	13	20	32
85+	48	7.6	31	2	3	5	9	16	22	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*	283	4.1	5	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	68	5.3	13	1	1	5	7	9	14	19
B. *Operated*	601	6.3	25	2	2	5	8	11	13	28
1. SINGLE DX	286	4.1	5	1	2	4	5	7	8	13
2. MULTIPLE DX	669	6.2	24	2	2	5	8	11	13	26
A. NOT OPERATED	71	5.1	13	1	1	4	7	9	14	19
B. OPERATED	884	5.6	20	2	2	4	7	10	12	23
TOTAL 65-69 YRS	249	4.8	10	1	2	4	6	9	11	17
70-74	274	5.5	25	2	2	4	7	9	11	28
75-79	218	5.5	14	1	2	4	6	10	12	23
80-84	139	6.6	27	2	2	5	9	12	18	30
85+	75	6.3	24	2	2	5	8	11	18	25
GRAND TOTAL	**955**	**5.5**	**19**	**1**	**2**	**4**	**7**	**10**	**12**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.2	5	1	1	3	4	7	8	9
70-74	11	4.6	5	1	2	4	7	8	8	8
75-79	4	2.8	2	<1	<1	3	4	4	4	4
80-84	8	3.9	6	1	1	4	5	7	8	8
85+	19	3.9	6	1	1	3	5	8	10	10
B. *Operated*										
65-69 YRS	252	5.9	12	1	2	5	8	11	12	16
70-74	257	6.3	15	2	3	5	8	11	14	20
75-79	175	6.7	16	2	2	6	9	12	14	21
80-84	140	7.2	25	2	2	6	9	13	16	29
85+	113	8.3	45	3	3	7	10	14	18	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	6.4	43	1	2	5	7	12	21	38
70-74	99	5.2	15	1	2	4	6	10	14	21
75-79	129	6.3	49	1	2	5	7	10	17	36
80-84	103	6.2	14	1	2	6	8	11	13	17
85+	144	6.2	22	2	2	5	7	11	16	23
B. *Operated*										
65-69 YRS	812	9.3	61	2	3	7	11	17	22	37
70-74	887	10.6	81	2	3	8	13	20	26	61
75-79	816	11.4	109	3	4	9	13	20	27	69
80-84	647	12.1	67	3	4	10	15	21	27	43
85+	550	12.8	95	3	5	10	15	23	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.8	5	1	1	3	5	7	9	10
B. *Operated*	937	6.6	20	2	2	6	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	565	6.1	29	1	2	5	7	11	15	27
B. *Operated*	3712	11.1	84	3	4	9	14	20	26	50
1. SINGLE DX	997	6.5	20	2	2	5	8	12	14	21
2. MULTIPLE DX	4277	10.4	79	2	3	8	13	19	25	47
A. NOT OPERATED	625	5.8	27	1	2	5	7	10	14	26
B. OPERATED	4649	10.2	74	2	3	8	13	19	24	46
TOTAL 65-69 YRS	1172	8.2	50	2	3	7	10	15	20	34
70-74	1254	9.3	66	2	3	7	12	18	23	47
75-79	1124	10.1	92	2	3	8	12	18	24	58
80-84	898	10.6	60	2	3	9	13	20	24	40
85+	826	10.8	82	2	3	9	14	20	27	45
GRAND TOTAL	**5274**	**9.7**	**71**	**2**	**3**	**8**	**12**	**18**	**23**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	511	4.8	12	1	2	4	6	9	11	17
70-74	482	4.8	9	1	2	4	6	9	11	16
75-79	380	5.0	12	1	2	4	6	9	11	17
80-84	240	5.1	12	1	2	4	6	10	12	20
85+	226	5.6	16	1	2	5	7	11	13	20
B. *Operated*										
65-69 YRS	215	11.1	24	6	6	10	14	18	21	27
70-74	200	11.5	31	5	6	10	13	20	24	29
75-79	173	12.2	34	5	7	11	15	20	23	31
80-84	112	12.8	34	5	7	11	15	21	25	32
85+	89	13.0	47	5	6	11	15	23	27	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2251	6.4	22	2	2	5	8	11	14	23
70-74	2567	6.9	26	2	2	6	9	13	16	28
75-79	2471	7.4	37	2	2	6	9	13	17	31
80-84	2254	7.9	44	2	3	6	10	14	19	33
85+	2307	8.6	52	2	3	7	11	16	21	40
B. *Operated*										
65-69 YRS	1648	16.6	130	6	7	13	20	29	40	73
70-74	1765	16.8	135	6	7	14	20	30	40	79
75-79	1702	17.8	138	7	8	15	22	30	40	78
80-84	1272	18.0	146	6	8	14	21	32	42	75
85+	1028	18.7	134	7	8	16	23	34	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1839	5.0	12	1	2	4	6	9	11	17
B. *Operated*	789	11.9	32	5	6	11	14	19	24	31
2. MULTIPLE DX										
A. *Not Operated*	11850	7.4	37	2	2	6	9	14	17	31
B. *Operated*	7415	17.5	137	6	8	14	21	31	41	77
1. SINGLE DX	2628	7.1	28	1	2	6	9	14	17	27
2. MULTIPLE DX	19265	11.3	99	2	3	9	14	22	30	56
A. NOT OPERATED	13689	7.1	34	2	2	6	9	13	17	29
B. OPERATED	8204	16.9	129	6	7	14	21	30	39	74
TOTAL 65-69 YRS	4625	10.0	84	2	3	8	13	20	27	49
70-74	5014	10.4	87	2	3	8	13	21	27	51
75-79	4726	11.1	98	2	3	8	14	22	29	55
80-84	3878	11.2	99	2	3	9	14	22	29	56
85+	3650	11.4	95	2	3	9	15	23	31	56
GRAND TOTAL	**21893**	**10.8**	**92**	**2**	**3**	**8**	**14**	**21**	**28**	**52**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	470	3.2	6	1	1	3	4	6	7	11
70-74	427	3.4	5	1	1	3	4	6	8	12
75-79	325	3.6	6	1	1	3	5	6	7	13
80-84	254	3.6	6	1	1	3	4	7	8	12
85+	238	3.9	7	1	1	3	5	7	9	12
B. *Operated*										
65-69 YRS	24	6.3	20	1	1	5	8	12	17	19
70-74	22	5.5	16	1	1	5	8	11	13	14
75-79	21	5.6	11	1	1	5	8	10	11	13
80-84	11	7.0	23	<1	1	8	10	13	17	17
85+	4	7.3	30	2	2	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3855	5.1	16	1	2	4	6	9	12	20
70-74	4363	5.4	21	2	2	4	7	10	12	24
75-79	4044	5.9	27	2	2	5	7	11	14	24
80-84	3434	6.3	33	2	2	5	7	11	15	30
85+	3371	6.6	39	2	2	5	8	12	16	35
B. *Operated*										
65-69 YRS	538	10.6	86	2	3	8	13	19	29	51
70-74	567	11.2	109	2	3	8	14	22	27	69
75-79	497	11.8	106	3	4	9	14	23	30	66
80-84	360	12.1	118	3	4	9	14	24	33	69
85+	300	14.9	171	3	4	11	18	33	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1714	3.5	6	1	1	3	4	6	8	12
B. *Operated*	82	6.0	17	1	1	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	19067	5.8	27	2	2	5	7	11	14	26
B. *Operated*	2262	11.8	114	3	4	9	14	23	32	67
1. SINGLE DX	1796	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	21329	6.5	40	2	2	5	8	12	16	33
A. NOT OPERATED	20781	5.6	26	2	2	4	7	10	14	25
B. OPERATED	2344	11.6	112	2	3	9	14	23	32	66
TOTAL 65-69 YRS	4887	5.5	26	1	2	4	7	10	14	25
70-74	5379	5.9	33	2	2	4	7	11	15	29
75-79	4887	6.3	37	2	2	5	7	12	16	31
80-84	4059	6.6	42	2	2	5	8	12	17	33
85+	3913	7.1	53	2	2	5	8	13	18	43
GRAND TOTAL	**23125**	**6.2**	**38**	**2**	**2**	**5**	**7**	**12**	**16**	**32**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	830	4.6	8	1	1	4	6	8	10	14
70-74	762	4.7	8	1	2	4	6	8	10	14
75-79	623	4.7	10	1	1	4	6	8	10	15
80-84	426	5.2	19	1	1	4	6	9	12	17
85+	307	5.7	19	1	2	5	8	10	13	20
B. *Operated*										
65-69 YRS	220	11.0	24	4	5	10	13	18	21	24
70-74	155	10.5	27	2	3	10	13	17	20	27
75-79	120	12.9	96	1	3	11	15	22	29	58
80-84	42	14.3	94	2	3	13	17	26	34	50
85+	30	14.1	107	2	3	12	18	26	40	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3743	5.8	15	2	2	5	7	10	12	20
70-74	4388	6.2	21	2	2	5	8	11	14	22
75-79	4534	6.5	22	2	2	5	8	11	14	24
80-84	4026	7.1	35	2	3	6	9	13	17	29
85+	3865	7.7	42	2	3	6	9	14	18	39
B. *Operated*										
65-69 YRS	1961	14.0	88	4	5	12	17	25	31	50
70-74	1997	14.4	108	3	5	12	18	27	34	62
75-79	1732	15.0	120	3	5	12	18	27	35	64
80-84	1180	16.4	157	3	5	14	21	31	42	81
85+	852	16.3	153	4	5	13	20	31	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2948	4.8	11	1	1	4	6	9	11	16
B. *Operated*	567	11.7	51	2	4	11	14	20	23	40
2. MULTIPLE DX										
A. *Not Operated*	20556	6.7	27	2	2	5	8	12	15	26
B. *Operated*	7722	15.0	119	3	5	12	18	28	36	64
1. SINGLE DX	3515	5.9	24	1	2	5	8	11	14	23
2. MULTIPLE DX	28278	8.9	66	2	3	7	11	17	24	43
A. NOT OPERATED	23504	6.4	26	2	2	5	8	11	15	25
B. OPERATED	8289	14.7	115	3	5	12	18	27	35	63
TOTAL 65-69 YRS	6754	8.2	51	2	2	6	10	16	21	36
70-74	7302	8.4	58	2	2	6	10	16	22	40
75-79	7009	8.5	61	2	2	6	10	17	23	40
80-84	5674	9.0	75	2	3	6	11	18	24	48
85+	5054	9.1	71	2	3	7	11	17	24	48
GRAND TOTAL	**31793**	**8.6**	**62**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.2	5	<1	<1	2	5	7	8	8
70-74	10	4.8	21	1	1	4	6	12	16	16
75-79	6	1.8	3	1	1	1	2	5	5	5
80-84	5	6.8	11	2	2	7	9	11	11	11
85+	7	4.3	4	2	2	4	6	7	7	7
B. *Operated*										
65-69 YRS	305	3.4	14	1	1	3	4	5	7	12
70-74	153	3.8	6	1	1	3	5	7	9	12
75-79	76	4.4	17	1	2	4	5	8	11	26
80-84	30	5.2	15	1	2	4	6	11	15	16
85+	14	5.5	22	1	2	4	7	13	17	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	5.3	18	<1	1	4	7	10	16	21
70-74	84	7.1	74	1	2	6	9	12	15	56
75-79	79	7.0	51	2	2	5	8	13	18	47
80-84	48	8.4	78	1	2	7	9	15	22	57
85+	38	9.4	62	2	3	7	10	20	27	39
B. *Operated*										
65-69 YRS	868	5.2	21	1	2	4	6	9	14	26
70-74	602	6.4	54	1	2	5	7	12	17	34
75-79	343	7.6	64	2	2	5	9	15	24	53
80-84	167	9.8	112	2	3	6	13	20	25	64
85+	100	10.3	110	2	2	8	13	23	30	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.1	11	1	1	3	6	8	10	16
B. *Operated*	578	3.8	13	1	1	3	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	321	7.1	56	1	2	6	8	13	18	43
B. *Operated*	2080	6.6	52	1	2	5	7	13	19	36
1. SINGLE DX	617	3.8	13	1	1	3	4	7	9	16
2. MULTIPLE DX	2401	6.7	52	1	2	5	8	13	19	36
A. NOT OPERATED	360	6.8	52	1	2	5	8	13	17	38
B. OPERATED	2658	6.0	44	1	2	4	6	12	17	34
TOTAL 65-69 YRS	1256	4.8	20	1	2	4	5	9	13	25
70-74	849	6.0	48	1	2	4	7	11	16	28
75-79	504	7.0	56	1	2	5	8	14	20	46
80-84	250	8.9	94	2	2	6	11	18	24	64
85+	159	9.4	89	2	2	7	11	20	28	61
GRAND TOTAL	**3018**	**6.1**	**45**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	426	4.3	11	1	1	3	6	9	10	15
70-74	365	4.1	13	1	1	3	5	8	10	17
75-79	331	4.3	18	1	1	3	5	8	12	22
80-84	271	4.3	16	1	1	3	5	9	10	17
85+	253	4.3	14	1	1	3	5	8	11	17
B. *Operated*										
65-69 YRS	340	7.2	43	<1	1	6	10	15	19	37
70-74	263	6.6	26	1	1	5	10	13	16	23
75-79	214	7.4	35	1	2	6	11	16	19	28
80-84	147	8.7	43	2	2	7	11	16	23	33
85+	87	7.7	24	1	2	7	11	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3055	5.9	25	1	2	5	7	11	15	25
70-74	3577	6.1	28	1	2	5	8	11	15	25
75-79	3486	6.3	34	1	2	5	8	12	16	31
80-84	3118	6.6	40	1	2	5	8	12	17	31
85+	3231	7.0	45	1	2	5	8	14	18	37
B. *Operated*										
65-69 YRS	2565	12.5	142	2	3	9	15	26	36	69
70-74	2521	13.0	151	2	3	10	16	28	39	68
75-79	2157	13.6	147	2	3	10	17	28	41	67
80-84	1526	14.8	163	3	4	11	19	31	41	77
85+	1132	15.5	171	3	4	12	20	31	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1646	4.3	14	1	1	3	5	8	11	18
B. *Operated*	1051	7.4	36	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	16467	6.4	34	1	2	5	8	12	16	29
B. *Operated*	9901	13.6	153	2	3	10	17	28	40	72
1. SINGLE DX	2697	5.5	25	1	1	4	7	11	15	25
2. MULTIPLE DX	26368	9.1	91	2	2	6	11	19	27	54
A. NOT OPERATED	18113	6.2	33	1	2	5	8	12	16	29
B. OPERATED	10952	13.0	145	2	3	10	16	27	38	69
TOTAL 65-69 YRS	6386	8.5	83	1	2	6	10	17	25	48
70-74	6726	8.6	85	1	2	6	10	17	25	53
75-79	6188	8.8	85	1	2	6	11	19	26	53
80-84	5062	9.0	91	1	2	6	11	19	27	52
85+	4703	8.9	87	1	2	6	11	19	26	56
GRAND TOTAL	**29065**	**8.7**	**86**	**1**	**2**	**6**	**11**	**18**	**26**	**52**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	8.1	25	3	3	8	10	14	18	25
70-74	11	8.6	35	2	3	8	13	17	21	21
75-79	8	7.4	10	4	4	7	10	12	12	12
80-84	2	5.0	32	1	1	5	9	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	21	5.1	24	<1	1	3	6	14	15	16
70-74	11	3.3	11	1	1	2	5	9	11	11
75-79	3	5.0	16	1	1	5	8	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	803	10.4	71	2	4	8	13	20	27	39
70-74	495	10.7	62	3	4	8	13	22	27	40
75-79	218	10.7	52	2	4	9	14	19	23	38
80-84	61	10.4	43	3	4	9	13	19	23	33
85+	31	9.7	27	2	4	8	13	17	21	22
B. *Operated*										
65-69 YRS	316	14.4	171	2	2	11	19	30	44	78
70-74	167	14.9	137	2	3	12	20	32	38	77
75-79	79	17.7	186	2	3	14	26	41	51	99+
80-84	24	15.1	119	1	3	15	20	25	34	52
85+	4	17.0	22	12	12	16	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.9	24	2	3	7	10	14	18	25
B. *Operated*	35	4.5	19	<1	1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	1608	10.5	63	3	4	8	13	20	26	39
B. *Operated*	590	15.0	161	2	3	12	20	31	42	81
1. SINGLE DX	87	6.5	24	1	1	5	9	14	15	24
2. MULTIPLE DX	2198	11.7	93	2	3	9	15	23	31	52
A. NOT OPERATED	1660	10.4	62	3	4	8	13	20	26	38
B. OPERATED	625	14.5	159	1	2	11	19	31	41	80
TOTAL 65-69 YRS	1170	11.4	100	2	3	8	14	23	30	57
70-74	684	11.6	83	2	3	9	15	24	31	43
75-79	308	12.3	95	2	4	10	16	25	31	62
80-84	87	11.6	67	3	4	9	16	21	25	45
85+	36	10.3	32	2	4	9	14	19	22	23
GRAND TOTAL	**2285**	**11.5**	**92**	**2**	**3**	**9**	**14**	**23**	**31**	**52**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.1	19	1	1	6	8	12	15	20
70-74	29	7.6	29	1	2	7	10	16	18	21
75-79	10	8.5	88	1	1	5	7	26	27	27
80-84	3	15.7	312	4	4	7	29	36	36	36
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	102	5.0	55	1	1	2	5	14	20	38
70-74	72	3.5	17	<1	1	2	4	9	10	21
75-79	30	3.9	17	1	1	2	6	9	13	18
80-84	7	1.7	2	1	1	1	2	4	5	5
85+	4	5.3	28	2	2	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	559	9.9	71	2	3	8	12	19	26	49
70-74	516	10.6	78	2	3	8	14	21	26	44
75-79	368	11.5	101	2	3	9	14	23	28	54
80-84	201	12.1	80	3	4	10	15	25	33	48
85+	103	11.7	121	2	3	10	14	23	30	67
B. *Operated*										
65-69 YRS	543	10.5	109	1	1	8	15	23	27	54
70-74	414	11.7	129	1	2	9	16	26	34	57
75-79	272	13.0	146	2	2	10	17	29	39	84
80-84	129	16.7	312	2	2	12	19	38	57	93
85+	49	13.0	160	1	3	10	17	22	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	7.3	41	1	1	6	9	15	21	33
B. *Operated*	215	4.3	35	1	1	2	5	11	16	36
2. MULTIPLE DX										
A. *Not Operated*	1747	10.8	84	2	3	8	14	21	27	51
B. *Operated*	1407	12.0	145	1	2	9	16	25	35	65
1. SINGLE DX	294	5.1	38	1	1	3	7	13	18	36
2. MULTIPLE DX	3154	11.3	112	1	2	9	15	23	31	56
A. NOT OPERATED	1826	10.6	83	2	3	8	13	21	27	50
B. OPERATED	1622	11.0	138	1	1	8	15	24	32	63
TOTAL 65-69 YRS	1240	9.6	87	1	1	7	13	20	26	50
70-74	1031	10.5	97	1	2	8	14	22	29	47
75-79	680	11.7	118	2	2	9	15	25	32	60
80-84	340	13.7	175	2	3	10	17	28	38	75
85+	157	11.9	131	2	3	9	15	22	31	70
GRAND TOTAL	**3448**	**10.8**	**108**	**1**	**2**	**8**	**14**	**23**	**30**	**54**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	5.6	14	2	2	5	6	9	15	20
70-74	46	5.5	7	1	2	5	7	8	11	12
75-79	34	5.1	20	1	1	4	7	9	13	23
80-84	8	5.4	7	2	3	5	6	10	11	11
85+	6	7.0	9	3	3	7	9	11	11	11
B. *Operated*										
65-69 YRS	27	5.3	36	<1	1	3	6	14	18	27
70-74	24	5.9	24	1	1	5	8	14	16	18
75-79	11	6.6	38	1	1	6	9	17	19	19
80-84	9	8.8	110	1	1	3	14	27	29	29
85+	4	9.3	58	2	2	7	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	776	8.9	46	3	3	7	11	17	22	34
70-74	678	9.6	66	2	3	7	11	17	26	41
75-79	443	9.6	58	3	3	8	11	18	24	37
80-84	227	10.6	95	2	3	8	12	20	27	60
85+	181	10.4	56	3	4	8	13	20	23	42
B. *Operated*										
65-69 YRS	299	13.3	163	1	2	10	18	28	40	71
70-74	231	14.0	114	2	2	11	21	30	36	50
75-79	151	15.8	181	3	3	12	20	39	48	99
80-84	93	18.9	311	3	4	13	23	44	57	85
85+	47	18.4	244	3	4	12	25	46	51	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	5.5	13	1	2	5	7	9	12	20
B. *Operated*	75	6.3	41	1	1	3	8	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	2305	9.5	60	3	3	7	12	18	24	40
B. *Operated*	821	14.9	177	2	2	11	20	33	44	74
1. SINGLE DX	214	5.8	23	1	1	5	7	11	16	25
2. MULTIPLE DX	3126	10.9	96	2	3	8	13	22	31	51
A. NOT OPERATED	2444	9.3	58	2	3	7	11	18	23	40
B. OPERATED	896	14.1	171	1	2	10	19	31	43	71
TOTAL 65-69 YRS	1147	9.8	80	2	3	7	12	20	27	47
70-74	979	10.3	79	2	3	8	13	22	30	43
75-79	639	10.8	93	2	3	8	12	22	33	51
80-84	337	12.7	167	2	3	9	14	27	40	74
85+	238	11.9	102	3	3	9	14	22	31	53
GRAND TOTAL	**3340**	**10.6**	**93**	**2**	**3**	**8**	**13**	**22**	**30**	**50**

15: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
65-69 YRS	284	3.6	7	1	1	3	4	7	9	12
70-74	237	4.0	6	1	2	4	5	7	9	13
75-79	169	4.2	7	1	2	4	5	8	10	13
80-84	148	4.7	8	2	2	4	6	8	10	14
85+	139	5.2	8	2	2	5	7	9	10	15
B. *Operated*										
65-69 YRS	1951	7.5	9	4	5	7	9	11	13	18
70-74	1347	8.1	10	5	5	7	9	12	14	20
75-79	771	8.9	17	5	5	8	10	14	16	26
80-84	292	9.2	13	5	5	9	11	14	16	20
85+	166	10.9	32	5	6	10	13	17	20	33
MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1707	5.3	16	1	2	4	6	9	12	19
70-74	1765	5.6	15	1	2	5	7	10	13	20
75-79	1661	6.4	23	2	2	5	8	12	15	27
80-84	1444	6.8	27	2	2	6	8	12	15	26
85+	1459	7.7	36	2	3	6	10	13	17	31
B. *Operated*										
65-69 YRS	7428	10.3	35	5	5	9	12	16	20	34
70-74	6527	11.3	43	5	6	10	13	18	23	36
75-79	4581	12.6	55	5	6	11	15	21	26	44
80-84	2786	14.3	69	6	7	12	17	24	30	45
85+	1700	16.4	102	6	8	14	19	28	36	66
UBTOTALS:										
. SINGLE DX										
A. *Not Operated*	977	4.2	7	1	2	4	5	8	9	14
B. *Operated*	4527	8.1	12	4	5	7	9	12	15	20
. MULTIPLE DX										
A. *Not Operated*	8036	6.3	24	2	2	5	8	11	14	25
B. *Operated*	23022	12.0	54	5	6	10	14	20	25	42
. SINGLE DX	5504	7.4	14	2	3	7	9	12	14	20
. MULTIPLE DX	31058	10.5	52	3	4	9	13	18	23	39
. NOT OPERATED	9013	6.1	22	2	2	5	8	11	14	24
. OPERATED	27549	11.3	49	5	6	9	13	19	24	40
OTAL 65-69 YRS	11370	8.9	32	3	4	8	11	15	18	30
70-74	9876	9.7	38	3	4	8	12	16	21	32
75-79	7182	10.6	50	3	4	9	13	19	23	39
80-84	4670	11.4	64	3	4	10	14	21	26	42
85+	3464	12.0	86	3	4	10	15	22	29	52
RAND TOTAL	**36562**	**10.0**	**48**	**3**	**4**	**8**	**12**	**18**	**22**	**37**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	4.2	9	1	1	4	5	7	9	14
70-74	115	4.0	6	1	1	4	5	7	8	13
75-79	82	4.8	13	1	1	4	6	9	12	18
80-84	68	4.8	11	1	2	4	6	8	10	19
85+	70	6.1	24	2	2	5	7	10	12	33
B. *Operated*										
65-69 YRS	147	8.3	11	4	5	8	10	12	14	20
70-74	120	9.0	14	4	5	9	10	13	16	23
75-79	60	11.0	26	6	6	10	12	17	24	28
80-84	39	9.8	16	5	5	8	13	16	18	20
85+	13	10.8	20	4	6	11	13	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	626	5.8	14	1	2	5	8	11	12	17
70-74	614	6.5	19	2	2	5	8	12	16	22
75-79	599	6.6	24	2	2	5	8	11	15	25
80-84	484	7.4	45	2	3	6	9	12	15	38
85+	490	9.1	73	2	3	7	11	16	20	55
B. *Operated*										
65-69 YRS	773	11.5	47	5	6	10	14	19	23	42
70-74	687	12.9	77	5	6	11	15	22	28	51
75-79	551	14.3	84	6	7	12	17	25	30	45
80-84	351	16.2	126	5	7	13	20	30	36	74
85+	253	16.4	115	6	7	14	20	26	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.6	12	1	1	4	6	8	10	17
B. *Operated*	379	9.2	16	4	5	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2813	7.0	34	2	2	6	9	12	15	27
B. *Operated*	2615	13.6	83	5	6	11	16	23	30	52
1. SINGLE DX	848	6.7	19	1	2	6	9	12	14	22
2. MULTIPLE DX	5428	10.1	68	2	3	8	12	19	24	43
A. NOT OPERATED	3282	6.6	31	2	2	5	8	12	15	25
B. OPERATED	2994	13.0	77	5	6	11	15	22	28	49
TOTAL 65-69 YRS	1680	8.5	37	2	3	7	11	15	18	30
70-74	1536	9.4	55	2	3	8	12	17	22	39
75-79	1292	10.0	64	2	3	8	12	19	25	37
80-84	942	10.6	91	2	3	8	13	21	29	51
85+	826	11.1	94	3	3	9	14	21	25	58
GRAND TOTAL	**6276**	**9.7**	**63**	**2**	**3**	**8**	**12**	**18**	**23**	**41**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	3.5	7	1	1	3	5	7	9	11
70-74	40	3.2	4	1	1	3	4	6	6	10
75-79	34	4.4	9	1	1	4	7	9	10	11
80-84	37	5.4	29	1	1	4	7	11	11	31
85+	23	4.9	8	1	1	4	7	9	10	11
B. *Operated*										
65-69 YRS	139	9.0	36	1	2	8	12	16	20	29
70-74	138	8.7	43	1	1	8	11	16	20	33
75-79	108	9.6	29	1	2	10	13	17	19	22
80-84	103	10.0	45	1	2	9	13	17	22	35
85+	66	10.5	56	1	2	10	14	19	23	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	137	6.3	22	1	2	5	7	11	14	27
70-74	146	6.1	17	1	2	5	8	10	13	23
75-79	191	6.9	22	2	2	6	8	13	16	20
80-84	171	7.5	47	2	2	6	9	14	19	44
85+	212	8.5	58	2	3	7	10	15	20	54
B. *Operated*										
65-69 YRS	683	12.5	45	4	5	11	15	21	26	34
70-74	687	13.4	74	3	5	12	17	23	28	45
75-79	735	14.7	88	3	6	13	18	24	30	46
80-84	623	15.1	107	3	5	13	18	26	33	55
85+	538	16.8	122	3	6	15	21	29	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	4.2	12	1	1	3	6	8	10	11
B. *Operated*	554	9.4	40	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	857	7.2	36	2	2	6	9	13	17	27
B. *Operated*	3266	14.4	87	3	5	13	18	24	30	51
1. SINGLE DX	725	8.2	39	1	1	7	11	16	19	30
2. MULTIPLE DX	4123	12.9	85	3	4	11	16	23	29	49
A. NOT OPERATED	1028	6.7	33	1	2	6	8	12	16	26
B. OPERATED	3820	13.7	84	2	4	12	17	23	29	49
TOTAL 65-69 YRS	996	10.8	47	2	3	10	14	19	24	33
70-74	1011	11.3	69	2	3	10	15	21	25	42
75-79	1068	12.4	79	2	3	11	16	22	28	41
80-84	934	12.8	97	2	3	11	16	23	29	51
85+	839	13.9	114	2	4	12	18	26	32	66
GRAND TOTAL	**4848**	**12.2**	**81**	**2**	**3**	**11**	**16**	**22**	**28**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.1	15	<1	1	4	6	11	12	17
70-74	44	5.8	21	1	2	5	8	11	13	27
75-79	27	5.1	16	2	2	5	6	7	10	23
80-84	20	5.5	9	1	2	5	7	9	11	14
85+	23	5.2	10	1	2	4	8	9	11	14
B. *Operated*										
65-69 YRS	43	6.7	25	1	1	6	10	14	16	18
70-74	35	9.0	109	1	1	5	13	23	25	51
75-79	18	7.6	52	<1	1	6	9	18	24	27
80-84	10	6.6	28	1	1	5	12	14	16	16
85+	10	9.3	39	2	2	7	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	230	7.4	33	2	2	6	9	14	18	28
70-74	248	8.0	48	2	3	7	10	13	17	34
75-79	248	7.3	33	2	2	6	9	13	17	29
80-84	252	8.8	49	3	3	7	11	16	20	40
85+	259	9.1	82	2	3	7	11	16	21	80
B. *Operated*										
65-69 YRS	289	13.9	122	2	3	12	17	25	33	52
70-74	304	15.5	120	3	4	13	21	30	37	54
75-79	291	15.6	107	3	4	13	21	29	34	66
80-84	249	16.8	112	3	6	14	22	30	35	54
85+	184	16.1	93	5	6	14	21	30	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	5.4	15	1	2	5	7	10	13	23
B. *Operated*	116	7.7	55	1	1	6	12	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	1237	8.1	50	2	3	7	10	14	19	35
B. *Operated*	1317	15.5	113	3	5	13	20	29	35	61
1. SINGLE DX	268	6.4	34	1	2	5	8	13	17	26
2. MULTIPLE DX	2554	11.9	96	2	3	9	15	24	31	54
A. NOT OPERATED	1389	7.8	47	2	3	6	10	14	18	34
B. OPERATED	1433	14.9	113	2	3	13	20	29	35	61
TOTAL 65-69 YRS	600	10.3	86	2	2	8	13	20	27	47
70-74	631	11.5	99	2	3	9	14	24	31	50
75-79	584	11.3	87	2	3	9	15	24	30	51
80-84	531	12.4	94	3	4	10	16	25	31	52
85+	476	11.6	95	3	3	10	15	22	29	98
GRAND TOTAL	**2822**	**11.4**	**93**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	6.1	13	2	2	5	8	11	15	17
70-74	177	5.8	11	2	2	5	7	10	12	15
75-79	122	6.4	18	2	3	5	8	10	13	25
80-84	92	5.8	21	2	2	5	7	10	14	28
85+	64	6.1	11	2	3	5	8	10	13	18
B. *Operated*										
65-69 YRS	34	8.3	35	1	2	7	11	16	21	27
70-74	33	11.8	289	<1	1	7	12	25	45	87
75-79	32	8.3	78	1	1	5	10	22	31	34
80-84	10	5.8	27	<1	1	4	8	14	18	18
85+	5	13.2	311	1	1	7	19	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1432	7.6	28	2	3	6	9	13	17	27
70-74	1266	8.0	34	2	3	7	10	14	18	33
75-79	1008	8.2	31	3	3	7	10	14	18	30
80-84	790	8.9	45	3	4	7	11	15	20	35
85+	713	9.2	45	3	3	8	11	17	21	42
B. *Operated*										
65-69 YRS	527	17.5	259	2	4	12	21	38	56	93
70-74	515	18.6	246	3	5	15	22	38	54	86
75-79	382	18.5	266	4	6	13	22	39	66	99
80-84	231	17.1	193	3	5	14	21	33	45	82
85+	157	17.7	146	5	8	15	21	32	38	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	6.1	14	2	2	5	7	10	13	18
B. *Operated*	114	9.3	131	1	1	6	11	19	30	61
2. MULTIPLE DX										
A. *Not Operated*	5209	8.2	35	3	3	7	10	15	19	32
B. *Operated*	1812	18.0	238	3	5	14	22	37	54	90
1. SINGLE DX	780	6.5	32	2	2	5	8	11	15	30
2. MULTIPLE DX	7021	10.7	106	3	3	8	12	20	29	65
A. NOT OPERATED	5875	8.0	33	2	3	7	10	14	18	31
B. OPERATED	1926	17.5	236	3	5	13	21	37	52	89
TOTAL 65-69 YRS	2204	9.8	101	2	3	7	11	18	27	65
70-74	1991	10.6	114	2	3	8	12	21	28	63
75-79	1544	10.6	110	3	3	8	12	20	29	71
80-84	1123	10.3	86	3	3	8	12	19	28	53
85+	939	10.5	72	3	4	8	13	20	27	46
GRAND TOTAL	**7801**	**10.3**	**100**	**2**	**3**	**8**	**12**	**20**	**28**	**60**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	182	4.1	6	1	1	4	5	8	9	12
70-74	187	4.4	10	1	1	4	6	8	10	14
75-79	155	5.0	10	1	2	4	7	9	11	16
80-84	163	5.4	28	1	2	5	6	9	11	22
85+	193	5.5	15	1	2	5	7	10	13	20
B. *Operated*										
65-69 YRS	32	7.1	35	1	2	6	9	13	16	31
70-74	37	6.8	22	1	2	6	9	13	18	19
75-79	30	7.8	28	1	2	6	11	14	16	25
80-84	9	6.8	3	3	4	7	8	9	9	9
85+	20	9.9	46	2	3	8	13	21	25	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2702	6.2	22	2	2	5	8	11	14	23
70-74	3229	6.5	26	2	2	5	8	11	15	27
75-79	3565	6.8	26	2	2	6	8	12	16	26
80-84	3261	7.3	32	2	3	6	9	13	17	29
85+	4047	7.6	35	2	3	6	9	14	18	32
B. *Operated*										
65-69 YRS	916	10.5	99	3	3	8	12	20	30	56
70-74	1113	10.2	72	3	3	8	13	18	26	48
75-79	1109	11.2	118	3	4	8	14	22	31	68
80-84	908	11.6	87	3	4	9	14	22	30	50
85+	698	12.2	109	3	4	9	15	24	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	4.9	14	1	1	4	6	9	11	16
B. *Operated*	128	7.6	30	1	2	6	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	16804	6.9	29	2	2	6	8	13	16	27
B. *Operated*	4744	11.1	97	3	4	8	14	21	30	56
1. SINGLE DX	1008	5.2	17	1	1	4	7	9	12	19
2. MULTIPLE DX	21548	7.8	47	2	3	6	9	15	19	36
A. NOT OPERATED	17684	6.8	28	2	2	6	8	12	16	27
B. OPERATED	4872	11.0	95	3	4	8	13	21	29	55
TOTAL 65-69 YRS	3832	7.1	43	2	2	6	8	13	18	35
70-74	4566	7.3	39	2	2	6	9	14	18	34
75-79	4859	7.8	50	2	2	6	9	15	19	37
80-84	4341	8.1	47	2	3	6	10	15	20	36
85+	4958	8.2	48	2	3	7	10	15	20	38
GRAND TOTAL	**22556**	**7.7**	**46**	**2**	**3**	**6**	**9**	**14**	**19**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.2	8	1	1	4	6	8	8	8
70-74	5	8.6	28	3	3	7	13	16	16	16
75-79	5	9.8	21	4	4	10	13	16	16	16
80-84	1	16.0		16	16	16	16	16	16	16
85+	1	17.0		17	17	17	17	17	17	17
B. *Operated*										
65-69 YRS	2	10.0	18	7	7	10	13	13	13	13
70-74	6	12.2	156	2	2	8	10	34	37	37
75-79	5	6.4	8	2	2	8	8	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	9.8	54	2	3	8	13	17	26	35
70-74	75	11.3	87	2	3	9	13	24	33	47
75-79	77	9.1	59	3	3	7	10	17	24	46
80-84	65	11.0	183	3	3	8	11	21	30	84
85+	34	11.0	95	2	4	9	13	21	23	56
B. *Operated*										
65-69 YRS	86	16.8	254	3	4	12	21	38	48	88
70-74	78	17.2	254	3	4	12	20	43	61	94
75-79	36	19.2	199	4	7	16	24	35	55	66
80-84	34	17.1	212	3	4	13	22	43	45	71
85+	14	20.6	419	3	6	17	23	33	75	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	8.3	29	1	2	7	12	16	17	17
B. *Operated*	15	8.9	70	2	2	8	9	13	31	37
2. MULTIPLE DX										
A. *Not Operated*	312	10.4	94	2	3	8	12	20	29	53
B. *Operated*	248	17.5	246	3	4	13	22	38	54	87
1. SINGLE DX	33	8.6	46	1	2	7	11	16	17	37
2. MULTIPLE DX	560	13.5	174	3	3	9	16	27	39	73
A. NOT OPERATED	330	10.3	91	2	3	8	12	18	27	52
B. OPERATED	263	17.0	240	3	4	12	22	38	53	86
TOTAL 65-69 YRS	155	13.5	177	2	3	9	16	29	38	72
70-74	164	14.1	174	3	3	11	17	33	46	76
75-79	123	11.9	117	3	4	9	15	25	33	63
80-84	101	13.0	196	3	4	8	16	24	43	79
85+	50	13.8	195	2	4	10	17	23	27	87
GRAND TOTAL	**593**	**13.3**	**168**	**3**	**3**	**9**	**16**	**27**	**38**	**72**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.2	7	3	3	7	8	9	9	9
70-74	7	6.4	8	4	4	6	8	11	11	11
75-79	7	11.7	56	2	3	10	15	23	25	25
80-84	4	9.5	42	1	1	11	14	15	15	15
85+	8	7.4	15	3	3	6	10	13	14	14
B. *Operated*										
65-69 YRS	18	3.4	8	1	1	2	4	9	10	10
70-74	11	4.6	15	<1	1	3	6	11	14	14
75-79	4	2.3	1	<1	<1	2	3	3	3	3
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	134	9.4	57	2	2	8	13	19	22	37
70-74	112	9.5	66	1	3	8	13	17	21	49
75-79	105	8.7	32	3	3	8	11	14	17	34
80-84	74	12.0	140	2	3	9	14	25	32	69
85+	61	10.4	81	4	4	7	11	20	26	58
B. *Operated*										
65-69 YRS	152	10.2	73	2	2	8	14	22	27	42
70-74	135	11.1	80	2	2	9	15	23	30	38
75-79	79	14.4	247	1	2	8	17	34	47	83
80-84	36	19.6	228	5	6	14	26	51	56	99+
85+	15	14.6	139	2	3	11	20	32	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	8.2	26	2	3	7	11	15	16	25
B. *Operated*	35	3.6	9	<1	1	3	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	486	9.8	70	2	3	8	13	18	24	45
B. *Operated*	417	12.3	130	2	2	9	16	27	36	54
1. SINGLE DX	66	5.8	22	1	1	4	9	13	14	24
2. MULTIPLE DX	903	10.9	99	2	2	8	14	22	30	52
A. NOT OPERATED	517	9.7	67	2	3	8	12	18	24	43
B. OPERATED	452	11.6	126	2	2	8	15	26	35	52
TOTAL 65-69 YRS	309	9.4	63	2	2	8	13	20	25	38
70-74	265	10.1	71	2	2	8	14	20	24	39
75-79	195	11.0	127	2	3	8	12	23	33	57
80-84	116	14.1	175	2	3	10	15	32	50	80
85+	84	10.8	87	3	4	8	12	22	29	55
GRAND TOTAL	**969**	**10.6**	**95**	**2**	**2**	**8**	**13**	**21**	**30**	**51**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	16	4	4	4	9	11	11	11
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74										
75-79	3	2.7		2	2	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	7.9	20	1	3	7	11	15	17	17
70-74	27	7.5	21	2	3	7	8	16	18	21
75-79	34	10.3	45	3	4	9	12	21	27	30
80-84	24	9.5	50	3	3	7	11	17	26	35
85+	17	9.2	26	2	3	9	14	19	68	99+
B. *Operated*										
65-69 YRS	20	17.5	75	7	8	16	20	32	37	38
70-74	27	16.6	195	1	2	10	24	38	44	57
75-79	16	13.6	156	1	2	10	19	25	44	52
80-84	13	15.5	91	4	6	13	19	31	36	37
85+	3	15.3	49	8	8	16	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.6	9	4	4	6	9	11	11	11
B. *Operated*	4	4.8	18	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	121	9.0	34	3	3	8	11	17	21	53
B. *Operated*	79	16.0	130	2	4	13	22	29	40	56
1. SINGLE DX	9	5.8	12	2	2	4	9	11	11	11
2. MULTIPLE DX	200	11.8	84	2	3	9	16	23	29	54
A. NOT OPERATED	126	8.9	33	3	3	7	11	17	21	50
B. OPERATED	83	15.5	130	2	3	12	22	28	39	55
TOTAL 65-69 YRS	43	12.3	67	3	4	11	17	21	30	38
70-74	55	12.0	125	2	3	8	16	24	38	56
75-79	54	10.8	79	1	3	9	13	22	27	51
80-84	37	11.6	71	3	3	9	14	24	33	37
85+	20	10.2	32	2	3	9	15	21	57	99+
GRAND TOTAL	**209**	**11.5**	**82**	**2**	**3**	**9**	**15**	**23**	**29**	**54**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.9	49	2	2	3	7	18	23	23
70-74	10	4.8	26	<1	<1	2	11	12	13	13
75-79	5	5.0	39	1	1	2	7	16	16	16
80-84	6	5.5	20	<1	<1	4	5	13	14	14
85+	5	7.4	49	<1	<1	4	13	18	18	18
B. *Operated*										
65-69 YRS	48	4.6	33	1	1	3	5	10	17	31
70-74	49	6.1	34	1	2	4	9	15	19	29
75-79	23	4.8	23	1	1	3	6	13	16	20
80-84	16	9.8	66	1	2	9	15	29	75	99+
85+	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	299	9.5	72	1	2	8	11	20	28	46
70-74	389	9.3	81	2	2	7	11	19	26	43
75-79	320	9.7	65	2	3	7	12	18	27	38
80-84	300	9.9	66	2	3	7	13	20	26	40
85+	276	9.9	87	2	3	8	12	18	24	64
B. *Operated*										
65-69 YRS	620	12.3	166	2	2	8	16	26	37	69
70-74	602	14.1	208	2	2	10	18	31	46	90
75-79	396	14.4	153	2	3	11	20	30	41	76
80-84	180	14.4	161	2	3	11	19	32	41	93
85+	85	15.1	122	3	3	14	21	30	42	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.6	33	<1	<1	3	9	14	17	23
B. *Operated*	139	5.8	37	1	1	4	7	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	1584	9.7	74	2	3	7	12	19	26	45
B. *Operated*	1883	13.7	175	2	2	10	18	30	42	78
1. SINGLE DX	175	5.8	36	1	1	4	7	14	19	31
2. MULTIPLE DX	3467	11.8	133	2	3	8	15	25	35	68
A. NOT OPERATED	1620	9.6	74	2	3	7	12	19	26	44
B. OPERATED	2022	13.1	169	2	2	9	17	29	41	78
TOTAL 65-69 YRS	977	11.0	133	1	2	8	14	24	33	65
70-74	1050	11.9	158	2	2	8	14	26	36	75
75-79	744	12.0	118	2	3	9	16	26	35	58
80-84	502	11.5	104	2	3	8	15	24	32	66
85+	369	11.0	98	2	3	8	14	22	30	66
GRAND TOTAL	**3642**	**11.5**	**130**	**2**	**2**	**8**	**15**	**25**	**34**	**68**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.4	258	1	2	6	10	37	54	57
70-74	10	4.2	14	<1	<1	3	6	10	12	12
75-79	12	5.3	9	<1	1	5	8	9	10	10
80-84	7	10.0	33	1	2	9	14	18	19	19
85+	10	10.6	46	1	2	11	17	19	21	21
B. *Operated*										
65-69 YRS	9	9.0	71	1	1	6	15	22	25	25
70-74	10	6.2	19	2	2	5	9	12	15	15
75-79	5	10.0	139	<1	<1	5	16	30	30	30
80-84	5	4.4	20	1	1	2	7	12	12	12
85+	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	389	10.2	81	2	3	8	13	19	25	39
70-74	579	10.6	81	3	3	8	13	19	24	59
75-79	665	11.0	68	3	4	9	14	21	27	43
80-84	666	11.5	65	3	4	9	14	21	27	42
85+	754	11.5	76	3	4	9	15	21	27	86
B. *Operated*										
65-69 YRS	318	19.0	269	3	4	14	25	39	58	89
70-74	371	17.5	178	3	5	14	22	36	48	79
75-79	341	19.9	234	4	6	16	25	39	51	89
80-84	223	18.7	174	5	7	16	22	32	48	66
85+	177	20.9	218	7	8	17	27	39	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	8.2	83	1	1	6	10	17	21	57
B. *Operated*	32	7.1	50	1	1	5	10	16	24	30
2. MULTIPLE DX										
A. *Not Operated*	3053	11.1	74	3	4	9	14	21	27	47
B. *Operated*	1430	19.0	216	4	6	16	24	38	51	88
1. SINGLE DX	83	7.8	70	1	1	6	10	17	22	48
2. MULTIPLE DX	4483	13.6	133	3	4	10	17	27	36	71
A. NOT OPERATED	3104	11.0	74	3	4	9	14	21	27	47
B. OPERATED	1462	18.8	216	3	5	15	24	37	51	88
TOTAL 65-69 YRS	728	14.0	184	2	3	10	17	29	39	80
70-74	970	13.1	129	3	4	10	17	25	36	63
75-79	1023	13.9	141	3	4	11	18	28	37	71
80-84	901	13.2	102	3	4	11	16	25	30	54
85+	944	13.2	115	3	5	10	17	25	35	94
GRAND TOTAL	**4566**	**13.5**	**132**	**3**	**4**	**10**	**17**	**26**	**36**	**71**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	5.5	5	2	3	5	7	8	9	12
70-74	63	5.0	5	2	3	4	6	8	10	12
75-79	42	5.5	8	2	2	5	7	10	11	12
80-84	34	6.4	45	3	3	5	7	8	13	42
85+	27	6.4	13	3	3	5	8	10	12	21
B. *Operated*										
65-69 YRS	5	9.0	19	2	2	11	12	13	13	13
70-74	2	22.5	545	6	6	22	39	39	39	39
75-79										
80-84	3	8.3	1	7	7	9	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	781	7.2	23	3	3	6	9	12	15	27
70-74	925	7.0	17	3	3	6	9	12	14	22
75-79	847	8.0	28	3	4	7	10	14	17	30
80-84	719	8.2	30	3	4	7	10	14	17	34
85+	689	8.2	43	3	3	7	10	14	17	30
B. *Operated*										
65-69 YRS	191	12.3	81	4	5	10	15	22	30	49
70-74	190	13.7	112	4	5	11	16	24	36	60
75-79	174	12.2	85	4	5	10	14	23	27	68
80-84	96	14.3	122	4	6	12	17	23	27	70
85+	97	15.6	168	4	6	12	18	30	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	5.6	13	2	3	5	7	9	11	15
B. *Operated*	10	11.5	103	2	4	9	11	26	39	39
2. MULTIPLE DX										
A. *Not Operated*	3961	7.7	28	3	3	7	9	13	16	29
B. *Operated*	748	13.3	107	4	5	11	16	23	31	64
1. SINGLE DX	230	5.8	18	2	3	5	7	9	11	25
2. MULTIPLE DX	4709	8.6	44	3	3	7	10	15	19	37
A. NOT OPERATED	4181	7.6	27	3	3	7	9	13	16	28
B. OPERATED	758	13.3	107	4	5	11	16	23	31	64
TOTAL 65-69 YRS	1031	8.1	37	3	3	6	10	14	19	35
70-74	1180	8.0	39	3	3	7	9	14	18	39
75-79	1063	8.6	39	3	4	7	10	15	19	33
80-84	852	8.8	45	3	4	7	11	15	19	37
85+	813	9.0	62	3	3	7	11	15	20	40
GRAND TOTAL	**4939**	**8.5**	**44**	**3**	**3**	**7**	**10**	**15**	**19**	**37**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	4.9	6	2	2	5	7	8	10	11
70-74	40	4.9	11	1	2	4	6	10	11	18
75-79	47	5.1	5	2	3	5	6	8	9	11
80-84	17	6.4	13	3	3	5	7	13	14	14
85+	22	4.5	9	1	2	3	6	9	11	13
B. *Operated*										
65-69 YRS	18	7.7	30	<1	1	6	12	15	17	18
70-74	12	9.1	34	1	2	10	13	16	19	19
75-79	9	8.1	7	4	4	9	10	11	12	12
80-84	5	11.0	34	3	3	11	16	17	17	17
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	485	6.7	14	3	3	6	8	11	14	22
70-74	534	7.5	29	3	3	6	9	13	17	29
75-79	514	8.0	33	3	3	7	10	13	16	33
80-84	409	8.0	22	3	4	7	10	14	17	26
85+	423	8.8	37	3	3	7	11	16	20	35
B. *Operated*										
65-69 YRS	211	13.8	100	3	4	11	18	29	34	48
70-74	233	14.2	116	3	4	11	19	28	33	51
75-79	173	14.7	140	4	5	11	17	32	44	92
80-84	122	13.8	81	4	5	11	19	26	31	48
85+	100	15.7	88	3	6	14	21	28	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	5.1	8	2	2	4	6	9	11	14
B. *Operated*	46	8.5	25	1	2	9	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	2365	7.8	27	3	3	7	9	14	17	31
B. *Operated*	839	14.3	108	3	5	11	19	28	34	54
1. SINGLE DX	211	5.8	14	2	2	5	7	11	13	18
2. MULTIPLE DX	3204	9.5	57	3	3	7	11	18	25	39
A. NOT OPERATED	2530	7.6	26	3	3	6	9	13	16	29
B. OPERATED	885	14.0	106	3	5	11	18	28	33	54
TOTAL 65-69 YRS	753	8.6	49	2	3	7	10	17	22	38
70-74	819	9.3	63	2	3	7	11	19	24	38
75-79	743	9.4	65	3	3	7	11	16	24	51
80-84	553	9.3	40	3	4	8	11	17	23	32
85+	547	9.9	53	2	3	8	12	20	26	36
GRAND TOTAL	**3415**	**9.2**	**55**	**3**	**3**	**7**	**11**	**17**	**24**	**38**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	184	2.4	2	1	1	2	3	4	6	7
70-74	112	2.7	3	1	1	2	3	5	7	8
75-79	59	3.5	8	1	1	2	5	9	9	13
80-84	22	4.3	30	<1	1	3	4	10	17	26
85+	10	2.6	2	1	1	2	3	4	5	5
B. *Operated*										
65-69 YRS	231	7.5	20	2	2	7	9	13	15	26
70-74	142	7.0	17	2	2	6	9	12	14	21
75-79	72	6.5	13	1	2	7	9	11	13	17
80-84	20	7.5	15	2	2	8	10	12	14	16
85+	13	7.8	27	1	2	8	10	13	19	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	502	3.7	9	1	1	3	5	7	9	15
70-74	394	4.4	21	1	1	3	5	8	12	[illegible]
75-79	252	5.2	25	1	1	4	6	11	14	[illegible]
80-84	172	5.4	20	1	2	4	7	10	14	27
85+	114	7.0	35	2	2	6	9	14	18	34
B. *Operated*										
65-69 YRS	690	9.8	59	2	3	8	12	17	23	41
70-74	561	10.3	67	2	3	9	13	19	26	44
75-79	345	11.0	91	2	3	9	13	20	26	62
80-84	208	11.6	77	2	3	9	16	25	31	40
85+	111	12.1	105	2	3	9	17	24	34	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	2.8	5	1	1	2	3	5	7	10
B. *Operated*	478	7.2	18	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1434	4.6	19	1	1	3	6	9	12	22
B. *Operated*	1915	10.5	72	2	3	9	13	20	26	45
1. SINGLE DX	865	5.2	17	1	1	4	8	10	13	18
2. MULTIPLE DX	3349	8.0	58	1	2	6	10	16	22	39
A. NOT OPERATED	1821	4.2	17	1	1	3	5	8	11	21
B. OPERATED	2393	9.8	63	2	3	8	12	18	24	43
TOTAL 65-69 YRS	1607	6.7	41	1	1	5	9	13	17	30
70-74	1209	7.3	49	1	2	5	9	15	20	37
75-79	728	7.9	62	1	2	6	10	16	21	44
80-84	422	8.5	58	1	2	6	10	19	26	37
85+	248	9.2	72	2	2	6	11	20	24	54
GRAND TOTAL	**4214**	**7.4**	**51**	**1**	**2**	**6**	**9**	**15**	**20**	**37**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	603	2.2	2	1	1	2	3	4	5	7
70-74	385	2.3	2	1	1	2	3	4	5	8
75-79	162	2.6	3	1	1	2	4	4	5	9
80-84	70	2.8	3	1	1	2	3	5	6	10
85+	21	2.9	3	1	1	3	4	5	6	7
B. *Operated*										
65-69 YRS	580	5.9	14	2	2	5	8	11	13	18
70-74	369	5.5	14	1	2	5	8	11	13	18
75-79	180	6.2	19	1	2	5	8	12	15	22
80-84	62	6.3	11	2	2	6	8	11	12	15
85+	24	4.7	20	1	1	3	6	8	15	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	909	3.2	10	1	1	2	4	6	7	13
70-74	622	3.4	6	1	1	3	4	6	8	12
75-79	377	3.6	16	1	1	3	4	6	8	19
80-84	189	3.6	6	1	1	3	4	7	8	13
85+	88	4.1	9	1	1	3	5	7	11	16
B. *Operated*										
65-69 YRS	1304	8.2	34	2	2	7	11	15	19	31
70-74	990	9.1	47	2	3	8	11	17	21	35
75-79	591	9.2	39	2	3	8	12	17	20	33
80-84	273	11.5	89	3	4	9	14	20	30	48
85+	125	11.5	57	3	3	10	15	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1241	2.3	2	1	1	2	3	4	5	8
B. *Operated*	1215	5.8	14	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2185	3.4	10	1	1	3	4	6	8	13
B. *Operated*	3283	9.0	45	2	3	8	11	17	21	34
1. SINGLE DX	2456	4.1	11	1	1	3	5	9	11	16
2. MULTIPLE DX	5468	6.8	39	1	2	5	9	14	18	31
A. NOT OPERATED	3426	3.0	7	1	1	2	4	5	7	12
B. OPERATED	4498	8.2	39	2	2	7	10	15	19	32
TOTAL 65-69 YRS	3396	5.4	24	1	1	4	7	11	15	24
70-74	2366	5.9	32	1	1	4	8	12	16	28
75-79	1310	6.3	32	1	1	5	8	13	18	30
80-84	594	7.4	59	1	2	5	9	15	20	40
85+	258	7.7	47	1	2	6	11	16	21	32
GRAND TOTAL	**7924**	**5.9**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**28**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.9	7	<1	1	2	3	6	10	12
70-74	25	4.7	18	1	1	3	5	11	16	17
75-79	16	2.9	3	1	1	3	4	5	6	6
80-84	11	4.3	6	2	2	4	6	8	9	9
85+	8	4.0	7	1	1	4	5	8	9	9
B. *Operated*										
65-69 YRS	129	5.1	19	<1	1	3	8	11	14	18
70-74	104	4.7	30	1	1	3	6	10	14	30
75-79	59	5.6	18	<1	1	5	9	11	13	18
80-84	35	5.4	24	<1	1	4	6	13	18	21
85+	14	3.4	7	1	1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	297	6.9	32	1	2	5	9	14	19	27
70-74	345	7.4	32	2	2	6	9	15	19	30
75-79	330	8.3	70	2	3	6	10	16	22	36
80-84	268	9.4	71	2	3	6	13	20	25	53
85+	261	9.5	68	2	3	7	11	18	28	43
B. *Operated*										
65-69 YRS	867	9.5	61	1	2	8	12	20	24	39
70-74	775	9.6	67	1	2	8	12	20	26	45
75-79	551	10.8	94	2	2	8	15	23	31	51
80-84	305	11.1	90	2	2	8	15	23	30	49
85+	200	13.1	126	2	3	10	18	29	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.8	10	1	1	3	4	8	10	17
B. *Operated*	341	5.1	22	<1	1	3	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	1501	8.2	54	2	2	6	10	17	22	37
B. *Operated*	2698	10.2	78	1	2	8	13	22	28	45
1. SINGLE DX	420	4.8	20	1	1	3	7	10	13	18
2. MULTIPLE DX	4199	9.5	71	2	2	7	12	20	26	43
A. NOT OPERATED	1580	8.0	53	2	2	6	10	16	22	37
B. OPERATED	3039	9.6	75	1	2	7	13	21	27	44
TOTAL 65-69 YRS	1312	8.4	52	1	2	7	11	18	22	35
70-74	1249	8.5	56	1	2	7	11	18	23	42
75-79	956	9.5	82	1	2	7	12	21	27	46
80-84	619	9.9	79	2	2	7	14	21	27	49
85+	483	10.7	94	2	3	8	13	24	32	43
GRAND TOTAL	**4619**	**9.1**	**68**	**1**	**2**	**7**	**12**	**19**	**25**	**42**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	2.8	2	1	1	3	3	5	5	7
70-74	17	2.5	2	<1	1	2	3	5	6	6
75-79	12	2.8	4	<1	1	2	3	6	7	7
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
65-69 YRS	73	4.0	9	1	1	3	6	8	9	15
70-74	77	4.1	15	1	1	3	5	8	12	23
75-79	49	5.1	27	1	1	3	8	12	18	21
80-84	31	3.8	6	1	1	3	4	8	10	10
85+	18	6.8	28	<1	1	6	9	13	18	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	3.9	7	1	1	3	5	8	10	11
70-74	63	3.7	9	1	1	3	4	6	8	18
75-79	42	4.2	24	1	1	3	4	8	11	31
80-84	18	5.3	22	1	1	4	5	14	17	18
85+	25	5.0	17	2	2	3	6	12	14	18
B. *Operated*										
65-69 YRS	353	6.7	28	1	2	6	9	13	16	25
70-74	326	6.5	24	2	2	5	8	13	16	23
75-79	305	8.7	46	2	2	7	12	17	22	40
80-84	209	8.3	40	2	2	7	10	16	20	29
85+	174	9.1	52	2	2	7	13	18	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.8	2	<1	1	3	3	5	6	7
B. *Operated*	248	4.4	16	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	203	4.1	13	1	1	3	5	8	11	19
B. *Operated*	1367	7.6	37	2	2	6	10	15	19	28
1. SINGLE DX	315	4.1	13	1	1	3	5	8	11	20
2. MULTIPLE DX	1570	7.2	35	1	2	6	9	15	18	28
A. NOT OPERATED	270	3.8	11	1	1	3	4	7	10	18
B. OPERATED	1615	7.1	35	1	2	6	9	15	18	27
TOTAL 65-69 YRS	513	5.8	23	1	2	4	8	12	15	24
70-74	483	5.6	22	1	2	4	7	11	15	23
75-79	408	7.6	44	1	2	6	10	16	20	35
80-84	262	7.5	37	2	2	6	10	15	19	28
85+	219	8.4	48	2	2	7	12	18	22	29
GRAND TOTAL	**1885**	**6.7**	**33**	**1**	**2**	**5**	**9**	**14**	**18**	**27**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.1	11	1	2	3	4	9	12	16
70-74	27	3.9	7	1	1	4	5	7	9	13
75-79	18	3.1	3	1	1	2	4	6	6	6
80-84	14	5.2	23	<1	1	4	6	10	18	20
85+	22	4.3	4	1	2	4	6	7	8	9
B. *Operated*										
65-69 YRS	229	2.7	4	<1	1	2	3	5	6	11
70-74	197	2.8	4	1	1	2	3	5	7	11
75-79	132	3.4	8	1	1	3	4	6	8	16
80-84	82	3.5	7	<1	1	3	4	7	9	15
85+	56	4.2	9	1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	289	6.0	18	2	2	5	8	11	15	21
70-74	369	6.6	21	2	2	5	8	12	15	21
75-79	409	6.4	17	2	2	5	8	12	15	21
80-84	442	7.5	23	2	3	6	9	14	17	27
85+	504	8.0	35	2	3	6	10	15	21	35
B. *Operated*										
65-69 YRS	1005	5.8	35	1	2	4	7	12	16	31
70-74	1061	5.8	34	1	2	4	7	12	15	28
75-79	955	6.8	54	1	2	5	8	14	18	40
80-84	746	7.7	64	2	2	6	10	15	19	40
85+	636	7.8	43	2	2	6	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.1	9	1	2	4	5	7	9	18
B. *Operated*	696	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2013	7.0	24	2	3	6	9	13	17	25
B. *Operated*	4403	6.6	46	1	2	5	8	13	18	34
1. SINGLE DX	799	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX	6416	6.8	39	1	2	5	9	13	17	30
A. NOT OPERATED	2116	6.9	24	2	2	6	9	13	16	25
B. OPERATED	5099	6.2	42	1	2	4	8	12	16	31
TOTAL 65-69 YRS	1545	5.3	28	1	1	4	7	11	15	26
70-74	1654	5.6	28	1	2	4	7	11	14	24
75-79	1514	6.4	41	1	2	5	8	13	17	30
80-84	1284	7.3	47	1	2	6	9	14	18	31
85+	1218	7.7	38	2	2	6	10	14	20	32
GRAND TOTAL	**7215**	**6.4**	**37**	**1**	**2**	**5**	**8**	**13**	**16**	**29**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	17	1	1	3	5	11	13	13
70-74	5	5.4	58	1	1	2	7	19	19	19
75-79	4	3.8	9	1	1	3	6	8	8	8
80-84	6	2.7	1	2	2	2	3	5	5	5
85+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
65-69 YRS	214	3.2	9	1	1	3	3	5	8	19
70-74	209	3.1	5	<1	1	2	4	6	7	15
75-79	149	3.6	6	<1	1	3	5	6	9	13
80-84	91	3.8	15	1	1	3	4	6	10	25
85+	56	3.8	6	1	1	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	3.3	5	<1	1	3	5	6	8	9
70-74	42	4.3	10	1	1	3	6	9	10	15
75-79	58	4.4	8	1	1	4	5	9	11	14
80-84	39	5.9	17	<1	1	5	8	13	14	15
85+	56	5.1	15	1	1	4	7	11	14	16
B. *Operated*										
65-69 YRS	814	4.8	21	1	1	3	6	9	12	22
70-74	956	5.1	19	1	2	4	7	10	13	21
75-79	859	5.6	23	1	2	4	7	11	14	27
80-84	542	6.3	43	1	2	4	8	12	16	37
85+	461	6.8	34	1	2	5	9	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.8	16	1	1	3	4	8	14	19
B. *Operated*	719	3.4	8	1	1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	219	4.7	12	1	1	4	6	9	13	15
B. *Operated*	3632	5.5	26	1	2	4	7	11	14	26
1. SINGLE DX	745	3.4	8	1	1	3	4	6	9	18
2. MULTIPLE DX	3851	5.5	26	1	2	4	7	11	14	26
A. NOT OPERATED	245	4.6	12	1	1	4	6	9	13	15
B. OPERATED	4351	5.2	24	1	2	4	6	10	13	24
TOTAL 65-69 YRS	1059	4.4	18	1	1	3	5	9	12	22
70-74	1212	4.7	17	1	1	4	6	9	12	21
75-79	1070	5.2	20	1	2	4	7	10	13	25
80-84	678	5.9	38	1	2	4	7	12	15	34
85+	577	6.3	30	1	2	5	8	12	16	30
GRAND TOTAL	**4596**	**5.1**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	165	4.3	7	1	2	4	5	8	10	17
70-74	207	4.4	18	1	1	4	5	8	9	14
75-79	193	5.1	12	1	2	4	7	9	11	17
80-84	176	4.9	9	1	2	4	6	9	11	15
85+	161	5.8	17	1	1	5	7	11	14	20
B. *Operated*										
65-69 YRS	464	3.3	6	<1	1	3	4	7	8	13
70-74	390	3.6	8	<1	1	3	5	7	9	15
75-79	295	3.6	5	1	1	3	4	6	8	12
80-84	158	4.2	14	1	1	3	5	8	10	19
85+	107	5.1	20	1	1	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3012	7.0	28	2	2	6	9	13	16	29
70-74	4182	7.5	34	2	3	6	9	14	18	30
75-79	5096	8.1	42	2	3	7	10	14	19	36
80-84	5111	8.3	46	2	3	7	10	15	19	37
85+	6016	8.8	51	2	3	7	11	15	20	42
B. *Operated*										
65-69 YRS	2843	7.2	55	1	2	5	9	14	20	37
70-74	3329	7.8	51	2	2	6	10	15	21	42
75-79	3259	8.9	78	2	2	6	11	18	24	49
80-84	2234	9.7	92	2	3	7	12	19	26	55
85+	1839	10.9	98	2	3	8	14	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	4.9	13	1	2	4	6	9	11	17
B. *Operated*	1414	3.7	9	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	23417	8.1	42	2	3	7	10	15	19	36
B. *Operated*	13504	8.6	73	2	2	6	11	17	24	47
1. SINGLE DX	2316	4.2	11	1	1	3	5	8	10	15
2. MULTIPLE DX	36921	8.3	54	2	3	6	10	15	20	41
A. NOT OPERATED	24319	7.9	42	2	3	6	10	14	18	35
B. OPERATED	14918	8.2	69	1	2	6	10	17	23	46
TOTAL 65-69 YRS	6484	6.7	39	1	2	5	8	13	17	32
70-74	8108	7.3	40	2	2	6	9	14	19	36
75-79	8843	8.2	55	2	2	6	10	15	20	40
80-84	7679	8.5	59	2	3	7	10	16	21	44
85+	8123	9.1	62	2	3	7	11	17	22	45
GRAND TOTAL	**39237**	**8.0**	**52**	**2**	**2**	**6**	**10**	**15**	**20**	**40**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	3.5	8	<1	<1	2	5	7	10	12
70-74	27	2.6	2	1	1	2	4	5	5	6
75-79	38	3.9	23	<1	<1	2	4	9	13	26
80-84	12	4.8	20	1	1	4	6	11	16	17
85+	9	3.7	9	<1	<1	2	5	9	10	10
B. *Operated*										
65-69 YRS	3579	5.4	7	2	2	5	7	8	10	14
70-74	2956	5.6	10	2	2	5	7	9	11	15
75-79	1978	6.0	11	2	3	5	7	10	12	18
80-84	855	6.2	15	2	2	6	7	10	12	18
85+	375	7.3	17	2	3	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	4.3	27	<1	1	3	5	8	11	29
70-74	448	4.4	17	1	1	3	6	8	10	24
75-79	419	4.9	23	<1	1	3	6	11	13	20
80-84	314	6.4	66	1	1	4	8	12	15	75
85+	297	7.2	56	1	2	6	9	15	19	31
B. *Operated*										
65-69 YRS	11540	6.9	19	2	3	6	8	12	14	22
70-74	11567	7.5	27	2	3	6	9	13	16	28
75-79	9065	8.2	36	3	4	7	10	14	18	32
80-84	5207	9.0	46	3	4	7	11	16	20	36
85+	2965	10.6	67	3	4	8	13	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.6	13	<1	1	2	5	7	10	20
B. *Operated*	9743	5.7	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1842	5.3	36	1	1	4	7	11	14	28
B. *Operated*	40344	7.9	33	2	3	6	9	14	18	30
1. SINGLE DX	9859	5.7	10	2	2	5	7	9	11	16
2. MULTIPLE DX	42186	7.8	33	2	3	6	9	14	17	30
A. NOT OPERATED	1958	5.2	35	1	1	4	6	10	14	28
B. OPERATED	50087	7.5	29	2	3	6	9	13	16	28
TOTAL 65-69 YRS	15513	6.5	17	2	3	6	8	11	13	21
70-74	14998	7.0	24	2	3	6	8	12	15	26
75-79	11500	7.7	32	2	3	6	9	13	17	30
80-84	6388	8.5	44	2	3	7	10	15	19	35
85+	3646	10.0	63	2	4	8	12	18	23	45
GRAND TOTAL	**52045**	**7.4**	**30**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	4.3	4	2	2	4	5	7	8	9
70-74	27	4.3	5	1	2	4	6	7	9	9
75-79	13	3.5	2	1	2	4	4	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	69	3.0	4	<1	1	2	4	6	7	11
70-74	55	3.5	7	<1	1	3	5	7	10	11
75-79	26	4.5	81	1	1	3	4	5	16	48
80-84	9	2.8	2	<1	<1	3	3	5	6	6
85+	6	3.3	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	5.4	10	2	2	5	6	9	11	19
70-74	223	5.5	9	2	2	5	7	10	12	17
75-79	143	5.3	13	2	2	5	7	9	11	18
80-84	92	4.9	15	2	2	4	6	8	9	24
85+	66	6.1	15	2	2	5	8	11	14	19
B. *Operated*										
65-69 YRS	389	5.9	30	1	2	5	8	13	15	25
70-74	301	6.6	27	1	2	5	9	13	16	28
75-79	253	6.6	26	1	2	5	8	13	18	23
80-84	155	8.0	39	2	2	6	10	17	21	31
85+	78	7.6	35	2	2	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.1	4	1	2	4	5	7	8	9
B. *Operated*	165	3.4	17	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	771	5.4	11	2	2	5	7	9	12	19
B. *Operated*	1176	6.6	30	1	2	5	9	13	17	29
1. SINGLE DX	249	3.6	12	1	1	3	5	6	8	11
2. MULTIPLE DX	1947	6.1	23	2	2	5	8	12	15	24
A. NOT OPERATED	855	5.3	11	2	2	5	7	9	11	19
B. OPERATED	1341	6.2	30	1	2	5	8	13	17	28
TOTAL 65-69 YRS	746	5.4	21	1	2	4	7	10	13	21
70-74	606	5.8	18	1	2	5	7	11	14	22
75-79	435	5.9	25	1	2	5	8	11	15	24
80-84	257	6.7	32	2	2	5	8	12	19	31
85+	152	6.7	26	2	2	6	8	12	17	23
GRAND TOTAL	**2196**	**5.9**	**23**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.0	7	<1	<1	5	6	6	6	6
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	237	2.6	2	1	1	2	3	4	5	6
70-74	156	2.6	2	<1	1	3	3	4	5	7
75-79	85	3.0	3	1	1	3	4	5	6	11
80-84	48	3.0	5	1	1	3	3	5	6	14
85+	16	3.3	4	<1	1	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.0	7	<1	1	3	7	8	8	8
70-74	10	2.5	6	<1	<1	2	3	6	9	9
75-79	9	4.7	9	<1	<1	5	7	8	8	8
80-84	2	4.0	2	3	3	4	5	5	5	5
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	382	3.9	9	1	1	3	5	7	9	14
70-74	277	4.2	9	1	2	3	5	8	10	17
75-79	179	4.7	15	1	2	3	6	9	12	21
80-84	83	4.8	21	1	2	3	5	8	15	28
85+	24	5.7	49	1	2	3	5	14	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	5	<1	<1	5	6	6	6	6
B. *Operated*	542	2.7	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	36	4.0	10	<1	<1	3	7	8	9	14
B. *Operated*	945	4.3	12	1	2	3	5	8	10	21
1. SINGLE DX	546	2.8	3	1	1	2	3	5	5	7
2. MULTIPLE DX	981	4.2	12	1	1	3	5	8	10	21
A. NOT OPERATED	40	4.1	9	<1	<1	3	6	8	9	14
B. OPERATED	1487	3.7	9	1	1	3	4	7	9	17
TOTAL 65-69 YRS	636	3.4	7	1	1	3	4	6	8	13
70-74	444	3.6	7	1	1	3	4	7	8	15
75-79	273	4.2	12	1	1	3	5	8	10	20
80-84	133	4.1	15	1	1	3	4	7	10	24
85+	41	5.0	33	1	2	3	5	11	15	33
GRAND TOTAL	**1527**	**3.7**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	5.7	6	3	3	5	7	9	10	12
70-74	53	5.6	5	3	3	5	7	9	10	11
75-79	29	6.3	23	3	3	5	7	9	18	26
80-84	15	4.7	3	2	2	5	6	6	7	7
85+	5	5.8	4	3	3	6	7	8	8	8
B. *Operated*										
65-69 YRS	43	3.6	7	1	1	3	5	7	10	12
70-74	37	3.7	4	<1	1	3	5	7	8	8
75-79	17	3.4	4	<1	1	3	4	7	8	9
80-84	9	7.6	24	2	2	7	11	15	16	16
85+	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	6.2	9	3	3	6	8	10	12	17
70-74	207	6.3	11	2	3	6	8	11	13	18
75-79	149	6.8	13	3	3	6	8	11	13	16
80-84	97	6.7	15	2	3	6	8	12	15	20
85+	54	8.0	21	3	4	6	10	16	17	20
B. *Operated*										
65-69 YRS	174	7.0	24	2	2	6	10	14	17	23
70-74	164	8.3	35	2	2	6	11	17	21	23
75-79	133	9.4	78	1	3	8	12	18	22	43
80-84	56	7.7	27	2	3	6	10	14	18	28
85+	40	11.8	84	2	3	10	15	24	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	5.7	8	3	3	5	7	9	10	17
B. *Operated*	110	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	766	6.5	12	2	3	6	8	11	14	19
B. *Operated*	567	8.3	46	2	2	7	11	17	21	31
1. SINGLE DX	283	5.0	9	1	2	4	6	9	10	15
2. MULTIPLE DX	1333	7.3	27	2	3	6	9	14	17	23
A. NOT OPERATED	939	6.4	12	2	3	6	8	10	13	19
B. OPERATED	677	7.6	42	1	2	6	10	16	20	28
TOTAL 65-69 YRS	547	6.2	14	2	2	5	8	11	13	20
70-74	461	6.7	20	2	2	6	8	13	17	22
75-79	328	7.6	42	2	3	6	9	14	18	29
80-84	177	6.9	19	2	3	6	8	13	16	20
85+	103	9.2	48	2	3	6	13	17	21	38
GRAND TOTAL	**1616**	**6.9**	**25**	**2**	**3**	**6**	**9**	**13**	**16**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	1.8		<1	<1	2	2	3	3	3
70-74	19	2.1	1	<1	1	2	2	3	4	4
75-79	13	1.7		<1	<1	2	2	3	3	3
80-84	7	1.7		<1	<1	2	2	2	2	2
85+	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
65-69 YRS	27	1.7		<1	1	2	2	2	3	3
70-74	20	1.8		<1	<1	2	2	3	3	3
75-79	25	2.1	4	<1	<1	2	2	3	6	10
80-84	15	2.6	3	<1	1	2	3	3	7	8
85+	5	4.0	8	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	2.4	3	<1	1	2	2	4	6	10
70-74	50	2.8	3	1	1	2	3	5	6	10
75-79	32	4.4	77	1	1	2	3	7	14	50
80-84	22	3.0	7	<1	1	2	3	7	9	11
85+	25	3.9	15	<1	1	2	5	9	14	15
B. *Operated*										
65-69 YRS	137	2.7	5	<1	1	2	3	5	7	12
70-74	138	3.2	11	<1	1	2	4	7	9	21
75-79	97	4.5	33	1	1	2	5	9	12	35
80-84	70	6.2	137	1	2	3	7	9	18	80
85+	62	4.3	11	1	2	3	6	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.8		<1	1	2	2	3	3	4
B. *Operated*	92	2.1	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	191	3.1	17	<1	1	2	3	6	8	15
B. *Operated*	504	3.9	32	1	1	2	4	8	11	25
1. SINGLE DX	156	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	695	3.7	28	1	1	2	4	8	10	23
A. NOT OPERATED	255	2.8	13	<1	1	2	3	5	7	15
B. OPERATED	596	3.6	28	<1	1	2	4	8	10	23
TOTAL 65-69 YRS	247	2.4	4	<1	1	2	3	4	6	11
70-74	227	2.9	8	<1	1	2	3	6	8	17
75-79	167	3.9	35	1	1	2	3	9	11	37
80-84	114	4.9	88	1	1	2	5	8	13	54
85+	96	4.1	11	<1	1	3	5	9	11	16
GRAND TOTAL	**851**	**3.4**	**24**	**<1**	**1**	**2**	**3**	**7**	**9**	**21**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.3	2	<1	1	2	4	4	4	4
70-74	17	2.6	4	<1	1	2	3	6	8	8
75-79	5	3.4	18	1	1	2	4	11	11	11
80-84	5	2.8	6	1	1	2	3	7	7	7
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	266	3.1	3	1	1	3	4	5	6	10
70-74	143	3.2	4	1	1	3	4	6	7	12
75-79	64	3.6	17	1	1	2	4	7	9	27
80-84	24	3.4	10	<1	1	3	4	5	9	17
85+	9	2.6	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	71	4.6	20	<1	1	3	6	10	15	20
70-74	62	6.2	24	1	1	5	8	14	16	21
75-79	50	5.7	40	<1	1	4	6	10	20	36
80-84	45	6.0	26	1	2	4	8	11	14	28
85+	32	8.8	44	2	4	7	10	14	19	39
B. *Operated*										
65-69 YRS	705	4.9	26	1	2	4	5	9	12	28
70-74	372	5.8	94	1	1	4	6	10	17	59
75-79	201	6.2	46	1	1	4	7	13	19	37
80-84	95	8.2	110	1	2	5	9	15	20	65
85+	53	9.9	183	1	1	5	12	19	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	4	<1	1	2	3	4	7	11
B. *Operated*	506	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	260	5.9	30	1	1	5	8	12	16	28
B. *Operated*	1426	5.7	59	1	2	4	6	11	17	40
1. SINGLE DX	553	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1686	5.8	55	1	1	4	6	11	17	36
A. NOT OPERATED	307	5.4	27	1	1	4	7	11	15	26
B. OPERATED	1932	5.1	46	1	1	3	5	9	14	33
TOTAL 65-69 YRS	1060	4.4	20	1	1	3	5	8	11	27
70-74	594	5.1	64	1	1	3	5	9	14	38
75-79	320	5.6	40	1	1	4	6	11	18	34
80-84	169	6.8	73	1	1	4	8	14	18	59
85+	96	8.7	120	1	2	6	10	17	24	68
GRAND TOTAL	**2239**	**5.1**	**44**	**1**	**1**	**3**	**6**	**10**	**14**	**32**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	2	2	2	3	4	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	528	2.0	1	<1	<1	2	2	3	4	5
70-74	410	2.2	1	<1	<1	2	2	3	4	7
75-79	203	2.0	1	<1	1	2	2	3	4	5
80-84	63	2.1	1	<1	<1	2	3	3	3	4
85+	20	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	3.1	9	1	1	2	4	7	11	12
70-74	16	3.6	8	<1	1	3	4	9	10	10
75-79	10	3.0	11	1	1	2	3	8	12	12
80-84	7	4.9	14	2	2	3	7	11	12	12
85+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
65-69 YRS	811	2.9	5	1	1	2	3	6	7	11
70-74	596	3.2	6	1	1	2	3	6	9	13
75-79	352	3.3	8	1	1	2	4	6	8	15
80-84	155	3.9	11	1	1	3	5	8	10	13
85+	62	4.4	12	1	2	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*	1224	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	50	3.5	9	1	1	3	4	8	12	12
B. *Operated*	1976	3.2	7	1	1	2	4	6	8	13
1. SINGLE DX	1228	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2026	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	54	3.4	9	1	1	3	4	7	11	12
B. OPERATED	3200	2.8	5	<1	1	2	3	5	7	11
TOTAL 65-69 YRS	1356	2.6	4	<1	1	2	3	4	6	10
70-74	1023	2.8	5	<1	1	2	3	5	7	12
75-79	565	2.8	5	<1	1	2	3	5	7	13
80-84	225	3.4	8	<1	1	2	4	8	9	12
85+	85	3.8	10	1	1	3	4	7	10	19
GRAND TOTAL	**3254**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.0	3	<1	<1	1	2	5	6	6
70-74	6	1.8	2	<1	<1	1	3	4	4	4
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	4	2.5	6	<1	<1	1	4	6	6	6
B. *Operated*										
65-69 YRS	210	2.4	2	<1	<1	2	3	4	5	7
70-74	144	2.3	3	<1	<1	2	3	4	5	11
75-79	94	2.3	2	<1	1	2	3	4	5	8
80-84	35	2.2	1	<1	<1	2	3	4	4	6
85+	19	2.3	4	<1	<1	2	3	4	7	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	3.3	8	<1	<1	2	5	7	9	12
70-74	42	4.9	20	1	1	4	6	10	15	21
75-79	20	3.7	9	<1	1	3	5	9	10	10
80-84	16	4.7	15	1	1	3	8	9	12	13
85+	23	5.2	9	<1	1	5	7	10	11	11
B. *Operated*										
65-69 YRS	413	3.8	10	1	2	3	5	7	9	16
70-74	298	4.1	20	1	1	3	4	8	11	31
75-79	163	3.8	12	1	1	3	4	8	11	18
80-84	104	4.9	44	1	2	3	5	8	10	44
85+	48	4.5	11	2	2	3	6	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.9	2	<1	<1	1	2	4	6	6
B. *Operated*	502	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	143	4.3	13	<1	1	3	6	9	11	17
B. *Operated*	1026	4.0	17	1	2	3	5	8	10	24
1. SINGLE DX	525	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1169	4.1	16	1	1	3	5	8	10	21
A. NOT OPERATED	166	4.0	12	<1	1	3	6	8	10	17
B. OPERATED	1528	3.5	13	<1	1	3	4	6	9	17
TOTAL 65-69 YRS	674	3.3	8	<1	1	3	4	6	8	15
70-74	490	3.6	16	<1	1	3	4	7	10	26
75-79	280	3.2	9	<1	1	2	4	7	9	16
80-84	156	4.3	32	1	1	3	5	8	9	42
85+	94	4.1	10	1	1	3	6	10	10	14
GRAND TOTAL	**1694**	**3.5**	**13**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	10.0		10	10	10	10	10	10	10
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	20	6.9	7	2	3	7	9	10	11	12
70-74	30	6.9	1	5	6	7	8	8	9	10
75-79	13	7.3	5	5	5	7	8	10	12	12
80-84	12	10.0	13	7	7	9	11	15	18	19
85+	6	7.7	39	3	3	6	7	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	4.3	2	3	3	4	5	6	6	6
70-74	5	5.8	3	3	3	6	7	8	8	8
75-79	7	4.3	14	1	1	4	5	11	12	12
80-84	12	6.3	19	2	2	5	9	14	15	15
85+	8	4.0	6	1	1	3	6	8	8	8
B. *Operated*										
65-69 YRS	146	8.7	27	4	5	7	10	14	19	35
70-74	121	8.7	25	4	5	7	10	13	18	35
75-79	101	10.1	46	5	5	8	11	16	22	45
80-84	55	11.7	77	6	6	10	14	16	21	64
85+	43	11.5	45	3	4	11	14	19	27	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.6	9	1	1	3	5	9	10	10
B. *Operated*	81	7.5	8	4	5	7	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	40	5.0	10	1	2	4	6	9	12	15
B. *Operated*	466	9.6	39	4	5	8	11	15	20	35
1. SINGLE DX	89	7.1	10	2	4	7	8	10	12	20
2. MULTIPLE DX	506	9.2	38	4	5	8	11	15	19	34
A. NOT OPERATED	48	4.8	10	1	2	4	6	9	12	15
B. OPERATED	547	9.3	35	4	5	8	10	15	19	34
TOTAL 65-69 YRS	174	8.3	25	4	4	7	9	12	18	33
70-74	157	8.3	20	4	5	7	9	12	15	33
75-79	125	9.2	42	2	5	8	10	15	19	39
80-84	81	10.5	61	3	5	9	13	15	18	55
85+	58	9.9	45	2	3	8	13	18	23	33
GRAND TOTAL	**595**	**8.9**	**35**	**3**	**5**	**8**	**10**	**14**	**19**	**34**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	48	2	2	3	7	18	18	18
70-74	4	7.8	14	3	3	8	10	12	12	12
75-79	4	6.8	35	2	2	5	11	15	15	15
80-84	3	8.0	27	5	5	5	12	14	14	14
85+	10	3.7	6	<1	1	3	4	7	9	9
B. *Operated*										
65-69 YRS	22	6.5	42	<1	<1	4	8	16	24	25
70-74	4	8.5	2	7	7	8	9	10	10	10
75-79	3	9.3	24	6	6	7	13	15	15	15
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	8.9	52	1	2	8	11	21	24	29
70-74	22	7.4	10	2	4	7	10	12	13	14
75-79	20	12.7	212	4	4	8	14	24	48	69
80-84	6	11.7	46	3	3	10	17	21	22	22
85+	23	7.4	20	2	3	6	10	15	16	18
B. *Operated*										
65-69 YRS	104	11.1	87	2	4	8	15	21	27	56
70-74	58	13.4	95	3	4	10	20	26	35	43
75-79	39	14.6	99	4	6	12	19	26	28	60
80-84	13	15.6	38	8	9	13	22	24	24	24
85+	20	15.9	310	2	4	9	16	41	61	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.7	21	1	2	4	7	14	16	18
B. *Operated*	34	6.6	31	<1	2	5	8	12	22	25
2. MULTIPLE DX										
A. *Not Operated*	94	9.2	70	2	3	7	11	17	21	51
B. *Operated*	234	12.9	108	3	5	9	16	25	29	61
1. SINGLE DX	60	6.2	26	<1	2	5	8	13	17	25
2. MULTIPLE DX	328	11.8	100	2	4	9	15	23	27	61
A. NOT OPERATED	120	8.4	61	2	2	7	10	16	21	41
B. OPERATED	268	12.1	103	2	3	9	15	25	28	58
TOTAL 65-69 YRS	154	9.9	76	2	2	7	13	21	26	48
70-74	88	11.5	73	3	4	9	14	25	27	42
75-79	66	13.3	127	3	5	11	15	25	28	68
80-84	23	13.0	46	3	4	11	20	23	24	24
85+	57	9.5	139	2	2	6	10	17	30	71
GRAND TOTAL	**388**	**11.0**	**93**	**2**	**3**	**8**	**14**	**22**	**27**	**56**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	4.0	5	2	2	3	5	7	7	7
70-74	2	7.5	13	5	5	7	10	10	10	10
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	78	8.1	16	4	5	7	9	14	17	22
70-74	43	8.8	26	2	5	7	10	17	19	27
75-79	38	9.6	35	4	5	8	10	18	21	33
80-84	5	8.0	9	5	5	8	11	11	11	11
85+	3	6.7		6	6	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	11	5.2	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	167	8.6	22	4	5	7	10	15	18	26
1. SINGLE DX	13	4.8	7	1	2	4	6	9	10	10
2. MULTIPLE DX	168	8.5	23	3	5	7	10	15	18	26
A. NOT OPERATED	3	2.0	3	1	1	1	3	4	4	4
B. OPERATED	178	8.4	22	3	5	7	9	15	18	26
TOTAL 65-69 YRS	83	7.8	16	3	4	7	8	13	16	22
70-74	46	8.6	25	2	5	7	10	17	19	27
75-79	40	9.4	35	2	5	8	10	17	21	33
80-84	6	7.5	9	5	5	7	11	11	11	11
85+	6	5.3	3	3	3	5	7	7	7	7
GRAND TOTAL	**181**	**8.3**	**22**	**3**	**5**	**7**	**9**	**15**	**18**	**26**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	16	2.0	1	<1	1	2	3	3	3	3
70-74	8	1.3		<1	<1	1	2	2	2	2
75-79	5	4.4	12	1	1	4	6	10	10	10
80-84										
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	78	3.9	8	1	1	2	6	8	10	13
70-74	47	5.3	20	1	1	3	7	11	14	22
75-79	39	5.5	19	2	2	3	8	11	15	19
80-84	17	5.2	36	2	2	3	5	9	21	27
85+	14	4.3	7	2	2	4	5	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	31	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	6	4.0	7	1	1	3	6	8	8	8
B. *Operated*	195	4.7	16	1	2	3	6	10	12	21
1. SINGLE DX	31	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	201	4.7	15	1	2	3	6	10	12	20
A. NOT OPERATED	6	4.0	7	1	1	3	6	8	8	8
B. OPERATED	226	4.4	15	1	1	3	6	10	11	20
TOTAL 65-69 YRS	95	3.6	7	1	1	2	5	8	9	13
70-74	58	4.6	19	1	1	2	7	11	13	21
75-79	45	5.4	18	1	2	4	8	10	13	19
80-84	18	5.1	34	2	2	3	5	9	20	27
85+	16	4.1	6	2	2	4	5	9	9	9
GRAND TOTAL	**232**	**4.4**	**14**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	5	6.4	6	3	3	6	8	10	10	10
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
65-69 YRS	35	2.5	3	1	1	2	3	4	6	11
70-74	19	2.6	4	<1	<1	2	3	6	8	8
75-79	10	4.1	9	1	1	3	6	9	10	10
80-84	10	2.8	4	1	1	2	4	6	7	7
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	6.1	22	1	2	5	8	12	14	22
70-74	29	7.7	20	3	4	7	9	14	20	21
75-79	25	7.1	21	3	3	6	9	15	17	22
80-84	28	6.6	18	1	2	7	9	11	13	20
85+	30	7.0	16	2	2	7	9	13	14	15
B. *Operated*										
65-69 YRS	75	5.0	24	1	1	3	7	10	14	28
70-74	70	7.1	79	1	1	4	8	15	22	46
75-79	60	7.2	50	1	2	5	10	17	23	93
80-84	40	5.6	14	2	2	5	8	10	12	19
85+	42	7.3	43	1	2	5	9	18	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	8	1	1	4	6	8	10	10
B. *Operated*	76	2.8	4	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	141	6.9	19	2	2	6	9	13	15	22
B. *Operated*	287	6.4	45	1	1	4	8	14	18	44
1. SINGLE DX	89	3.0	5	1	1	2	3	7	8	11
2. MULTIPLE DX	428	6.6	36	1	2	5	9	13	18	34
A. NOT OPERATED	154	6.7	19	1	2	6	9	13	15	22
B. OPERATED	363	5.6	38	1	1	3	8	12	18	39
TOTAL 65-69 YRS	141	4.6	20	1	1	3	6	10	13	23
70-74	123	6.5	53	1	1	4	8	14	19	46
75-79	98	6.7	38	1	2	5	9	15	19	71
80-84	79	5.6	15	1	2	5	8	10	12	20
85+	76	7.0	31	1	2	6	9	14	18	29
GRAND TOTAL	**517**	**5.9**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	5	4.2	13	<1	<1	3	7	9	9	9
80-84	4	2.3	1	1	1	2	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	985	6.7	5	4	4	6	8	9	11	14
70-74	792	6.8	5	4	4	7	8	9	11	14
75-79	424	6.9	7	4	4	7	8	10	11	17
80-84	178	7.0	6	3	4	7	8	11	12	15
85+	56	7.8	38	4	4	7	8	9	12	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	3.2	9	<1	1	2	4	7	9	16
70-74	74	3.9	16	<1	1	3	5	8	9	26
75-79	64	4.5	22	<1	1	3	6	9	14	27
80-84	61	5.2	22	1	1	4	6	12	15	23
85+	33	6.0	39	1	1	4	7	11	14	35
B. *Operated*										
65-69 YRS	3443	7.6	11	4	5	7	9	11	13	20
70-74	2846	7.9	16	4	5	7	9	11	14	21
75-79	1855	8.3	20	4	5	7	9	12	14	22
80-84	780	8.9	28	4	5	8	10	14	18	30
85+	282	9.5	30	4	5	8	11	15	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.3	6	<1	1	3	5	7	8	9
B. *Operated*	2435	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	317	4.3	20	<1	1	3	5	9	12	26
B. *Operated*	9206	8.0	16	4	5	7	9	12	14	22
1. SINGLE DX	2450	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX	9523	7.9	17	4	5	7	9	12	14	22
A. NOT OPERATED	332	4.2	19	<1	1	3	5	9	12	25
B. OPERATED	11641	7.8	15	4	5	7	9	11	14	21
TOTAL 65-69 YRS	4515	7.4	10	4	4	7	8	10	13	19
70-74	3715	7.6	14	4	4	7	9	11	13	20
75-79	2348	7.9	18	4	4	7	9	12	14	22
80-84	1023	8.3	25	3	4	7	10	13	17	27
85+	372	8.9	33	3	4	8	10	15	17	35
GRAND TOTAL	**11973**	**7.7**	**15**	**4**	**4**	**7**	**9**	**11**	**14**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	4	1	1	2	3	6	6	6
70-74	6	1.5		1	1	1	2	2	2	2
75-79	5	3.0	7	<1	<1	2	5	7	7	7
80-84	4	2.5	4	1	1	2	4	5	5	5
85+	4	4.0	7	2	2	3	6	8	8	8
B. *Operated*										
65-69 YRS	364	1.7	1	<1	<1	2	2	2	3	8
70-74	256	2.0	2	<1	<1	2	2	3	4	10
75-79	144	1.9	1	1	1	2	2	3	4	5
80-84	80	2.2	1	1	1	2	2	3	5	7
85+	39	2.5	3	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.8	14	<1	<1	2	5	8	11	18
70-74	48	4.0	12	<1	1	3	5	8	9	21
75-79	32	4.9	20	1	1	4	6	12	16	19
80-84	32	4.4	12	1	1	3	6	9	12	15
85+	40	5.9	39	1	1	4	7	14	27	99+
B. *Operated*										
65-69 YRS	886	3.2	10	<1	1	2	4	7	9	14
70-74	714	3.6	14	1	1	2	4	8	10	17
75-79	477	3.8	36	1	1	2	4	8	11	17
80-84	252	3.7	10	1	1	2	5	8	10	16
85+	124	5.0	38	1	2	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.6	4	<1	1	2	3	6	7	8
B. *Operated*	883	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	201	4.5	19	<1	1	3	6	9	14	28
B. *Operated*	2453	3.6	18	1	1	2	4	8	10	17
1. SINGLE DX	907	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	2654	3.6	18	1	1	2	4	8	10	17
A. NOT OPERATED	225	4.3	18	1	1	3	6	9	12	24
B. OPERATED	3336	3.1	14	<1	1	2	3	7	9	15
TOTAL 65-69 YRS	1304	2.8	8	<1	1	2	3	6	8	13
70-74	1024	3.2	11	<1	1	2	3	7	9	16
75-79	658	3.4	28	1	1	2	3	7	10	16
80-84	368	3.4	9	1	1	2	4	7	10	15
85+	207	4.7	32	1	1	3	6	9	14	43
GRAND TOTAL	**3561**	**3.2**	**14**	**<1**	**1**	**2**	**3**	**7**	**9**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.0	11	<1	<1	3	5	9	12	12
70-74	4	11.0	179	3	3	5	18	31	31	31
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84	4	1.5		1	1	1	2	2	2	2
85+	11	4.7	27	<1	<1	4	5	14	17	17
B. *Operated*										
65-69 YRS	248	2.9	6	<1	<1	2	3	6	8	13
70-74	162	2.9	7	<1	1	2	3	6	7	16
75-79	77	3.1	14	1	1	2	3	7	13	21
80-84	42	3.2	7	<1	1	2	4	7	9	12
85+	18	6.9	38	1	2	6	9	17	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.0	14	1	1	4	7	10	12	19
70-74	47	5.7	22	1	1	4	6	14	16	19
75-79	64	7.7	75	1	1	6	9	17	24	51
80-84	41	6.4	29	2	2	5	7	12	19	28
85+	73	5.8	21	1	1	4	8	13	15	22
B. *Operated*										
65-69 YRS	1077	5.9	34	1	1	5	8	12	16	31
70-74	780	6.2	46	1	1	4	8	13	18	34
75-79	531	6.8	57	1	1	4	9	15	20	38
80-84	266	8.1	88	1	1	5	11	18	26	45
85+	179	7.8	88	1	1	4	11	17	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	37	<1	1	3	5	12	17	31
B. *Operated*	547	3.1	9	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	288	6.1	33	1	2	4	8	12	16	27
B. *Operated*	2833	6.4	51	1	1	4	8	14	19	36
1. SINGLE DX	579	3.2	11	<1	1	2	4	7	9	17
2. MULTIPLE DX	3121	6.4	49	1	1	4	8	14	19	35
A. NOT OPERATED	320	6.0	34	1	1	4	7	12	16	29
B. OPERATED	3380	5.9	45	1	1	3	7	13	18	34
TOTAL 65-69 YRS	1398	5.3	29	<1	1	3	7	11	14	30
70-74	993	5.6	40	1	1	3	7	12	16	31
75-79	675	6.4	55	1	1	4	8	15	20	37
80-84	353	7.3	74	1	1	4	9	16	24	42
85+	281	7.1	65	1	1	4	9	15	21	36
GRAND TOTAL	**3700**	**5.9**	**44**	**1**	**1**	**4**	**7**	**13**	**17**	**33**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	3.7	4	2	2	3	5	6	6	6
85+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
65-69 YRS	224	7.2	9	3	4	7	9	10	12	21
70-74	159	7.1	7	3	4	7	8	11	12	16
75-79	98	7.6	8	4	4	8	9	11	13	17
80-84	37	7.9	14	3	4	7	9	12	13	25
85+	20	7.8	12	2	5	7	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	4.2	21	<1	1	3	5	7	11	26
70-74	48	5.6	17	<1	1	4	8	12	14	17
75-79	25	4.4	10	<1	1	3	6	8	11	13
80-84	12	4.4	6	1	1	4	6	8	9	9
85+	12	6.1	21	1	2	5	8	13	16	17
B. *Operated*										
65-69 YRS	661	8.1	15	4	5	8	9	12	15	22
70-74	452	8.6	22	3	4	8	10	14	17	27
75-79	305	8.3	20	3	4	8	10	13	16	29
80-84	136	9.1	33	2	4	8	11	15	18	29
85+	57	9.1	39	2	3	8	12	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	23	1	1	2	4	12	16	16
B. *Operated*	538	7.3	8	3	4	7	9	11	12	18
2. MULTIPLE DX										
A. *Not Operated*	129	4.9	16	<1	1	4	6	10	13	19
B. *Operated*	1611	8.4	20	3	4	8	10	13	17	24
1. SINGLE DX	547	7.3	9	3	4	7	9	11	12	18
2. MULTIPLE DX	1740	8.1	21	2	4	8	10	13	16	24
A. NOT OPERATED	138	4.9	17	<1	1	4	6	10	13	18
B. OPERATED	2149	8.1	18	3	4	8	9	12	16	23
TOTAL 65-69 YRS	919	7.8	14	3	4	7	9	11	15	22
70-74	661	8.0	19	3	4	7	9	13	16	24
75-79	429	7.9	18	2	3	7	10	13	15	24
80-84	188	8.4	29	2	3	8	10	14	17	25
85+	90	8.5	31	2	3	7	11	16	19	29
GRAND TOTAL	**2287**	**7.9**	**18**	**3**	**4**	**7**	**9**	**12**	**16**	**23**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	316	6.1	25	2	2	5	7	11	14	23
70-74	274	6.2	17	2	3	5	8	11	13	20
75-79	192	6.3	17	2	3	5	8	11	14	21
80-84	185	6.9	23	3	3	6	8	12	14	29
85+	165	6.6	13	2	3	6	8	11	13	20
B. *Operated*										
65-69 YRS	118	6.5	30	1	2	5	8	13	16	32
70-74	76	7.4	35	2	2	6	10	15	20	28
75-79	76	7.1	37	1	2	5	9	13	20	30
80-84	48	7.5	41	2	2	6	9	14	17	41
85+	41	11.5	149	2	3	7	11	29	42	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2412	8.1	31	3	3	7	10	15	19	29
70-74	2374	8.5	39	3	3	7	10	15	19	32
75-79	2076	8.9	48	3	4	7	11	15	20	40
80-84	1995	9.3	52	3	4	7	11	17	22	38
85+	2113	9.5	59	3	4	8	11	17	22	47
B. *Operated*										
65-69 YRS	1129	13.6	136	3	4	10	17	26	36	65
70-74	1060	13.9	145	3	4	11	17	29	40	86
75-79	849	14.8	173	3	4	11	19	30	42	78
80-84	675	15.0	174	3	4	11	18	32	45	99
85+	587	15.1	142	4	5	12	19	30	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	6.4	20	2	3	5	8	11	14	21
B. *Operated*	359	7.5	49	1	2	6	9	15	21	36
2. MULTIPLE DX										
A. *Not Operated*	10970	8.8	45	3	3	7	11	16	20	37
B. *Operated*	4300	14.3	152	3	4	11	18	29	40	81
1. SINGLE DX	1491	6.7	27	2	2	5	8	12	15	29
2. MULTIPLE DX	15270	10.4	82	3	4	8	12	20	27	56
A. NOT OPERATED	12102	8.6	44	3	3	7	10	15	20	35
B. OPERATED	4659	13.8	148	3	4	10	17	28	40	79
TOTAL 65-69 YRS	3975	9.5	67	2	3	7	12	18	24	44
70-74	3784	9.8	74	3	3	8	12	18	25	47
75-79	3193	10.2	87	3	3	8	12	20	27	60
80-84	2903	10.5	85	3	4	8	12	20	27	60
85+	2906	10.5	80	3	4	8	13	20	27	58
GRAND TOTAL	**16761**	**10.0**	**78**	**3**	**3**	**8**	**12**	**19**	**26**	**54**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	6.0	20	1	2	5	8	12	15	21
70-74	27	5.0	11	2	2	4	6	7	14	17
75-79	17	6.1	16	<1	1	5	9	12	14	14
80-84	17	6.4	13	3	3	6	9	12	14	15
85+	13	7.2	41	1	2	6	9	14	24	26
B. *Operated*										
65-69 YRS	48	4.7	18	1	1	4	6	10	12	25
70-74	31	6.3	65	<1	1	3	6	18	23	37
75-79	23	5.4	27	<1	<1	3	7	12	18	21
80-84	25	5.8	53	<1	1	3	6	13	24	33
85+	15	8.1	64	<1	1	6	11	14	28	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	306	7.9	32	3	3	7	9	14	16	34
70-74	283	8.3	31	3	3	7	10	15	18	27
75-79	284	8.1	35	2	3	7	10	14	18	40
80-84	240	8.5	45	2	3	7	10	15	21	37
85+	226	7.9	34	3	3	7	9	14	20	65
B. *Operated*										
65-69 YRS	285	10.6	104	2	2	8	12	19	34	55
70-74	223	12.0	158	2	3	9	15	23	37	65
75-79	198	10.9	99	2	3	8	14	20	32	53
80-84	130	12.5	99	3	4	10	15	26	35	46
85+	105	12.9	118	2	3	10	17	23	40	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	6.0	18	2	2	5	7	12	14	23
B. *Operated*	142	5.7	41	<1	1	4	7	12	20	34
2. MULTIPLE DX										
A. *Not Operated*	1339	8.1	35	2	3	7	10	14	18	36
B. *Operated*	941	11.5	117	2	3	9	14	22	36	56
1. SINGLE DX	248	5.8	31	1	1	4	7	12	17	33
2. MULTIPLE DX	2280	9.5	71	2	3	7	11	18	24	49
A. NOT OPERATED	1445	8.0	34	2	3	7	10	14	18	35
B. OPERATED	1083	10.7	111	2	2	8	14	21	34	56
TOTAL 65-69 YRS	671	8.7	64	2	2	7	11	16	21	48
70-74	564	9.5	86	2	3	7	11	18	23	56
75-79	522	9.0	61	2	3	7	11	16	21	43
80-84	412	9.5	65	2	3	7	12	19	27	43
85+	359	9.4	65	2	3	7	11	18	24	52
GRAND TOTAL	**2528**	**9.2**	**69**	**2**	**3**	**7**	**11**	**17**	**23**	**48**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	3.1	2	1	1	3	4	5	6	7
70-74	7	5.1	2	4	4	5	6	7	7	7
75-79	6	2.8	2	2	2	2	4	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	6	5.0	12	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	12.0		12	12	12	12	12	12	12
75-79	1	7.0		7	7	7	7	7	7	7
80-84	3	8.0	21	3	3	9	11	12	12	12
85+										
B. *Operated*										
65-69 YRS	32	6.1	20	1	2	5	8	12	16	20
70-74	16	5.9	9	3	3	5	8	10	13	14
75-79	7	9.7	66	2	2	10	12	23	26	26
80-84	5	4.0	13	1	1	3	5	10	10	10
85+	4	13.3	181	3	3	9	23	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	37	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	6	8.3	12	3	3	8	12	12	12	12
B. *Operated*	64	6.7	32	2	3	5	9	12	17	31
1. SINGLE DX	37	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX	70	6.9	30	2	3	5	10	12	16	31
A. NOT OPERATED	6	8.3	12	3	3	8	12	12	12	12
B. OPERATED	101	5.6	24	1	2	4	7	11	14	29
TOTAL 65-69 YRS	50	5.1	15	1	2	4	7	11	12	20
70-74	24	6.0	8	3	4	5	7	10	13	14
75-79	14	6.6	43	2	2	4	10	13	23	26
80-84	9	5.1	17	1	1	3	9	11	12	12
85+	10	8.3	85	1	2	4	10	23	32	32
GRAND TOTAL	**107**	**5.8**	**24**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.5	5	<1	<1	2	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	83	1.7	3	<1	<1	1	2	3	3	11
70-74	61	2.2	6	<1	<1	2	2	4	5	16
75-79	38	2.5	5	<1	<1	2	3	5	8	10
80-84	14	1.9	2	<1	<1	1	3	3	5	5
85+	9	3.2	7	<1	<1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	<1	<1	2	3	4	4	4
70-74	3	1.0		1	1	1	1	1	1	1
75-79	3	5.3	14	<1	<1	7	8	8	8	8
80-84	1	10.0		10	10	10	10	10	10	10
85+	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
65-69 YRS	72	4.0	23	<1	<1	3	4	9	15	24
70-74	71	3.5	8	<1	<1	3	5	8	9	13
75-79	45	4.9	32	1	1	3	6	11	15	33
80-84	29	5.3	43	<1	<1	3	6	8	25	30
85+	24	5.8	34	1	1	4	8	11	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	205	2.1	4	<1	<1	1	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*	14	3.5	9	<1	<1	2	5	8	10	10
B. *Operated*	241	4.4	24	<1	1	3	5	9	13	28
1. SINGLE DX	208	2.1	4	<1	<1	1	2	4	5	13
2. MULTIPLE DX	255	4.3	23	<1	<1	3	5	9	13	28
A. NOT OPERATED	17	3.4	7	<1	<1	3	4	8	9	10
B. OPERATED	446	3.3	16	<1	<1	2	3	7	10	25
TOTAL 65-69 YRS	160	2.8	13	<1	<1	2	3	5	9	22
70-74	137	2.9	7	<1	<1	2	3	7	8	14
75-79	86	3.8	20	<1	<1	2	5	8	11	27
80-84	44	4.3	32	<1	<1	3	5	7	14	30
85+	36	5.0	25	<1	<1	3	7	11	12	28
GRAND TOTAL	**463**	**3.3**	**16**	**<1**	**<1**	**2**	**4**	**7**	**10**	**24**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	8.6	102	1	2	5	8	19	36	47
70-74	103	6.7	24	1	2	5	8	14	17	25
75-79	87	8.5	64	2	2	6	11	19	24	36
80-84	69	7.8	38	1	2	6	9	18	21	29
85+	82	7.4	35	2	2	6	9	17	22	77
B. *Operated*										
65-69 YRS	349	4.5	54	<1	<1	2	4	10	17	48
70-74	289	5.9	67	<1	<1	3	7	15	21	43
75-79	216	7.1	83	<1	<1	3	8	20	24	40
80-84	129	9.6	166	<1	<1	4	12	27	38	99+
85+	133	9.4	125	<1	1	5	13	21	35	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1278	10.2	89	2	3	8	12	20	30	52
70-74	1418	11.0	104	2	3	8	13	22	30	61
75-79	1479	10.9	86	2	3	8	13	21	27	56
80-84	1344	12.3	132	3	4	9	15	24	34	76
85+	1458	11.9	93	3	4	9	15	24	33	61
B. *Operated*										
65-69 YRS	1615	14.3	244	1	2	9	19	36	51	99+
70-74	1647	15.6	229	2	2	12	21	36	52	99+
75-79	1559	17.8	267	2	3	13	25	42	57	99+
80-84	1324	18.8	292	2	4	13	25	45	62	99+
85+	1349	18.3	262	2	4	14	25	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	470	7.8	57	2	2	5	9	18	22	40
B. *Operated*	1116	6.5	88	<1	<1	3	8	17	24	56
2. MULTIPLE DX										
A. *Not Operated*	6977	11.3	101	2	3	8	14	22	31	63
B. *Operated*	7494	16.8	260	2	3	12	23	40	56	99+
1. SINGLE DX	1586	6.9	79	<1	1	4	8	17	23	47
2. MULTIPLE DX	14471	14.1	191	2	3	10	18	32	45	95
A. NOT OPERATED	7447	11.1	99	2	3	8	14	22	30	62
B. OPERATED	8610	15.5	250	1	2	11	21	37	53	99+
TOTAL 65-69 YRS	3371	11.5	170	1	2	7	14	27	39	84
70-74	3457	12.6	168	1	2	9	16	28	40	83
75-79	3341	13.8	185	2	3	10	18	30	43	94
80-84	2866	15.1	218	2	3	11	19	34	52	99
85+	3022	14.5	181	2	3	10	18	32	44	99+
GRAND TOTAL	**16057**	**13.4**	**185**	**2**	**2**	**9**	**17**	**30**	**43**	**91**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.6	5	2	3	6	7	8	9	9
70-74	18	8.7	36	3	3	7	11	19	21	23
75-79	8	13.0	155	1	2	9	17	34	40	40
80-84	7	12.9	56	3	3	15	18	22	23	23
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	11	9.0	32	2	3	8	13	17	18	18
70-74	13	11.1	176	1	2	9	12	24	47	52
75-79	8	3.9	10	1	1	3	5	9	10	10
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	239	9.2	50	2	3	8	11	16	22	38
70-74	216	9.3	55	3	3	8	11	19	24	48
75-79	144	11.0	55	3	4	9	14	20	27	38
80-84	69	9.1	39	3	3	7	11	18	25	28
85+	26	12.7	65	3	4	11	19	22	27	35
B. *Operated*										
65-69 YRS	152	13.9	104	3	4	12	18	27	42	47
70-74	130	13.1	121	2	3	10	18	27	34	55
75-79	68	18.0	154	3	4	16	25	33	42	61
80-84	40	16.0	169	5	5	11	21	34	42	65
85+	15	13.9	39	4	5	15	18	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.3	59	2	3	7	13	19	23	40
B. *Operated*	35	8.2	82	1	2	5	11	17	18	52
2. MULTIPLE DX										
A. *Not Operated*	694	9.7	53	2	3	8	12	19	25	38
B. *Operated*	405	14.5	124	2	3	12	19	28	39	56
1. SINGLE DX	78	8.8	69	1	2	6	11	18	22	49
2. MULTIPLE DX	1099	11.5	84	2	3	9	14	23	29	47
A. NOT OPERATED	737	9.7	53	2	3	8	12	19	24	38
B. OPERATED	440	14.0	123	2	3	11	19	28	38	53
TOTAL 65-69 YRS	410	10.9	74	2	3	9	13	21	28	47
70-74	377	10.7	84	2	3	8	13	22	28	51
75-79	228	12.9	98	2	4	10	17	26	32	47
80-84	118	11.6	93	3	4	8	15	24	28	51
85+	44	12.4	58	3	4	11	18	22	25	35
GRAND TOTAL	**1177**	**11.3**	**84**	**2**	**3**	**9**	**14**	**23**	**29**	**47**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	159	6.7	19	2	3	6	8	12	16	25
70-74	139	7.8	21	2	3	6	10	15	17	20
75-79	77	7.1	22	2	3	6	9	11	15	29
80-84	36	6.7	17	2	3	6	8	11	15	23
85+	18	5.3	5	3	3	5	6	9	11	11
B. *Operated*										
65-69 YRS	364	9.0	56	2	2	7	13	17	20	37
70-74	221	9.7	47	2	2	9	14	18	20	31
75-79	129	10.2	40	2	2	10	14	19	22	27
80-84	24	11.4	80	3	3	9	15	20	34	38
85+	7	10.9	33	3	4	8	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	852	8.4	35	2	3	7	11	15	19	30
70-74	843	8.8	45	2	3	7	11	16	20	35
75-79	674	9.3	53	2	3	8	12	17	21	41
80-84	387	8.7	38	2	3	7	11	16	20	33
85+	170	10.0	53	2	4	8	12	18	25	50
B. *Operated*										
65-69 YRS	934	11.8	108	2	3	9	15	23	33	61
70-74	696	12.5	103	2	3	11	16	23	32	71
75-79	425	13.4	115	3	4	11	17	25	35	62
80-84	163	13.2	71	4	4	11	17	27	32	92
85+	39	16.8	188	2	5	13	20	36	48	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	7.1	20	2	3	6	9	13	16	22
B. *Operated*	745	9.5	51	2	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	2926	8.9	44	2	3	7	11	16	20	38
B. *Operated*	2257	12.5	107	2	3	10	16	24	33	61
1. SINGLE DX	1174	8.6	41	2	2	7	12	16	19	31
2. MULTIPLE DX	5183	10.4	74	2	3	8	13	19	27	50
A. NOT OPERATED	3355	8.6	41	2	3	7	11	16	19	34
B. OPERATED	3002	11.8	95	2	3	10	15	22	31	58
TOTAL 65-69 YRS	2309	9.7	70	2	3	8	13	18	24	47
70-74	1899	10.2	68	2	3	8	13	18	25	49
75-79	1305	10.6	74	2	3	9	13	19	26	45
80-84	610	9.9	51	2	3	8	13	19	24	38
85+	234	10.8	79	2	4	8	13	19	29	54
GRAND TOTAL	**6357**	**10.1**	**69**	**2**	**3**	**8**	**13**	**19**	**25**	**47**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	5.2	26	<1	1	3	7	12	18	25
70-74	92	5.0	14	1	1	4	7	10	12	18
75-79	96	5.0	13	1	1	4	7	10	13	16
80-84	98	6.4	41	1	1	5	8	13	16	37
85+	69	5.6	20	1	2	4	7	11	13	25
B. *Operated*										
65-69 YRS	2500	10.9	28	2	3	11	14	17	19	26
70-74	2269	11.7	30	2	4	12	15	17	20	28
75-79	1726	12.9	29	3	7	13	16	18	21	29
80-84	783	13.9	36	4	8	13	16	20	24	31
85+	271	14.1	32	4	8	14	17	20	23	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	815	6.0	27	1	1	5	8	12	14	21
70-74	1112	6.4	28	1	2	5	8	12	16	29
75-79	1240	7.1	36	1	2	6	9	14	19	30
80-84	1153	8.1	59	2	3	6	10	15	19	50
85+	1084	8.3	55	2	3	7	10	15	21	36
B. *Operated*										
65-69 YRS	4955	12.7	56	2	4	12	16	20	25	38
70-74	5323	13.6	61	3	5	13	16	22	26	42
75-79	4321	15.2	79	4	7	14	18	24	29	54
80-84	2217	16.2	83	5	8	15	19	26	32	55
85+	756	16.9	91	6	8	15	20	28	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	5.5	23	1	1	4	7	11	14	21
B. *Operated*	7549	12.0	31	2	5	12	15	18	20	28
2. MULTIPLE DX										
A. *Not Operated*	5404	7.2	42	1	2	6	9	14	18	32
B. *Operated*	17572	14.2	70	3	6	13	17	23	28	47
1. SINGLE DX	7986	11.7	33	2	4	12	15	18	20	28
2. MULTIPLE DX	22976	12.6	72	2	3	12	16	21	26	45
A. NOT OPERATED	5841	7.1	41	1	2	6	9	14	18	31
B. OPERATED	25121	13.6	59	3	5	13	16	21	26	42
TOTAL 65-69 YRS	8352	11.4	49	2	3	11	15	19	23	34
70-74	8796	12.1	55	2	3	12	15	19	24	38
75-79	7383	13.2	68	2	4	13	16	21	26	44
80-84	4251	13.3	80	3	4	13	17	22	28	51
85+	2180	11.9	80	2	3	10	16	22	27	52
GRAND TOTAL	**30962**	**12.3**	**62**	**2**	**3**	**12**	**16**	**20**	**25**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	5.8	18	1	1	5	7	13	15	17
70-74	52	6.5	36	2	2	5	8	13	16	40
75-79	35	6.1	37	1	2	4	7	11	12	37
80-84	44	6.9	130	2	2	4	6	9	23	64
85+	23	6.3	18	2	3	5	7	15	44	99+
B. *Operated*										
65-69 YRS	135	8.7	58	2	2	8	11	16	20	37
70-74	111	10.0	51	2	2	10	14	18	22	33
75-79	69	11.2	40	2	3	12	15	20	22	29
80-84	30	13.9	108	3	4	12	16	32	34	46
85+	18	14.4	67	5	7	13	16	22	33	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	333	7.9	40	2	2	6	10	16	22	30
70-74	361	8.4	74	2	2	6	10	17	26	61
75-79	366	8.5	56	2	2	6	11	16	25	39
80-84	293	8.7	65	2	3	6	10	18	25	48
85+	283	9.1	74	2	3	6	11	20	28	53
B. *Operated*										
65-69 YRS	416	13.5	156	2	2	10	17	29	41	69
70-74	360	17.2	197	2	4	13	22	39	48	66
75-79	271	16.9	174	3	4	14	20	36	47	81
80-84	156	17.4	174	3	5	15	22	33	53	98
85+	97	17.8	203	2	4	15	24	41	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.3	50	2	2	5	7	11	15	57
B. *Operated*	363	10.3	59	2	2	10	14	19	22	40
2. MULTIPLE DX										
A. *Not Operated*	1636	8.5	61	2	2	6	10	17	25	42
B. *Operated*	1300	16.0	180	2	3	13	21	34	45	72
1. SINGLE DX	563	8.9	59	2	2	7	12	17	21	44
2. MULTIPLE DX	2936	11.8	128	2	3	8	15	26	36	63
A. NOT OPERATED	1836	8.3	61	2	2	6	10	16	24	42
B. OPERATED	1663	14.8	159	2	3	12	19	30	42	70
TOTAL 65-69 YRS	930	10.4	101	2	2	8	14	21	29	58
70-74	884	12.1	138	2	3	8	15	26	39	62
75-79	741	11.7	113	2	3	9	15	24	35	56
80-84	523	11.5	122	2	3	8	15	24	37	70
85+	421	11.2	114	2	3	7	14	25	33	64
GRAND TOTAL	**3499**	**11.4**	**118**	**2**	**3**	**8**	**14**	**24**	**33**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	6	2.5	4	<1	<1	2	5	5	5	5
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	4.0	2	3	3	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	198	2.5	3	<1	1	2	3	5	6	9
70-74	113	2.9	4	1	1	2	3	5	7	12
75-79	42	3.5	8	1	1	3	4	6	7	17
80-84	23	3.2	4	1	1	3	4	6	8	9
85+	11	4.2	17	<1	<1	2	5	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	5.4	13	2	2	4	7	11	14	15
70-74	21	4.0	12	<1	1	3	6	8	12	14
75-79	16	6.0	18	<1	1	5	7	13	16	17
80-84	15	7.7	125	1	1	5	6	19	38	45
85+	4	6.8	25	2	2	6	11	12	12	12
B. *Operated*										
65-69 YRS	753	3.3	10	1	1	2	4	6	8	18
70-74	507	3.6	13	1	1	3	4	7	9	20
75-79	285	4.1	13	1	1	3	5	8	11	21
80-84	119	4.2	18	1	1	3	5	9	14	22
85+	29	5.0	28	1	1	3	5	13	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	3	<1	<1	3	5	5	5	5
B. *Operated*	387	2.8	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	72	5.7	37	1	1	4	7	11	15	39
B. *Operated*	1693	3.6	13	1	1	3	4	7	10	18
1. SINGLE DX	399	2.8	4	<1	1	2	4	5	6	12
2. MULTIPLE DX	1765	3.7	14	1	1	3	4	7	10	19
A. NOT OPERATED	84	5.3	33	1	1	4	6	11	14	36
B. OPERATED	2080	3.5	11	1	1	3	4	6	9	18
TOTAL 65-69 YRS	969	3.2	9	1	1	2	4	6	8	16
70-74	64[illegible]	3.5	11	1	1	3	4	6	9	17
75-79	345	4.1	13	1	1	3	5	8	11	18
80-84	159	4.4	26	1	1	3	5	8	14	31
85+	44	5.0	24	1	1	3	6	12	15	20
GRAND TOTAL	**2164**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**10**	**18**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	5.0	35	1	1	3	6	7	14	37
70-74	35	4.0	12	1	1	3	5	8	9	20
75-79	44	5.8	17	1	2	5	8	12	13	19
80-84	43	6.0	21	1	2	5	7	14	15	22
85+	38	5.9	27	1	2	4	9	14	18	21
B. *Operated*										
65-69 YRS	123	4.8	23	1	1	3	5	10	14	28
70-74	97	5.9	34	<1	1	3	8	15	18	27
75-79	66	6.7	30	1	1	4	10	15	17	22
80-84	28	6.9	38	1	1	6	9	17	20	23
85+	19	7.1	68	1	2	3	9	22	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	6.5	74	1	1	4	8	13	17	31
70-74	340	7.2	41	1	2	5	9	14	19	32
75-79	365	7.4	37	2	2	6	9	14	19	31
80-84	313	7.7	48	1	2	5	10	16	21	36
85+	372	8.2	76	1	2	6	10	15	22	40
B. *Operated*										
65-69 YRS	368	7.6	89	1	1	4	10	16	21	49
70-74	330	8.8	99	1	2	6	11	18	28	54
75-79	231	10.1	86	1	2	8	14	21	27	47
80-84	180	13.0	132	2	2	10	19	26	35	55
85+	107	12.6	202	2	2	8	15	25	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.4	23	1	1	4	7	12	15	23
B. *Operated*	333	5.8	32	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	1678	7.4	55	1	2	5	9	14	19	35
B. *Operated*	1216	9.6	111	1	2	6	12	21	28	55
1. SINGLE DX	551	5.6	28	1	1	4	7	13	16	26
2. MULTIPLE DX	2894	8.4	80	1	2	6	10	17	23	46
A. NOT OPERATED	1896	7.2	52	1	2	5	9	14	19	34
B. OPERATED	1549	8.8	96	1	2	5	12	19	25	52
TOTAL 65-69 YRS	837	6.6	72	1	1	4	8	14	18	38
70-74	802	7.5	64	1	2	5	10	15	21	42
75-79	706	8.1	53	1	2	6	10	16	21	39
80-84	564	9.2	79	1	2	6	12	20	26	46
85+	536	8.9	101	1	2	6	11	18	24	54
GRAND TOTAL	**3445**	**7.9**	**73**	**1**	**2**	**5**	**10**	**16**	**22**	**43**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	4	6.3	25	2	2	5	10	13	13	13
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	6.8	11	3	3	6	9	12	13	14
70-74	18	7.7	19	2	2	7	10	14	16	16
75-79	21	13.5	280	3	4	8	15	23	52	81
80-84	6	8.8	26	3	3	8	13	16	16	16
85+	9	5.9	16	1	1	6	8	12	14	14
B. *Operated*										
65-69 YRS	8	10.1	54	1	1	11	15	20	22	22
70-74	16	11.3	47	3	3	11	15	19	25	28
75-79	1	26.0		26	26	26	26	26	26	26
80-84	3	34.0	1183	8	8	21	60	73	73	73
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	18	2	2	3	7	12	13	13
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTiPLE DX										
A. *Not Operated*	74	9.0	96	2	3	7	10	15	17	68
B. *Operated*	28	13.9	186	2	3	12	17	25	32	73
1. SINGLE DX	7	6.3	24	2	2	4	11	13	13	13
2. MULTIPLE DX	102	10.3	124	2	3	8	13	17	24	77
A. NOT OPERATED	80	8.7	91	2	3	7	10	15	17	65
B. OPERATED	29	13.9	179	2	3	12	16	24	30	73
TOTAL 65-69 YRS	30	7.4	24	2	2	6	10	14	16	22
70-74	39	9.2	33	2	3	8	13	16	18	28
75-79	22	14.0	274	3	4	8	17	27	49	81
80-84	9	17.2	470	3	3	10	17	52	73	73
85+	9	5.9	16	1	1	6	8	12	14	14
GRAND TOTAL	**109**	**10.1**	**119**	**2**	**3**	**8**	**13**	**17**	**22**	**76**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	175	6.1	18	2	2	5	8	12	14	20
70-74	145	6.3	20	1	2	6	8	11	15	25
75-79	107	6.9	38	2	2	6	9	12	14	35
80-84	76	5.6	12	2	2	5	7	9	12	20
85+	74	6.2	19	2	2	5	8	12	16	22
B. *Operated*										
65-69 YRS	277	7.2	32	1	1	6	10	15	18	27
70-74	223	7.1	41	1	1	5	10	16	21	28
75-79	110	7.5	43	1	1	5	11	16	19	30
80-84	23	7.1	60	1	1	6	8	14	24	37
85+	6	7.5	23	1	1	8	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1409	6.9	21	2	3	6	9	12	15	23
70-74	1571	7.2	24	2	3	6	9	13	16	25
75-79	1637	7.6	38	2	3	6	9	14	18	35
80-84	1220	8.1	42	2	3	7	10	15	19	34
85+	1028	8.3	57	2	3	7	10	16	19	53
B. *Operated*										
65-69 YRS	1060	10.4	80	2	2	8	14	21	27	44
70-74	906	11.5	106	1	2	9	15	24	32	52
75-79	601	12.4	131	2	2	9	16	25	32	67
80-84	288	13.8	135	2	3	11	18	29	38	59
85+	125	14.6	109	3	4	13	20	30	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	6.2	21	2	2	5	8	11	14	22
B. *Operated*	639	7.2	38	1	1	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	6865	7.6	35	2	3	6	9	14	17	31
B. *Operated*	2980	11.6	106	2	2	9	15	24	31	57
1. SINGLE DX	1216	6.7	30	1	2	5	9	14	17	26
2. MULTIPLE DX	9845	8.8	60	2	3	7	11	17	22	41
A. NOT OPERATED	7442	7.5	34	2	3	6	9	14	17	30
B. OPERATED	3619	10.8	97	1	2	9	14	22	29	51
TOTAL 65-69 YRS	2921	8.1	46	2	2	7	10	16	21	36
70-74	2845	8.5	55	2	2	7	10	17	22	38
75-79	2455	8.7	66	2	3	7	11	17	22	42
80-84	1607	9.0	63	2	3	7	11	17	23	43
85+	1233	8.8	64	2	3	7	11	17	22	58
GRAND TOTAL	**11061**	**8.6**	**57**	**2**	**2**	**7**	**10**	**16**	**22**	**40**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	355	6.9	17	1	2	6	9	13	15	20
70-74	224	7.0	28	1	2	7	9	13	14	25
75-79	128	7.0	16	2	2	6	10	13	14	19
80-84	67	7.9	25	2	2	7	11	16	18	22
85+	36	6.2	16	1	1	5	9	12	14	16
B. *Operated*										
65-69 YRS	979	7.5	36	1	1	6	10	15	19	27
70-74	548	8.2	44	1	1	7	11	17	21	30
75-79	213	8.7	49	1	1	7	12	17	22	37
80-84	73	8.3	42	1	1	6	12	17	21	27
85+	23	9.0	36	1	2	8	14	17	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1335	8.2	26	2	3	7	11	15	17	24
70-74	1121	8.9	33	3	3	8	11	16	20	31
75-79	890	9.0	41	3	3	8	11	15	19	33
80-84	589	9.2	52	2	3	7	11	17	22	34
85+	372	9.2	47	2	3	8	11	17	24	45
B. *Operated*										
65-69 YRS	1950	11.2	73	2	3	10	14	21	26	42
70-74	1340	12.2	68	2	3	11	16	22	26	44
75-79	770	13.0	87	2	3	11	18	25	30	46
80-84	297	15.1	120	3	4	12	20	29	37	56
85+	100	15.6	154	3	4	13	22	32	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	810	7.0	21	1	2	6	9	13	15	21
B. *Operated*	1836	7.9	40	1	1	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	4307	8.8	36	2	3	8	11	15	19	31
B. *Operated*	4457	12.2	80	2	3	10	16	23	28	47
1. SINGLE DX	2646	7.6	34	1	2	7	10	15	18	27
2. MULTIPLE DX	8764	10.5	62	2	3	9	13	20	25	39
A. NOT OPERATED	5117	8.5	34	2	3	7	11	15	19	29
B. OPERATED	6293	10.9	72	1	2	9	14	21	26	41
TOTAL 65-69 YRS	4619	9.2	50	2	2	8	12	17	22	33
70-74	3233	10.0	52	2	3	9	13	19	24	35
75-79	2001	10.4	63	2	3	9	13	20	25	38
80-84	1026	10.8	77	2	3	9	14	21	27	45
85+	531	10.2	71	2	3	8	13	21	26	89
GRAND TOTAL	**11410**	**9.8**	**57**	**2**	**3**	**8**	**13**	**19**	**24**	**36**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	69	6.0	13	1	2	5	8	10	12	17
70-74	44	6.2	12	1	2	6	9	11	13	13
75-79	20	7.4	35	3	3	6	9	12	21	29
80-84	12	7.1	47	2	3	6	7	14	26	28
85+	5	7.4	19	3	3	6	11	13	13	13
B. *Operated*										
65-69 YRS	140	6.9	39	1	1	6	9	13	17	35
70-74	47	8.1	33	1	1	8	11	15	19	27
75-79	15	7.7	43	1	2	5	11	18	22	23
80-84	7	8.4	102	1	1	3	12	26	29	29
85+	3	12.0	196	2	2	6	22	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	369	7.6	27	2	3	7	9	14	17	25
70-74	301	7.2	44	2	2	6	8	12	16	33
75-79	276	8.1	42	2	3	7	10	15	18	35
80-84	152	8.0	36	2	3	7	10	14	19	37
85+	114	8.8	69	2	2	7	11	16	22	50
B. *Operated*										
65-69 YRS	304	10.1	77	2	2	8	13	19	26	48
70-74	170	9.3	53	1	2	8	11	20	24	37
75-79	94	11.7	92	2	3	10	15	25	38	76
80-84	31	19.3	267	3	5	14	25	45	52	70
85+	12	13.0	34	6	7	13	16	21	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	6.4	18	1	2	6	8	11	13	28
B. *Operated*	212	7.3	41	1	1	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	1212	7.8	40	2	3	7	10	14	18	34
B. *Operated*	611	10.7	85	2	2	8	13	22	29	50
1. SINGLE DX	362	6.9	32	1	2	6	9	13	17	29
2. MULTIPLE DX	1823	8.8	57	2	3	7	11	16	22	44
A. NOT OPERATED	1362	7.6	38	2	3	6	9	14	17	33
B. OPERATED	823	9.8	76	1	2	8	12	19	26	48
TOTAL 65-69 YRS	882	8.2	47	1	2	7	10	16	20	37
70-74	562	7.8	44	1	2	7	10	14	20	34
75-79	405	8.9	55	2	3	7	11	17	23	43
80-84	202	9.7	89	2	3	7	11	19	31	61
85+	134	9.2	67	2	2	7	12	16	24	47
GRAND TOTAL	**2185**	**8.5**	**53**	**2**	**2**	**7**	**10**	**16**	**22**	**41**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	5.7	12	1	1	6	8	11	12	12
70-74	12	7.3	63	2	2	5	8	16	29	31
75-79	6	3.0	6	1	1	2	5	7	7	7
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	6	7.3	63	1	1	5	7	21	23	23
B. *Operated*										
65-69 YRS	5	9.4	143	1	1	2	18	28	28	28
70-74	1	9.0		9	9	9	9	9	9	9
75-79	3	5.0	7	2	2	6	7	7	7	7
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	7.0	16	2	3	6	9	12	14	20
70-74	76	7.5	17	2	2	7	10	13	15	21
75-79	57	6.3	13	2	2	6	10	12	12	15
80-84	39	8.8	84	2	2	7	9	16	29	50
85+	44	8.7	28	3	3	8	10	15	20	29
B. *Operated*										
65-69 YRS	33	11.8	69	2	3	10	15	22	31	35
70-74	17	9.8	31	2	3	9	14	17	19	20
75-79	8	10.4	33	3	3	9	16	17	18	18
80-84	3	10.7	14	8	8	9	13	15	15	15
85+	3	11.3	50	5	5	10	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.7	27	1	1	5	7	9	12	31
B. *Operated*	10	7.4	72	1	1	4	9	21	28	28
2. MULTIPLE DX										
A. *Not Operated*	328	7.5	26	2	2	7	9	13	15	27
B. *Operated*	64	11.0	49	2	3	10	15	19	23	35
1. SINGLE DX	65	6.0	33	1	1	5	7	11	17	31
2. MULTIPLE DX	392	8.0	31	2	3	7	10	14	18	30
A. NOT OPERATED	383	7.2	26	1	2	7	9	12	15	28
B. OPERATED	74	10.6	53	2	3	9	15	19	26	34
TOTAL 65-69 YRS	177	7.8	32	1	2	7	10	14	19	31
70-74	106	7.9	24	2	2	7	10	14	17	26
75-79	74	6.4	17	1	2	6	10	12	15	18
80-84	46	8.5	74	2	2	7	9	16	28	50
85+	54	8.6	32	3	3	8	10	18	22	29
GRAND TOTAL	**457**	**7.7**	**32**	**1**	**2**	**7**	**10**	**14**	**18**	**30**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	7.5	50	<1	1	6	10	14	19	45
70-74	45	6.3	23	2	2	5	8	12	15	26
75-79	30	7.1	37	<1	1	6	9	14	18	30
80-84	20	6.9	13	1	3	6	10	12	13	14
85+	8	7.1	10	3	3	7	9	11	12	12
B. *Operated*										
65-69 YRS	19	5.2	24	1	1	4	7	14	16	17
70-74	12	5.6	47	1	1	3	6	17	23	24
75-79	11	5.8	26	1	1	4	8	13	18	18
80-84	6	5.7	30	1	1	3	12	13	13	13
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	303	8.5	25	3	4	7	11	14	18	24
70-74	308	7.6	17	2	3	7	10	13	15	20
75-79	293	9.1	43	2	4	8	11	16	20	28
80-84	198	9.5	51	3	3	7	12	17	21	36
85+	132	8.7	36	2	3	7	11	17	20	31
B. *Operated*										
65-69 YRS	56	10.7	69	1	3	9	14	20	24	46
70-74	49	10.6	56	1	2	10	15	20	22	33
75-79	51	11.5	45	3	4	10	16	23	24	27
80-84	25	14.7	293	2	3	9	17	27	46	87
85+	8	11.6	65	1	2	11	18	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	7.0	33	1	2	6	9	13	15	30
B. *Operated*	49	5.4	29	1	1	3	8	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	1234	8.6	33	3	3	7	11	15	19	26
B. *Operated*	189	11.5	88	1	3	9	15	21	25	42
1. SINGLE DX	211	6.6	32	1	1	5	9	13	16	28
2. MULTIPLE DX	1423	9.0	41	3	3	8	11	16	20	29
A. NOT OPERATED	1396	8.4	33	2	3	7	11	15	18	27
B. OPERATED	238	10.2	82	1	2	8	15	21	24	36
TOTAL 65-69 YRS	437	8.5	35	2	3	7	11	15	19	28
70-74	414	7.8	24	2	3	7	10	14	17	26
75-79	385	9.2	44	2	3	8	12	16	21	28
80-84	249	9.7	74	3	3	7	13	17	22	41
85+	149	8.7	37	2	3	7	11	17	20	30
GRAND TOTAL	**1634**	**8.7**	**41**	**2**	**3**	**7**	**11**	**16**	**20**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	375	5.7	22	1	1	4	8	11	14	20
70-74	274	5.9	18	1	1	5	8	12	14	21
75-79	193	6.2	31	1	1	5	8	13	16	27
80-84	103	5.9	21	<1	1	4	9	13	14	21
85+	64	7.3	32	1	2	6	9	16	18	27
B. *Operated*										
65-69 YRS	613	6.6	30	1	1	6	9	13	17	27
70-74	407	7.1	33	1	1	6	10	14	17	28
75-79	234	8.2	41	1	1	8	11	16	21	31
80-84	95	8.4	53	1	1	8	12	16	22	37
85+	24	6.8	21	1	1	6	10	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1765	7.3	28	2	2	6	9	13	17	26
70-74	1693	7.4	28	2	2	6	9	14	17	26
75-79	1461	7.7	31	2	2	6	10	14	18	27
80-84	1055	8.2	43	2	3	7	10	15	20	31
85+	806	8.0	38	2	2	6	10	15	19	30
B. *Operated*										
65-69 YRS	1694	10.5	83	1	2	9	13	21	26	47
70-74	1496	11.7	83	2	3	10	15	22	28	43
75-79	1015	13.3	109	2	3	11	17	25	31	59
80-84	404	14.8	145	2	3	13	19	27	38	86
85+	170	14.2	104	3	4	12	17	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1009	6.0	23	1	1	5	8	12	15	22
B. *Operated*	1373	7.2	34	1	1	6	10	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	6780	7.6	32	2	2	6	10	14	18	28
B. *Operated*	4779	12.0	96	2	2	10	15	23	29	53
1. SINGLE DX	2382	6.7	30	1	1	5	9	13	16	27
2. MULTIPLE DX	11559	9.4	63	2	2	8	12	18	24	40
A. NOT OPERATED	7789	7.4	31	1	2	6	9	14	18	28
B. OPERATED	6152	10.9	87	1	2	9	14	21	27	48
TOTAL 65-69 YRS	4447	8.3	52	1	2	7	11	16	21	35
70-74	3870	8.9	54	1	2	7	11	17	22	37
75-79	2903	9.6	67	1	2	8	12	18	25	40
80-84	1657	9.7	76	2	3	7	12	19	25	47
85+	1064	8.9	53	2	2	7	12	17	22	37
GRAND TOTAL	**13941**	**8.9**	**59**	**1**	**2**	**7**	**11**	**17**	**23**	**38**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	4.3	14	1	1	3	6	8	13	18
70-74	58	4.2	7	1	2	4	5	8	10	11
75-79	38	6.5	31	2	2	5	9	14	15	30
80-84	28	4.9	18	1	1	4	5	9	16	20
85+	22	4.7	9	1	2	4	7	9	10	11
B. *Operated*										
65-69 YRS	459	3.1	6	<1	<1	2	4	6	8	12
70-74	235	2.9	8	<1	<1	2	3	5	8	13
75-79	125	3.3	8	<1	<1	2	4	6	9	15
80-84	59	3.2	8	<1	<1	2	4	8	10	11
85+	22	3.2	12	<1	<1	2	5	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	349	5.8	19	1	2	5	7	11	14	22
70-74	359	6.7	27	2	2	5	9	12	16	32
75-79	312	7.0	28	2	3	6	9	13	15	31
80-84	239	7.0	32	1	2	6	9	13	17	26
85+	173	7.3	50	2	2	5	9	13	19	48
B. *Operated*										
65-69 YRS	733	5.0	35	1	1	3	6	10	13	35
70-74	502	5.6	33	1	1	4	7	11	16	28
75-79	265	6.1	48	1	2	4	7	12	17	30
80-84	133	6.7	71	1	2	4	7	14	18	49
85+	72	8.7	71	2	2	6	11	18	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	4.8	15	1	1	4	6	10	13	19
B. *Operated*	900	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1432	6.7	29	2	2	5	8	12	16	28
B. *Operated*	1705	5.6	41	1	2	4	6	11	16	33
1. SINGLE DX	1116	3.4	9	<1	<1	2	4	7	9	15
2. MULTIPLE DX	3137	6.1	36	1	2	4	7	12	16	30
A. NOT OPERATED	1648	6.4	28	2	2	5	8	12	15	26
B. OPERATED	2605	4.8	31	<1	1	3	5	10	13	28
TOTAL 65-69 YRS	1611	4.6	23	1	1	3	5	9	12	23
70-74	1154	5.3	26	1	1	4	7	10	14	28
75-79	740	6.0	33	1	2	4	8	12	15	30
80-84	459	6.3	41	1	1	4	8	13	17	30
85+	289	7.1	51	1	2	5	9	13	19	43
GRAND TOTAL	**4253**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
65-69 YRS	563	3.2	3	1	1	3	4	5	6	9
70-74	377	3.2	5	1	1	3	4	5	7	11
75-79	196	3.0	3	<1	1	3	4	5	7	9
80-84	92	3.6	5	<1	1	3	5	6	7	11
85+	37	2.8	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	2.5	8	<1	<1	1	3	6	11	13
70-74	34	3.2	7	<1	<1	2	6	8	8	9
75-79	16	3.5	9	<1	<1	2	5	9	10	10
80-84	6	7.0	33	<1	<1	6	10	15	16	16
85+	4	3.8	6	2	2	3	5	7	7	7
B. *Operated*										
65-69 YRS	2503	4.0	6	1	2	4	5	6	8	13
70-74	1638	4.1	8	1	2	4	5	7	8	14
75-79	934	4.3	8	1	2	4	5	7	9	15
80-84	317	4.6	13	1	2	4	5	8	10	18
85+	124	6.0	39	1	2	5	7	12	15	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.0	36	2	2	4	5	17	18	18
B. *Operated*	1265	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	104	3.2	10	<1	<1	2	4	8	10	14
B. *Operated*	5516	4.2	8	1	2	4	5	7	8	15
1. SINGLE DX	1271	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX	5620	4.2	8	1	2	4	5	7	8	15
A. NOT OPERATED	110	3.4	11	<1	<1	2	4	8	10	17
B. OPERATED	6781	4.0	8	1	2	4	5	7	8	14
TOTAL 65-69 YRS	3112	3.9	6	1	2	3	5	6	8	13
70-74	2051	3.9	8	1	2	3	5	7	8	14
75-79	1147	4.1	8	1	1	4	5	7	9	14
80-84	415	4.4	11	1	2	4	5	7	9	17
85+	166	5.3	32	1	2	4	6	11	14	29
GRAND TOTAL	**6891**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	3	1	1	3	5	5	5	5
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	162	2.4	5	<1	<1	2	3	4	5	14
70-74	103	2.5	2	<1	<1	2	3	4	5	8
75-79	49	2.3	2	<1	1	2	3	4	5	8
80-84	29	3.1	4	1	1	2	4	6	8	8
85+	13	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	4.4	10	<1	1	4	6	9	12	12
70-74	13	4.2	7	<1	<1	3	6	8	9	9
75-79	11	8.2	46	1	1	6	14	18	22	22
80-84	8	3.9	4	2	2	3	5	7	8	8
85+	9	4.9	3	2	2	5	6	7	7	7
B. *Operated*										
65-69 YRS	199	4.0	10	<1	1	3	5	8	11	14
70-74	141	4.1	10	<1	1	3	5	8	10	19
75-79	86	4.6	16	<1	1	3	6	11	13	17
80-84	49	5.4	87	<1	1	3	7	9	11	66
85+	16	4.4	9	<1	2	4	5	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.2	3	1	1	3	5	6	6	6
B. *Operated*	356	2.4	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	69	5.0	15	<1	1	4	6	9	12	21
B. *Operated*	491	4.3	19	<1	1	3	5	9	11	17
1. SINGLE DX	367	2.4	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	560	4.4	18	<1	1	3	5	9	11	18
A. NOT OPERATED	80	4.7	13	<1	1	4	6	9	12	20
B. OPERATED	847	3.5	13	<1	<1	3	4	7	10	15
TOTAL 65-69 YRS	395	3.3	8	<1	<1	2	4	7	10	13
70-74	259	3.4	7	<1	<1	3	4	7	8	15
75-79	148	4.1	16	<1	1	3	5	10	12	18
80-84	87	4.5	51	1	1	3	5	8	9	47
85+	38	3.6	6	<1	1	3	5	7	9	12
GRAND TOTAL	**927**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	12.3	72	4	5	10	15	22	30	42
70-74	21	13.1	130	2	3	11	19	29	39	45
75-79	22	9.4	27	2	3	8	13	17	19	20
80-84	12	13.5	128	<1	2	11	22	29	37	38
85+	15	10.8	31	3	5	10	14	19	21	21
B. *Operated*										
65-69 YRS	82	11.3	78	1	2	10	15	22	31	82
70-74	75	11.0	106	2	3	9	13	23	33	59
75-79	33	9.6	46	2	2	8	13	20	26	28
80-84	18	14.9	172	3	3	10	16	40	46	46
85+	18	10.2	58	2	2	8	15	21	26	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	16.1	189	3	4	12	22	33	44	70
70-74	168	14.1	140	2	3	11	18	31	41	72
75-79	128	14.6	146	2	4	13	19	28	31	64
80-84	106	17.9	226	4	5	14	22	41	47	73
85+	126	15.6	192	3	4	12	18	31	40	76
B. *Operated*										
65-69 YRS	532	21.3	282	3	5	16	30	48	55	92
70-74	462	21.0	279	3	5	17	28	46	60	99+
75-79	339	21.0	288	4	5	16	30	48	63	99+
80-84	226	23.8	308	5	6	19	32	48	57	83
85+	212	20.5	326	3	5	16	23	45	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	11.7	74	3	3	10	15	22	27	44
B. *Operated*	226	11.1	88	2	3	9	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*	717	15.5	176	3	4	12	19	32	42	70
B. *Operated*	1771	21.4	291	3	5	17	29	47	59	99+
1. SINGLE DX	323	11.3	84	2	3	9	15	22	29	46
2. MULTIPLE DX	2488	19.7	265	3	5	15	27	44	56	95
A. NOT OPERATED	814	15.1	166	3	4	12	19	31	42	70
B. OPERATED	1997	20.3	279	3	5	15	28	46	57	99+
TOTAL 65-69 YRS	830	18.8	246	3	4	14	26	44	54	88
70-74	726	18.1	239	3	4	14	24	42	53	99+
75-79	522	18.2	243	3	4	14	24	43	56	99+
80-84	362	21.3	281	4	5	16	29	45	54	81
85+	371	17.9	265	3	4	14	21	37	53	94
GRAND TOTAL	**2811**	**18.7**	**252**	**3**	**4**	**14**	**25**	**43**	**54**	**94**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	121	5.7	19	1	2	5	7	11	14	23
70-74	176	6.2	18	1	2	6	8	11	14	20
75-79	154	7.1	51	2	2	6	9	12	15	22
80-84	171	7.7	23	2	2	7	10	14	18	25
85+	129	6.9	22	1	2	6	9	13	15	26
B. *Operated*										
65-69 YRS	297	7.2	35	1	2	5	11	16	19	24
70-74	241	8.5	43	1	2	8	12	15	18	23
75-79	162	10.3	62	2	2	9	14	19	22	30
80-84	103	12.6	85	2	3	11	16	25	30	45
85+	75	11.1	30	3	4	11	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1812	8.2	44	2	2	6	10	16	21	34
70-74	2357	8.9	48	2	3	7	11	16	21	33
75-79	2881	9.5	51	2	3	8	12	17	22	39
80-84	2737	9.6	53	3	3	8	12	18	22	37
85+	2773	9.8	71	2	3	8	12	18	23	52
B. *Operated*										
65-69 YRS	1187	13.3	135	2	3	11	17	25	36	73
70-74	1199	14.5	129	3	4	12	18	28	35	66
75-79	1128	15.9	145	3	5	13	20	29	38	75
80-84	770	16.8	144	4	5	14	21	31	41	72
85+	595	17.5	161	5	7	15	22	35	43	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	751	6.8	27	1	2	6	9	12	15	24
B. *Operated*	878	9.1	51	1	2	8	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	12560	9.3	54	2	3	8	12	17	22	39
B. *Operated*	4879	15.2	143	3	4	13	19	29	39	76
1. SINGLE DX	1629	8.0	41	1	2	7	11	16	19	28
2. MULTIPLE DX	17439	11.0	86	2	3	9	14	21	27	52
A. NOT OPERATED	13311	9.2	53	2	3	7	11	17	22	37
B. OPERATED	5757	14.3	133	2	3	12	18	27	37	72
TOTAL 65-69 YRS	3417	9.8	81	2	2	7	13	19	25	48
70-74	3973	10.5	78	2	3	8	13	20	26	49
75-79	4325	11.1	84	2	3	9	14	21	27	49
80-84	3781	11.1	79	3	3	9	14	21	28	48
85+	3572	11.0	92	2	3	9	14	21	27	62
GRAND TOTAL	**19068**	**10.7**	**83**	**2**	**3**	**8**	**14**	**20**	**27**	**51**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	23	4.4	26	<1	1	3	5	9	17	25
70-74	19	6.9	24	1	2	6	11	14	16	17
75-79	15	6.5	16	2	2	6	9	13	14	14
80-84	5	9.2	34	2	2	7	14	17	17	17
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	19.7	182	7	8	16	23	42	51	63
70-74	29	16.1	124	1	3	15	22	33	39	43
75-79	36	16.1	221	2	3	10	23	32	41	75
80-84	12	20.6	405	3	4	14	27	54	67	69
85+	14	19.2	256	2	4	12	28	47	52	53
B. *Operated*										
65-69 YRS	163	7.2	36	2	2	5	10	15	18	31
70-74	129	8.7	84	1	2	6	12	16	19	57
75-79	55	11.3	162	2	2	8	13	23	33	70
80-84	30	13.5	429	<1	3	6	13	30	78	90
85+	8	6.9	57	2	2	4	9	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*	62	6.1	25	1	2	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	124	17.8	205	2	4	15	24	36	46	71
B. *Operated*	385	8.8	103	2	2	6	11	17	24	65
1. SINGLE DX	64	6.2	25	1	2	4	9	13	16	24
2. MULTIPLE DX	509	11.0	143	2	2	7	14	24	32	70
A. NOT OPERATED	126	17.7	204	2	4	15	23	36	46	70
B. OPERATED	447	8.4	93	2	2	6	10	17	23	54
TOTAL 65-69 YRS	220	8.9	78	2	2	6	12	18	25	46
70-74	177	9.7	92	1	2	7	13	18	26	50
75-79	107	12.2	168	2	2	8	14	28	33	73
80-84	47	14.8	384	2	3	7	18	31	70	90
85+	22	14.7	215	2	2	9	21	39	49	53
GRAND TOTAL	**573**	**10.5**	**132**	**2**	**2**	**7**	**13**	**22**	**30**	**68**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	6.0	28	1	2	5	7	13	19	24
70-74	8	3.5	3	2	2	3	5	6	6	6
75-79	8	6.1	12	1	2	5	8	11	12	12
80-84	3	3.0	1	2	2	3	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	7	5.7	21	1	1	5	7	13	15	15
70-74	7	7.1	28	2	2	5	12	15	15	15
75-79	5	5.4	26	1	1	5	7	14	14	14
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	7.6	23	2	3	6	10	13	17	27
70-74	100	8.1	50	2	2	6	10	16	20	40
75-79	77	7.1	26	2	3	6	9	11	15	32
80-84	45	6.4	16	1	2	6	8	11	15	19
85+	42	7.6	19	2	3	7	9	15	17	19
B. *Operated*										
65-69 YRS	31	9.9	68	2	2	8	13	22	28	33
70-74	29	10.5	37	2	3	11	15	17	19	28
75-79	26	10.5	40	2	2	10	14	18	24	27
80-84	9	12.0	113	1	1	11	13	29	37	37
85+	3	11.0	67	2	2	13	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.4	20	1	2	4	6	10	16	24
B. *Operated*	21	6.1	21	1	1	5	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	354	7.5	30	2	2	6	9	14	17	27
B. *Operated*	98	10.5	53	2	2	10	14	19	26	35
1. SINGLE DX	68	5.6	20	1	2	5	7	13	15	23
2. MULTIPLE DX	452	8.1	36	2	2	7	10	15	19	31
A. NOT OPERATED	401	7.2	29	2	2	6	9	13	17	27
B. OPERATED	119	9.7	50	1	2	8	14	18	24	34
TOTAL 65-69 YRS	156	7.6	34	2	2	6	10	15	20	31
70-74	144	8.3	46	2	2	6	11	16	19	30
75-79	116	7.7	30	2	2	7	10	14	16	30
80-84	58	7.1	33	1	2	6	9	14	16	36
85+	46	7.7	21	2	2	7	9	16	18	19
GRAND TOTAL	**520**	**7.8**	**35**	**2**	**2**	**6**	**10**	**15**	**18**	**29**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	4.4	14	1	1	4	6	8	10	21
70-74	118	5.2	18	1	1	4	6	10	13	25
75-79	72	5.3	19	1	1	4	7	10	17	21
80-84	45	6.2	35	1	2	4	7	13	20	29
85+	41	6.1	41	1	1	4	8	11	18	37
B. *Operated*										
65-69 YRS	531	2.8	8	<1	1	2	3	5	7	13
70-74	313	2.8	6	<1	1	2	3	5	7	13
75-79	213	3.2	10	<1	1	2	3	6	10	18
80-84	82	3.6	9	<1	1	3	5	9	10	12
85+	26	4.0	14	1	1	2	4	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	821	6.1	29	1	2	5	8	11	14	27
70-74	819	6.4	22	2	2	5	8	12	16	24
75-79	714	7.1	30	2	2	6	9	13	17	29
80-84	526	7.2	40	2	2	6	9	14	17	32
85+	411	7.8	69	2	2	6	9	14	21	64
B. *Operated*										
65-69 YRS	904	5.9	37	1	1	4	8	13	18	31
70-74	715	7.4	89	1	1	4	9	16	25	62
75-79	518	8.4	94	1	2	5	11	18	24	51
80-84	246	8.9	74	2	2	7	11	19	27	52
85+	132	11.4	143	2	2	7	15	26	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	5.2	21	1	1	4	6	10	14	25
B. *Operated*	1165	2.9	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	3291	6.8	35	2	2	5	8	12	16	29
B. *Operated*	2515	7.4	75	1	2	4	9	16	23	48
1. SINGLE DX	1550	3.5	12	<1	1	2	4	7	10	19
2. MULTIPLE DX	5806	7.0	52	1	2	5	9	14	19	37
A. NOT OPERATED	3676	6.6	34	1	2	5	8	12	16	29
B. OPERATED	3680	6.0	58	1	1	3	7	13	19	40
TOTAL 65-69 YRS	2365	5.2	29	1	1	3	7	11	14	26
70-74	1965	6.1	46	1	1	4	7	12	18	32
75-79	1517	6.9	51	1	2	5	9	14	19	33
80-84	899	7.3	48	1	2	6	9	14	19	35
85+	610	8.3	84	2	2	6	10	16	23	58
GRAND TOTAL	**7356**	**6.3**	**46**	**1**	**1**	**4**	**8**	**13**	**18**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74										
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.5	30	2	2	4	5	12	20	23
70-74	19	5.6	12	<1	1	6	8	10	12	13
75-79	11	5.2	4	3	3	5	7	8	9	9
80-84	9	7.3	22	3	3	5	9	15	18	18
85+	6	7.8	23	3	3	7	7	16	17	17
B. *Operated*										
65-69 YRS	6	6.3	22	<1	<1	6	11	12	12	12
70-74	3	7.3	8	4	4	9	9	9	9	9
75-79										
80-84	3	8.0	3	7	7	7	9	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	60	6.0	17	2	2	5	7	10	15	22
B. *Operated*	12	7.0	13	<1	1	8	10	11	12	12
1. SINGLE DX	6	5.8	11	2	2	6	7	11	11	11
2. MULTIPLE DX	72	6.2	16	2	2	5	8	10	13	22
A. NOT OPERATED	64	5.9	17	2	2	5	7	9	14	22
B. OPERATED	14	7.3	12	<1	2	8	10	11	12	12
TOTAL 65-69 YRS	24	5.7	24	1	2	4	7	12	15	23
70-74	23	6.0	12	1	1	6	9	10	12	13
75-79	13	5.0	4	3	3	5	6	8	9	9
80-84	12	7.5	16	3	4	7	9	12	17	18
85+	6	7.8	23	3	3	7	7	16	17	17
GRAND TOTAL	**78**	**6.1**	**16**	**2**	**2**	**5**	**8**	**11**	**13**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	3	7.3	2	6	6	7	8	9	9	9
70-74	2	6.0	32	2	2	6	10	10	10	10
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	13.5	309	1	2	8	15	38	60	65
70-74	7	4.3	10	1	1	5	7	9	9	9
75-79	19	5.0	31	1	1	3	6	13	19	23
80-84	6	8.0	92	1	1	4	11	24	26	26
85+	6	2.8	5	1	1	2	3	7	7	7
B. *Operated*										
65-69 YRS	8	15.5	387	6	6	9	11	48	64	64
70-74	11	21.6	651	4	5	15	22	58	91	94
75-79	9	13.4	166	1	1	11	19	34	40	40
80-84	4	7.8	19	4	4	6	10	14	14	14
85+	4	8.5	42	4	4	6	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	7	8.9	24	2	3	9	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	51	7.2	112	1	1	3	8	17	26	65
B. *Operated*	36	15.2	332	2	4	9	16	33	57	94
1. SINGLE DX	10	7.1	25	1	1	6	10	14	18	18
2. MULTIPLE DX	87	10.5	216	1	1	6	11	24	35	83
A. NOT OPERATED	54	6.9	107	1	1	3	7	15	25	64
B. OPERATED	43	14.2	286	2	4	9	15	28	48	94
TOTAL 65-69 YRS	24	13.4	286	2	3	8	11	34	64	65
70-74	21	13.5	407	1	2	8	15	28	61	94
75-79	29	7.6	83	1	1	4	10	21	27	40
80-84	11	8.1	52	1	1	6	11	19	25	26
85+	12	5.8	37	1	1	4	7	18	18	18
GRAND TOTAL	**97**	**10.2**	**197**	**1**	**1**	**6**	**11**	**22**	**33**	**80**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	52	2.2	1	<1	1	2	2	4	5	6
70-74	49	2.2	1	<1	<1	2	3	3	4	5
75-79	44	1.9	2	<1	<1	2	2	3	5	7
80-84	21	2.2		1	2	2	2	3	4	4
85+	9	2.2	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
65-69 YRS	82	2.9	20	1	1	2	3	4	5	31
70-74	61	2.6	2	<1	1	2	3	4	5	9
75-79	59	3.3	17	1	2	2	3	6	9	24
80-84	52	4.3	33	1	1	2	3	13	22	24
85+	15	2.9	4	<1	2	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	175	2.1	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	7	2.3	2	1	1	2	3	5	5	5
B. *Operated*	269	3.2	17	1	1	2	3	5	8	24
1. SINGLE DX	176	2.1	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX	276	3.2	17	1	1	2	3	5	7	24
A. NOT OPERATED	8	2.1	2	1	1	2	3	4	5	5
B. OPERATED	444	2.8	11	<1	1	2	3	4	6	23
TOTAL 65-69 YRS	136	2.6	13	1	1	2	3	4	5	11
70-74	111	2.4	1	<1	1	2	3	4	4	7
75-79	104	2.8	11	<1	1	2	3	4	7	23
80-84	74	3.7	24	1	1	2	3	5	18	24
85+	27	2.6	3	<1	<1	2	3	6	7	8
GRAND TOTAL	**452**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**23**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	6	5.0	35	2	2	3	3	16	17	17
B. *Operated*										
65-69 YRS	26	6.8	35	<1	<1	4	11	14	20	21
70-74	11	5.4	29	<1	1	3	8	13	18	19
75-79	5	4.2	11	1	1	3	7	9	9	9
80-84	4	8.0	35	2	2	8	13	14	14	14
85+	3	4.3	24	1	1	6	55	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	5.8	14	2	2	5	7	10	15	18
70-74	64	7.1	29	2	2	6	9	12	17	32
75-79	65	6.5	34	1	2	5	7	13	20	30
80-84	44	6.3	23	1	2	5	8	12	15	25
85+	49	10.0	137	2	2	8	11	18	33	68
B. *Operated*										
65-69 YRS	126	10.4	117	1	2	8	14	25	32	99+
70-74	88	9.5	59	1	2	9	14	19	23	36
75-79	57	12.2	110	2	2	9	19	26	31	52
80-84	25	10.4	54	2	3	9	13	22	26	29
85+	20	12.8	118	1	3	11	17	27	38	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	25	1	1	2	3	12	17	17
B. *Operated*	49	6.1	30	<1	1	4	10	14	20	99+
2. MULTIPLE DX										
A. *Not Operated*	275	7.1	47	1	2	5	8	14	18	33
B. *Operated*	316	10.6	95	1	2	9	14	22	31	62
1. SINGLE DX	58	5.8	29	<1	1	3	9	14	20	93
2. MULTIPLE DX	591	9.0	75	1	2	6	12	20	26	46
A. NOT OPERATED	284	7.0	46	1	2	5	8	14	18	33
B. OPERATED	365	10.0	88	1	2	8	14	21	30	76
TOTAL 65-69 YRS	207	8.7	84	1	2	6	12	20	30	89
70-74	163	8.3	47	1	2	7	11	18	20	34
75-79	128	8.9	75	1	2	6	11	21	27	41
80-84	73	7.8	37	1	2	6	10	14	22	28
85+	78	10.1	123	1	2	8	12	21	39	91
GRAND TOTAL	**649**	**8.7**	**72**	**1**	**2**	**6**	**11**	**19**	**26**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	5	4.8	2	3	3	5	6	7	7	7
1. SINGLE DX	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX	6	4.2	4	1	1	4	5	7	7	7
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	8	3.9	3	<1	1	4	5	6	7	7
TOTAL 65-69 YRS										
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	3	3.7	1	3	3	3	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	4.3	9	1	1	5	6	7	7	7
GRAND TOTAL	**9**	**3.6**	**4**	**<1**	**<1**	**3**	**5**	**6**	**7**	**7**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.0	9	1	1	3	6	8	8	8
70-74	5	4.6	16	1	1	3	7	11	11	11
75-79	4	2.8		2	2	3	3	3	3	3
80-84	5	5.8	16	2	2	4	9	11	11	11
85+	3	6.7	21	4	4	4	10	12	12	12
B. *Operated*										
65-69 YRS	15	5.1	16	1	1	4	8	11	13	13
70-74	12	4.4	22	<1	1	3	5	10	17	18
75-79	3	8.7	37	2	2	10	13	14	14	14
80-84	3	3.3	10	<1	<1	2	6	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	6.9	36	2	2	5	8	14	21	29
70-74	38	5.5	15	1	1	5	7	11	12	20
75-79	31	6.1	15	1	2	5	8	11	14	17
80-84	38	7.1	25	1	2	6	9	13	20	21
85+	22	6.1	17	2	2	6	7	12	16	17
B. *Operated*										
65-69 YRS	65	8.4	73	<1	1	7	10	19	24	48
70-74	83	10.3	49	1	2	9	14	19	22	36
75-79	55	11.4	95	2	2	9	16	21	30	51
80-84	28	11.5	64	1	3	10	14	23	27	36
85+	33	12.8	110	1	2	10	15	31	36	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.7	12	1	1	3	6	11	12	12
B. *Operated*	33	5.0	19	<1	1	4	7	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	169	6.4	22	1	2	5	8	12	15	25
B. *Operated*	264	10.5	74	1	2	9	14	21	25	43
1. SINGLE DX	54	4.9	16	1	1	3	7	11	13	18
2. MULTIPLE DX	433	8.9	58	1	2	7	11	18	23	40
A. NOT OPERATED	190	6.2	21	1	2	5	8	12	15	24
B. OPERATED	297	9.9	71	1	2	8	13	20	25	43
TOTAL 65-69 YRS	124	7.4	53	1	1	5	9	15	24	35
70-74	138	8.3	42	1	2	7	12	18	20	30
75-79	93	9.2	69	1	2	8	11	19	21	48
80-84	74	8.5	43	1	2	7	11	18	21	34
85+	58	9.9	79	1	2	7	13	21	32	42
GRAND TOTAL	**487**	**8.4**	**55**	**1**	**2**	**7**	**11**	**18**	**22**	**38**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	3.6	13	1	1	2	5	10	10	10
70-74	4	9.5	36	4	4	8	13	18	18	18
75-79	4	3.8	2	3	3	3	5	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		<1	<1	50	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	5.0	20	<1	1	3	8	17	75	99+
1. SINGLE DX	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX	15	5.0	20	<1	1	3	8	17	75	99+
A. NOT OPERATED										
B. OPERATED	18	4.7	18	<1	1	3	7	15	63	99+
TOTAL 65-69 YRS	6	3.3	11	1	1	2	3	9	10	10
70-74	4	9.5	36	4	4	8	13	18	18	18
75-79	4	3.8	2	3	3	3	5	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	3.0	4	<1	<1	4	52	99+	99+	99+
GRAND TOTAL	**18**	**4.7**	**18**	**<1**	**1**	**3**	**7**	**15**	**63**	**99+**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	3	<1	<1	2	3	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	13	5.6	28	1	1	4	7	16	18	18
70-74	19	5.1	7	1	2	5	7	9	10	10
75-79	12	4.0	8	1	1	4	6	8	9	9
80-84	5	5.4	33	<1	<1	4	8	15	15	15
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	8.3	29	2	3	6	11	16	20	23
70-74	32	6.3	19	1	2	5	8	13	17	18
75-79	21	5.2	12	2	2	4	6	11	13	15
80-84	18	6.4	8	1	2	7	9	10	10	10
85+	16	6.1	16	2	2	5	9	10	15	17
B. *Operated*										
65-69 YRS	72	8.3	50	1	2	7	11	19	25	31
70-74	61	10.6	139	1	2	7	12	25	29	69
75-79	43	7.6	26	1	2	7	11	13	18	21
80-84	35	9.3	47	2	2	8	11	23	25	25
85+	28	8.4	44	1	2	6	10	21	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	12	<1	<1	3	5	9	13	13
B. *Operated*	51	4.9	14	1	1	4	6	9	15	18
2. MULTIPLE DX										
A. *Not Operated*	107	6.4	18	2	2	5	9	11	15	20
B. *Operated*	239	8.9	68	1	2	7	11	20	25	33
1. SINGLE DX	61	4.7	14	1	1	4	6	9	14	18
2. MULTIPLE DX	346	8.2	53	2	2	6	10	17	23	31
A. NOT OPERATED	117	6.2	18	1	2	5	8	11	15	20
B. OPERATED	290	8.2	60	1	2	6	10	18	25	31
TOTAL 65-69 YRS	110	7.7	43	1	2	6	10	17	23	31
70-74	113	8.4	87	1	2	6	10	17	25	57
75-79	78	6.3	20	1	1	6	9	12	15	21
80-84	59	7.9	35	1	2	7	10	14	24	25
85+	47	7.5	34	2	2	5	10	16	22	26
GRAND TOTAL	**407**	**7.6**	**49**	**1**	**2**	**6**	**10**	**15**	**22**	**30**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	4.9	3	2	2	5	5	7	8	8
70-74	2	4.0		4	4	4	4	4	4	4
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	4.0	2	3	3	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	47	4.3	4	2	2	4	5	6	9	11
70-74	28	5.3	21	2	2	4	6	10	13	25
75-79	20	4.6	12	2	2	4	5	7	13	18
80-84	7	10.4	83	3	3	6	15	26	28	28
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	4.2	3	2	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	103	5.0	17	2	2	4	5	9	11	26
1. SINGLE DX	13	4.2	3	2	2	4	5	6	8	8
2. MULTIPLE DX	103	5.0	17	2	2	4	5	9	11	26
A. NOT OPERATED										
B. OPERATED	116	5.0	15	2	2	4	5	8	11	26
TOTAL 65-69 YRS	54	4.3	4	2	2	4	5	6	9	11
70-74	30	5.2	20	2	2	4	6	10	11	25
75-79	22	4.4	12	2	2	4	5	7	12	18
80-84	9	9.0	71	3	3	5	12	24	28	28
85+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**116**	**5.0**	**15**	**2**	**2**	**4**	**5**	**8**	**11**	**26**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.0	29	<1	1	5	7	15	19	19
70-74	8	7.3	20	2	2	6	10	14	15	15
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	5	5.4	13	2	2	4	8	11	11	11
B. *Operated*										
65-69 YRS	63	5.6	26	1	2	3	7	13	16	23
70-74	33	4.1	10	1	2	3	4	8	12	16
75-79	19	5.1	17	1	1	3	6	12	13	13
80-84	3	3.0		3	3	3	3	3	3	3
85+	5	10.6	129	2	2	4	20	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	8.3	36	1	1	7	11	16	24	26
70-74	69	7.9	22	2	3	7	10	15	17	21
75-79	55	7.9	21	2	3	7	10	13	18	21
80-84	47	8.0	48	2	2	7	10	15	22	35
85+	39	9.8	71	2	3	8	11	18	32	40
B. *Operated*										
65-69 YRS	156	10.3	91	1	2	8	14	23	30	46
70-74	120	10.4	122	1	2	8	13	20	26	56
75-79	71	12.2	167	2	2	8	17	30	43	93
80-84	28	12.1	62	1	2	12	16	24	27	29
85+	16	15.1	270	1	1	9	18	35	56	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.8	20	1	2	5	7	11	16	19
B. *Operated*	123	5.2	24	1	1	3	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	293	8.3	36	2	2	7	11	15	20	32
B. *Operated*	391	11.0	119	1	2	8	15	24	31	63
1. SINGLE DX	148	5.3	23	1	2	3	7	13	15	23
2. MULTIPLE DX	684	9.8	85	1	2	8	12	20	27	46
A. NOT OPERATED	318	8.1	35	2	2	7	10	15	19	32
B. OPERATED	514	9.6	102	1	2	7	13	21	27	57
TOTAL 65-69 YRS	311	8.7	64	1	2	6	12	20	24	33
70-74	230	8.6	77	2	2	7	11	17	21	36
75-79	147	9.5	98	2	2	7	11	21	29	70
80-84	79	9.2	56	2	2	7	13	19	26	34
85+	65	10.8	121	2	2	8	13	27	34	61
GRAND TOTAL	**832**	**9.0**	**77**	**1**	**2**	**7**	**12**	**19**	**25**	**41**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	198	3.6	6	1	1	3	4	7	8	11
70-74	156	3.9	15	1	1	3	5	7	8	22
75-79	127	4.4	11	1	1	4	6	9	10	18
80-84	82	4.0	6	1	1	4	5	7	9	14
85+	45	5.2	16	1	2	5	6	9	15	20
B. *Operated*										
65-69 YRS	16	3.6	10	<1	<1	3	5	7	11	13
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	3	8.3	104	1	1	4	16	20	20	20
80-84	3	4.7	4	3	3	5	53	99+	99+	99+
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1500	6.3	32	1	2	5	8	12	15	29
70-74	1627	6.3	38	1	2	5	8	12	16	30
75-79	1402	7.1	43	2	2	5	9	13	18	39
80-84	1014	7.1	40	2	2	5	9	14	19	44
85+	815	7.4	60	2	2	5	8	14	20	38
B. *Operated*										
65-69 YRS	182	11.0	95	2	3	8	14	22	31	46
70-74	177	11.7	124	3	3	8	14	23	37	65
75-79	122	12.3	75	2	4	10	17	24	33	41
80-84	74	12.3	88	2	4	10	15	21	32	50
85+	46	12.5	114	4	4	10	17	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	4.0	10	1	1	3	5	7	9	17
B. *Operated*	25	4.4	18	<1	1	3	6	12	36	99+
2. MULTIPLE DX										
A. *Not Operated*	6358	6.7	41	1	2	5	8	13	17	35
B. *Operated*	601	11.8	100	3	4	9	15	23	32	59
1. SINGLE DX	633	4.0	10	1	1	3	5	7	9	19
2. MULTIPLE DX	6959	7.2	48	2	2	5	9	14	19	39
A. NOT OPERATED	6966	6.5	39	1	2	5	8	12	16	34
B. OPERATED	626	11.5	99	2	3	9	15	23	32	63
TOTAL 65-69 YRS	1896	6.4	38	1	2	5	8	12	16	32
70-74	1962	6.6	47	1	2	5	8	13	17	36
75-79	1654	7.2	45	1	2	5	9	14	19	39
80-84	1173	7.2	43	2	2	5	9	15	20	44
85+	907	7.5	62	2	2	6	9	14	20	41
GRAND TOTAL	**7592**	**6.9**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	4.4	7	1	2	4	6	9	10	12
70-74	63	4.8	18	1	2	4	5	8	14	26
75-79	53	4.8	11	1	2	4	6	8	9	19
80-84	32	5.8	17	2	2	5	7	10	13	22
85+	27	5.3	11	2	2	4	6	11	14	14
B. *Operated*										
65-69 YRS	9	9.6	31	2	3	9	13	18	19	19
70-74	6	14.0	115	5	5	11	14	33	35	35
75-79	3	11.3	16	9	9	9	14	16	16	16
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	814	6.4	20	2	3	5	8	12	14	24
70-74	845	6.7	28	2	2	6	8	12	14	27
75-79	801	7.1	32	2	3	6	9	13	16	33
80-84	631	7.3	34	2	3	6	9	13	18	29
85+	556	7.6	40	2	3	6	9	15	19	30
B. *Operated*										
65-69 YRS	155	11.3	67	3	4	9	14	21	30	43
70-74	156	13.0	89	4	5	10	14	26	32	50
75-79	142	14.4	141	4	4	11	16	28	37	68
80-84	72	16.6	209	4	6	12	18	33	57	64
85+	51	16.9	199	3	4	13	22	33	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.9	12	1	2	4	6	9	11	19
B. *Operated*	20	11.2	49	3	4	10	13	18	27	35
2. MULTIPLE DX										
A. *Not Operated*	3647	7.0	30	2	3	6	8	13	16	29
B. *Operated*	576	13.7	123	4	4	10	16	28	36	60
1. SINGLE DX	262	5.4	18	1	2	4	7	10	14	22
2. MULTIPLE DX	4223	7.9	48	2	3	6	9	14	20	37
A. NOT OPERATED	3889	6.9	29	2	3	5	8	13	16	28
B. OPERATED	596	13.6	121	4	4	10	16	28	35	59
TOTAL 65-69 YRS	1045	7.0	29	2	3	6	9	13	17	31
70-74	1070	7.6	42	2	3	6	9	14	19	35
75-79	999	8.0	54	2	3	6	10	15	21	39
80-84	736	8.2	58	2	3	6	10	14	21	50
85+	635	8.3	58	2	3	6	10	16	22	45
GRAND TOTAL	**4485**	**7.7**	**47**	**2**	**3**	**6**	**9**	**14**	**20**	**36**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	3.3	4	1	1	3	4	7	8	9
70-74	26	3.6	5	1	1	3	4	7	9	10
75-79	17	2.6	5	1	1	2	3	4	9	11
80-84	16	3.3	8	1	1	2	4	9	10	11
85+	9	3.8	5	1	1	4	5	7	7	7
B. *Operated*										
65-69 YRS	13	2.5	2	1	1	2	4	4	5	5
70-74	6	4.8	9	1	1	5	7	9	9	9
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	403	4.8	15	1	2	4	6	9	11	20
70-74	337	5.2	13	1	2	4	6	10	12	18
75-79	267	4.7	11	1	2	4	6	9	11	18
80-84	152	4.9	11	1	2	4	6	9	12	18
85+	106	4.4	8	1	1	4	6	8	9	15
B. *Operated*										
65-69 YRS	68	6.2	19	2	2	5	8	11	16	22
70-74	77	7.7	39	2	2	6	9	17	22	30
75-79	45	9.4	50	2	3	7	11	18	23	38
80-84	29	8.7	133	1	2	6	8	17	23	63
85+	15	9.7	26	3	4	9	13	17	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	3.3	5	1	1	3	4	7	9	11
B. *Operated*	23	3.4	5	1	1	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	1265	4.8	12	1	2	4	6	9	12	18
B. *Operated*	234	7.9	47	2	2	6	9	16	20	32
1. SINGLE DX	140	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX	1499	5.3	19	1	2	4	6	10	13	22
A. NOT OPERATED	1382	4.7	12	1	2	4	6	9	11	18
B. OPERATED	257	7.5	44	2	2	6	9	16	20	31
TOTAL 65-69 YRS	533	4.8	15	1	2	4	6	9	11	20
70-74	446	5.5	18	1	2	4	7	10	13	24
75-79	332	5.2	18	1	2	4	7	10	13	22
80-84	198	5.3	30	1	2	4	6	9	13	21
85+	130	4.9	13	1	1	4	6	9	12	18
GRAND TOTAL	**1639**	**5.1**	**18**	**1**	**2**	**4**	**6**	**10**	**12**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	3.0	4	<1	1	3	4	6	6	9
70-74	101	2.9	3	<1	1	3	4	5	6	7
75-79	91	3.4	6	<1	1	3	4	6	7	15
80-84	71	2.9	4	<1	1	3	4	5	6	11
85+	61	3.5	12	<1	1	3	4	6	8	23
B. *Operated*										
65-69 YRS	125	4.2	5	1	1	4	6	7	8	11
70-74	88	4.2	7	1	1	4	6	7	9	15
75-79	67	4.2	8	1	1	4	6	9	10	11
80-84	48	4.6	12	1	2	3	6	8	12	19
85+	38	4.1	4	1	1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	475	4.1	10	1	1	3	5	8	10	14
70-74	474	4.0	7	1	1	3	5	7	10	14
75-79	494	4.3	11	1	1	3	5	9	11	15
80-84	397	4.3	19	1	1	3	5	8	11	20
85+	343	4.3	11	1	1	3	5	8	10	17
B. *Operated*										
65-69 YRS	340	6.3	47	1	2	5	7	12	14	25
70-74	314	5.7	22	1	2	5	7	10	13	23
75-79	302	6.3	49	1	2	5	7	11	15	45
80-84	186	6.0	28	1	2	5	7	11	17	30
85+	176	7.7	88	1	2	6	9	15	17	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.1	5	<1	1	3	4	5	6	10
B. *Operated*	366	4.3	7	1	1	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	2183	4.2	12	1	1	3	5	8	10	15
B. *Operated*	1318	6.3	44	1	2	5	7	11	15	33
1. SINGLE DX	819	3.6	6	1	1	3	5	6	8	12
2. MULTIPLE DX	3501	5.0	25	1	1	4	6	9	12	21
A. NOT OPERATED	2636	4.0	11	1	1	3	5	7	10	15
B. OPERATED	1684	5.8	37	1	2	5	7	11	14	27
TOTAL 65-69 YRS	1069	4.7	22	1	1	4	6	9	11	17
70-74	977	4.5	12	1	1	4	6	8	10	16
75-79	954	4.8	23	1	1	4	6	9	12	22
80-84	702	4.7	20	1	1	4	6	9	11	24
85+	618	5.2	35	1	1	4	6	9	14	22
GRAND TOTAL	**4320**	**4.7**	**22**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.3	10	<1	1	2	4	7	11	14
70-74	17	2.4	2	1	1	2	3	5	6	6
75-79	15	3.0	5	<1	<1	2	5	7	8	8
80-84	8	5.0	18	1	1	3	8	12	12	12
85+	5	4.6	18	2	2	3	6	12	12	12
B. *Operated*										
65-69 YRS	57	2.5	4	<1	<1	2	3	5	7	11
70-74	37	2.6	10	<1	1	2	3	4	6	20
75-79	26	2.5	3	<1	<1	2	3	5	6	9
80-84	6	5.0	63	<1	<1	2	4	19	21	21
85+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	279	6.3	40	1	2	4	8	14	17	34
70-74	323	6.7	30	1	2	5	9	14	18	25
75-79	286	6.8	30	1	2	5	9	15	19	25
80-84	208	9.2	110	1	2	7	11	17	21	71
85+	213	8.7	48	2	3	7	11	18	22	30
B. *Operated*										
65-69 YRS	203	7.8	74	1	1	5	10	16	24	50
70-74	174	10.3	100	1	2	7	17	24	30	55
75-79	120	12.5	158	1	2	9	16	32	40	78
80-84	88	14.5	202	1	2	12	20	29	40	97
85+	43	16.3	208	3	4	13	22	33	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.3	8	<1	1	2	4	7	11	14
B. *Operated*	129	2.7	8	<1	<1	2	3	5	6	20
2. MULTIPLE DX										
A. *Not Operated*	1309	7.4	49	1	2	5	10	15	19	30
B. *Operated*	628	10.9	131	1	2	7	15	24	33	72
1. SINGLE DX	194	2.9	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX	1937	8.5	78	1	2	6	11	18	24	52
A. NOT OPERATED	1374	7.2	48	1	2	5	9	15	19	30
B. OPERATED	757	9.5	120	1	1	5	13	23	31	68
TOTAL 65-69 YRS	559	6.4	50	1	1	4	8	14	18	35
70-74	551	7.5	55	1	2	5	10	18	23	38
75-79	447	7.9	71	1	2	5	10	18	24	48
80-84	310	10.5	139	1	2	8	13	21	29	78
85+	264	9.8	81	2	3	7	12	20	26	58
GRAND TOTAL	**2131**	**8.0**	**74**	**1**	**2**	**5**	**10**	**18**	**23**	**49**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	22	1	1	8	10	12	12	12
70-74	9	7.2	30	1	1	9	11	14	15	15
75-79	3	10.7	6	8	8	11	12	13	13	13
80-84	7	8.7	31	2	2	9	11	17	19	19
85+	15	9.2	45	3	4	7	11	18	25	28
B. *Operated*										
65-69 YRS	59	11.6	121	1	2	8	14	26	39	51
70-74	68	10.9	49	2	4	9	14	24	27	29
75-79	47	13.1	92	2	3	9	20	26	35	41
80-84	51	14.6	160	2	4	11	16	31	46	63
85+	80	11.9	52	4	4	10	17	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	92	10.3	104	1	2	8	12	22	24	61
70-74	124	10.4	134	2	3	8	12	20	27	92
75-79	137	9.7	65	2	3	8	12	19	23	99+
80-84	138	9.5	40	2	3	8	12	17	22	34
85+	222	9.9	82	2	3	8	12	18	22	44
B. *Operated*										
65-69 YRS	888	18.9	225	3	5	15	25	39	51	84
70-74	994	19.3	217	4	6	15	25	40	58	99+
75-79	864	20.2	224	4	7	16	26	40	55	99+
80-84	763	19.6	246	4	6	15	25	41	56	86
85+	1034	16.8	154	5	6	14	21	33	44	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.6	32	1	2	8	11	15	19	28
B. *Operated*	305	12.2	90	2	4	10	15	25	29	50
2. MULTIPLE DX										
A. *Not Operated*	713	9.9	82	2	3	8	12	19	24	64
B. *Operated*	4543	18.9	212	4	6	15	24	38	52	98
1. SINGLE DX	343	11.8	84	2	3	9	14	24	28	49
2. MULTIPLE DX	5256	17.7	203	3	5	14	23	36	50	94
A. NOT OPERATED	751	9.8	80	2	3	8	12	19	24	61
B. OPERATED	4848	18.5	206	4	6	15	24	37	51	95
TOTAL 65-69 YRS	1043	17.7	216	2	4	14	23	37	50	83
70-74	1195	17.8	208	3	5	14	24	36	55	99+
75-79	1051	18.4	211	4	5	15	24	37	53	99+
80-84	959	17.8	224	3	5	14	23	35	50	85
85+	1351	15.3	142	4	5	12	20	30	41	80
GRAND TOTAL	**5599**	**17.3**	**198**	**3**	**5**	**14**	**22**	**35**	**49**	**90**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	709	2.9	4	1	1	2	4	5	7	10
70-74	459	3.0	4	1	1	3	4	5	7	11
75-79	287	3.2	6	1	1	3	4	6	7	14
80-84	156	3.1	5	1	1	3	4	5	6	11
85+	111	3.0	6	1	1	2	3	6	8	15
B. *Operated*										
65-69 YRS	255	2.2	2	1	1	2	2	4	6	8
70-74	110	2.6	4	1	1	2	3	5	8	10
75-79	31	2.6	5	1	1	2	3	5	8	12
80-84	6	2.8	5	<1	<1	2	5	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5279	3.9	7	1	1	3	5	7	9	14
70-74	4494	4.2	9	1	2	3	5	8	9	15
75-79	3226	4.4	10	1	2	4	5	8	10	16
80-84	2019	4.5	12	1	2	4	5	8	10	16
85+	1393	4.8	21	1	2	4	6	9	11	20
B. *Operated*										
65-69 YRS	1342	4.5	20	1	1	3	6	9	13	22
70-74	792	5.7	29	1	2	4	8	12	16	23
75-79	339	5.9	26	1	2	4	8	12	16	26
80-84	135	8.0	36	2	2	6	11	17	22	28
85+	63	7.5	38	2	2	6	9	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1722	3.0	5	1	1	2	4	5	7	11
B. *Operated*	404	2.4	3	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	16411	4.2	10	1	2	3	5	8	10	15
B. *Operated*	2671	5.3	25	1	2	3	7	11	15	25
1. SINGLE DX	2126	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	19082	4.4	12	1	2	3	5	8	10	18
A. NOT OPERATED	18133	4.1	10	1	1	3	5	7	9	15
B. OPERATED	3075	4.9	23	1	1	3	6	11	14	24
TOTAL 65-69 YRS	7585	3.9	9	1	1	3	5	7	9	15
70-74	5855	4.3	12	1	2	3	5	8	10	17
75-79	3883	4.4	11	1	2	4	5	8	10	18
80-84	2316	4.6	14	1	2	4	6	8	11	19
85+	1569	4.7	21	1	2	4	6	9	11	20
GRAND TOTAL	**21208**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.0	12	<1	1	3	5	9	11	18
70-74	55	3.3	6	<1	1	3	5	7	10	11
75-79	43	5.0	27	<1	1	4	6	11	16	26
80-84	20	3.1	6	<1	1	2	4	6	8	10
85+	31	4.4	11	1	1	3	6	8	11	16
B. *Operated*										
65-69 YRS	91	3.2	17	<1	1	2	4	7	9	26
70-74	80	3.5	24	<1	1	2	3	6	8	32
75-79	44	3.2	8	<1	<1	2	5	6	8	16
80-84	23	3.5	7	1	1	3	4	7	10	11
85+	10	4.1	17	1	1	3	4	10	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1318	6.5	32	1	2	5	8	12	16	27
70-74	1325	6.9	37	1	2	5	8	14	18	31
75-79	1056	6.5	27	1	2	5	8	12	15	23
80-84	716	6.6	40	1	2	5	8	13	17	34
85+	520	6.7	32	1	2	5	8	14	17	29
B. *Operated*										
65-69 YRS	579	7.1	55	1	2	5	9	14	19	38
70-74	476	7.5	87	1	2	5	9	15	23	49
75-79	348	7.8	61	1	2	6	10	17	22	40
80-84	200	9.0	62	1	2	7	12	19	25	38
85+	97	9.5	61	2	2	7	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.0	13	<1	1	3	5	8	11	19
B. *Operated*	248	3.4	16	<1	1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	4935	6.7	33	1	2	5	8	13	17	29
B. *Operated*	1700	7.7	67	1	2	5	10	16	22	43
1. SINGLE DX	456	3.7	15	<1	1	2	4	7	11	20
2. MULTIPLE DX	6635	6.9	42	1	2	5	8	13	18	32
A. NOT OPERATED	5143	6.6	33	1	2	5	8	13	16	29
B. OPERATED	1948	7.1	62	1	1	5	9	15	21	39
TOTAL 65-69 YRS	2047	6.5	38	1	2	5	8	13	17	31
70-74	1936	6.8	48	1	2	5	8	13	19	32
75-79	1491	6.7	35	1	2	5	9	12	17	32
80-84	959	6.9	44	1	2	5	8	14	20	32
85+	658	6.9	36	1	2	5	8	15	18	29
GRAND TOTAL	**7091**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	2.4	3	1	1	2	3	5	6	10
70-74	89	2.5	5	1	1	2	3	4	6	14
75-79	61	2.9	4	1	1	2	4	5	6	12
80-84	42	3.0	3	<1	1	2	4	6	7	9
85+	35	3.3	6	<1	1	3	4	7	8	12
B. *Operated*										
65-69 YRS	58	5.6	14	1	1	5	7	10	14	18
70-74	60	4.8	8	1	1	4	7	9	10	12
75-79	39	4.5	10	<1	1	4	5	9	12	13
80-84	29	4.8	10	1	2	4	7	10	12	13
85+	20	5.8	31	1	1	5	7	10	19	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	4.4	13	1	1	4	5	8	10	19
70-74	618	5.1	33	1	1	4	6	10	12	23
75-79	576	5.7	30	1	2	4	7	11	14	30
80-84	485	6.0	37	1	2	4	7	12	16	32
85+	495	7.1	51	2	2	5	9	13	18	42
B. *Operated*										
65-69 YRS	528	7.9	27	2	3	7	10	14	19	29
70-74	689	8.4	39	2	3	7	10	15	19	34
75-79	611	8.8	44	2	3	7	11	17	21	55
80-84	415	9.1	52	2	3	7	12	16	20	37
85+	394	9.8	53	2	3	8	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	2.7	4	1	1	2	3	5	6	12
B. *Operated*	206	5.0	13	1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	2722	5.6	33	1	2	4	7	10	14	30
B. *Operated*	2637	8.7	42	2	3	7	11	16	21	36
1. SINGLE DX	550	3.6	9	1	1	3	5	7	9	14
2. MULTIPLE DX	5359	7.1	40	1	2	6	9	14	18	34
A. NOT OPERATED	3066	5.3	31	1	1	4	6	10	13	29
B. OPERATED	2843	8.4	41	2	3	7	11	15	20	36
TOTAL 65-69 YRS	1251	5.7	22	1	1	5	8	11	15	25
70-74	1456	6.5	37	1	2	5	8	12	16	29
75-79	1287	7.0	38	1	2	5	9	14	17	38
80-84	971	7.2	44	1	2	5	9	14	18	34
85+	944	8.1	53	2	2	6	10	15	22	41
GRAND TOTAL	**5909**	**6.8**	**38**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	385	3.2	5	1	1	3	4	6	7	12
70-74	325	3.5	8	1	1	3	5	7	8	12
75-79	245	3.7	16	1	1	3	4	7	8	15
80-84	174	3.3	5	<1	1	3	4	7	8	10
85+	131	3.8	9	1	1	3	5	8	9	15
B. *Operated*										
65-69 YRS	38	5.6	26	1	1	4	7	13	18	21
70-74	29	4.6	22	1	1	2	5	12	15	18
75-79	25	6.0	35	1	1	3	9	14	20	22
80-84	13	5.5	10	1	2	5	8	10	12	12
85+	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2240	4.8	14	1	2	4	6	9	11	19
70-74	2133	4.9	14	1	2	4	6	9	11	20
75-79	1864	5.2	20	1	2	4	6	10	12	20
80-84	1426	5.4	24	1	2	4	7	9	13	22
85+	1216	5.3	18	1	2	4	7	10	13	23
B. *Operated*										
65-69 YRS	368	7.8	30	2	2	7	10	15	19	24
70-74	427	8.7	48	2	3	7	11	18	21	39
75-79	280	8.9	41	2	3	7	11	18	22	27
80-84	177	10.4	72	2	3	8	13	19	24	55
85+	115	10.5	70	3	3	8	14	22	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1260	3.5	8	1	1	3	4	7	8	12
B. *Operated*	110	5.3	24	1	1	3	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*	8879	5.1	17	1	2	4	6	9	12	20
B. *Operated*	1367	8.9	47	2	3	7	11	18	21	35
1. SINGLE DX	1370	3.6	10	1	1	3	5	7	9	15
2. MULTIPLE DX	10246	5.6	23	1	2	4	7	10	14	24
A. NOT OPERATED	10139	4.9	17	1	2	4	6	9	12	20
B. OPERATED	1477	8.6	46	2	2	7	11	17	21	34
TOTAL 65-69 YRS	3031	5.0	16	1	2	4	6	9	12	20
70-74	2914	5.3	20	1	2	4	7	10	13	22
75-79	2414	5.5	24	1	2	4	7	10	13	25
80-84	1790	5.7	29	1	2	4	7	11	14	26
85+	1467	5.6	24	1	2	4	7	10	14	27
GRAND TOTAL	**11616**	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	2.9	3	1	1	2	3	6	7	10
70-74	73	3.8	8	1	1	3	5	9	11	12
75-79	58	3.3	4	<1	1	3	5	6	7	9
80-84	42	4.5	16	<1	1	3	5	9	15	18
85+	35	3.9	11	<1	<1	3	5	7	9	18
B. *Operated*										
65-69 YRS	33	4.2	18	<1	1	3	6	8	17	18
70-74	21	3.4	10	<1	<1	2	4	8	12	13
75-79	14	2.9	7	1	1	2	3	7	9	10
80-84	7	6.9	58	1	1	3	13	19	20	20
85+	9	15.1	284	1	2	7	23	44	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	929	5.5	22	1	2	4	7	11	13	20
70-74	1125	5.9	31	1	2	5	7	11	14	24
75-79	1094	6.1	31	1	2	5	8	12	15	24
80-84	805	6.5	43	1	2	5	8	13	16	39
85+	720	6.6	29	1	2	5	9	13	16	24
B. *Operated*										
65-69 YRS	309	9.1	72	1	2	7	12	18	23	43
70-74	296	10.1	84	1	2	8	13	21	27	61
75-79	246	10.0	90	2	2	8	13	20	26	50
80-84	199	10.0	62	2	3	8	13	21	24	40
85+	169	11.8	132	2	3	8	15	26	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.6	8	1	1	3	5	7	9	16
B. *Operated*	84	5.2	55	<1	1	3	6	11	18	45
2. MULTIPLE DX										
A. *Not Operated*	4673	6.1	31	1	2	5	8	12	15	24
B. *Operated*	1219	10.1	86	2	2	8	13	20	26	50
1. SINGLE DX	360	3.9	19	<1	1	3	5	7	11	19
2. MULTIPLE DX	5892	6.9	45	1	2	5	8	14	18	33
A. NOT OPERATED	4949	5.9	30	1	2	4	7	11	15	24
B. OPERATED	1303	9.7	85	1	2	7	13	20	26	50
TOTAL 65-69 YRS	1339	6.2	35	1	2	5	8	12	16	26
70-74	1515	6.6	44	1	2	5	8	13	18	33
75-79	1412	6.6	43	1	2	5	8	13	18	28
80-84	1053	7.1	48	1	2	5	9	14	19	37
85+	933	7.5	54	1	2	5	9	15	19	38
GRAND TOTAL	**6252**	**6.7**	**44**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	790	5.0	43	1	1	3	6	10	14	31
70-74	763	4.6	25	1	1	3	6	9	13	25
75-79	695	5.0	32	1	1	3	6	10	13	25
80-84	564	5.7	45	1	1	4	7	12	16	35
85+	476	5.8	35	1	1	4	8	12	17	31
B. *Operated*										
65-69 YRS	255	4.5	26	1	1	3	5	11	16	30
70-74	166	6.3	75	1	1	3	7	14	22	46
75-79	130	5.2	26	1	1	3	7	14	16	21
80-84	75	8.8	72	1	2	5	14	20	23	35
85+	48	11.0	91	2	2	9	14	22	30	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8312	6.6	35	1	2	5	8	13	17	29
70-74	9371	6.6	34	1	2	5	8	13	17	28
75-79	8791	6.6	35	1	2	5	8	12	17	31
80-84	6940	6.5	36	2	2	5	8	13	17	29
85+	6216	6.6	39	1	2	5	8	13	17	31
B. *Operated*										
65-69 YRS	1592	11.2	180	1	2	7	13	24	38	83
70-74	1554	11.4	159	2	2	8	14	24	36	84
75-79	1390	11.0	141	2	2	8	13	23	34	77
80-84	897	11.4	115	2	3	8	14	23	32	73
85+	669	11.5	126	2	3	8	14	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3288	5.1	36	1	1	3	6	10	14	29
B. *Operated*	674	6.0	51	1	1	3	8	15	20	36
2. MULTIPLE DX										
A. *Not Operated*	39630	6.6	36	1	2	5	8	13	17	30
B. *Operated*	6102	11.3	150	2	2	8	14	24	35	79
1. SINGLE DX	3962	5.3	38	1	1	3	6	11	15	31
2. MULTIPLE DX	45732	7.2	54	1	2	5	9	14	19	38
A. NOT OPERATED	42918	6.5	36	1	2	5	8	13	17	30
B. OPERATED	6776	10.8	143	1	2	7	13	23	33	76
TOTAL 65-69 YRS	10949	7.1	60	1	2	5	9	14	19	39
70-74	11854	7.1	54	1	2	5	9	14	19	38
75-79	11006	7.0	51	1	2	5	8	14	19	36
80-84	8476	7.0	47	1	2	5	9	14	19	36
85+	7409	7.0	49	1	2	5	8	14	18	37
GRAND TOTAL	**49694**	**7.1**	**53**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	4	8.5	142	1	1	4	16	26	26	26
75-79	5	17.4	260	7	7	12	21	46	46	46
80-84										
85+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	2	12.5	61	7	7	12	18	18	18	18
75-79	2	12.0	98	5	5	12	19	19	19	19
80-84	1	20.0		20	20	20	20	20	20	20
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	7.9	65	1	1	6	10	17	23	44
70-74	31	8.8	56	1	2	7	10	20	27	29
75-79	27	8.1	41	2	2	7	9	20	25	25
80-84	31	10.6	142	1	2	5	18	34	45	99+
85+	20	13.6	155	1	1	9	21	34	39	40
B. *Operated*										
65-69 YRS	26	19.0	346	2	3	15	28	62	99+	99+
70-74	29	22.5	528	1	2	15	35	63	96	99+
75-79	17	15.9	407	2	3	10	17	26	67	89
80-84	13	16.6	402	1	2	12	16	40	71	78
85+	10	27.1	471	3	4	23	37	61	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.5	158	<1	1	6	12	28	42	46
B. *Operated*	6	12.8	47	5	5	13	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	157	9.4	87	1	2	6	11	24	30	46
B. *Operated*	95	20.0	427	2	3	14	27	60	88	99+
1. SINGLE DX	20	10.5	123	<1	1	7	15	23	36	46
2. MULTIPLE DX	252	13.4	241	1	2	8	18	33	49	99+
A. NOT OPERATED	171	9.4	92	1	1	6	11	25	30	46
B. OPERATED	101	19.6	407	2	3	14	27	57	87	99+
TOTAL 65-69 YRS	78	11.3	184	1	1	7	15	30	59	99+
70-74	66	14.9	307	1	2	9	20	36	48	99
75-79	51	11.8	190	2	3	8	14	23	27	89
80-84	45	12.5	215	1	2	7	20	33	52	99+
85+	32	17.2	283	1	2	11	27	39	47	75
GRAND TOTAL	**272**	**13.2**	**232**	**1**	**2**	**8**	**18**	**32**	**47**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	7.0	44	<1	<1	5	12	17	18	18
70-74	9	7.0	31	<1	<1	5	12	14	15	15
75-79	6	6.5	46	2	2	4	6	19	20	20
80-84	1	2.0		2	2	2	2	2	2	2
85+	6	4.3	14	1	1	3	6	10	11	11
B. *Operated*										
65-69 YRS	5	6.6	36	1	1	4	11	16	16	16
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	8.4	47	2	2	6	12	17	23	32
70-74	66	8.2	41	1	2	6	11	18	23	27
75-79	50	10.3	114	1	1	8	12	30	43	99+
80-84	43	10.7	77	1	2	8	14	24	27	42
85+	42	11.0	72	2	2	8	16	21	26	43
B. *Operated*										
65-69 YRS	26	14.2	241	1	1	11	19	62	99+	99+
70-74	26	19.2	379	1	1	13	33	51	77	99+
75-79	23	22.0	422	1	2	17	27	59	65	66
80-84	24	17.4	357	1	2	11	22	39	62	84
85+	15	22.5	458	3	4	13	30	48	74	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	6.2	31	<1	1	4	10	14	18	20
B. *Operated*	7	5.7	29	1	1	4	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	257	9.5	68	1	2	7	13	20	26	43
B. *Operated*	114	18.7	358	1	2	13	26	52	71	99+
1. SINGLE DX	36	6.1	29	<1	1	4	10	15	17	20
2. MULTIPLE DX	371	12.3	174	1	2	8	16	28	43	96
A. NOT OPERATED	286	9.2	65	1	2	7	13	20	25	43
B. OPERATED	121	17.9	348	1	2	12	25	52	69	99+
TOTAL 65-69 YRS	94	9.8	104	1	2	7	14	22	31	99+
70-74	102	10.9	147	1	2	7	15	25	42	86
75-79	79	13.4	225	1	2	8	17	37	55	90
80-84	69	12.7	183	1	2	8	17	25	38	78
85+	63	13.1	184	2	2	9	17	28	40	78
GRAND TOTAL	**407**	**11.8**	**164**	**1**	**2**	**8**	**15**	**26**	**43**	**90**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5		1	1	1	2	2	2	2
70-74	8	2.4	2	1	1	2	3	5	5	5
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84	3	3.3	10	1	1	2	6	7	7	7
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	36	2.6	2	1	1	2	4	5	5	6
70-74	28	3.2	5	1	1	2	4	7	8	10
75-79	30	4.1	13	1	2	3	4	6	7	21
80-84	11	3.2	3	1	1	3	4	6	6	6
85+	9	4.4	10	2	2	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	4.4	8	1	1	4	6	8	11	12
70-74	80	5.6	24	1	1	5	8	10	12	30
75-79	95	6.0	26	1	1	5	8	11	16	28
80-84	101	6.4	39	1	1	5	7	13	17	39
85+	123	7.0	60	1	2	4	9	13	21	43
B. *Operated*										
65-69 YRS	187	6.8	63	1	1	4	8	15	20	47
70-74	186	7.6	48	1	2	5	11	19	24	34
75-79	148	7.5	41	1	2	6	10	16	18	34
80-84	117	8.7	153	1	1	5	11	16	23	81
85+	97	10.4	131	2	2	6	11	24	41	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.3	2	1	1	2	3	4	6	7
B. *Operated*	114	3.3	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	460	6.1	36	1	1	4	8	12	15	37
B. *Operated*	735	7.9	79	1	2	5	10	17	24	48
1. SINGLE DX	134	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1195	7.2	63	1	1	5	9	15	20	43
A. NOT OPERATED	480	5.9	35	1	1	4	7	11	15	37
B. OPERATED	849	7.3	72	1	1	5	9	16	22	44
TOTAL 65-69 YRS	288	5.7	46	1	1	4	6	11	17	39
70-74	302	6.5	39	1	1	5	9	14	22	33
75-79	276	6.6	34	1	2	5	9	14	18	31
80-84	232	7.4	96	1	1	5	8	15	18	48
85+	231	8.2	90	1	2	5	10	18	31	49
GRAND TOTAL	**1329**	**6.8**	**59**	**1**	**1**	**4**	**8**	**14**	**19**	**42**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	274	7.0	20	2	2	6	9	12	15	25
70-74	282	7.3	22	2	3	6	10	13	16	21
75-79	287	7.7	22	2	3	7	10	14	17	22
80-84	209	7.4	19	2	3	7	9	13	15	20
85+	196	8.8	86	2	2	6	10	16	22	55
B. *Operated*										
65-69 YRS	24	10.9	64	2	3	9	15	23	30	31
70-74	12	12.6	24	7	7	12	17	19	21	21
75-79	7	9.4	9	6	6	9	12	14	14	14
80-84	11	14.2	43	6	7	14	19	24	26	26
85+	2	16.0	8	14	14	16	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1250	9.1	36	2	3	8	11	16	19	33
70-74	1746	9.7	48	3	3	8	12	17	21	38
75-79	2162	10.5	67	3	4	9	13	18	23	41
80-84	2126	10.3	48	3	4	9	13	19	23	37
85+	2335	10.5	69	3	4	9	13	19	25	53
B. *Operated*										
65-69 YRS	222	15.8	203	2	4	12	21	31	46	73
70-74	226	16.9	184	4	5	13	21	32	45	71
75-79	231	18.4	238	5	6	14	21	39	55	89
80-84	216	19.1	213	5	7	15	22	36	47	89
85+	177	18.7	218	5	6	15	22	37	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	7.6	31	2	3	6	10	14	17	27
B. *Operated*	56	11.9	44	3	4	10	16	21	25	31
2. MULTIPLE DX										
A. *Not Operated*	9619	10.1	56	3	4	8	13	18	23	40
B. *Operated*	1072	17.7	212	4	5	14	21	36	48	85
1. SINGLE DX	1304	7.8	33	2	3	7	10	14	17	28
2. MULTIPLE DX	10691	10.9	77	3	4	9	13	20	26	49
A. NOT OPERATED	10867	9.8	54	3	3	8	12	18	22	39
B. OPERATED	1128	17.4	205	4	5	14	21	35	48	84
TOTAL 65-69 YRS	1770	9.6	61	2	3	8	12	17	23	41
70-74	2266	10.1	63	3	3	8	13	18	23	45
75-79	2687	10.8	82	3	4	9	13	19	25	52
80-84	2562	10.8	66	3	4	9	13	20	25	43
85+	2710	10.9	85	3	4	9	13	20	27	58
GRAND TOTAL	**11995**	**10.5**	**73**	**3**	**4**	**8**	**13**	**19**	**25**	**47**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	36	1	1	6	11	13	13	13
70-74	4	5.0	27	1	1	4	9	12	12	12
75-79	3	8.0	25	3	3	8	12	13	13	13
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	4	14.5	307	3	3	8	26	40	40	40
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	9.8	45	3	3	7	12	22	25	27
70-74	33	11.3	142	2	3	6	13	30	38	57
75-79	23	12.0	140	2	3	9	14	44	64	99+
80-84	31	10.7	37	3	4	10	14	20	21	25
85+	31	15.4	163	3	3	13	19	32	39	61
B. *Operated*										
65-69 YRS	13	29.8	614	6	8	24	43	96	99	99+
70-74	12	34.0	410	5	7	35	53	70	94	99+
75-79	16	27.9	787	1	3	19	48	91	97	99+
80-84	14	29.5	231	6	10	28	38	53	55	56
85+	5	31.2	644	7	7	27	57	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.5	90	1	1	3	12	13	31	40
B. *Operated*	4	14.5	122	8	8	9	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	143	11.9	107	3	3	9	14	25	38	63
B. *Operated*	60	30.2	501	4	7	26	48	67	97	99+
1. SINGLE DX	21	8.9	98	1	1	6	12	20	35	40
2. MULTIPLE DX	203	17.3	292	3	4	12	22	47	59	99+
A. NOT OPERATED	160	11.4	107	2	3	9	14	24	38	61
B. OPERATED	64	29.2	489	5	7	25	47	61	97	99+
TOTAL 65-69 YRS	42	15.7	300	3	4	10	22	42	65	99+
70-74	50	16.2	292	2	3	9	26	50	59	99+
75-79	43	17.6	421	2	3	12	20	53	94	99+
80-84	48	15.6	173	2	3	12	20	36	45	56
85+	41	17.6	242	3	3	13	24	39	57	61
GRAND TOTAL	**224**	**16.5**	**279**	**2**	**3**	**11**	**21**	**44**	**57**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	4.1	9	1	1	3	6	8	10	15
70-74	85	4.1	9	1	1	3	5	9	10	15
75-79	64	4.6	12	1	1	4	6	9	11	18
80-84	66	4.6	10	1	1	4	7	10	11	13
85+	64	5.1	11	1	1	5	7	9	10	18
B. *Operated*										
65-69 YRS	3	8.0	49	3	3	5	13	16	16	16
70-74	3	28.3	1649	1	1	9	58	75	75	75
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	11.0		11	11	11	11	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	948	6.7	27	1	2	5	8	13	17	25
70-74	991	7.0	33	1	2	6	9	13	16	30
75-79	1044	7.5	36	2	2	6	9	14	18	27
80-84	1025	8.2	47	2	3	7	10	15	19	43
85+	1352	8.4	60	2	3	7	10	15	21	44
B. *Operated*										
65-69 YRS	176	12.5	116	1	3	9	17	25	34	53
70-74	193	14.0	160	2	4	11	17	29	39	63
75-79	161	14.7	139	3	5	11	19	32	39	85
80-84	125	15.8	142	4	5	12	20	34	43	68
85+	121	15.2	123	4	5	12	19	29	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.4	10	1	1	4	6	9	11	16
B. *Operated*	9	15.2	524	1	2	9	12	51	75	75
2. MULTIPLE DX										
A. *Not Operated*	5360	7.6	43	2	2	6	10	14	19	35
B. *Operated*	776	14.3	138	3	4	11	18	30	39	63
1. SINGLE DX	367	4.7	24	1	1	4	6	9	11	16
2. MULTIPLE DX	6136	8.5	60	2	2	6	11	16	22	42
A. NOT OPERATED	5718	7.4	41	2	2	6	9	14	18	34
B. OPERATED	785	14.3	141	3	4	11	18	30	39	64
TOTAL 65-69 YRS	1206	7.4	43	1	2	6	9	15	20	35
70-74	1272	7.9	62	1	2	6	10	15	20	44
75-79	1270	8.2	55	2	2	6	10	16	21	38
80-84	1218	8.8	61	2	3	7	11	17	23	49
85+	1537	8.8	67	2	3	7	11	17	23	48
GRAND TOTAL	**6503**	**8.3**	**58**	**2**	**2**	**6**	**10**	**16**	**21**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	8.7	33	2	3	8	11	14	19	32
70-74	167	9.5	47	3	4	8	12	16	20	42
75-79	198	10.5	49	3	4	9	14	20	23	36
80-84	223	10.9	54	3	4	10	14	18	22	40
85+	327	9.9	54	2	3	9	12	17	22	35
B. *Operated*										
65-69 YRS	5	24.2	147	12	12	19	35	40	40	40
70-74	2	6.5	61	1	1	6	12	12	12	12
75-79	6	16.7	43	10	10	16	20	26	27	27
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	47.5	613	30	30	47	65	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	526	13.1	94	3	5	11	16	24	31	56
70-74	829	12.7	88	3	4	11	16	23	29	56
75-79	1147	13.1	98	3	5	11	16	24	30	63
80-84	1443	13.0	87	3	5	11	16	23	30	56
85+	2140	12.7	96	3	4	10	16	23	29	56
B. *Operated*										
65-69 YRS	99	25.3	368	5	7	19	35	54	61	93
70-74	144	25.9	360	5	7	20	38	53	71	84
75-79	183	23.2	281	6	8	18	31	48	58	83
80-84	172	23.5	255	7	9	19	29	48	57	99
85+	187	21.2	268	5	7	17	28	49	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	10.0	50	2	3	9	13	18	22	35
B. *Operated*	16	21.1	241	3	9	17	28	39	57	65
2. MULTIPLE DX										
A. *Not Operated*	6085	12.9	93	3	4	11	16	23	30	57
B. *Operated*	785	23.5	299	6	8	18	32	50	62	99+
1. SINGLE DX	1076	10.1	54	2	3	9	13	18	22	38
2. MULTIPLE DX	6870	14.1	128	3	5	11	17	27	37	70
A. NOT OPERATED	7145	12.4	88	3	4	10	15	23	29	55
B. OPERATED	801	23.5	297	6	8	18	31	50	62	99+
TOTAL 65-69 YRS	775	13.9	140	3	4	11	16	28	38	61
70-74	1142	13.9	138	3	4	11	17	26	39	71
75-79	1534	14.0	125	3	5	11	17	26	36	67
80-84	1839	13.7	109	3	5	11	17	25	33	62
85+	2656	12.9	110	3	4	10	16	24	32	70
GRAND TOTAL	**7946**	**13.5**	**120**	**3**	**4**	**11**	**17**	**25**	**34**	**67**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	3.1	7	1	1	3	4	5	7	15
70-74	142	4.2	19	<1	1	3	5	8	13	23
75-79	159	3.9	10	1	1	3	5	7	10	17
80-84	157	4.4	14	1	1	3	5	9	12	22
85+	167	4.9	35	1	1	3	5	10	13	31
B. *Operated*										
65-69 YRS	205	4.6	11	1	1	4	6	9	12	15
70-74	243	5.6	26	1	1	4	7	11	15	27
75-79	184	5.9	21	1	2	5	8	11	15	26
80-84	143	5.9	22	1	1	5	8	11	16	22
85+	134	8.6	72	1	2	6	11	20	27	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	389	6.7	39	1	2	5	8	14	20	33
70-74	583	6.9	45	1	2	5	8	14	19	34
75-79	726	7.8	56	1	2	6	10	15	21	40
80-84	762	8.8	83	2	2	6	11	18	26	47
85+	931	8.4	73	2	2	6	10	17	27	99+
B. *Operated*										
65-69 YRS	515	8.9	58	2	2	7	11	18	24	43
70-74	651	10.5	109	1	2	8	13	22	29	54
75-79	668	10.9	100	2	3	8	14	23	30	66
80-84	502	11.9	124	2	3	9	15	24	31	69
85+	462	13.5	182	2	3	9	17	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	4.2	18	1	1	3	5	8	11	23
B. *Operated*	909	5.9	29	1	1	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3391	7.9	63	2	2	6	10	16	23	46
B. *Operated*	2798	11.0	114	2	3	8	14	23	32	62
1. SINGLE DX	1638	5.2	25	1	1	4	6	10	14	26
2. MULTIPLE DX	6189	9.3	89	2	2	7	11	19	27	56
A. NOT OPERATED	4120	7.3	57	1	2	5	9	15	21	43
B. OPERATED	3707	9.8	98	1	2	7	12	20	29	55
TOTAL 65-69 YRS	1213	7.0	43	1	2	5	9	15	20	37
70-74	1619	7.9	71	1	2	5	10	16	23	43
75-79	1737	8.5	70	1	2	6	10	18	24	46
80-84	1564	9.1	89	1	2	6	11	19	26	53
85+	1694	9.5	106	2	2	6	11	21	32	91
GRAND TOTAL	**7827**	**8.5**	**78**	**1**	**2**	**6**	**10**	**18**	**25**	**51**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	1.7	1	1	1	1	3	3	4	4
70-74	30	2.7	7	1	1	2	3	4	5	15
75-79	27	2.9	19	<1	<1	2	3	5	8	24
80-84	24	2.8	6	1	1	2	4	5	8	11
85+	33	2.8	5	1	1	2	3	7	8	9
B. *Operated*										
65-69 YRS	671	2.6	4	1	1	2	3	5	6	10
70-74	510	2.7	5	1	1	2	3	5	7	11
75-79	424	3.0	10	1	1	2	4	6	8	15
80-84	275	3.4	9	1	1	2	4	6	8	16
85+	180	3.9	19	1	1	3	5	8	10	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	5.8	24	1	1	4	7	14	17	22
70-74	149	6.6	42	1	1	5	9	15	25	99
75-79	156	7.2	42	1	2	5	9	17	22	37
80-84	166	6.8	31	1	2	5	8	14	20	26
85+	226	8.0	108	1	2	5	9	15	21	83
B. *Operated*										
65-69 YRS	838	5.4	33	1	1	4	6	12	17	30
70-74	840	5.9	43	1	1	4	7	13	17	36
75-79	735	6.9	57	1	1	4	9	15	22	37
80-84	580	6.8	41	1	2	5	8	14	20	35
85+	560	7.9	89	1	2	5	9	16	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.6	8	1	1	2	3	4	7	17
B. *Operated*	2060	2.9	7	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	806	7.0	56	1	2	5	9	15	21	46
B. *Operated*	3553	6.4	51	1	1	4	8	14	20	38
1. SINGLE DX	2193	2.9	7	1	1	2	4	5	7	14
2. MULTIPLE DX	4359	6.5	52	1	1	4	8	14	20	38
A. NOT OPERATED	939	6.4	52	1	1	4	8	14	20	42
B. OPERATED	5613	5.2	38	1	1	3	6	11	16	31
TOTAL 65-69 YRS	1637	4.2	22	1	1	3	5	9	13	24
70-74	1529	4.8	32	1	1	3	6	10	15	33
75-79	1342	5.6	43	1	1	3	7	12	19	32
80-84	1045	5.8	33	1	1	4	7	12	17	26
85+	999	7.0	80	1	1	5	8	14	20	51
GRAND TOTAL	**6552**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**17**	**31**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.4	3	1	1	2	3	5	6	6
70-74	7	3.0	6	1	1	2	5	7	7	7
75-79	8	2.1	1	1	1	2	3	4	4	4
80-84	3	3.3	4	<1	<1	4	5	5	5	5
85+	9	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
65-69 YRS	98	1.9	1	1	1	2	2	4	5	6
70-74	63	2.3	5	<1	1	2	3	4	6	14
75-79	39	2.8	4	1	1	2	4	5	6	12
80-84	26	3.2	4	<1	1	3	5	6	7	7
85+	12	2.8	4	<1	<1	2	4	5	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	5.8	29	1	2	4	6	12	19	26
70-74	46	5.5	23	1	1	4	7	12	19	22
75-79	45	5.1	10	1	2	4	7	10	11	13
80-84	44	9.0	98	1	2	6	11	15	26	56
85+	71	7.0	25	2	2	6	9	13	18	84
B. *Operated*										
65-69 YRS	162	3.5	11	1	1	2	4	7	12	17
70-74	118	5.0	29	1	1	3	6	11	19	26
75-79	98	5.2	29	1	1	3	8	11	13	31
80-84	68	7.1	66	1	2	4	8	15	28	90
85+	52	6.6	49	1	2	4	8	22	27	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.6	3	<1	1	2	4	5	6	7
B. *Operated*	238	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	237	6.6	37	1	2	5	8	12	17	40
B. *Operated*	498	5.0	32	1	1	3	6	12	16	30
1. SINGLE DX	272	2.4	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	735	5.5	34	1	1	4	7	12	16	32
A. NOT OPERATED	271	6.1	34	1	1	4	8	12	15	36
B. OPERATED	736	4.1	24	1	1	2	5	9	13	28
TOTAL 65-69 YRS	298	3.2	11	1	1	2	4	6	11	18
70-74	234	4.3	22	1	1	3	5	9	15	23
75-79	190	4.6	19	1	1	3	6	10	12	24
80-84	141	6.9	67	1	1	4	8	14	23	59
85+	144	6.2	32	1	2	5	8	12	24	99+
GRAND TOTAL	**1007**	**4.7**	**28**	**1**	**1**	**3**	**6**	**11**	**13**	**28**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	7.7	36	1	1	6	10	18	20	24
70-74	68	6.7	24	1	1	6	10	13	17	22
75-79	109	8.9	72	1	1	7	11	16	22	49
80-84	133	9.2	95	1	1	7	12	18	23	58
85+	183	8.2	56	1	1	6	11	16	19	43
B. *Operated*										
65-69 YRS	965	12.3	28	6	7	11	15	19	22	28
70-74	1316	13.0	32	6	7	12	15	19	22	33
75-79	1752	14.4	53	6	8	13	17	22	28	42
80-84	1927	14.8	68	6	8	13	17	22	28	52
85+	2744	14.9	68	7	8	13	17	23	29	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	13.3	176	2	3	10	16	31	39	70
70-74	343	12.9	144	2	3	10	16	25	36	82
75-79	550	12.2	145	2	3	9	14	24	34	64
80-84	648	12.7	132	2	3	10	16	26	38	71
85+	1101	11.8	126	2	3	9	15	24	36	89
B. *Operated*										
65-69 YRS	3284	16.7	105	7	8	14	19	28	37	71
70-74	5194	17.6	123	7	9	15	20	30	40	77
75-79	7861	17.9	121	8	9	15	21	30	41	83
80-84	9376	18.1	122	8	9	15	21	31	42	84
85+	13420	18.1	139	7	9	15	21	32	44	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	8.3	62	1	1	6	11	16	21	41
B. *Operated*	8704	14.2	56	6	8	13	17	22	27	44
2. MULTIPLE DX										
A. *Not Operated*	2869	12.3	137	2	3	9	15	25	36	74
B. *Operated*	39135	17.9	126	7	9	15	21	31	42	86
1. SINGLE DX	9259	13.9	58	5	7	13	16	21	27	44
2. MULTIPLE DX	42004	17.5	129	7	8	15	20	30	41	85
A. NOT OPERATED	3424	11.7	127	1	2	9	15	23	34	70
B. OPERATED	47839	17.2	116	7	8	15	20	29	39	79
TOTAL 65-69 YRS	4538	15.5	96	6	7	13	18	26	34	64
70-74	6921	16.4	111	6	8	14	19	27	36	72
75-79	10272	16.9	114	6	8	14	20	29	38	74
80-84	12084	17.2	117	6	8	15	20	29	39	78
85+	17448	17.1	130	6	8	14	20	30	41	93
GRAND TOTAL	**51263**	**16.8**	**118**	**6**	**8**	**14**	**19**	**29**	**38**	**78**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	14.3	259	1	1	7	23	42	58	99+
70-74	39	12.3	229	1	1	6	15	34	44	75
75-79	38	19.1	485	2	3	9	25	51	68	93
80-84	41	15.7	340	1	2	8	19	44	54	89
85+	48	10.2	86	1	2	7	14	22	31	47
B. *Operated*										
65-69 YRS	81	15.4	84	5	7	13	19	27	32	51
70-74	89	20.4	214	7	8	16	25	43	59	91
75-79	80	14.1	44	4	6	13	17	24	25	34
80-84	110	18.8	205	6	7	15	21	36	46	72
85+	128	16.6	112	6	7	14	19	32	42	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	103	19.6	385	3	3	13	28	49	75	92
70-74	150	18.6	335	2	3	11	27	49	59	85
75-79	175	19.4	420	3	4	11	25	51	71	96
80-84	221	19.9	350	3	4	14	30	51	63	99+
85+	393	14.9	216	3	3	9	18	38	50	80
B. *Operated*										
65-69 YRS	345	22.0	243	7	8	17	28	45	61	99+
70-74	429	23.2	301	6	8	18	30	50	71	99+
75-79	486	24.5	318	7	10	19	31	52	75	99+
80-84	512	22.9	276	6	9	17	29	48	64	94
85+	689	20.8	249	5	8	16	25	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	14.1	275	1	2	8	18	41	50	91
B. *Operated*	488	17.2	139	5	7	14	20	31	46	72
2. MULTIPLE DX										
A. *Not Operated*	1042	17.7	316	3	3	11	24	47	60	99+
B. *Operated*	2461	22.6	278	6	8	17	28	48	66	99+
1. SINGLE DX	689	16.3	181	2	4	13	19	33	46	77
2. MULTIPLE DX	3503	21.1	294	4	6	16	27	48	64	99+
A. NOT OPERATED	1243	17.1	311	2	3	10	22	45	58	99
B. OPERATED	2949	21.7	259	6	8	17	27	46	63	99+
TOTAL 65-69 YRS	564	20.1	254	3	6	16	25	43	59	99+
70-74	707	21.2	300	3	6	16	28	49	65	99+
75-79	779	22.0	332	4	6	16	27	50	71	99+
80-84	884	21.3	292	4	6	16	28	48	63	99+
85+	1258	18.1	228	3	5	14	23	40	54	99+
GRAND TOTAL	**4192**	**20.3**	**279**	**4**	**6**	**15**	**26**	**46**	**62**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	6.7	24	2	2	5	8	15	18	23
70-74	99	5.6	13	1	2	5	8	12	12	18
75-79	79	6.2	20	1	2	5	8	12	14	24
80-84	68	7.4	27	2	2	6	9	12	19	27
85+	62	6.9	24	2	2	6	9	13	16	24
B. *Operated*										
65-69 YRS	235	8.6	48	2	3	7	10	15	18	42
70-74	159	9.1	45	2	3	8	11	16	21	34
75-79	101	10.1	55	2	3	9	13	16	24	43
80-84	62	13.8	176	2	2	9	19	30	48	60
85+	46	8.1	38	1	2	7	10	18	21	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	9.2	76	2	3	7	11	17	22	46
70-74	266	9.8	106	2	3	7	11	18	27	71
75-79	279	9.9	72	2	3	8	12	19	26	47
80-84	204	10.1	77	2	3	8	12	22	32	99+
85+	277	10.7	112	1	2	8	13	23	32	80
B. *Operated*										
65-69 YRS	448	13.5	130	3	4	11	17	27	37	86
70-74	391	16.3	209	3	4	12	19	37	53	98
75-79	318	16.7	177	4	6	13	21	33	45	99+
80-84	180	18.4	281	4	5	14	21	38	63	99
85+	164	14.0	189	2	3	10	16	33	45	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	6.5	21	1	2	5	8	12	15	24
B. *Operated*	603	9.5	63	2	3	8	12	17	23	50
2. MULTIPLE DX										
A. *Not Operated*	1250	10.0	90	2	3	7	12	20	29	58
B. *Operated*	1501	15.6	187	3	4	12	19	32	48	98
1. SINGLE DX	997	8.3	48	2	2	7	10	15	20	36
2. MULTIPLE DX	2751	13.0	151	2	3	10	16	28	41	86
A. NOT OPERATED	1644	9.1	75	2	2	7	11	18	26	54
B. OPERATED	2104	13.8	159	2	4	10	17	29	42	82
TOTAL 65-69 YRS	993	10.8	96	2	3	8	13	21	30	58
70-74	915	12.0	144	2	3	9	14	24	39	76
75-79	777	12.3	122	2	3	10	15	24	35	76
80-84	514	13.1	171	2	3	9	16	29	43	98
85+	549	11.0	124	2	2	8	13	22	34	65
GRAND TOTAL	**3748**	**11.8**	**128**	**2**	**3**	**9**	**14**	**24**	**34**	**75**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	139	4.3	12	1	1	3	6	9	12	17
70-74	123	4.2	9	1	2	3	5	8	10	15
75-79	113	4.8	23	1	1	3	5	9	12	28
80-84	71	5.9	37	1	1	5	7	12	14	41
85+	47	5.9	30	1	1	4	7	15	17	25
B. *Operated*										
65-69 YRS	794	5.9	13	2	2	5	7	11	13	19
70-74	549	6.8	23	2	2	6	8	12	15	25
75-79	341	7.6	21	2	3	6	9	14	16	23
80-84	156	8.6	34	2	3	7	11	16	20	32
85+	99	9.2	37	2	3	8	11	17	19	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	379	6.6	48	1	2	5	8	13	18	31
70-74	369	6.9	56	1	2	5	8	12	17	44
75-79	335	8.1	39	2	2	7	10	15	22	35
80-84	333	8.3	69	2	3	7	10	15	19	55
85+	349	8.2	54	2	3	6	10	15	21	49
B. *Operated*										
65-69 YRS	1235	8.7	58	2	3	7	10	16	21	48
70-74	1045	9.7	65	3	4	8	12	17	23	47
75-79	747	11.3	100	3	4	8	13	22	32	60
80-84	452	12.0	104	3	4	9	14	22	34	93
85+	305	13.0	116	3	4	10	16	24	32	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	4.8	19	1	1	4	6	10	13	20
B. *Operated*	1939	6.8	21	2	3	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1765	7.6	54	1	2	6	9	14	19	41
B. *Operated*	3784	10.3	80	3	4	8	12	19	25	59
1. SINGLE DX	2432	6.4	21	1	2	5	8	12	15	22
2. MULTIPLE DX	5549	9.4	73	2	3	7	11	18	24	54
A. NOT OPERATED	2258	7.0	48	1	2	5	9	13	18	38
B. OPERATED	5723	9.1	63	2	3	7	11	17	22	49
TOTAL 65-69 YRS	2547	7.3	42	2	2	6	9	13	18	34
70-74	2086	8.1	52	2	3	6	10	15	19	41
75-79	1536	9.3	68	2	3	7	11	17	24	53
80-84	1012	9.8	81	2	3	8	12	18	26	63
85+	800	10.0	80	2	3	8	12	19	26	57
GRAND TOTAL	**7981**	**8.5**	**59**	**2**	**3**	**7**	**10**	**16**	**21**	**46**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.4	2	1	1	3	3	4	4	4
70-74	7	3.4	6	1	1	2	6	7	7	7
75-79	11	2.1	3	1	1	1	3	5	6	6
80-84	9	3.2	4	1	1	3	4	6	7	7
85+	13	5.2	29	1	1	3	6	16	18	18
B. *Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	3	3.7		3	3	4	4	4	4	4
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	7.4	81	1	2	5	9	14	20	51
70-74	115	7.0	24	1	2	6	9	14	18	51
75-79	139	9.4	78	2	2	7	12	18	25	74
80-84	132	8.8	47	2	2	7	11	18	24	35
85+	178	8.9	77	1	2	7	11	19	24	38
B. *Operated*										
65-69 YRS	36	9.9	57	2	2	10	13	17	18	42
70-74	31	9.6	94	1	2	8	12	19	24	51
75-79	25	10.0	84	2	2	6	17	27	28	31
80-84	22	12.5	148	2	2	10	17	36	40	45
85+	19	12.0	78	4	4	8	18	26	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.4	11	1	1	3	4	7	8	18
B. *Operated*	8	3.4	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	688	8.4	64	1	2	7	10	17	23	40
B. *Operated*	133	10.6	87	2	2	8	14	22	31	46
1. SINGLE DX	57	3.4	10	1	1	3	4	6	7	18
2. MULTIPLE DX	821	8.7	68	2	2	7	11	18	24	41
A. NOT OPERATED	737	8.0	62	1	2	6	10	16	22	39
B. OPERATED	141	10.2	85	2	2	7	13	22	29	46
TOTAL 65-69 YRS	170	7.6	74	1	2	5	10	15	18	42
70-74	155	7.3	38	1	2	6	9	15	19	49
75-79	178	8.9	76	1	2	6	12	19	27	62
80-84	164	8.9	60	2	2	7	11	19	25	39
85+	211	8.9	75	1	2	7	11	19	25	38
GRAND TOTAL	**878**	**8.4**	**66**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	2	14.0	98	7	7	14	21	21	21	21
75-79										
80-84										
85+	2	8.5	25	5	5	8	12	12	12	12
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.2	42	1	1	4	9	17	17	17
70-74	5	18.0	285	4	4	12	24	47	47	47
75-79	4	10.3	25	5	5	10	14	15	15	15
80-84	4	15.0	106	7	7	11	21	30	30	30
85+	10	15.2	389	3	3	8	14	45	69	69
B. *Operated*										
65-69 YRS	5	25.8	97	14	14	26	35	36	36	36
70-74	5	22.8	326	1	1	20	39	44	44	44
75-79	7	16.3	151	2	2	17	31	80	99+	99+
80-84	5	18.2	96	11	11	15	22	35	35	35
85+	4	15.0	53	7	7	15	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	12.0	41	5	5	12	16	21	21	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	13.4	209	2	3	9	15	27	49	69
B. *Operated*	26	19.5	142	2	4	18	33	38	52	99+
1. SINGLE DX	5	12.0	41	5	5	12	16	21	21	21
2. MULTIPLE DX	54	16.3	183	2	3	14	21	36	46	98
A. NOT OPERATED	33	13.2	182	2	3	10	15	23	44	69
B. OPERATED	26	19.5	142	2	4	18	33	38	52	99+
TOTAL 65-69 YRS	11	15.9	152	1	2	15	24	35	36	36
70-74	12	19.3	242	1	3	14	29	45	47	47
75-79	11	14.1	107	2	3	14	23	54	93	99+
80-84	9	16.8	90	7	8	13	21	33	35	35
85+	16	14.3	251	3	3	10	17	23	55	69
GRAND TOTAL	**59**	**16.0**	**172**	**2**	**3**	**13**	**20**	**36**	**45**	**97**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	8	1	1	2	4	7	7	7
70-74	5	5.2	39	<1	<1	4	7	16	16	16
75-79	9	5.2	39	<1	<1	2	7	16	20	20
80-84	10	3.5	14	<1	<1	2	4	9	13	13
85+	5	2.6	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	59	2.2	4	1	1	1	3	5	7	8
70-74	52	2.3	6	1	1	1	2	5	6	13
75-79	40	1.9	3	<1	1	1	2	4	6	7
80-84	34	2.5	6	1	1	2	3	7	8	12
85+	31	2.5	7	<1	1	1	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	6.1	17	1	1	5	8	12	14	15
70-74	27	7.6	88	<1	1	4	11	21	27	41
75-79	29	6.1	55	1	1	4	8	13	23	35
80-84	22	5.0	14	1	2	4	6	9	13	18
85+	34	8.8	147	2	2	5	10	17	25	70
B. *Operated*										
65-69 YRS	86	4.7	22	<1	1	3	6	12	17	21
70-74	100	4.5	30	1	1	2	6	10	17	27
75-79	110	5.9	44	1	1	4	6	15	22	32
80-84	80	6.0	63	1	1	3	6	13	22	43
85+	75	5.4	23	1	1	4	7	12	18	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.0	21	<1	<1	2	5	10	16	20
B. *Operated*	216	2.3	5	1	1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	129	6.9	74	1	1	4	8	15	22	47
B. *Operated*	451	5.3	37	1	1	3	6	12	18	30
1. SINGLE DX	249	2.5	7	<1	1	1	3	6	8	13
2. MULTIPLE DX	580	5.7	45	1	1	3	7	13	19	35
A. NOT OPERATED	162	6.3	65	1	1	4	8	14	19	40
B. OPERATED	667	4.3	28	1	1	2	5	10	15	28
TOTAL 65-69 YRS	166	3.9	16	1	1	2	5	9	13	19
70-74	184	4.4	34	1	1	2	5	10	16	28
75-79	188	5.1	39	1	1	3	6	12	18	33
80-84	146	4.9	41	1	1	3	6	11	17	35
85+	145	5.5	52	1	1	4	7	11	17	71
GRAND TOTAL	**829**	**4.7**	**36**	**1**	**1**	**3**	**6**	**11**	**17**	**29**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	4	1	1	3	5	6	6	6
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	171	3.1	25	<1	1	2	3	5	8	12
70-74	97	3.0	4	1	1	2	4	5	7	12
75-79	54	3.6	11	<1	1	3	4	8	12	16
80-84	14	3.9	14	1	1	2	5	12	12	12
85+	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	3.8	16	<1	<1	2	6	10	13	15
70-74	23	6.2	22	1	2	4	8	15	16	16
75-79	14	6.8	26	1	1	6	10	15	16	16
80-84	13	7.5	19	4	4	6	9	16	18	18
85+	12	7.6	21	3	3	6	10	14	18	19
B. *Operated*										
65-69 YRS	583	3.5	11	<1	1	2	4	7	9	18
70-74	333	4.2	13	1	1	3	5	9	11	19
75-79	191	5.1	38	1	1	3	5	12	17	37
80-84	61	6.6	62	<1	1	4	8	12	21	43
85+	27	7.0	42	2	2	4	9	18	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	5	1	1	2	5	7	8	8
B. *Operated*	340	3.2	16	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	84	6.1	22	1	1	5	8	15	16	19
B. *Operated*	1195	4.2	20	1	1	3	5	9	12	21
1. SINGLE DX	350	3.2	16	1	1	2	4	6	8	13
2. MULTIPLE DX	1279	4.3	20	1	1	3	5	9	13	21
A. NOT OPERATED	94	5.8	20	1	1	4	8	15	15	19
B. OPERATED	1535	3.9	19	1	1	3	4	8	11	20
TOTAL 65-69 YRS	782	3.4	14	<1	1	2	4	7	9	17
70-74	455	4.0	12	1	1	3	5	9	11	16
75-79	260	4.9	32	1	1	3	5	11	16	27
80-84	89	6.3	48	1	1	4	8	12	15	42
85+	43	6.7	34	1	2	4	8	16	19	27
GRAND TOTAL	**1629**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.9	15	<1	<1	2	7	10	12	12
70-74	13	3.9	36	<1	<1	1	4	9	20	23
75-79	8	8.8	110	1	1	5	10	27	33	33
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	3	4.0	19	1	1	2	7	9	9	9
B. *Operated*										
65-69 YRS	42	3.9	28	<1	1	2	5	8	15	30
70-74	54	4.2	15	1	1	3	5	9	11	22
75-79	35	8.0	80	<1	1	4	11	18	28	42
80-84	19	3.1	7	<1	<1	2	4	7	8	9
85+	13	4.3	41	<1	1	2	4	10	22	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	7.6	48	1	2	5	11	16	21	39
70-74	58	7.3	33	1	2	6	9	15	22	26
75-79	37	7.2	44	1	1	5	11	18	21	28
80-84	46	8.0	116	1	2	4	9	12	31	58
85+	38	8.1	28	1	2	7	11	16	17	25
B. *Operated*										
65-69 YRS	141	9.4	152	1	1	5	11	24	38	78
70-74	111	10.2	207	1	1	5	12	29	41	98
75-79	85	9.7	126	1	2	5	13	30	35	84
80-84	56	12.3	193	1	2	7	16	26	38	83
85+	50	11.6	98	1	1	10	18	29	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.9	44	<1	1	2	6	11	20	33
B. *Operated*	163	4.8	36	<1	1	3	6	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	244	7.6	53	1	2	6	10	16	21	41
B. *Operated*	443	10.3	159	1	1	5	14	27	40	99+
1. SINGLE DX	199	4.8	37	<1	1	3	6	11	16	32
2. MULTIPLE DX	687	9.3	123	1	1	6	11	23	33	82
A. NOT OPERATED	280	7.3	52	1	1	5	9	15	21	39
B. OPERATED	606	8.8	132	1	1	4	11	23	34	90
TOTAL 65-69 YRS	258	7.9	104	1	1	5	9	20	30	68
70-74	236	7.8	117	1	1	4	8	21	28	66
75-79	165	8.7	97	1	1	5	11	23	33	54
80-84	123	9.1	142	1	1	5	10	21	29	66
85+	104	9.2	69	1	1	7	14	24	29	99+
GRAND TOTAL	**886**	**8.3**	**107**	**1**	**1**	**5**	**10**	**21**	**30**	**67**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.3	7	1	1	4	7	7	9	11
70-74	20	4.0	11	1	1	3	5	7	11	15
75-79	14	3.9	6	1	2	3	5	8	9	9
80-84	11	4.4	8	2	2	3	6	9	9	9
85+	12	6.0	27	2	2	4	8	14	18	19
B. *Operated*										
65-69 YRS	34	5.0	22	2	2	4	6	9	11	28
70-74	19	4.8	8	1	2	4	6	8	11	13
75-79	13	7.8	15	1	2	9	10	12	14	14
80-84	8	5.6	19	1	1	5	8	12	14	14
85+	6	5.3	31	<1	<1	4	6	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	7.3	38	2	2	5	10	16	18	33
70-74	98	6.6	31	2	2	5	8	12	16	33
75-79	120	6.6	31	1	2	5	9	13	15	27
80-84	121	7.4	72	2	2	5	9	14	16	40
85+	121	6.6	22	2	3	5	7	12	18	26
B. *Operated*										
65-69 YRS	89	7.9	46	1	2	7	10	14	19	41
70-74	56	8.8	37	2	2	7	12	16	22	27
75-79	46	7.8	30	2	2	6	11	18	19	20
80-84	30	8.8	37	2	2	6	13	19	21	22
85+	18	9.1	35	2	3	8	11	16	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.4	11	1	1	3	6	9	10	18
B. *Operated*	80	5.5	18	1	2	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	542	6.9	39	2	2	5	9	13	17	27
B. *Operated*	239	8.3	38	2	2	7	11	16	20	27
1. SINGLE DX	158	5.0	15	1	2	4	7	9	12	19
2. MULTIPLE DX	781	7.3	39	2	2	6	9	14	18	27
A. NOT OPERATED	620	6.6	36	2	2	5	8	13	16	26
B. OPERATED	319	7.6	35	2	2	6	10	15	19	27
TOTAL 65-69 YRS	226	6.9	37	2	2	5	9	13	18	31
70-74	193	6.8	31	1	2	5	8	13	17	26
75-79	193	6.8	29	1	2	5	9	14	17	20
80-84	170	7.3	60	2	2	5	10	14	18	22
85+	157	6.8	24	2	2	6	8	13	18	27
GRAND TOTAL	**939**	**6.9**	**36**	**2**	**2**	**5**	**9**	**14**	**18**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	159	5.6	9	2	2	5	7	9	11	18
70-74	89	5.7	11	2	2	5	7	10	12	16
75-79	70	6.2	19	2	2	5	7	12	15	23
80-84	42	5.2	11	2	2	5	6	9	10	20
85+	34	5.2	15	1	2	4	6	11	15	15
B. *Operated*										
65-69 YRS	8	6.3	15	1	2	6	8	12	14	14
70-74	2	9.5	25	6	6	9	13	13	13	13
75-79	2	17.5	113	10	10	17	25	25	25	25
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	828	7.0	22	2	3	6	8	12	16	27
70-74	725	7.0	21	2	3	6	9	12	16	23
75-79	677	7.7	30	2	3	7	9	14	16	25
80-84	517	7.8	38	2	3	6	9	14	19	36
85+	466	7.8	31	2	2	7	10	14	17	27
B. *Operated*										
65-69 YRS	55	9.7	32	2	3	9	13	18	20	28
70-74	57	11.9	53	3	4	11	15	19	28	37
75-79	54	13.3	109	4	5	11	16	21	25	74
80-84	36	11.8	57	4	5	9	16	21	24	39
85+	19	12.8	32	4	5	12	17	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	5.7	12	2	2	5	7	10	12	19
B. *Operated*	12	8.7	41	1	2	6	11	17	24	25
2. MULTIPLE DX										
A. *Not Operated*	3213	7.4	27	2	3	6	9	13	17	27
B. *Operated*	221	11.7	61	3	4	10	15	20	24	38
1. SINGLE DX	406	5.7	13	2	2	5	7	10	13	19
2. MULTIPLE DX	3434	7.7	31	2	3	6	10	14	18	28
A. NOT OPERATED	3607	7.2	26	2	3	6	9	13	16	26
B. OPERATED	233	11.6	60	3	4	10	15	20	25	38
TOTAL 65-69 YRS	1050	6.9	21	2	3	6	8	12	16	24
70-74	873	7.2	23	2	3	6	9	13	16	26
75-79	803	7.9	36	2	3	7	10	14	17	26
80-84	595	7.9	39	2	3	6	9	15	20	36
85+	519	7.8	32	2	2	7	10	15	18	27
GRAND TOTAL	**3840**	**7.4**	**29**	**2**	**3**	**6**	**9**	**14**	**17**	**27**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	105	4.7	16	1	1	4	6	9	10	22
70-74	62	4.8	13	1	1	4	6	9	12	19
75-79	40	5.0	22	1	2	4	6	8	11	29
80-84	21	3.9	10	1	1	3	5	8	11	12
85+	29	5.4	17	1	1	5	7	11	13	20
B. *Operated*										
65-69 YRS	4	3.5	4	1	1	4	5	5	5	5
70-74	4	7.0	23	3	3	5	10	14	14	14
75-79										
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	661	6.1	16	1	2	5	8	11	14	19
70-74	606	6.1	16	2	2	5	8	11	14	21
75-79	465	6.3	23	1	2	5	8	12	15	23
80-84	371	6.2	21	2	2	5	8	11	14	24
85+	414	6.8	31	2	2	6	8	12	15	31
B. *Operated*										
65-69 YRS	67	8.5	21	2	3	8	11	15	20	86
70-74	47	9.4	45	2	3	7	12	17	25	34
75-79	32	13.7	132	1	2	11	18	35	36	44
80-84	28	14.2	215	2	2	10	20	24	30	79
85+	14	13.5	110	2	2	12	20	30	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.8	16	1	1	4	6	9	11	20
B. *Operated*	11	4.5	13	1	1	5	5	9	14	14
2. MULTIPLE DX										
A. *Not Operated*	2517	6.3	20	2	2	5	8	11	14	22
B. *Operated*	188	10.8	85	2	2	9	13	21	29	65
1. SINGLE DX	268	4.8	15	1	1	4	6	9	11	20
2. MULTIPLE DX	2705	6.6	26	2	2	5	8	12	15	25
A. NOT OPERATED	2774	6.1	20	1	2	5	8	11	14	22
B. OPERATED	199	10.5	83	2	2	9	13	21	28	61
TOTAL 65-69 YRS	837	6.1	17	1	2	5	8	11	14	20
70-74	719	6.2	18	2	2	5	8	11	14	22
75-79	537	6.6	32	1	2	5	8	12	16	35
80-84	422	6.6	37	1	2	5	8	12	17	26
85+	458	6.9	34	2	2	6	8	13	16	33
GRAND TOTAL	**2973**	**6.4**	**26**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.0	24	<1	1	3	4	9	11	29
70-74	27	3.8	4	1	1	4	5	7	7	8
75-79	31	5.5	15	1	1	5	7	12	15	15
80-84	25	5.1	14	<1	1	5	7	11	12	14
85+	33	5.2	20	1	1	4	6	11	16	20
B. *Operated*										
65-69 YRS	289	4.1	4	2	2	4	5	6	8	13
70-74	173	4.5	6	2	2	4	6	7	10	12
75-79	77	4.7	7	1	2	4	6	9	11	14
80-84	26	5.1	8	1	2	5	7	9	10	11
85+	5	8.4	106	<1	<1	4	13	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	188	5.2	17	1	1	4	6	11	14	21
70-74	201	6.2	27	1	2	5	8	12	15	28
75-79	237	6.6	29	1	2	5	9	13	16	32
80-84	243	7.1	27	1	2	6	9	13	16	31
85+	296	7.1	33	2	2	5	9	14	19	33
B. *Operated*										
65-69 YRS	370	5.8	27	2	2	4	7	11	14	31
70-74	242	6.0	14	2	3	5	7	10	13	20
75-79	153	6.6	26	2	3	5	8	12	15	33
80-84	56	7.8	59	1	2	6	9	14	22	47
85+	30	10.0	67	2	4	9	12	15	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.7	16	1	1	4	6	9	12	20
B. *Operated*	570	4.4	6	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1165	6.5	28	1	2	5	9	13	16	30
B. *Operated*	851	6.3	27	2	2	5	7	11	14	32
1. SINGLE DX	722	4.5	8	1	2	4	5	8	10	15
2. MULTIPLE DX	2016	6.4	27	2	2	5	8	12	15	31
A. NOT OPERATED	1317	6.3	27	1	2	5	8	13	16	29
B. OPERATED	1421	5.5	20	2	2	4	6	10	13	22
TOTAL 65-69 YRS	883	5.1	18	1	2	4	6	9	12	21
70-74	643	5.6	16	2	2	5	7	10	12	21
75-79	498	6.3	24	1	2	5	8	12	14	27
80-84	350	6.9	30	1	2	6	9	13	16	31
85+	364	7.2	36	1	2	5	10	14	19	33

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	2.2	3	1	1	1	3	5	7	9
70-74	55	2.5	3	<1	1	2	4	5	6	8
75-79	45	2.8	5	1	1	2	3	6	8	10
80-84	34	4.1	13	1	1	3	6	11	11	12
85+	34	2.9	12	1	1	2	3	7	9	18
B. *Operated*										
65-69 YRS										
70-74	2	46.0	3528	4	4	46	88	88	88	88
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	580	4.7	24	1	1	3	6	10	13	20
70-74	616	5.1	29	1	1	4	6	10	14	28
75-79	629	5.6	42	1	1	4	7	12	18	48
80-84	529	6.2	45	1	2	4	8	12	17	40
85+	570	6.2	46	1	1	4	8	14	19	38
B. *Operated*										
65-69 YRS	196	5.8	41	1	1	4	8	13	17	38
70-74	203	6.5	58	1	1	5	8	12	18	46
75-79	198	7.3	104	1	1	4	8	15	27	52
80-84	161	10.0	180	1	1	6	11	22	43	61
85+	182	9.4	156	1	1	5	11	23	34	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.8	7	1	1	2	4	6	8	12
B. *Operated*	2	46.0	3528	4	4	46	88	88	88	88
2. MULTIPLE DX										
A. *Not Operated*	2924	5.5	38	1	1	4	7	12	16	31
B. *Operated*	940	7.7	106	1	1	5	9	16	25	56
1. SINGLE DX	223	3.2	39	1	1	2	4	7	8	14
2. MULTIPLE DX	3864	6.1	55	1	1	4	7	13	18	44
A. NOT OPERATED	3145	5.3	36	1	1	4	7	11	16	30
B. OPERATED	942	7.8	113	1	1	5	9	16	25	58
TOTAL 65-69 YRS	829	4.8	28	1	1	3	6	10	14	24
70-74	876	5.4	43	1	1	4	6	11	15	30
75-79	872	5.8	55	1	1	4	7	12	18	48
80-84	724	6.9	76	1	1	4	8	14	19	52
85+	786	6.8	73	1	1	4	8	15	22	61

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.3	9	<1	1	2	4	8	10	13
70-74	21	4.2	23	<1	1	3	4	11	17	19
75-79	19	3.9	17	<1	<1	3	5	9	14	17
80-84	29	7.6	62	1	1	5	9	18	29	30
85+	36	8.2	327	<1	1	3	5	17	56	88
B. *Operated*										
65-69 YRS	28	8.8	20	2	3	10	11	16	16	17
70-74	35	9.5	50	2	4	8	11	16	18	43
75-79	34	12.6	86	5	6	9	14	24	35	46
80-84	33	14.6	82	4	5	14	21	28	39	99+
85+	19	14.2	67	3	5	14	19	26	31	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	290	5.9	46	1	1	4	7	12	17	37
70-74	357	7.2	73	1	1	4	9	16	23	57
75-79	363	8.3	87	1	1	5	11	18	25	56
80-84	392	8.3	95	1	1	5	10	18	27	51
85+	440	9.0	96	1	2	6	11	20	28	90
B. *Operated*										
65-69 YRS	212	16.4	246	1	2	11	24	39	57	99+
70-74	240	18.1	272	1	2	14	27	42	56	99+
75-79	272	19.2	342	2	3	14	27	46	64	98
80-84	214	17.0	218	2	3	13	23	37	54	99+
85+	246	15.7	214	1	2	11	22	36	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	5.6	106	<1	1	3	6	12	18	70
B. *Operated*	149	11.8	66	3	4	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*	1842	7.9	83	1	1	5	10	17	24	58
B. *Operated*	1184	17.4	262	1	2	13	24	40	56	99+
1. SINGLE DX	290	8.8	95	1	1	7	11	19	27	59
2. MULTIPLE DX	3026	11.6	174	1	2	7	15	28	40	85
A. NOT OPERATED	1983	7.7	85	1	1	5	10	17	24	58
B. OPERATED	1333	16.8	243	1	2	12	23	39	54	99+
TOTAL 65-69 YRS	566	9.8	144	1	1	6	12	24	38	66
70-74	653	11.2	171	1	1	7	14	30	42	97
75-79	688	12.7	215	1	2	8	15	30	44	88
80-84	668	11.4	149	1	2	8	15	27	37	82
85+	741	11.3	155	1	2	7	15	27	38	75
GRAND TOTAL	**3316**	**11.4**	**168**	**1**	**1**	**7**	**14**	**27**	**40**	**83**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.8	5	<1	1	3	5	7	8	8
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	5	5.0	7	2	2	5	7	8	8	8
80-84	2	3.5	5	2	2	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	9	5.1	14	2	2	4	6	11	14	14
70-74	7	3.9	4	1	1	4	5	7	7	7
75-79	3	11.0	19	8	8	9	14	16	16	16
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	6.8	21	2	3	6	9	12	16	24
70-74	105	7.5	31	2	2	6	9	15	18	29
75-79	85	7.9	28	2	3	7	10	15	18	27
80-84	71	8.3	25	2	3	7	11	15	20	23
85+	73	9.1	59	2	3	7	11	17	19	47
B. *Operated*										
65-69 YRS	129	13.2	122	4	4	10	17	29	32	74
70-74	152	15.6	215	3	5	11	20	33	50	90
75-79	124	13.8	141	4	4	10	17	26	40	80
80-84	84	12.6	69	4	5	10	17	25	29	42
85+	59	16.1	274	4	5	10	16	43	53	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.7	5	<1	1	3	5	7	8	8
B. *Operated*	21	5.5	14	1	2	4	7	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	459	7.8	32	2	2	7	10	15	18	28
B. *Operated*	548	14.2	161	4	5	10	17	28	45	74
1. SINGLE DX	44	4.6	10	1	2	4	6	8	10	16
2. MULTIPLE DX	1007	11.3	112	2	3	8	13	22	31	68
A. NOT OPERATED	482	7.6	31	2	2	6	10	14	18	28
B. OPERATED	569	13.9	158	3	4	10	17	28	44	74
TOTAL 65-69 YRS	275	9.6	79	2	3	7	12	19	29	56
70-74	268	11.9	152	2	3	8	14	26	39	73
75-79	217	11.2	101	2	3	9	14	22	28	71
80-84	158	10.5	53	3	3	8	13	20	26	34
85+	133	12.2	165	2	3	9	13	22	45	73
GRAND TOTAL	**1051**	**11.0**	**110**	**2**	**3**	**8**	**13**	**22**	**30**	**67**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.7	1	1	1	2	2	3	3	3
70-74	4	1.5	1	1	1	1	2	3	3	3
75-79	7	2.4	2	1	1	2	3	5	5	5
80-84	4	4.3	7	2	2	4	6	7	7	7
85+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
65-69 YRS	9	7.9	10	3	4	7	9	13	15	15
70-74	4	5.5	3	4	4	5	7	7	7	7
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	2	7.0	32	3	3	7	11	11	11	11
85+	3	11.0	7	9	9	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	5.1	16	1	2	4	6	10	14	20
70-74	55	4.6	13	1	1	3	6	10	12	14
75-79	69	6.3	28	1	2	5	8	13	17	30
80-84	67	5.9	19	2	2	5	8	12	16	20
85+	81	7.1	35	2	2	5	9	15	20	30
B. *Operated*										
65-69 YRS	106	15.5	138	4	5	12	19	33	40	61
70-74	115	19.8	279	4	5	15	26	43	62	99+
75-79	75	13.8	121	3	5	12	18	28	35	99+
80-84	73	15.8	180	3	4	12	21	33	45	69
85+	44	15.0	256	2	3	11	19	26	45	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	3	1	1	2	3	5	6	7
B. *Operated*	20	7.7	11	3	3	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	367	5.9	23	1	2	4	8	12	16	23
B. *Operated*	413	16.4	197	3	4	12	21	35	46	92
1. SINGLE DX	44	4.9	13	1	1	4	7	9	12	15
2. MULTIPLE DX	780	11.4	143	2	2	8	15	24	37	78
A. NOT OPERATED	391	5.6	23	1	1	4	7	12	15	22
B. OPERATED	433	16.0	192	3	4	12	20	34	46	90
TOTAL 65-69 YRS	216	10.2	102	1	2	7	13	21	33	52
70-74	178	14.4	238	1	2	9	19	38	46	97
75-79	153	9.8	87	2	2	7	14	20	30	99
80-84	146	10.8	123	2	2	8	13	23	33	58
85+	131	9.8	121	2	2	7	12	21	26	75
GRAND TOTAL	**824**	**11.1**	**138**	**1**	**2**	**8**	**14**	**24**	**35**	**75**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	18	3	3	6	9	9	9	9
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	20	2.8	4	<1	1	2	4	6	7	7
70-74	14	2.9	5	<1	1	2	4	7	7	7
75-79	14	3.2	6	1	1	2	4	7	9	10
80-84	10	2.7	8	1	1	2	3	7	10	10
85+	9	2.2	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	13	4	4	6	9	9	9	9
70-74	5	2.8	1	2	2	2	4	4	4	4
75-79	4	4.3	15	2	2	3	6	10	10	10
80-84	6	4.7	5	3	3	4	7	8	8	8
85+	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
65-69 YRS	49	4.8	17	<1	1	4	6	9	13	20
70-74	50	4.1	8	1	1	4	5	7	10	15
75-79	49	5.6	42	1	1	4	7	14	19	37
80-84	42	6.7	34	1	2	5	8	15	19	29
85+	43	6.5	75	1	2	4	7	13	15	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.5	23	2	2	6	10	12	12	12
B. *Operated*	67	2.8	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	21	3.8	6	1	1	3	4	8	9	10
B. *Operated*	233	5.5	34	1	1	4	7	11	15	30
1. SINGLE DX	71	3.0	6	1	1	2	4	7	9	12
2. MULTIPLE DX	254	5.4	32	1	1	4	7	10	15	29
A. NOT OPERATED	25	4.2	9	1	2	3	5	9	10	12
B. OPERATED	300	4.9	29	1	1	4	6	10	14	26
TOTAL 65-69 YRS	73	4.4	14	<1	1	3	6	8	12	19
70-74	69	3.8	7	1	1	3	5	7	9	14
75-79	68	5.1	34	1	1	3	7	11	15	34
80-84	58	5.8	29	1	1	4	8	13	16	28
85+	57	5.4	60	1	1	3	6	11	14	53
GRAND TOTAL	**325**	**4.8**	**28**	**1**	**1**	**3**	**6**	**9**	**14**	**24**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.2	4	1	1	1	3	6	7	7
70-74	12	2.8	3	1	1	2	5	5	5	5
75-79	5	2.0	5	1	1	1	3	6	6	6
80-84	5	3.2	15	1	1	2	4	10	10	10
85+	10	2.4	6	<1	<1	1	2	7	8	8
B. *Operated*										
65-69 YRS	13	2.3	2	<1	<1	2	3	4	5	5
70-74	25	2.8	6	<1	1	2	3	7	8	9
75-79	11	2.6	4	1	1	2	3	6	7	7
80-84	11	1.7	2	1	1	1	2	4	5	5
85+	13	1.9	3	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	110	4.5	17	1	1	3	6	10	13	21
70-74	118	5.7	93	1	1	3	7	10	16	56
75-79	126	5.7	42	1	1	4	7	11	17	37
80-84	143	5.1	21	1	1	4	7	11	14	19
85+	218	5.6	27	1	1	4	7	12	18	25
B. *Operated*										
65-69 YRS	251	5.4	60	1	1	3	6	12	16	67
70-74	250	5.3	49	1	1	3	7	11	18	37
75-79	270	5.8	43	1	1	4	7	13	18	35
80-84	237	6.5	81	1	1	4	7	14	22	70
85+	311	6.1	66	1	1	4	7	11	18	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.5	5	1	1	1	3	6	7	10
B. *Operated*	73	2.4	4	<1	1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	715	5.4	38	1	1	4	7	11	15	26
B. *Operated*	1319	5.8	60	1	1	4	7	12	18	56
1. SINGLE DX	114	2.4	4	1	1	1	3	6	7	9
2. MULTIPLE DX	2034	5.7	52	1	1	4	7	12	17	37
A. NOT OPERATED	756	5.2	36	1	1	4	7	11	15	25
B. OPERATED	1392	5.6	57	1	1	4	7	11	18	52
TOTAL 65-69 YRS	383	4.9	45	1	1	3	6	11	14	44
70-74	405	5.2	58	1	1	3	7	10	16	37
75-79	412	5.6	42	1	1	4	7	11	18	34
80-84	396	5.8	57	1	1	4	7	13	17	40
85+	552	5.7	48	1	1	4	7	11	18	34
GRAND TOTAL	**2148**	**5.5**	**50**	**1**	**1**	**4**	**7**	**11**	**16**	**37**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	6	2.5	3	<1	<1	2	2	6	6	6
75-79	3	1.0		<1	<1	<1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	14	3.3	5	1	1	3	5	6	8	9
70-74	8	3.8	11	1	1	3	6	9	10	10
75-79	3	4.7	9	2	2	4	7	8	8	8
80-84	4	1.5	1	<1	<1	1	2	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	6.6	95	1	1	3	7	16	28	46
70-74	23	7.1	20	1	2	6	10	12	15	20
75-79	24	6.8	61	<1	1	4	10	18	52	99+
80-84	11	6.2	13	2	2	5	9	12	13	13
85+	16	5.3	7	1	2	5	7	9	10	10
B. *Operated*										
65-69 YRS	44	8.2	124	1	1	5	11	17	26	66
70-74	28	7.3	27	1	1	6	10	15	17	20
75-79	29	8.1	66	1	1	5	12	17	27	37
80-84	14	9.0	80	<1	1	6	11	25	29	30
85+	14	9.1	52	2	2	6	13	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	29	3.3	7	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	97	6.5	44	1	1	5	9	12	18	74
B. *Operated*	129	8.2	76	1	1	6	11	18	24	43
1. SINGLE DX	45	2.9	5	<1	1	2	4	6	8	10
2. MULTIPLE DX	226	7.5	62	1	1	5	10	16	22	51
A. NOT OPERATED	113	5.9	40	1	1	4	8	12	17	65
B. OPERATED	158	7.3	66	1	1	5	9	16	23	37
TOTAL 65-69 YRS	85	6.7	93	1	1	4	7	16	20	59
70-74	65	6.4	23	1	1	6	8	12	16	20
75-79	59	7.0	59	<1	1	5	10	16	31	94
80-84	30	6.7	48	<1	1	4	9	15	24	30
85+	32	6.8	30	1	2	5	8	13	21	25
GRAND TOTAL	**271**	**6.7**	**56**	**1**	**1**	**5**	**8**	**14**	**20**	**44**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	3.8	7	1	1	3	5	8	9	10
70-74	10	5.1	11	<1	1	4	5	10	13	13
75-79	20	3.5	6	<1	1	3	5	7	8	9
80-84	3	1.0		1	1	1	1	1	1	1
85+	5	4.0	4	2	2	3	5	7	7	7
B. *Operated*										
65-69 YRS	160	2.5	6	<1	<1	1	3	5	8	13
70-74	104	2.1	6	<1	1	1	2	4	5	16
75-79	59	3.1	7	<1	1	2	4	6	9	14
80-84	29	2.0	2	<1	<1	1	3	4	4	5
85+	26	2.8	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	5.0	11	1	2	4	7	9	11	16
70-74	40	6.1	38	1	2	4	8	11	14	37
75-79	47	6.7	32	1	1	5	8	16	19	28
80-84	24	9.4	179	2	3	6	9	15	37	68
85+	52	5.8	29	1	2	4	7	12	16	33
B. *Operated*										
65-69 YRS	254	3.8	14	1	1	2	5	9	12	16
70-74	192	4.1	30	1	1	2	4	8	15	30
75-79	134	5.6	80	1	1	3	6	13	19	41
80-84	75	6.3	60	<1	1	3	7	16	27	33
85+	75	7.3	40	1	2	6	10	17	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.8	7	1	1	3	5	8	9	13
B. *Operated*	378	2.4	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	204	6.3	46	1	2	5	8	11	16	35
B. *Operated*	730	4.8	39	1	1	3	6	11	16	31
1. SINGLE DX	432	2.6	6	<1	1	2	3	5	8	13
2. MULTIPLE DX	934	5.2	41	1	1	3	6	11	16	31
A. NOT OPERATED	258	5.8	39	1	1	4	7	11	15	33
B. OPERATED	1108	4.0	29	1	1	2	4	9	13	25
TOTAL 65-69 YRS	471	3.5	11	<1	1	2	4	8	10	16
70-74	346	3.8	24	1	1	2	4	8	13	28
75-79	260	5.0	50	1	1	3	6	10	17	28
80-84	131	5.8	72	<1	1	3	6	13	24	40
85+	158	5.9	32	1	1	4	7	12	17	32
GRAND TOTAL	**1366**	**4.3**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**27**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	5.1	10	1	1	5	6	9	13	14
70-74	16	4.4	12	<1	1	4	5	10	13	14
75-79	9	6.8	40	2	2	5	7	17	23	23
80-84	6	7.2	39	1	1	5	12	16	17	17
85+	11	7.5	22	2	2	8	9	14	18	18
B. *Operated*										
65-69 YRS	57	5.3	29	1	1	3	7	10	18	28
70-74	55	5.1	40	<1	1	3	6	10	14	42
75-79	27	6.6	32	1	2	5	9	13	19	26
80-84	18	7.5	37	1	2	5	11	16	21	24
85+	17	8.9	98	1	1	4	12	24	34	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	6.2	18	1	2	6	9	12	13	18
70-74	53	6.1	21	2	2	5	7	12	15	25
75-79	51	6.8	22	1	2	6	10	14	16	98
80-84	38	7.6	32	2	2	6	9	15	18	28
85+	50	7.1	23	2	2	6	8	14	18	22
B. *Operated*										
65-69 YRS	143	12.0	155	1	2	8	15	27	38	71
70-74	107	11.5	126	1	2	9	15	26	31	57
75-79	87	11.8	158	1	2	8	14	26	36	94
80-84	57	12.4	149	3	3	7	14	32	42	49
85+	59	13.3	222	1	2	9	19	27	34	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	5.9	21	1	2	5	7	12	16	23
B. *Operated*	174	6.0	41	1	1	4	7	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	243	6.7	23	1	2	6	9	14	16	25
B. *Operated*	453	12.1	156	1	2	8	15	27	38	69
1. SINGLE DX	230	6.0	36	1	1	4	7	13	17	30
2. MULTIPLE DX	696	10.2	116	1	2	7	13	23	29	66
A. NOT OPERATED	299	6.6	22	1	2	5	8	13	16	24
B. OPERATED	627	10.4	131	1	2	7	13	24	32	66
TOTAL 65-69 YRS	265	9.1	103	1	1	7	11	21	28	66
70-74	231	8.3	83	1	1	5	11	17	26	50
75-79	174	9.3	98	1	2	7	12	20	27	95
80-84	119	9.8	93	2	3	6	12	21	31	48
85+	137	10.0	125	1	2	7	12	23	27	55
GRAND TOTAL	**926**	**9.1**	**99**	**1**	**2**	**6**	**11**	**20**	**28**	**62**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	6	2.5	2	<1	<1	2	4	4	4	4
70-74	5	10.4	41	2	2	11	16	17	17	17
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	28	2	2	4	9	14	14	14
70-74	11	5.3	12	2	2	4	8	11	12	12
75-79	3	7.3	16	3	3	8	10	11	11	11
80-84	4	6.8	10	4	4	6	9	11	11	11
85+	8	7.3	43	1	1	5	10	18	20	20
B. *Operated*										
65-69 YRS	24	18.8	481	2	2	9	27	62	68	76
70-74	19	13.9	231	2	3	10	15	26	52	70
75-79	10	14.2	117	<1	1	13	23	29	33	33
80-84	12	11.5	53	1	2	11	18	21	22	22
85+	9	11.6	106	2	2	5	20	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	13	6.0	31	<1	<1	4	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	30	6.3	21	1	2	5	9	13	14	20
B. *Operated*	74	14.9	251	1	2	10	19	30	58	75
1. SINGLE DX	15	5.4	29	<1	<1	3	8	16	17	17
2. MULTIPLE DX	104	12.4	199	1	2	8	15	26	39	73
A. NOT OPERATED	32	6.0	21	1	2	5	8	13	14	20
B. OPERATED	87	13.5	227	1	2	10	17	28	45	74
TOTAL 65-69 YRS	35	14.0	380	<1	1	6	13	42	64	76
70-74	35	10.7	146	2	2	9	12	20	27	70
75-79	15	11.7	93	<1	2	11	17	25	31	33
80-84	17	9.8	47	1	2	9	16	20	21	22
85+	17	9.5	77	1	1	5	16	25	27	27
GRAND TOTAL	**119**	**11.5**	**182**	**1**	**2**	**7**	**14**	**25**	**36**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	4	7.0	11	3	3	7	9	11	11	11
80-84	2	8.5	25	5	5	8	12	12	12	12
85+	4	15.3	236	5	5	9	24	38	38	38
B. *Operated*										
65-69 YRS	28	4.4	29	1	1	3	5	10	14	27
70-74	8	3.8	20	<1	<1	2	4	12	14	14
75-79	16	5.9	22	<1	1	5	9	13	15	16
80-84	9	8.8	96	<1	<1	5	13	25	31	31
85+	4	11.3	86	3	3	9	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	9.2	75	1	2	5	13	20	22	46
70-74	36	9.2	80	1	2	6	12	19	29	44
75-79	28	10.3	241	2	2	6	11	19	28	85
80-84	18	10.1	124	2	2	6	12	32	38	38
85+	35	11.6	128	2	3	10	14	20	25	67
B. *Operated*										
65-69 YRS	75	8.1	58	1	1	5	12	17	21	37
70-74	57	10.3	125	2	2	7	12	24	28	70
75-79	41	11.5	124	2	2	8	17	24	29	58
80-84	28	14.9	162	3	3	12	20	30	40	60
85+	28	13.2	114	2	2	11	21	28	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.6	82	1	3	6	11	15	33	38
B. *Operated*	65	5.7	40	<1	1	3	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	156	10.1	121	1	2	6	13	20	25	66
B. *Operated*	229	10.7	109	1	2	7	14	23	29	58
1. SINGLE DX	79	6.2	48	<1	1	4	8	13	21	36
2. MULTIPLE DX	385	10.4	114	1	2	7	13	22	29	59
A. NOT OPERATED	170	9.9	118	1	2	6	12	20	26	63
B. OPERATED	294	9.6	98	1	2	6	13	22	28	50
TOTAL 65-69 YRS	144	7.6	59	1	1	5	11	17	21	39
70-74	103	9.3	101	1	2	6	12	21	27	58
75-79	89	9.9	139	2	2	7	11	22	24	74
80-84	57	12.2	137	2	2	9	15	30	38	58
85+	71	12.4	121	2	3	10	15	26	34	61
GRAND TOTAL	**464**	**9.7**	**105**	**1**	**2**	**6**	**13**	**22**	**28**	**56**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	1	2	2	3	4	5	5	5
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	4	3.8	6	1	1	3	5	7	7	7
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	5.1	15	1	1	5	7	8	12	19
70-74	25	4.6	39	<1	1	3	4	11	16	32
75-79	21	7.8	142	1	1	4	8	18	39	53
80-84	24	5.4	11	2	2	5	7	10	12	15
85+	29	7.3	80	1	1	6	8	12	23	48
B. *Operated*										
65-69 YRS	9	4.9	10	1	1	3	7	10	10	10
70-74	11	5.0	8	1	2	4	8	9	10	10
75-79	8	7.1	64	2	2	5	7	21	26	26
80-84	7	8.0	85	2	2	4	9	24	28	28
85+	5	20.4	847	4	4	7	28	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	3	1	1	3	4	6	7	7
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	122	6.1	56	1	1	4	7	11	17	49
B. *Operated*	40	7.9	140	1	2	5	8	12	27	72
1. SINGLE DX	21	3.0	3	1	1	3	4	6	6	7
2. MULTIPLE DX	162	6.5	77	1	1	4	7	11	20	52
A. NOT OPERATED	140	5.7	50	1	1	4	7	10	14	48
B. OPERATED	43	7.4	133	1	2	4	8	11	27	72
TOTAL 65-69 YRS	40	4.7	12	1	1	4	7	8	9	19
70-74	40	4.6	27	1	1	3	5	9	11	32
75-79	33	7.1	105	1	1	4	7	15	27	53
80-84	33	5.8	26	2	2	5	7	10	14	28
85+	37	8.6	181	1	1	6	8	14	39	72
GRAND TOTAL	**183**	**6.1**	**70**	**1**	**1**	**4**	**7**	**10**	**16**	**51**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	133	3.4	8	<1	1	2	4	8	9	12
70-74	114	3.3	5	1	1	3	5	6	8	11
75-79	102	4.4	12	1	1	3	6	9	11	17
80-84	126	4.0	14	1	1	3	5	8	11	19
85+	186	5.1	41	1	1	4	6	10	12	25
B. *Operated*										
65-69 YRS	24	4.3	9	<1	1	4	6	9	10	12
70-74	27	5.7	17	1	1	4	9	11	15	15
75-79	16	5.0	19	2	2	3	6	9	16	19
80-84	16	5.1	9	1	2	5	6	9	12	14
85+	14	5.9	13	1	2	6	8	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1013	5.6	28	1	1	4	7	11	15	28
70-74	1335	6.0	33	1	2	4	7	12	16	26
75-79	1526	6.4	32	1	2	5	8	12	17	29
80-84	1709	7.2	58	1	2	5	9	14	18	47
85+	2445	7.2	58	1	2	5	9	14	19	50
B. *Operated*										
65-69 YRS	162	7.8	87	1	1	5	9	15	21	55
70-74	184	9.4	69	2	2	7	12	18	24	46
75-79	185	9.5	73	2	2	7	14	21	29	49
80-84	204	12.5	128	2	2	9	16	25	38	68
85+	215	11.1	85	2	3	9	15	24	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	661	4.1	19	1	1	3	5	9	11	15
B. *Operated*	97	5.2	13	1	1	4	7	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	8028	6.6	45	1	2	5	8	13	17	36
B. *Operated*	950	10.2	91	1	2	8	14	21	29	66
1. SINGLE DX	758	4.2	18	1	1	3	5	9	11	15
2. MULTIPLE DX	8978	7.0	52	1	2	5	9	14	19	41
A. NOT OPERATED	8689	6.4	44	1	2	5	8	13	17	35
B. OPERATED	1047	9.7	86	1	2	7	13	21	28	65
TOTAL 65-69 YRS	1332	5.6	34	1	1	4	7	11	15	29
70-74	1660	6.2	37	1	1	4	8	13	17	28
75-79	1829	6.6	36	1	2	5	8	13	17	31
80-84	2055	7.5	65	1	2	5	9	15	21	49
85+	2860	7.3	60	1	2	5	9	14	21	55
GRAND TOTAL	**9736**	**6.8**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0	2	1	1	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	6	1.5	1	<1	<1	1	2	3	3	3
70-74	5	7.0	72	1	1	3	12	21	21	21
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	7.0		7	7	7	7	7	7	7
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	7.8	15	3	3	7	12	13	13	13
70-74	6	5.0	8	2	2	5	7	9	9	9
75-79	8	4.8	24	1	1	3	5	13	16	16
80-84	5	9.6	12	6	6	10	11	15	15	15
85+	5	8.4	3	6	6	8	9	11	11	11
B. *Operated*										
65-69 YRS	16	7.3	39	1	1	5	10	18	21	22
70-74	14	5.9	32	1	1	4	9	14	19	20
75-79	8	7.9	58	1	1	5	14	19	21	21
80-84	7	20.6	215	5	6	18	24	45	50	50
85+	5	17.8	378	1	1	17	25	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*	16	3.6	27	<1	<1	2	3	9	17	21
2. MULTIPLE DX										
A. *Not Operated*	34	6.9	16	1	2	6	10	12	15	16
B. *Operated*	50	9.9	116	1	1	7	14	21	25	50
1. SINGLE DX	22	3.4	21	<1	<1	2	3	8	14	21
2. MULTIPLE DX	84	8.7	77	1	1	6	11	18	22	50
A. NOT OPERATED	40	6.3	16	1	1	6	9	12	14	16
B. OPERATED	66	8.4	101	1	1	5	12	21	23	50
TOTAL 65-69 YRS	34	6.2	28	<1	1	5	9	13	18	22
70-74	26	5.7	31	1	1	4	9	13	20	21
75-79	18	5.8	39	1	1	3	7	16	19	21
80-84	15	13.5	148	1	3	10	17	25	44	50
85+	13	10.5	169	1	1	8	12	24	45	50
GRAND TOTAL	**106**	**7.6**	**70**	**1**	**1**	**5**	**10**	**17**	**21**	**50**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
GRAND TOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	1.5	1	<1	<1	1	2	2	3	8
70-74	71	1.6	3	<1	1	1	2	3	3	13
75-79	75	1.8	3	<1	1	1	2	5	7	10
80-84	53	2.2	5	1	1	1	2	4	6	13
85+	40	1.7	1	1	1	1	2	3	4	4
B. *Operated*										
65-69 YRS	22	2.9	7	<1	1	2	4	8	9	10
70-74	15	2.3	8	<1	<1	1	3	3	10	12
75-79	19	1.7	2	<1	<1	1	2	3	5	6
80-84	12	3.0	30	1	1	1	2	9	18	20
85+	8	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	214	4.1	30	1	1	2	4	9	12	33
70-74	238	4.0	25	1	1	2	5	8	12	25
75-79	213	3.5	11	1	1	2	4	7	11	16
80-84	164	4.0	16	1	1	3	5	9	11	16
85+	190	4.4	18	1	1	3	6	10	14	68
B. *Operated*										
65-69 YRS	150	6.0	80	1	1	3	7	13	20	36
70-74	162	6.2	44	1	1	3	8	17	20	31
75-79	127	6.6	102	1	1	4	8	13	19	67
80-84	95	6.1	30	1	1	4	9	14	19	25
85+	83	8.6	151	1	2	5	8	22	29	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	1.7	3	<1	1	1	2	3	5	9
B. *Operated*	76	2.4	9	<1	1	1	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	1019	4.0	20	1	1	3	5	9	12	25
B. *Operated*	617	6.5	77	1	1	4	8	15	20	38
1. SINGLE DX	392	1.8	4	<1	1	1	2	3	5	11
2. MULTIPLE DX	1636	4.9	43	1	1	3	6	11	16	31
A. NOT OPERATED	1335	3.5	17	1	1	2	4	8	11	23
B. OPERATED	693	6.1	71	1	1	3	7	14	20	37
TOTAL 65-69 YRS	463	4.2	43	1	1	2	5	9	13	34
70-74	486	4.3	30	1	1	2	5	10	16	26
75-79	434	4.0	39	1	1	2	5	9	13	23
80-84	324	4.3	20	1	1	3	5	10	14	20
85+	321	5.1	55	1	1	3	6	10	18	65
GRAND TOTAL	**2028**	**4.3**	**37**	**1**	**1**	**2**	**5**	**10**	**14**	**29**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	12.4	21	7	7	12	16	18	18	18
70-74	2	28.0	882	7	7	28	49	49	49	49
75-79	2	9.0	50	4	4	9	14	14	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	18	16.2	259	2	3	15	20	28	55	71
70-74	12	10.9	222	1	1	4	15	36	45	47
75-79	14	12.0	65	3	4	11	13	24	29	30
80-84	4	14.8	339	1	1	8	27	41	41	41
85+	4	4.8	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	13.3	114	2	4	9	19	32	35	46
70-74	32	14.0	95	2	3	12	18	26	37	41
75-79	22	14.3	129	4	4	11	17	33	42	43
80-84	22	12.4	146	2	2	9	12	31	41	49
85+	15	14.3	109	3	5	12	16	22	41	47
B. *Operated*										
65-69 YRS	100	28.6	475	5	7	23	41	72	94	99+
70-74	94	22.4	333	4	4	18	35	54	91	99+
75-79	71	26.5	369	4	6	20	37	53	62	94
80-84	61	31.2	476	8	9	24	40	67	81	94
85+	52	31.0	557	6	7	25	50	86	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	14.3	151	4	6	12	15	30	47	49
B. *Operated*	52	12.9	182	1	2	7	18	30	40	70
2. MULTIPLE DX										
A. *Not Operated*	134	13.6	113	2	4	10	17	29	38	47
B. *Operated*	378	27.4	437	5	7	22	39	64	90	99+
1. SINGLE DX	63	13.1	174	2	2	8	16	30	43	68
2. MULTIPLE DX	512	23.8	389	4	5	19	34	54	77	99+
A. NOT OPERATED	145	13.6	115	2	4	10	17	29	39	49
B. OPERATED	430	25.7	429	4	5	21	36	61	86	99+
TOTAL 65-69 YRS	166	22.8	393	4	5	17	33	54	79	99+
70-74	140	19.6	288	2	4	15	28	50	59	99+
75-79	109	21.9	314	4	4	17	30	45	60	86
80-84	88	[illegible]	450	2	6	20	37	50	68	93
85+	72	[illegible]	498	5	6	19	38	73	92	99+
GRAND TOTAL	**575**	**22.6**	**376**	**3**	**5**	**17**	**32**	**53**	**73**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	8.6	49	<1	1	6	14	18	22	24
70-74	14	7.9	53	2	2	6	8	15	27	31
75-79	7	6.7	25	2	2	4	11	14	15	15
80-84	9	5.0	11	1	1	5	7	10	11	11
85+	3	5.7	5	3	3	7	7	7	7	7
B. *Operated*										
65-69 YRS	7	6.3	18	2	2	6	9	12	13	13
70-74	12	10.1	44	1	2	10	12	20	24	25
75-79	5	15.6	136	5	5	13	23	34	34	34
80-84										
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	7.6	38	1	2	6	10	14	17	32
70-74	119	9.9	131	2	2	6	12	20	30	60
75-79	103	12.3	228	2	3	8	14	26	48	99
80-84	86	11.2	103	2	3	8	14	21	26	56
85+	84	12.1	133	2	3	9	14	25	36	65
B. *Operated*										
65-69 YRS	65	16.2	149	2	3	14	25	46	99+	99+
70-74	55	20.3	348	4	4	15	24	62	71	99
75-79	43	20.0	204	4	7	16	24	45	49	63
80-84	31	21.2	300	5	7	14	24	48	68	70
85+	23	21.9	333	4	4	17	36	56	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	7.4	38	1	2	6	9	15	20	31
B. *Operated*	25	10.5	61	1	2	9	13	19	27	34
2. MULTIPLE DX										
A. *Not Operated*	524	10.4	125	2	2	7	13	21	30	67
B. *Operated*	217	19.3	251	3	5	15	25	47	69	99+
1. SINGLE DX	78	8.4	47	1	2	7	11	18	22	33
2. MULTIPLE DX	741	13.0	178	2	3	9	16	29	45	99+
A. NOT OPERATED	577	10.1	118	1	2	7	12	20	29	63
B. OPERATED	242	18.4	238	3	4	14	24	46	67	99+
TOTAL 65-69 YRS	224	10.1	85	1	2	8	13	23	37	99+
70-74	200	12.6	201	2	2	9	15	27	39	91
75-79	158	14.3	222	2	3	10	17	33	48	96
80-84	126	13.2	166	2	3	9	16	24	47	69
85+	111	14.0	185	2	3	10	18	35	44	85
GRAND TOTAL	**819**	**12.5**	**167**	**2**	**3**	**9**	**16**	**27**	**43**	**99**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	7	1	1	2	5	7	7	7
70-74	3	7.3	85	2	2	2	14	18	18	18
75-79	5	7.6	31	<1	<1	8	12	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.7	50	<1	1	2	3	17	24	26
70-74	4	5.3	25	1	1	4	9	12	12	12
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	2	6.5	13	4	4	6	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	8.5	54	2	3	7	10	19	33	99+
70-74	50	10.1	69	2	2	8	13	23	28	40
75-79	52	9.9	91	1	2	7	12	26	32	45
80-84	40	8.9	54	1	2	8	11	16	27	34
85+	34	11.6	228	2	2	8	14	20	23	90
B. *Operated*										
65-69 YRS	41	12.8	406	1	1	3	14	36	62	94
70-74	38	14.8	384	1	1	5	24	54	71	99+
75-79	32	16.8	411	1	2	11	21	60	86	99+
80-84	7	11.4	246	1	1	7	14	39	45	45
85+	7	17.6	170	7	8	14	17	40	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.1	33	<1	1	3	10	15	18	18
B. *Operated*	25	4.7	38	<1	1	2	5	12	21	26
2. MULTIPLE DX										
A. *Not Operated*	218	9.8	93	2	2	7	12	20	31	59
B. *Operated*	125	14.6	372	1	1	7	17	46	64	99+
1. SINGLE DX	37	5.1	36	<1	1	2	7	14	19	26
2. MULTIPLE DX	343	11.5	199	1	2	7	14	30	45	94
A. NOT OPERATED	230	9.6	90	1	2	7	12	20	30	54
B. OPERATED	150	13.0	330	1	1	6	16	41	62	99+
TOTAL 65-69 YRS	104	9.4	197	1	1	5	10	26	37	97
70-74	95	11.7	197	1	2	7	14	32	49	89
75-79	91	12.0	209	1	2	7	15	27	45	96
80-84	49	9.2	76	1	2	7	11	17	34	45
85+	41	12.6	219	2	3	9	15	21	33	90
GRAND TOTAL	**380**	**10.9**	**187**	**1**	**1**	**7**	**13**	**26**	**40**	**93**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	2.8	4	1	1	2	3	4	6	11
70-74	35	4.3	10	1	1	3	6	8	10	16
75-79	25	3.3	6	1	1	3	4	5	9	11
80-84	17	3.4	6	1	1	3	4	7	9	10
85+	32	4.8	23	<1	<1	3	7	11	12	24
B. *Operated*										
65-69 YRS	16	6.1	18	<1	2	5	8	12	15	16
70-74	10	18.3	764	1	1	5	15	70	73	73
75-79	5	5.6	26	2	2	3	9	14	14	14
80-84	8	11.1	80	2	2	9	18	24	25	25
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	222	6.2	24	1	2	5	8	14	17	23
70-74	257	6.7	30	1	2	5	9	14	18	30
75-79	281	6.7	35	1	2	5	8	13	16	28
80-84	296	7.1	34	2	2	6	9	15	20	33
85+	329	7.4	36	2	2	6	10	15	18	40
B. *Operated*										
65-69 YRS	96	11.0	134	2	2	8	16	22	27	67
70-74	82	13.8	158	2	4	11	17	26	39	69
75-79	65	12.0	109	2	3	9	15	23	32	59
80-84	50	17.9	444	1	2	10	20	48	74	90
85+	55	14.1	269	2	2	8	18	28	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.8	11	1	1	3	4	8	11	17
B. *Operated*	41	9.7	225	1	1	5	11	18	44	73
2. MULTIPLE DX										
A. *Not Operated*	1385	6.9	32	1	2	5	9	14	18	30
B. *Operated*	348	13.3	203	2	2	9	16	26	41	79
1. SINGLE DX	178	5.2	66	1	1	3	5	11	14	55
2. MULTIPLE DX	1733	8.2	73	1	2	6	10	16	23	48
A. NOT OPERATED	1522	6.6	31	1	2	5	8	14	17	28
B. OPERATED	389	13.0	206	2	2	9	16	26	41	77
TOTAL 65-69 YRS	362	7.2	57	1	2	5	9	16	20	35
70-74	384	8.3	85	1	2	6	10	17	23	64
75-79	376	7.3	51	1	2	6	9	15	18	38
80-84	371	8.5	103	1	2	6	10	17	25	73
85+	418	8.1	71	1	2	6	10	16	23	48
GRAND TOTAL	**1911**	**7.9**	**73**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	3.3	10	<1	1	2	4	7	9	16
70-74	58	3.2	5	<1	1	3	4	6	8	10
75-79	56	3.1	5	1	1	3	4	6	9	11
80-84	41	4.5	27	1	1	4	5	8	10	33
85+	39	3.3	15	1	1	2	4	5	8	24
B. *Operated*										
65-69 YRS	2	11.5	5	10	10	11	13	13	13	13
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	9.0	18	6	6	9	12	12	12	12
80-84										
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1149	6.2	37	1	2	5	8	12	16	34
70-74	1167	6.4	40	1	2	5	8	12	17	35
75-79	1224	6.5	39	1	2	5	8	13	17	31
80-84	931	7.1	49	1	2	5	9	13	18	37
85+	798	7.0	35	1	2	6	9	13	17	29
B. *Operated*										
65-69 YRS	100	12.5	118	2	3	9	16	25	35	54
70-74	94	14.0	222	2	3	10	16	40	72	99+
75-79	101	13.6	136	2	3	10	18	29	38	99+
80-84	63	12.5	110	3	4	10	15	24	34	64
85+	59	15.4	151	3	4	12	18	32	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	3.4	11	1	1	3	4	7	8	16
B. *Operated*	7	9.3	49	1	1	10	13	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	5269	6.6	40	1	2	5	8	13	17	32
B. *Operated*	417	13.5	149	2	3	10	17	29	41	99+
1. SINGLE DX	260	3.6	13	1	1	3	4	7	10	20
2. MULTIPLE DX	5686	7.1	51	1	2	5	9	14	19	39
A. NOT OPERATED	5522	6.5	39	1	2	5	8	13	17	32
B. OPERATED	424	13.4	147	2	3	10	16	29	41	99+
TOTAL 65-69 YRS	1310	6.6	45	1	1	5	8	13	18	40
70-74	1321	6.8	55	1	2	5	8	13	18	47
75-79	1383	6.9	48	1	2	5	8	14	20	34
80-84	1035	7.3	54	1	2	5	9	14	19	37
85+	897	7.4	47	1	2	6	9	14	19	36
GRAND TOTAL	**5946**	**7.0**	**50**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	1.8	2	1	1	1	2	3	5	8
70-74	57	1.9	3	1	1	1	2	3	4	12
75-79	26	2.0	6	<1	1	1	2	3	9	12
80-84	11	2.4	4	<1	<1	2	3	6	8	8
85+	12	1.6	2	1	1	1	1	4	5	5
B. *Operated*										
65-69 YRS	4	4.3	7	2	2	4	6	7	7	7
70-74	1	33.0		33	33	33	33	33	33	33
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	252	4.2	40	1	1	2	4	9	14	32
70-74	179	4.6	35	1	1	3	5	10	14	24
75-79	154	5.4	36	1	1	3	7	12	17	36
80-84	102	4.9	30	1	1	3	6	10	13	34
85+	76	5.4	39	1	1	3	6	13	15	37
B. *Operated*										
65-69 YRS	21	23.6	573	1	2	14	38	57	76	96
70-74	16	9.8	274	2	2	4	9	14	53	70
75-79	14	7.9	41	<1	1	7	11	15	23	25
80-84	11	19.6	660	5	6	9	20	55	91	94
85+	11	14.1	85	4	4	15	18	27	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	1.9	3	1	1	1	2	3	5	11
B. *Operated*	7	11.0	161	2	2	6	20	31	33	33
2. MULTIPLE DX										
A. *Not Operated*	763	4.7	37	1	1	3	5	10	15	32
B. *Operated*	73	15.5	368	2	2	9	16	38	59	96
1. SINGLE DX	178	2.2	12	1	1	1	2	4	7	21
2. MULTIPLE DX	836	5.7	74	1	1	3	6	12	17	44
A. NOT OPERATED	934	4.2	32	1	1	2	5	9	14	28
B. OPERATED	80	15.1	349	2	2	9	17	36	57	95
TOTAL 65-69 YRS	342	4.9	87	1	1	2	4	10	17	60
70-74	253	4.4	48	1	1	2	4	10	14	33
75-79	195	5.1	34	1	1	3	7	12	17	31
80-84	124	6.0	97	1	1	3	7	11	17	53
85+	100	6.1	52	1	1	4	7	15	20	38
GRAND TOTAL	**1014**	**5.1**	**65**	**1**	**1**	**3**	**5**	**11**	**16**	**40**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	111	2.9	8	1	1	2	3	6	9	15
70-74	97	2.9	5	1	1	2	4	5	8	12
75-79	80	3.5	11	1	1	2	4	8	10	17
80-84	40	3.8	7	1	1	3	6	8	9	10
85+	53	4.2	7	1	1	4	6	7	8	13
B. *Operated*										
65-69 YRS	7	9.6	53	2	2	9	11	22	24	24
70-74	5	4.6	11	1	1	3	7	9	9	9
75-79	3	6.0	37	2	2	3	10	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1057	5.8	34	1	1	4	7	11	14	31
70-74	1287	6.2	32	1	2	5	8	12	16	32
75-79	1215	6.5	48	1	2	5	8	12	16	33
80-84	961	6.6	40	1	2	5	8	13	17	40
85+	919	7.5	58	2	2	6	9	14	19	40
B. *Operated*										
65-69 YRS	151	13.9	213	2	2	9	18	29	40	98
70-74	169	13.9	173	1	2	10	18	34	41	99+
75-79	129	15.2	200	2	3	11	20	33	45	99+
80-84	91	15.1	181	2	3	11	20	33	53	84
85+	84	14.7	207	2	4	10	16	31	58	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.3	8	1	1	2	4	7	9	13
B. *Operated*	15	7.2	36	1	2	6	10	13	21	24
2. MULTIPLE DX										
A. *Not Operated*	5439	6.5	42	1	2	5	8	12	17	33
B. *Operated*	624	14.4	193	2	3	10	19	32	49	99+
1. SINGLE DX	396	3.4	9	1	1	2	5	7	9	13
2. MULTIPLE DX	6063	7.3	63	1	2	5	9	15	21	45
A. NOT OPERATED	5820	6.3	40	1	2	5	8	12	16	33
B. OPERATED	639	14.3	191	2	2	10	18	32	48	99+
TOTAL 65-69 YRS	1326	6.5	60	1	1	4	8	13	19	39
70-74	1558	6.8	53	1	2	5	8	14	20	40
75-79	1427	7.1	66	1	2	5	8	14	20	45
80-84	1092	7.2	56	1	2	5	9	15	20	51
85+	1056	7.9	72	2	2	6	9	15	21	56
GRAND TOTAL	**6459**	**7.1**	**61**	**1**	**2**	**5**	**8**	**14**	**20**	**44**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	7.1	67	<1	1	4	9	17	27	40
70-74	62	5.9	78	<1	1	4	6	13	18	58
75-79	79	5.5	44	1	1	4	6	10	17	40
80-84	54	6.2	52	1	1	3	8	15	20	41
85+	42	5.7	34	<1	1	3	9	14	16	28
B. *Operated*										
65-69 YRS	911	7.9	55	1	1	5	11	17	21	34
70-74	978	7.2	53	1	1	4	11	16	20	38
75-79	788	7.5	58	1	1	5	11	17	21	35
80-84	563	6.9	55	1	1	4	10	15	21	35
85+	434	6.6	40	1	1	4	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	430	7.2	61	1	1	5	9	15	20	43
70-74	515	7.0	53	1	1	5	9	14	21	47
75-79	455	8.2	85	1	2	6	10	18	26	46
80-84	371	7.7	73	1	1	5	9	16	21	43
85+	373	7.6	46	1	2	6	10	15	21	38
B. *Operated*										
65-69 YRS	3939	10.7	130	1	2	7	14	23	32	61
70-74	3710	11.2	146	1	2	8	15	25	36	66
75-79	3086	11.3	138	1	2	8	15	25	36	64
80-84	2125	10.8	130	1	2	7	15	24	32	62
85+	1544	10.4	112	2	2	7	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	6.1	56	1	1	4	8	14	20	41
B. *Operated*	3674	7.3	54	1	1	4	11	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	2144	7.5	64	1	1	5	9	15	21	43
B. *Operated*	14404	10.9	134	1	2	7	15	24	34	62
1. SINGLE DX	3990	7.2	54	1	1	4	10	16	21	36
2. MULTIPLE DX	16548	10.5	126	1	2	7	14	23	33	61
A. NOT OPERATED	2460	7.3	63	1	1	5	9	15	21	43
B. OPERATED	18078	10.2	120	1	2	7	14	22	31	59
TOTAL 65-69 YRS	5359	9.9	112	1	2	7	13	21	30	56
70-74	5265	10.0	122	1	2	6	13	22	32	62
75-79	4408	10.2	119	1	2	7	14	23	32	59
80-84	3113	9.6	111	1	2	6	13	21	29	56
85+	2393	9.2	90	1	2	6	12	20	29	50
GRAND TOTAL	**20538**	**9.9**	**114**	**1**	**2**	**6**	**13**	**22**	**30**	**58**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	221	3.5	5	1	1	3	4	6	7	13
70-74	207	3.3	5	1	1	3	4	6	6	8
75-79	149	4.0	10	1	1	3	5	7	9	14
80-84	92	3.7	5	1	2	3	5	6	7	14
85+	48	3.5	3	1	1	3	4	6	7	8
B. *Operated*										
65-69 YRS	93	3.9	10	<1	1	3	5	8	11	16
70-74	84	4.7	13	1	1	4	6	9	12	18
75-79	46	4.3	13	1	1	4	5	8	11	21
80-84	33	6.4	22	1	2	5	8	13	16	21
85+	16	4.1	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	390	4.2	9	1	1	4	5	8	10	15
70-74	388	4.5	16	1	1	3	6	8	12	24
75-79	334	4.6	14	1	2	4	5	9	12	16
80-84	233	5.3	54	1	1	4	6	9	12	38
85+	129	5.3	18	1	2	4	7	10	13	23
B. *Operated*										
65-69 YRS	272	6.7	56	1	1	5	8	13	22	48
70-74	223	6.0	29	1	1	5	7	13	18	30
75-79	218	7.4	78	1	1	5	9	15	20	51
80-84	143	7.7	49	1	2	6	10	16	20	35
85+	83	8.1	103	1	1	5	11	17	24	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	3.6	6	1	1	3	4	6	7	12
B. *Operated*	272	4.5	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1474	4.6	20	1	1	4	6	8	12	22
B. *Operated*	939	7.0	58	1	1	5	9	14	20	37
1. SINGLE DX	989	3.8	8	1	1	3	5	7	8	16
2. MULTIPLE DX	2413	5.6	36	1	1	4	7	11	15	27
A. NOT OPERATED	2191	4.3	15	1	1	3	5	7	10	19
B. OPERATED	1211	6.4	49	1	1	5	8	13	18	32
TOTAL 65-69 YRS	976	4.7	23	1	1	4	6	9	12	25
70-74	902	4.6	17	1	1	4	6	9	12	23
75-79	747	5.3	33	1	1	4	6	11	14	27
80-84	501	5.8	43	1	2	4	7	11	16	29
85+	276	5.8	43	1	1	4	7	12	16	27
GRAND TOTAL	**3402**	**5.1**	**28**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	84	7.8	58	2	3	6	9	14	19	88
70-74	74	[illegible].9	12	2	3	6	9	12	13	17
75-79	49	7.5	24	2	2	7	10	14	16	24
80-84	22	6.2	15	1	2	5	7	12	14	16
85+	19	7.7	26	2	3	7	9	15	20	23
B. *Operated*										
65-69 YRS	83	9.7	76	1	2	7	13	22	28	44
70-74	79	10.1	70	1	2	8	13	20	25	44
75-79	44	10.1	104	1	2	7	12	19	32	51
80-84	30	13.2	199	2	3	8	14	32	36	68
85+	16	9.1	67	1	2	7	13	17	28	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	428	9.0	57	2	3	7	11	16	20	43
70-74	381	9.0	49	2	3	7	11	16	22	34
75-79	291	9.6	57	2	3	8	12	19	25	44
80-84	175	9.6	37	3	4	8	12	19	21	32
85+	121	11.9	150	3	4	8	14	23	32	72
B. *Operated*										
65-69 YRS	523	15.3	140	3	4	12	20	30	42	58
70-74	429	15.8	165	3	4	12	20	32	44	74
75-79	282	14.8	177	2	3	11	19	32	43	76
80-84	147	16.2	162	3	5	13	22	39	53	99+
85+	102	16.8	145	4	5	13	22	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	7.3	31	2	3	6	9	13	16	24
B. *Operated*	252	10.3	93	1	2	8	13	22	29	48
2. MULTIPLE DX										
A. *Not Operated*	1396	9.5	61	2	3	7	12	17	23	41
B. *Operated*	1483	15.5	157	3	4	12	20	32	42	68
1. SINGLE DX	500	8.8	64	2	2	7	11	16	23	47
2. MULTIPLE DX	2879	12.6	119	3	3	9	16	26	35	60
A. NOT OPERATED	1644	9.1	57	2	3	7	11	16	22	41
B. OPERATED	1735	14.8	151	2	4	11	19	31	42	66
TOTAL 65-69 YRS	1118	11.9	107	2	3	9	15	24	33	53
70-74	963	11.9	112	2	3	9	15	24	33	58
75-79	666	11.7	116	2	3	9	14	24	33	60
80-84	374	12.3	108	3	4	9	15	26	36	93
85+	258	13.3	142	2	4	10	16	28	35	62
GRAND TOTAL	**3379**	**12.0**	**113**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	4.4	11	1	1	4	7	9	10	15
70-74	95	5.6	28	1	1	4	8	11	13	32
75-79	51	6.2	19	1	1	5	9	12	15	18
80-84	28	5.6	39	1	1	4	7	12	15	32
85+	21	4.2	10	<1	1	3	6	9	10	11
B. *Operated*										
65-69 YRS	188	5.4	23	1	1	4	7	11	14	24
70-74	186	6.3	64	1	1	4	8	13	20	48
75-79	95	6.2	96	<1	1	3	8	14	18	58
80-84	67	5.1	22	<1	1	3	8	12	14	23
85+	44	5.9	47	1	1	4	7	11	19	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	528	6.7	44	1	1	5	9	13	18	28
70-74	499	6.7	39	1	1	5	9	13	17	37
75-79	422	7.5	83	1	1	5	9	14	20	45
80-84	244	7.8	52	1	1	6	10	17	25	35
85+	184	7.2	30	1	1	6	10	14	17	24
B. *Operated*										
65-69 YRS	1024	11.3	151	1	2	8	14	26	37	72
70-74	925	11.4	146	1	2	8	15	25	35	63
75-79	682	11.7	152	1	2	8	15	28	39	65
80-84	412	11.4	142	1	1	8	16	26	36	72
85+	263	10.8	152	1	2	7	15	23	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	5.2	20	1	1	4	7	10	13	21
B. *Operated*	580	5.8	50	1	1	4	7	12	17	40
2. MULTIPLE DX										
A. *Not Operated*	1877	7.1	51	1	1	5	9	14	19	35
B. *Operated*	3306	11.4	149	1	2	8	15	26	37	71
1. SINGLE DX	881	5.6	40	1	1	4	7	11	15	34
2. MULTIPLE DX	5183	9.8	118	1	1	7	12	22	31	62
A. NOT OPERATED	2178	6.8	47	1	1	5	9	13	18	34
B. OPERATED	3886	10.6	138	1	1	7	14	24	35	66
TOTAL 65-69 YRS	1846	9.0	106	1	1	6	11	19	29	58
70-74	1705	9.2	105	1	1	6	11	20	29	56
75-79	1250	9.6	124	1	1	6	12	21	32	64
80-84	751	9.5	103	1	1	6	12	21	29	55
85+	512	8.8	98	1	1	6	11	20	24	77
GRAND TOTAL	**6064**	**9.2**	**108**	**1**	**1**	**6**	**12**	**20**	**29**	**60**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	76726	5.3	26	1	1	4	7	11	15	24
70-74	66445	5.4	29	1	1	4	7	12	15	25
75-79	51434	5.6	33	1	1	3	7	13	16	27
80-84	32421	5.8	41	1	1	3	8	13	17	30
85+	22728	6.6	51	1	1	4	9	15	19	34
2. MULTIPLE DX										
65-69 YRS	374417	9.2	81	2	2	7	11	18	25	49
70-74	379335	9.7	87	2	2	7	12	20	27	52
75-79	328049	10.2	95	2	2	8	13	21	28	55
80-84	237075	10.8	104	2	2	8	14	22	30	59
85+	195030	11.4	110	2	3	9	14	23	31	66
TOT. SINGLE DX	249754	5.6	33	1	1	4	7	12	16	27
" MULTIPLE DX	1513906	10.1	93	2	2	7	13	20	28	55
TOTAL 65-69 YRS	451143	8.5	74	1	2	6	11	17	24	46
70-74	445780	9.1	81	1	2	7	11	18	25	49
75-79	379483	9.6	89	2	2	7	12	20	27	53
80-84	269496	10.2	99	2	2	8	13	21	29	57
85+	217758	10.9	106	2	2	8	14	22	30	64
GRAND TOTAL	1763660	9.4	87	2	2	7	12	19	26	52

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.5	3	1	1	2	4	5	5	5
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	3	3.0	7	1	1	2	5	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	4.6	42	1	1	2	5	11	15	41
70-74	87	6.7	39	1	1	4	10	17	19	28
75-79	58	4.6	21	1	1	3	7	9	13	25
80-84	36	4.2	24	1	1	2	5	15	17	17
85+	29	4.4	32	1	1	2	5	12	20	24
B. *Operated*										
65-69 YRS	26	12.0	90	1	2	10	13	21	36	44
70-74	19	13.0	85	1	2	12	18	29	30	31
75-79	11	7.1	55	1	2	5	7	20	25	26
80-84	4	22.8	1123	5	5	6	40	73	73	73
85+	2	22.0	882	1	1	22	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.5	3	1	1	2	4	5	6	6
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	269	5.2	33	1	1	3	7	12	17	26
B. *Operated*	62	12.4	156	1	2	9	15	29	38	69
1. SINGLE DX	16	2.8	4	1	1	2	4	6	7	7
2. MULTIPLE DX	331	6.6	64	1	1	4	9	16	19	43
A. NOT OPERATED	283	5.1	32	1	1	3	7	12	17	25
B. OPERATED	64	12.2	153	1	2	9	15	29	37	69
TOTAL 65-69 YRS	92	6.5	64	1	1	4	9	14	19	44
70-74	109	7.7	51	1	1	6	11	18	20	31
75-79	71	4.9	26	1	1	3	7	10	16	26
80-84	43	5.8	130	1	1	2	6	16	17	73
85+	32	5.4	77	1	1	2	5	15	24	43
GRAND TOTAL	**347**	**6.4**	**62**	**1**	**1**	**4**	**8**	**16**	**19**	**43**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	1.3		<1	<1	<1	2	2	2	2
70-74										
75-79	4	2.5		2	2	2	3	3	3	3
80-84										
85+	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	4	3.0	5	<1	<1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	3.0	5	<1	<1	2	4	6	6	6
1. SINGLE DX	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	4	3.0	5	<1	<1	2	4	6	6	6
A. NOT OPERATED										
B. OPERATED	16	2.0	2	<1	<1	2	3	3	5	6
TOTAL 65-69 YRS	3	1.3		<1	<1	<1	2	2	2	2
70-74										
75-79	4	2.5		2	2	2	3	3	3	3
80-84										
85+	9	2.0	3	<1	<1	<1	2	5	6	6
GRAND TOTAL	**16**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**3**	**5**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	8	<1	<1	1	4	7	8	8
70-74	7	7.0	25	2	2	5	10	15	16	16
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	230	2.8	4	<1	1	2	4	5	6	12
70-74	192	3.6	17	<1	1	2	4	7	10	23
75-79	138	3.4	9	<1	<1	2	4	7	10	17
80-84	85	4.1	12	<1	1	3	5	8	11	19
85+	55	5.3	15	<1	1	3	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	5.5	38	<1	<1	2	11	16	16	16
70-74	8	1.6	1	1	1	2	2	3	3	3
75-79	9	11.0	617	1	1	3	5	49	77	77
80-84	2	5.5	25	2	2	5	9	9	9	9
85+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
65-69 YRS	203	5.7	55	1	1	3	6	16	20	41
70-74	168	5.4	34	1	1	4	7	11	16	38
75-79	152	5.1	13	1	2	4	6	11	13	16
80-84	85	6.8	33	2	2	5	9	12	14	34
85+	96	9.1	60	2	2	7	10	18	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.1	18	<1	<1	2	6	10	14	16
B. *Operated*	700	3.5	11	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	34	5.7	177	<1	<1	2	4	13	16	77
B. *Operated*	704	6.1	40	1	2	4	7	13	17	35
1. SINGLE DX	718	3.5	11	<1	1	3	4	7	10	17
2. MULTIPLE DX	738	6.1	47	1	1	4	7	13	17	36
A. NOT OPERATED	52	5.1	121	<1	<1	2	5	12	16	76
B. OPERATED	1404	4.8	27	<1	1	3	6	10	14	25
TOTAL 65-69 YRS	453	4.2	30	<1	1	3	4	8	16	23
70-74	375	4.4	25	<1	1	3	5	9	13	29
75-79	300	4.5	29	<1	1	3	5	10	11	17
80-84	174	5.4	24	1	1	4	7	12	14	24
85+	154	7.6	47	1	2	6	9	16	21	34
GRAND TOTAL	**1456**	**4.8**	**31**	**<1**	**1**	**3**	**6**	**10**	**15**	**26**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.3		1	1	1	2	2	2	2
70-74	3	1.7		1	1	2	2	2	2	2
75-79										
80-84	3	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	203	1.4		<1	<1	1	2	2	2	4
70-74	29	2.7	7	<1	<1	2	3	5	10	12
75-79	74	1.6	2	1	1	1	2	2	6	9
80-84	69	1.5	6	1	1	1	1	2	2	18
85+	17	2.1	2	<1	1	2	2	4	5	5
B. *Operated*										
65-69 YRS	49	4.0	19	<1	<1	2	6	10	12	20
70-74	42	8.0	220	<1	<1	4	7	17	37	81
75-79	15	2.9	9	<1	<1	1	4	8	9	9
80-84	8	9.9	84	<1	<1	8	14	25	28	28
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.6		1	1	2	2	2	2	2
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	392	1.6	2	<1	<1	1	2	2	3	9
B. *Operated*	114	5.8	100	<1	<1	3	7	11	19	64
1. SINGLE DX	14	1.6		<1	1	2	2	2	2	2
2. MULTIPLE DX	506	2.5	27	<1	<1	1	2	5	8	22
A. NOT OPERATED	404	1.6	2	<1	<1	1	2	2	3	8
B. OPERATED	116	5.7	98	<1	<1	3	7	11	19	64
TOTAL 65-69 YRS	260	1.9	5	<1	<1	1	2	3	6	12
70-74	74	5.6	133	<1	<1	2	5	10	22	75
75-79	89	1.9	4	<1	<1	1	2	4	8	9
80-84	80	2.4	19	1	1	1	2	3	11	26
85+	17	2.1	2	<1	1	2	2	4	5	5
GRAND TOTAL	**520**	**2.5**	**26**	**<1**	**<1**	**1**	**2**	**5**	**8**	**22**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	488	2.6	29	<1	<1	1	2	5	6	26
70-74	420	4.5	77	<1	<1	1	3	11	24	51
75-79	280	5.1	85	<1	<1	2	5	12	23	46
80-84	152	6.7	170	<1	<1	2	7	19	34	99+
85+	100	8.2	193	<1	1	3	10	31	97	99+
B. *Operated*										
65-69 YRS	432	4.9	17	<1	1	3	8	11	13	16
70-74	333	4.9	24	<1	1	2	8	11	13	20
75-79	249	5.2	20	<1	1	3	9	12	14	17
80-84	135	4.6	19	<1	1	2	8	11	13	20
85+	74	6.2	142	<1	1	3	9	12	14	81
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13191	4.1	42	1	1	2	4	7	13	37
70-74	9640	5.0	67	1	1	3	5	9	19	47
75-79	5661	6.1	87	1	1	3	6	15	26	50
80-84	2404	8.3	108	1	1	4	10	21	30	55
85+	1410	11.0	183	1	1	6	15	29	39	99+
B. *Operated*										
65-69 YRS	3536	6.6	78	1	1	4	8	14	21	54
70-74	3071	6.9	83	1	1	4	9	15	23	52
75-79	2229	6.8	73	1	1	4	9	15	22	47
80-84	1154	7.1	79	1	1	4	10	16	25	55
85+	627	8.1	115	1	1	4	11	19	26	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1440	4.4	83	<1	<1	2	4	10	23	79
B. *Operated*	1223	5.0	27	<1	1	3	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	32306	5.3	71	1	1	3	5	11	22	47
B. *Operated*	10617	6.9	81	1	1	4	9	15	23	50
1. SINGLE DX	2663	4.7	57	<1	<1	2	6	11	15	46
2. MULTIPLE DX	42923	5.7	74	1	1	3	6	13	22	48
A. NOT OPERATED	33746	5.3	72	1	1	3	5	11	22	48
B. OPERATED	11840	6.7	76	1	1	4	9	14	21	49
TOTAL 65-69 YRS	17647	4.6	49	1	1	2	5	9	15	41
70-74	13464	5.4	71	1	1	3	5	11	20	47
75-79	8419	6.2	81	1	1	3	6	15	24	49
80-84	3845	7.7	99	1	1	4	10	19	28	56
85+	2211	9.9	165	1	1	5	13	25	37	96
GRAND TOTAL	**45586**	**5.7**	**73**	**1**	**1**	**3**	**6**	**13**	**22**	**48**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	202	13.9	111	4	6	11	17	24	32	65
70-74	145	15.2	152	5	6	12	17	26	37	80
75-79	114	13.9	155	4	5	11	16	23	35	70
80-84	67	14.1	70	4	6	12	20	28	32	88
85+	44	13.7	70	4	5	12	18	24	33	39
2. MULTIPLE DX										
65-69 YRS	720	23.3	301	6	8	18	30	53	66	99+
70-74	664	22.2	252	5	7	18	29	45	58	99+
75-79	572	23.2	271	6	8	19	30	48	64	99+
80-84	278	22.6	250	8	9	19	28	47	69	99+
85+	197	24.2	226	8	10	22	31	44	57	99
TOT. SINGLE DX	572	14.3	122	4	6	11	17	24	34	67
" MULTIPLE DX	2431	23.0	269	6	8	18	30	48	64	99+
TOTAL 65-69 YRS	922	21.2	275	5	7	16	26	48	63	98
70-74	809	20.9	241	5	7	17	27	42	55	97
75-79	686	21.6	264	5	7	17	28	46	62	99+
80-84	345	21.0	227	6	8	17	27	40	67	99+
85+	241	22.2	214	6	8	18	29	41	50	99
GRAND TOTAL	**3003**	**21.3**	**253**	**5**	**7**	**17**	**27**	**44**	**60**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	52	13.0	81	3	5	10	16	22	27	53
70-74	40	13.4	92	4	5	11	15	26	39	43
75-79	37	13.8	69	4	6	12	18	23	29	48
80-84	29	13.7	64	5	5	13	17	24	29	40
85+	12	10.3	26	1	2	10	14	17	18	18
2. MULTIPLE DX										
65-69 YRS	204	22.5	276	6	8	18	30	51	67	99+
70-74	193	24.0	302	7	8	18	32	52	66	99
75-79	162	24.4	376	7	8	17	32	56	73	99
80-84	117	23.5	367	6	7	17	30	51	66	99
85+	91	24.8	204	6	10	22	31	42	51	72
TOT. SINGLE DX	170	13.2	74	4	5	11	16	23	28	47
" MULTIPLE DX	767	23.7	309	6	8	18	31	51	66	99+
TOTAL 65-69 YRS	256	20.6	252	6	7	16	27	46	63	99+
70-74	233	22.2	282	6	7	16	30	48	64	97
75-79	199	22.4	336	6	8	17	27	53	72	96
80-84	146	21.6	322	5	6	15	26	48	61	98
85+	103	23.1	205	5	8	21	29	42	49	71
GRAND TOTAL	**937**	**21.8**	**283**	**6**	**7**	**17**	**27**	**47**	**63**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	6.9	19	2	2	5	11	13	13	13
70-74	4	6.0	4	3	3	7	7	7	7	7
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84										
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	33	10.5	135	3	3	7	11	23	58	99+
70-74	11	18.4	592	3	4	7	20	54	84	87
75-79	16	17.4	418	3	3	12	18	28	71	89
80-84	8	17.8	597	5	6	9	12	58	78	78
85+	3	7.0	4	5	5	7	8	9	9	9
TOT. SINGLE DX	14	7.1	15	2	3	7	9	13	14	14
" MULTIPLE DX	71	13.9	311	3	4	9	13	29	76	98
TOTAL 65-69 YRS	40	9.9	116	3	3	7	11	19	50	99+
70-74	15	15.1	456	3	3	7	15	32	73	87
75-79	18	16.2	382	3	3	11	14	27	65	89
80-84	8	17.8	598	5	6	9	12	58	78	78
85+	4	8.8	15	5	5	8	11	14	14	14
GRAND TOTAL	**85**	**12.8**	**268**	**3**	**3**	**8**	**12**	**26**	**65**	**96**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	14.6	253	3	4	11	17	25	29	90
70-74	49	10.7	41	3	4	9	13	22	25	26
75-79	44	13.0	73	5	6	10	17	27	31	39
80-84	18	12.3	46	2	3	12	18	20	23	24
85+	2	23.5	61	18	18	23	29	29	29	29
2. MULTIPLE DX										
65-69 YRS	154	22.2	299	6	8	17	29	50	74	99+
70-74	182	26.4	346	6	8	22	33	50	65	97
75-79	179	22.5	212	6	8	19	30	45	56	99+
80-84	86	21.8	227	5	8	20	29	45	91	99+
85+	34	19.3	121	7	8	16	27	33	37	57
TOT. SINGLE DX	143	12.6	98	4	5	10	17	23	28	43
" MULTIPLE DX	635	23.3	272	6	8	19	30	47	67	99+
TOTAL 65-69 YRS	184	21.0	298	6	7	16	27	45	71	99+
70-74	231	23.1	322	5	6	19	30	46	61	96
75-79	223	20.6	199	5	7	18	28	43	52	99+
80-84	104	20.2	208	5	6	18	26	36	77	99+
85+	36	19.5	117	7	8	17	27	32	37	57
GRAND TOTAL	**778**	**21.3**	**257**	**5**	**7**	**18**	**28**	**43**	**61**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	7.6	42	2	2	6	10	22	46	99+
70-74	14	7.9	12	2	5	8	8	14	16	16
75-79	10	9.9	177	1	1	5	11	30	46	46
80-84	4	7.8	19	4	4	6	10	14	14	14
85+	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	125	19.9	317	4	4	15	26	45	67	99+
70-74	100	23.5	334	3	5	19	33	49	58	84
75-79	76	19.6	295	2	3	15	28	46	62	96
80-84	36	22.7	305	2	2	18	36	51	67	99+
85+	23	19.9	225	3	4	16	29	39	51	62
TOT. SINGLE DX	55	8.1	53	2	2	7	9	16	26	97
" MULTIPLE DX	360	21.1	310	3	4	17	30	47	61	98
TOTAL 65-69 YRS	149	17.9	293	2	4	12	22	43	67	99+
70-74	114	21.6	320	3	5	17	32	48	56	83
75-79	86	18.5	289	2	3	13	27	46	60	94
80-84	40	21.2	296	2	3	16	35	48	62	99+
85+	26	18.4	216	3	4	13	26	38	48	62
GRAND TOTAL	**415**	**19.4**	**295**	**2**	**4**	**14**	**28**	**45**	**60**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	373	9.8	24	4	5	9	11	16	19	30
70-74	276	10.9	32	5	6	10	13	18	23	32
75-79	156	10.7	25	4	5	10	13	16	19	26
80-84	52	14.0	67	7	7	12	16	23	36	42
85+	8	9.0	24	4	4	7	14	15	16	16
2. MULTIPLE DX										
65-69 YRS	1177	15.4	126	5	6	12	18	28	38	62
70-74	1066	16.2	138	6	7	13	19	30	38	75
75-79	689	17.2	131	6	8	14	22	30	38	78
80-84	279	19.6	195	7	8	15	24	37	48	87
85+	81	19.4	141	8	10	16	23	30	40	77
TOT. SINGLE DX	865	10.6	31	5	5	9	12	17	21	32
" MULTIPLE DX	3292	16.5	139	6	7	13	20	30	39	73
TOTAL 65-69 YRS	1550	14.0	108	5	6	11	16	26	35	58
70-74	1342	15.1	121	6	7	12	18	28	35	72
75-79	845	16.0	118	6	7	13	19	28	36	66
80-84	331	18.7	179	7	8	15	23	36	44	86
85+	89	18.5	139	7	8	16	22	28	40	76
GRAND TOTAL	**4157**	**15.2**	**122**	**5**	**6**	**12**	**18**	**28**	**36**	**65**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	8.3	40	<1	1	7	12	17	19	26
70-74	42	7.0	26	1	1	6	10	16	18	19
75-79	26	9.0	85	1	2	6	11	22	28	43
80-84	17	7.6	59	<1	1	5	14	18	24	27
85+	5	15.6	115	2	2	15	20	32	32	32
2. MULTIPLE DX										
65-69 YRS	250	17.6	239	2	3	14	22	39	49	87
70-74	193	18.2	254	2	4	14	26	35	48	92
75-79	142	18.0	195	3	5	13	26	46	50	99+
80-84	78	20.1	200	4	5	16	29	36	47	66
85+	27	24.4	453	2	5	17	47	65	73	99+
TOT. SINGLE DX	143	8.2	50	1	1	7	11	17	21	33
" MULTIPLE DX	690	18.4	239	2	4	14	25	39	50	89
TOTAL 65-69 YRS	303	16.0	217	2	2	12	20	38	45	76
70-74	235	16.2	232	2	2	12	21	32	43	91
75-79	168	16.6	188	2	4	12	23	42	49	92
80-84	95	17.8	197	2	3	14	26	36	41	65
85+	32	23.1	406	2	4	16	35	61	70	99+
GRAND TOTAL	**833**	**16.7**	**221**	**2**	**3**	**13**	**22**	**37**	**49**	**87**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	207	3.3	12	<1	1	2	3	6	9	22
70-74	129	3.7	11	<1	1	3	4	8	10	19
75-79	62	3.4	9	1	1	2	4	8	10	16
80-84	33	4.8	23	1	1	3	7	11	14	24
85+	24	3.9	19	<1	1	2	4	10	15	19
2. MULTIPLE DX										
65-69 YRS	270	6.5	52	1	1	4	9	15	20	31
70-74	195	7.6	96	1	2	4	9	17	23	49
75-79	148	6.5	39	2	2	4	8	15	21	37
80-84	56	10.1	170	2	2	6	11	22	31	82
85+	39	9.5	101	1	2	5	12	20	35	45
TOT. SINGLE DX	455	3.6	13	<1	1	2	4	8	10	20
" MULTIPLE DX	708	7.3	74	1	2	4	9	16	22	45
TOTAL 65-69 YRS	477	5.1	38	1	1	3	6	12	17	27
70-74	324	6.0	66	1	1	3	7	14	20	47
75-79	210	5.6	33	1	2	3	7	14	17	31
80-84	89	8.1	122	2	2	5	9	15	25	69
85+	63	7.3	77	1	1	4	10	18	23	44
GRAND TOTAL	**1163**	**5.8**	**54**	**1**	**1**	**3**	**7**	**13**	**18**	**37**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	627	2.2	3	<1	<1	2	2	3	5	9
70-74	516	2.2	2	<1	<1	2	2	4	5	11
75-79	393	2.2	3	<1	<1	2	2	3	4	10
80-84	216	2.2	4	<1	<1	2	2	3	5	14
85+	95	2.7	13	<1	<1	2	3	4	6	22
2. MULTIPLE DX										
65-69 YRS	1013	3.7	19	1	1	2	4	8	12	25
70-74	821	4.6	38	1	1	2	5	10	15	33
75-79	600	4.6	47	1	1	2	4	10	15	30
80-84	336	4.8	61	1	1	2	4	10	15	33
85+	197	4.6	28	1	1	3	5	9	14	23
TOT. SINGLE DX	1847	2.2	4	<1	<1	2	2	4	5	10
" MULTIPLE DX	2967	4.3	36	1	1	2	4	9	14	30
TOTAL 65-69 YRS	1640	3.1	14	<1	1	2	3	6	10	21
70-74	1337	3.7	26	<1	1	2	4	7	11	28
75-79	993	3.6	32	<1	1	2	3	7	12	25
80-84	552	3.8	40	<1	1	2	3	8	12	31
85+	292	4.0	24	1	1	2	4	8	13	23
GRAND TOTAL	**4814**	**3.5**	**25**	**<1**	**1**	**2**	**3**	**7**	**11**	**25**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	9.3	25	3	4	8	13	17	18	19
70-74	16	8.1	19	3	3	8	10	11	18	21
75-79	12	8.9	16	1	4	8	12	14	15	15
80-84	9	11.6	90	4	5	8	11	26	36	36
85+	5	9.8	18	4	4	11	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	164	14.5	136	5	6	11	17	23	30	79
70-74	184	14.7	80	5	6	13	18	26	32	54
75-79	138	15.4	161	4	5	12	18	27	38	71
80-84	96	17.9	194	5	6	14	21	36	48	93
85+	62	17.7	133	5	7	15	21	33	38	66
TOT. SINGLE DX	64	9.3	30	3	4	8	12	15	18	34
" MULTIPLE DX	644	15.6	135	5	6	13	19	28	35	72
TOTAL 65-69 YRS	186	13.9	126	4	5	11	17	22	30	79
70-74	200	14.2	79	4	6	12	18	25	31	53
75-79	150	14.9	153	4	5	12	17	27	36	68
80-84	105	17.3	187	5	6	13	20	36	45	92
85+	67	17.1	129	4	7	14	21	33	37	65
GRAND TOTAL	**708**	**15.0**	**129**	**4**	**6**	**12**	**18**	**27**	**34**	**70**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	4.5	15	<1	1	3	6	12	13	13
70-74	11	3.8	11	<1	<1	2	6	9	10	10
75-79	15	4.1	16	<1	1	3	4	9	14	16
80-84	8	5.3	22	1	1	4	9	12	13	13
85+	2	13.0	288	1	1	13	25	25	25	25
2. MULTIPLE DX										
65-69 YRS	89	7.4	50	1	2	5	10	17	18	40
70-74	87	11.9	117	2	2	9	16	23	36	56
75-79	62	13.5	222	1	2	9	16	34	48	76
80-84	33	11.5	78	3	4	9	14	23	32	43
85+	23	9.3	80	1	1	7	13	30	53	99+
TOT. SINGLE DX	53	4.7	23	<1	1	3	7	11	13	25
" MULTIPLE DX	294	10.6	116	1	2	8	13	22	34	58
TOTAL 65-69 YRS	106	6.9	46	1	1	5	9	16	18	35
70-74	98	11.0	112	1	2	8	15	22	32	54
75-79	77	11.7	196	1	2	8	14	31	43	73
80-84	41	10.3	73	1	2	8	12	19	30	43
85+	25	9.6	87	1	1	7	13	29	46	99+
GRAND TOTAL	**347**	**9.7**	**106**	**1**	**2**	**7**	**12**	**20**	**32**	**56**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	359	4.2	3	2	2	4	5	6	7	11
70-74	246	4.5	8	2	3	4	5	6	8	22
75-79	121	4.7	4	2	3	4	5	7	9	12
80-84	38	5.4	6	2	3	5	6	9	11	13
85+	10	4.3	3	1	2	4	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	652	6.4	29	2	3	5	7	12	18	31
70-74	456	7.4	58	2	3	5	8	13	22	41
75-79	301	8.0	69	3	3	5	9	15	22	46
80-84	131	11.7	195	3	3	6	13	28	36	88
85+	44	12.2	162	3	4	8	13	19	40	74
TOT. SINGLE DX	774	4.4	5	2	3	4	5	6	8	13
" MULTIPLE DX	1584	7.6	65	2	3	5	8	15	22	42
TOTAL 65-69 YRS	1011	5.6	21	2	3	4	6	9	14	27
70-74	702	6.4	43	2	3	5	7	11	17	34
75-79	422	7.1	53	3	3	5	7	13	18	43
80-84	169	10.3	160	3	3	6	11	25	34	77
85+	54	10.7	142	3	4	7	13	18	37	73
GRAND TOTAL	**2358**	**6.5**	**48**	**2**	**3**	**5**	**7**	**12**	**18**	**40**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	88	4.5	12	1	2	4	5	8	9	21
70-74	42	4.9	13	1	2	4	5	9	12	21
75-79	31	6.2	20	1	2	5	7	13	16	21
80-84	8	3.6	1	2	2	3	4	6	6	6
85+	4	19.5	847	2	2	6	35	63	63	63
2. MULTIPLE DX										
65-69 YRS	284	8.7	70	2	3	6	10	19	24	48
70-74	221	9.4	75	2	3	6	11	21	28	40
75-79	145	12.6	165	3	4	8	16	24	34	83
80-84	81	13.1	195	3	4	8	18	31	54	91
85+	40	14.4	122	2	4	11	18	29	41	49
TOT. SINGLE DX	173	5.2	33	1	2	4	5	8	14	22
" MULTIPLE DX	771	10.4	109	2	3	7	13	23	30	55
TOTAL 65-69 YRS	372	7.7	60	2	2	5	8	17	23	45
70-74	263	8.6	69	2	3	6	10	19	27	39
75-79	176	11.5	145	2	3	7	15	23	32	73
80-84	89	12.3	186	3	3	7	16	28	52	89
85+	44	14.8	172	2	4	11	18	33	46	63
GRAND TOTAL	**944**	**9.4**	**99**	**2**	**3**	**6**	**11**	**21**	**27**	**52**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	11.5	109	3	5	9	12	17	31	56
70-74	16	10.1	24	6	6	8	12	15	22	25
75-79	6	9.5	17	4	4	9	14	14	14	14
80-84	5	18.4	217	5	5	12	30	40	40	40
85+										
2. MULTIPLE DX										
65-69 YRS	115	16.3	204	2	5	13	20	31	62	99+
70-74	114	14.6	94	4	6	12	20	26	37	99+
75-79	56	22.2	393	3	6	17	26	50	67	94
80-84	14	15.7	125	1	2	13	25	30	36	38
85+	4	31.8	1034	10	10	19	52	79	79	79
TOT. SINGLE DX	51	11.5	83	4	6	9	13	19	27	56
" MULTIPLE DX	303	16.9	210	3	6	13	21	31	53	99+
TOTAL 65-69 YRS	139	15.5	191	2	5	12	19	29	54	99+
70-74	130	14.1	88	4	6	12	18	25	36	99+
75-79	62	21.0	371	3	6	15	24	47	67	94
80-84	19	16.4	140	1	3	12	26	34	39	40
85+	4	31.8	1034	10	10	19	52	79	79	79
GRAND TOTAL	**354**	**16.2**	**195**	**3**	**6**	**13**	**20**	**30**	**51**	**99+**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	1.8	1	<1	<1	2	2	3	4	7
70-74	55	1.9	1	<1	<1	1	2	4	5	6
75-79	70	1.7		<1	<1	1	2	3	4	4
80-84	46	2.0	2	<1	<1	1	2	4	6	7
85+	38	2.9	6	<1	<1	2	3	7	10	11
2. MULTIPLE DX										
65-69 YRS	140	5.2	41	1	1	2	6	13	20	31
70-74	154	5.6	52	<1	1	2	7	13	20	35
75-79	135	4.4	21	<1	1	2	6	10	13	23
80-84	128	6.4	90	1	1	3	8	14	23	87
85+	103	6.3	106	1	1	3	8	13	21	97
TOT. SINGLE DX	278	2.0	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	660	5.6	60	<1	1	3	7	13	20	36
TOTAL 65-69 YRS	209	4.1	31	<1	<1	2	4	9	17	29
70-74	209	4.6	42	<1	<1	2	5	11	19	33
75-79	205	3.5	16	<1	<1	2	4	8	10	21
80-84	174	5.3	71	<1	1	2	6	13	21	73
85+	141	5.4	82	1	1	3	7	13	17	95
GRAND TOTAL	**938**	**4.5**	**45**	**<1**	**<1**	**2**	**5**	**10**	**16**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	241	1.7		<1	<1	2	2	3	3	5
70-74	208	1.8	1	<1	<1	2	2	3	3	6
75-79	196	1.7		<1	<1	2	2	3	3	4
80-84	148	1.8	1	<1	<1	2	2	3	3	8
85+	124	1.7		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	436	3.8	43	<1	1	2	3	8	13	40
70-74	463	4.1	32	<1	1	2	4	9	15	33
75-79	455	4.9	64	<1	1	2	4	11	18	41
80-84	380	5.2	79	1	1	2	5	12	16	54
85+	341	4.9	40	1	1	2	6	12	19	59
TOT. SINGLE DX	917	1.7	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	2075	4.5	52	1	1	2	4	11	16	42
TOTAL 65-69 YRS	677	3.0	29	<1	1	2	3	5	9	29
70-74	671	3.4	24	<1	1	2	3	7	12	29
75-79	651	3.9	47	<1	1	2	3	10	14	35
80-84	528	4.2	60	1	1	2	3	9	15	49
85+	465	4.1	32	<1	1	2	4	10	16	42
GRAND TOTAL	**2992**	**3.7**	**38**	**<1**	**1**	**2**	**3**	**8**	**13**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	2.1		1	1	2	3	3	3	4
70-74	78	2.1	2	1	1	2	2	3	4	10
75-79	62	2.3	5	<1	1	2	2	3	3	17
80-84	27	2.2		1	1	2	3	3	4	5
85+	34	2.4	2	1	1	2	3	3	7	8
2. MULTIPLE DX										
65-69 YRS	92	2.5	3	1	1	2	3	4	6	11
70-74	131	3.1	21	1	1	2	3	4	7	21
75-79	130	2.9	5	1	1	2	3	5	8	13
80-84	83	2.8	3	1	1	2	3	5	6	13
85+	68	3.8	13	1	1	3	5	6	9	24
TOT. SINGLE DX	286	2.2	2	1	1	2	2	3	4	8
" MULTIPLE DX	504	3.0	10	1	1	2	3	5	7	14
TOTAL 65-69 YRS	177	2.3	2	1	1	2	3	3	4	9
70-74	209	2.7	15	1	1	2	3	4	7	12
75-79	192	2.7	6	1	1	2	3	4	8	14
80-84	110	2.6	3	1	1	2	3	4	6	11
85+	102	3.3	10	1	1	2	4	6	8	21
GRAND TOTAL	**790**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	1.6		<1	<1	2	2	2	2	2
70-74	10	2.2	6	<1	<1	1	2	6	9	9
75-79	8	1.8		<1	<1	2	2	3	3	3
80-84	6	1.8		1	1	2	2	2	2	2
85+	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	19	4.6	30	<1	<1	2	6	15	18	19
70-74	18	3.5	15	<1	1	2	4	11	13	14
75-79	21	3.0	6	1	1	2	3	7	9	10
80-84	19	3.9	30	<1	1	2	4	8	17	25
85+	13	4.5	9	1	1	3	8	9	9	9
TOT. SINGLE DX	34	2.0	3	<1	<1	2	2	3	6	9
" MULTIPLE DX	90	3.9	18	<1	1	2	4	9	12	23
TOTAL 65-69 YRS	26	3.8	24	<1	<1	2	4	11	17	19
70-74	28	3.0	12	<1	<1	2	3	9	12	14
75-79	29	2.7	5	1	1	2	3	6	8	10
80-84	25	3.4	24	<1	1	2	3	8	12	25
85+	16	4.3	9	<1	1	3	7	9	9	9
GRAND TOTAL	**124**	**3.3**	**15**	**<1**	**1**	**2**	**3**	**8**	**11**	**21**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	125	3.2	4	1	1	3	4	5	6	13
70-74	145	3.0	7	1	1	3	4	5	6	10
75-79	168	2.8	2	1	1	3	3	5	6	8
80-84	134	2.8	1	1	1	3	4	5	6	7
85+	75	3.2	3	1	1	3	4	5	6	12
2. MULTIPLE DX										
65-69 YRS	343	3.6	5	1	1	3	4	6	7	15
70-74	448	3.8	13	1	1	3	4	6	8	18
75-79	485	3.7	5	1	1	3	4	6	7	14
80-84	362	3.7	12	1	1	3	4	6	8	22
85+	194	3.6	5	1	1	3	4	6	8	13
TOT. SINGLE DX	647	3.0	4	1	1	3	4	5	6	8
" MULTIPLE DX	1832	3.7	9	1	1	3	4	6	8	15
TOTAL 65-69 YRS	468	3.5	5	1	1	3	4	5	7	14
70-74	593	3.6	12	1	1	3	4	5	7	17
75-79	653	3.4	5	1	1	3	4	6	7	14
80-84	496	3.5	10	1	1	3	4	6	7	20
85+	269	3.5	5	1	1	3	4	6	8	13
GRAND TOTAL	**2479**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	1.8	1	<1	<1	1	2	4	5	6
70-74	51	2.1	2	<1	<1	2	2	4	5	7
75-79	33	2.0	2	<1	<1	1	2	4	4	8
80-84	35	2.5	3	<1	1	2	3	5	7	8
85+	19	1.6		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	92	3.8	16	1	1	2	4	7	14	22
70-74	88	3.3	11	1	1	2	4	9	10	17
75-79	83	4.5	41	<1	1	2	4	11	15	37
80-84	78	4.2	19	1	1	3	5	9	13	23
85+	41	6.3	74	<1	1	3	7	15	18	50
TOT. SINGLE DX	204	2.0	2	<1	<1	2	2	4	5	8
" MULTIPLE DX	382	4.2	28	1	1	2	4	10	14	24
TOTAL 65-69 YRS	158	3.0	11	<1	<1	2	3	6	8	19
70-74	139	2.9	8	<1	1	2	3	7	10	15
75-79	116	3.8	32	<1	1	2	3	8	14	35
80-84	113	3.7	15	<1	1	2	4	8	11	22
85+	60	4.8	56	<1	<1	2	5	13	16	47
GRAND TOTAL	**586**	**3.4**	**20**	**<1**	**1**	**2**	**4**	**7**	**12**	**23**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	249	2.7	3	<1	1	2	3	4	6	10
70-74	233	2.6	3	<1	1	2	3	4	5	10
75-79	188	2.6	3	1	1	2	3	4	5	11
80-84	105	2.5	2	1	1	2	3	4	6	11
85+	59	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	358	3.8	17	1	1	3	4	7	10	18
70-74	370	3.5	9	1	1	3	4	7	9	15
75-79	326	3.5	9	1	1	3	4	6	8	19
80-84	235	4.3	23	1	1	3	5	9	12	23
85+	136	3.8	15	1	1	3	4	7	9	19
TOT. SINGLE DX	834	2.6	3	<1	1	2	3	4	5	11
" MULTIPLE DX	1425	3.7	14	1	1	3	4	7	10	19
TOTAL 65-69 YRS	607	3.3	12	1	1	2	4	6	9	17
70-74	603	3.2	7	1	1	2	4	6	8	13
75-79	514	3.2	7	1	1	2	4	5	7	16
80-84	340	3.7	18	1	1	3	4	7	11	20
85+	195	3.4	11	1	1	2	4	6	8	17
GRAND TOTAL	**2259**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	96	2.3	2	<1	1	2	3	4	5	10
70-74	115	2.5	6	1	1	2	3	4	5	18
75-79	113	2.5	5	<1	1	2	3	5	7	13
80-84	52	2.4	2	1	1	2	3	4	4	10
85+	30	3.4	18	1	1	2	3	6	17	20
2. MULTIPLE DX										
65-69 YRS	180	5.0	26	1	1	3	6	12	15	28
70-74	205	4.6	32	<1	1	3	5	10	14	31
75-79	220	4.1	20	1	1	3	5	9	12	52
80-84	155	5.2	48	1	1	3	6	11	16	46
85+	126	4.7	26	1	1	3	5	10	15	27
TOT. SINGLE DX	406	2.5	6	<1	1	2	3	4	6	15
" MULTIPLE DX	886	4.7	30	1	1	3	5	10	15	33
TOTAL 65-69 YRS	276	4.0	20	1	1	2	4	10	13	20
70-74	320	3.9	24	1	1	2	4	8	12	26
75-79	333	3.6	16	1	1	2	4	8	11	28
80-84	207	4.5	38	1	1	3	5	9	13	41
85+	156	4.4	25	1	1	2	5	10	16	27
GRAND TOTAL	**1292**	**4.0**	**24**	**1**	**1**	**2**	**4**	**9**	**12**	**27**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2668	2.1	1	1	1	2	2	3	3	5
70-74	3483	2.2	1	1	1	2	2	3	3	5
75-79	3786	2.1		1	1	2	2	3	3	5
80-84	2819	2.2	1	1	1	2	2	3	3	5
85+	1949	2.2		1	1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	3131	2.7	8	1	2	2	3	4	5	11
70-74	4373	2.7	6	1	2	2	3	4	5	13
75-79	4883	2.8	10	1	2	2	3	4	6	14
80-84	3931	2.9	11	1	2	2	3	4	6	16
85+	2945	3.2	19	1	2	2	3	5	8	22
TOT. SINGLE DX	14705	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	19263	2.8	11	1	2	2	3	4	6	15
TOTAL 65-69 YRS	5799	2.4	5	1	1	2	3	3	4	9
70-74	7856	2.5	5	1	2	2	3	3	4	10
75-79	8669	2.5	6	1	2	2	3	3	4	11
80-84	6750	2.6	7	1	2	2	3	3	5	12
85+	4894	2.8	12	1	2	2	3	4	6	17
GRAND TOTAL	**33968**	**2.5**	**7**	**1**	**2**	**2**	**3**	**3**	**4**	**12**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5840	1.8		<1	1	2	2	2	3	4
70-74	7507	1.9		<1	1	2	2	2	3	4
75-79	7965	1.9		<1	1	2	2	2	3	4
80-84	5960	1.9		<1	1	2	2	3	3	4
85+	3881	2.0		<1	1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	6545	2.3	5	1	1	2	2	3	4	11
70-74	9041	2.4	6	1	1	2	2	3	4	11
75-79	10011	2.4	6	1	1	2	2	3	4	11
80-84	7594	2.5	8	1	1	2	2	3	5	14
85+	5394	2.6	9	1	1	2	2	4	5	15
TOT. SINGLE DX	31153	1.9	1	<1	1	2	2	2	3	4
" MULTIPLE DX	38585	2.4	7	1	1	2	2	3	4	12
TOTAL 65-69 YRS	12385	2.1	3	1	1	2	2	3	3	7
70-74	16548	2.1	4	1	1	2	2	3	3	9
75-79	17976	2.2	4	1	1	2	2	3	3	8
80-84	13554	2.2	5	1	1	2	2	3	4	10
85+	9275	2.4	6	1	1	2	2	3	4	11
GRAND TOTAL	**69738**	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	595	1.9		<1	1	2	2	2	3	4
70-74	730	1.8		<1	1	2	2	2	3	3
75-79	784	2.0		<1	1	2	2	3	3	5
80-84	549	1.9		1	1	2	2	3	3	5
85+	329	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
65-69 YRS	730	2.3	3	1	1	2	2	3	4	12
70-74	952	2.4	4	1	1	2	2	3	4	12
75-79	889	2.4	4	1	1	2	2	3	4	13
80-84	665	2.6	19	1	1	2	2	3	4	15
85+	414	2.6	16	1	1	2	2	4	5	15
TOT. SINGLE DX	2987	1.9	1	<1	1	2	2	3	3	4
" MULTIPLE DX	3650	2.4	8	1	1	2	2	3	4	13
TOTAL 65-69 YRS	1325	2.1	2	1	1	2	2	3	3	9
70-74	1682	2.1	3	1	1	2	2	3	3	10
75-79	1673	2.2	3	1	1	2	2	3	4	9
80-84	1214	2.3	11	1	1	2	2	3	4	12
85+	743	2.3	9	1	1	2	2	3	4	11
GRAND TOTAL	**6637**	**2.2**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	527	3.8	3	1	2	3	5	6	7	11
70-74	401	3.8	4	1	2	3	4	6	7	12
75-79	266	4.0	4	2	2	3	5	7	8	12
80-84	130	4.0	3	1	2	4	5	6	9	10
85+	61	4.5	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
65-69 YRS	969	4.5	8	2	2	4	5	7	9	15
70-74	832	4.8	8	2	2	4	6	8	10	16
75-79	560	4.6	7	2	2	4	6	8	9	15
80-84	334	4.8	9	2	2	4	6	8	9	15
85+	129	4.9	11	2	2	4	6	8	9	18
TOT. SINGLE DX	1385	3.9	4	1	2	4	5	6	7	12
" MULTIPLE DX	2824	4.7	9	2	2	4	6	8	9	15
TOTAL 65-69 YRS	1496	4.3	7	1	2	4	5	7	8	13
70-74	1233	4.5	8	2	2	4	5	8	10	15
75-79	826	4.4	7	2	2	4	6	7	9	15
80-84	464	4.6	8	2	2	4	6	7	9	14
85+	190	4.8	9	2	2	4	6	8	9	13
GRAND TOTAL	**4209**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	125	3.0	3	1	1	2	3	6	7	10
70-74	101	2.6	3	<1	1	2	3	5	7	11
75-79	114	3.1	7	1	1	2	3	6	8	15
80-84	59	3.3	10	1	1	3	4	5	7	23
85+	42	3.1	4	1	1	2	4	7	8	10
2. MULTIPLE DX										
65-69 YRS	422	3.9	14	1	2	3	4	7	10	15
70-74	460	4.1	27	1	2	3	4	7	10	29
75-79	380	4.1	24	1	2	3	4	8	10	17
80-84	232	4.1	33	1	1	3	4	7	10	28
85+	127	3.9	12	1	1	2	5	9	11	18
TOT. SINGLE DX	441	3.0	6	1	1	2	3	6	7	11
" MULTIPLE DX	1621	4.0	23	1	2	3	4	7	10	20
TOTAL 65-69 YRS	547	3.7	12	1	1	3	4	7	9	14
70-74	561	3.8	23	1	1	3	4	7	10	24
75-79	494	3.8	21	1	1	3	4	8	10	17
80-84	291	3.9	29	1	1	3	4	7	9	27
85+	169	3.7	10	1	1	2	4	8	10	16
GRAND TOTAL	**2062**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	1.8	1	1	1	2	2	2	3	8
70-74	37	1.6		<1	<1	2	2	2	3	3
75-79	8	2.3		1	1	2	3	4	4	4
80-84	7	1.4		<1	<1	1	2	3	3	3
85+	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	64	2.2	3	1	1	2	2	3	4	15
70-74	42	2.0	1	1	1	2	2	3	4	7
75-79	31	2.0		1	1	2	2	3	3	5
80-84	12	4.7	97	1	1	2	2	12	33	36
85+	15	2.7	6	<1	<1	2	3	10	73	99+
TOT. SINGLE DX	106	1.7	1	<1	<1	2	2	2	3	6
" MULTIPLE DX	164	2.4	10	1	1	2	2	3	5	33
TOTAL 65-69 YRS	112	2.0	3	1	1	2	2	3	3	11
70-74	79	1.8	1	<1	1	2	2	3	3	6
75-79	39	2.1	1	1	1	2	2	3	4	5
80-84	19	3.5	62	<1	<1	2	2	3	21	36
85+	21	2.3	5	<1	<1	2	2	7	47	99+
GRAND TOTAL	**270**	**2.1**	**6**	**<1**	**1**	**2**	**2**	**3**	**4**	**15**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	5.8	47	2	2	3	9	16	16	16
70-74	3	3.7	14	1	1	2	6	8	8	8
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84										
85+										
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	9	5.3	24	1	1	3	8	13	16	16
TOTAL 65-69 YRS	4	5.8	47	2	2	3	9	16	16	16
70-74	3	3.7	14	1	1	2	6	8	8	8
75-79	4	4.3	13	<1	<1	3	7	9	9	9
80-84										
85+										
GRAND TOTAL	**11**	**4.6**	**22**	**<1**	**1**	**2**	**7**	**12**	**16**	**16**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	2.7	3	1	1	2	3	4	7	10
70-74	79	3.3	13	1	1	2	3	7	8	22
75-79	63	2.7	4	1	1	2	3	5	8	11
80-84	57	3.0	5	1	1	2	3	6	7	15
85+	31	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	182	4.7	25	1	1	3	6	10	13	29
70-74	194	5.4	74	1	2	3	6	10	13	53
75-79	193	4.8	30	1	1	3	5	11	17	35
80-84	167	5.5	44	1	1	3	7	11	15	37
85+	135	6.5	61	1	2	4	8	13	17	50
TOT. SINGLE DX	296	2.9	7	1	1	2	3	5	7	16
" MULTIPLE DX	871	5.3	47	1	1	3	6	11	14	37
TOTAL 65-69 YRS	248	4.2	20	1	1	3	4	8	13	26
70-74	273	4.8	58	1	1	3	5	10	13	22
75-79	256	4.3	25	1	1	3	5	9	14	32
80-84	224	4.9	36	1	1	3	5	10	13	36
85+	166	5.8	53	1	1	3	6	12	15	45
GRAND TOTAL	**1167**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**14**	**31**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	64	2.2	3	<1	<1	2	3	4	6	12
70-74	85	2.7	4	<1	<1	2	3	7	8	10
75-79	58	2.6	6	<1	<1	2	3	6	7	16
80-84	47	3.5	28	<1	1	2	3	6	10	35
85+	49	3.6	10	<1	<1	2	5	9	10	14
2. MULTIPLE DX										
65-69 YRS	157	5.9	70	1	1	3	6	13	20	59
70-74	167	6.9	75	1	1	4	8	17	25	45
75-79	149	8.4	112	1	1	5	10	17	22	43
80-84	130	9.0	99	2	2	6	11	18	28	66
85+	129	8.8	99	1	2	7	11	18	31	74
TOT. SINGLE DX	303	2.8	10	<1	<1	2	3	6	8	14
" MULTIPLE DX	732	7.7	92	1	2	5	9	17	24	60
TOTAL 65-69 YRS	221	4.8	54	<1	1	3	5	11	15	58
70-74	252	5.5	56	<1	1	3	6	12	20	37
75-79	207	6.8	89	<1	1	4	8	16	19	41
80-84	177	7.5	86	1	1	4	9	16	22	57
85+	178	7.4	80	1	1	5	9	17	23	67
GRAND TOTAL	**1035**	**6.3**	**72**	**<1**	**1**	**3**	**7**	**14**	**20**	**50**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	191	2.0		1	1	2	3	3	4	5
70-74	113	1.9		1	1	2	3	3	3	5
75-79	68	2.0	1	1	1	2	3	3	4	5
80-84	17	1.5		1	1	1	2	2	3	3
85+	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	158	2.4	1	1	1	2	3	4	5	7
70-74	65	2.4	1	1	1	2	3	4	4	6
75-79	41	2.5	1	1	1	2	3	4	6	7
80-84	16	2.3		1	1	2	3	4	4	4
85+	4	2.5		2	2	2	3	3	3	3
TOT. SINGLE DX	394	2.0	1	1	1	2	3	3	3	5
" MULTIPLE DX	284	2.5	1	1	1	2	3	4	5	7
TOTAL 65-69 YRS	349	2.2	1	1	1	2	3	3	4	6
70-74	178	2.1	1	1	1	2	3	3	4	6
75-79	109	2.2	1	1	1	2	3	3	4	7
80-84	33	1.9	1	1	1	2	2	3	4	4
85+	9	2.1	1	1	1	2	3	3	3	3
GRAND TOTAL	**678**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	1.8		1	1	2	2	3	3	5
70-74	93	1.9		1	1	2	2	3	3	5
75-79	55	1.7		<1	1	2	2	3	3	3
80-84	17	1.8		1	1	2	2	2	3	3
85+	8	2.1	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
65-69 YRS	242	2.4	2	1	1	2	3	3	5	9
70-74	152	2.2	1	1	1	2	3	3	4	8
75-79	72	2.7	8	1	1	2	3	4	4	21
80-84	20	2.7	3	<1	1	2	3	5	7	9
85+	6	2.5		1	1	3	3	3	3	3
TOT. SINGLE DX	352	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	492	2.4	3	1	1	2	3	3	5	9
TOTAL 65-69 YRS	421	2.1	2	1	1	2	2	3	4	8
70-74	245	2.1	1	1	1	2	3	3	4	6
75-79	127	2.3	5	1	1	2	3	3	4	13
80-84	37	2.3	2	1	1	2	2	3	5	9
85+	14	2.3	1	1	1	2	3	4	5	5
GRAND TOTAL	**844**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	1.6	6	<1	<1	1	1	2	3	17
70-74	28	1.6	1	<1	<1	1	2	2	3	6
75-79	14	2.7	25	<1	<1	1	2	5	17	20
80-84	7	1.4		<1	<1	1	2	2	2	2
85+	9	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	75	7.8	170	<1	1	2	10	17	21	84
70-74	68	7.3	107	<1	1	3	8	21	29	92
75-79	45	8.8	204	<1	1	2	11	20	34	71
80-84	23	6.8	35	1	1	5	11	15	20	21
85+	25	8.4	68	<1	1	6	12	21	28	29
TOT. SINGLE DX	101	1.7	6	<1	<1	1	2	2	3	18
" MULTIPLE DX	236	7.8	134	<1	1	3	11	19	26	74
TOTAL 65-69 YRS	118	5.6	119	<1	<1	2	6	16	18	67
70-74	96	5.6	83	<1	<1	2	6	17	26	81
75-79	59	7.3	168	<1	1	2	10	18	24	70
80-84	30	5.6	33	1	1	2	8	13	20	21
85+	34	6.5	60	<1	1	2	9	18	27	29
GRAND TOTAL	**337**	**6.0**	**103**	**<1**	**<1**	**2**	**7**	**16**	**21**	**65**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	74	2.6	1	1	1	2	3	4	5	9
70-74	41	3.2	5	1	1	3	3	5	7	14
75-79	17	2.7	1	1	1	2	3	5	6	6
80-84	9	2.2	2	1	1	1	4	5	5	5
85+	8	3.0	6	1	1	2	3	7	9	9
2. MULTIPLE DX										
65-69 YRS	232	4.1	32	1	1	3	4	7	13	41
70-74	140	4.0	35	1	1	3	4	6	12	33
75-79	88	5.2	56	1	1	3	5	13	28	99+
80-84	31	5.4	40	1	1	3	6	11	16	34
85+	15	7.9	65	2	2	4	13	19	26	28
TOT. SINGLE DX	149	2.8	3	1	1	3	3	5	5	10
" MULTIPLE DX	506	4.5	39	1	1	3	4	9	15	43
TOTAL 65-69 YRS	306	3.8	25	1	1	3	4	7	10	33
70-74	181	3.8	29	1	1	3	4	6	10	28
75-79	105	4.8	49	1	1	3	5	12	19	99+
80-84	40	4.7	34	1	1	3	5	10	14	34
85+	23	6.2	49	1	2	3	6	17	22	28
GRAND TOTAL	**655**	**4.1**	**31**	**1**	**1**	**3**	**4**	**7**	**13**	**41**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	103	2.5	3	1	1	2	3	4	6	11
70-74	67	2.6	7	1	1	2	3	4	7	16
75-79	35	3.0	4	1	2	2	3	5	9	9
80-84	8	2.5	4	1	1	2	3	6	7	7
85+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	153	4.9	78	1	1	3	4	9	14	64
70-74	85	4.4	17	1	1	3	5	8	14	24
75-79	43	5.3	72	1	1	3	6	12	15	54
80-84	11	9.4	137	<1	1	3	18	30	31	31
85+	5	8.8	26	1	1	8	13	14	14	14
TOT. SINGLE DX	217	2.6	5	1	1	2	3	4	7	13
" MULTIPLE DX	297	5.0	62	1	1	3	5	11	15	46
TOTAL 65-69 YRS	256	3.9	50	1	1	2	3	7	12	36
70-74	152	3.6	14	1	1	2	4	7	10	21
75-79	78	4.3	43	1	1	2	5	9	13	43
80-84	19	6.5	90	<1	1	2	6	26	30	31
85+	9	5.9	25	1	1	3	9	14	14	14
GRAND TOTAL	**514**	**4.0**	**39**	**1**	**1**	**2**	**4**	**8**	**13**	**30**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	2.6	2	1	1	2	3	5	6	7
70-74	20	1.7		1	1	2	2	2	3	3
75-79	6	6.2	60	2	2	3	4	20	22	22
80-84	2	4.0		4	4	4	4	4	4	4
85+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	215	3.0	8	1	1	2	3	6	8	16
70-74	124	2.9	3	1	1	3	3	4	6	13
75-79	56	4.4	39	1	1	3	4	9	11	35
80-84	20	3.4	2	1	2	3	4	6	6	7
85+	6	6.5	34	2	2	3	14	14	14	14
TOT. SINGLE DX	70	2.7	7	1	1	2	3	4	5	19
" MULTIPLE DX	421	3.3	12	1	1	3	3	5	9	16
TOTAL 65-69 YRS	254	3.0	8	1	1	2	3	5	7	14
70-74	144	2.7	4	1	1	2	3	4	5	12
75-79	62	4.6	41	1	1	3	4	9	15	35
80-84	22	3.4	2	1	2	3	4	6	6	7
85+	9	5.1	26	2	2	3	6	14	14	14
GRAND TOTAL	491	3.2	11	1	1	2	3	5	8	18

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120	2.1	1	1	1	2	2	3	4	8
70-74	66	2.2	2	<1	1	2	3	4	4	9
75-79	46	3.2	8	<1	1	2	4	6	9	16
80-84	17	3.1	14	<1	1	2	3	9	13	15
85+	12	2.7	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	526	2.9	8	1	1	2	3	5	7	20
70-74	306	3.7	17	1	1	2	4	7	11	25
75-79	175	3.7	9	1	1	3	4	8	11	15
80-84	89	5.7	51	1	1	3	6	13	26	36
85+	51	7.4	79	1	2	5	8	18	29	99
TOT. SINGLE DX	261	2.4	4	1	1	2	3	4	5	10
" MULTIPLE DX	1147	3.7	19	1	1	2	4	7	11	26
TOTAL 65-69 YRS	646	2.8	7	1	1	2	3	5	7	16
70-74	372	3.4	15	1	1	2	4	6	10	24
75-79	221	3.6	10	1	1	3	4	8	11	15
80-84	106	5.3	46	<1	1	3	5	13	24	35
85+	63	6.5	68	1	1	4	7	13	25	94
GRAND TOTAL	1408	3.4	16	1	1	2	4	7	10	24

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	170	2.4	3	<1	<1	2	3	4	6	12
70-74	123	2.3	4	<1	<1	2	3	4	5	13
75-79	102	2.1	2	<1	<1	2	3	4	5	8
80-84	89	2.8	12	<1	<1	2	3	5	9	24
85+	60	2.9	3	<1	1	3	4	5	6	11
2. MULTIPLE DX										
65-69 YRS	479	3.6	15	1	1	2	4	7	10	21
70-74	384	4.7	26	1	1	3	5	11	15	30
75-79	317	5.2	51	1	1	3	6	10	14	35
80-84	191	6.7	112	1	1	3	8	13	21	82
85+	179	8.3	108	1	2	5	10	16	32	61
TOT. SINGLE DX	544	2.5	5	<1	<1	2	3	4	6	11
" MULTIPLE DX	1550	5.1	50	1	1	3	6	11	15	39
TOTAL 65-69 YRS	649	3.3	13	<1	1	2	4	6	9	17
70-74	507	4.1	22	<1	1	3	4	9	14	27
75-79	419	4.4	41	<1	1	3	5	10	12	31
80-84	280	5.4	84	<1	1	3	6	12	19	69
85+	239	6.9	87	1	1	4	8	15	28	60
GRAND TOTAL	2094	4.4	40	<1	1	3	5	9	14	33

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	128	3.9	4	1	1	4	5	7	8	10
70-74	84	4.2	10	<1	1	4	6	7	10	18
75-79	67	4.0	7	1	1	3	5	8	10	11
80-84	47	4.6	12	1	1	3	6	9	12	19
85+	37	4.1	5	1	1	3	5	8	8	12
2. MULTIPLE DX										
65-69 YRS	417	5.9	24	1	2	5	7	11	14	26
70-74	409	6.5	51	1	2	5	8	11	17	36
75-79	359	6.0	25	1	2	5	7	12	15	29
80-84	235	6.1	33	1	2	4	7	12	18	32
85+	225	7.5	75	1	2	5	9	15	19	43
TOT. SINGLE DX	363	4.1	7	1	1	4	6	7	9	13
" MULTIPLE DX	1645	6.3	40	1	2	5	7	12	16	34
TOTAL 65-69 YRS	545	5.4	21	1	2	4	6	10	13	24
70-74	493	6.1	46	1	2	5	7	11	16	35
75-79	426	5.7	23	1	1	5	7	11	14	27
80-84	282	5.9	31	1	1	4	7	12	17	31
85+	262	7.0	67	1	2	5	8	14	17	41
GRAND TOTAL	2008	5.9	35	1	2	5	7	11	15	32

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	95	2.7	2	1	1	2	3	4	5	11
70-74	73	2.7	2	1	1	2	3	4	6	10
75-79	41	3.4	7	1	1	3	4	6	10	14
80-84	11	2.2	1	1	1	2	3	4	5	5
85+	8	2.8	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	236	4.4	24	1	1	3	4	9	12	27
70-74	181	4.9	22	1	1	3	5	11	17	23
75-79	102	5.5	53	1	2	3	6	13	15	46
80-84	44	7.1	33	1	2	5	9	15	22	25
85+	27	6.7	45	1	2	4	8	19	23	25
TOT. SINGLE DX	228	2.8	4	1	1	2	3	5	5	12
" MULTIPLE DX	590	5.0	31	1	2	3	5	10	16	25
TOTAL 65-69 YRS	331	3.9	19	1	1	3	4	6	10	26
70-74	254	4.2	18	1	1	3	4	9	14	23
75-79	143	4.9	41	1	2	3	5	10	14	33
80-84	55	6.1	31	1	1	4	8	14	20	25
85+	35	5.8	38	1	2	3	6	14	22	25
GRAND TOTAL	**818**	**4.4**	**24**	**1**	**1**	**3**	**4**	**9**	**14**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	3.7	21	1	1	2	4	7	10	31
70-74	61	3.1	7	1	1	2	3	7	8	15
75-79	27	3.4	6	<1	1	2	5	8	9	10
80-84	13	3.9	21	<1	1	2	4	10	16	18
85+	8	3.4	6	1	1	3	4	8	9	9
2. MULTIPLE DX										
65-69 YRS	268	5.7	54	1	1	3	6	13	19	52
70-74	212	5.7	30	1	1	3	8	14	17	27
75-79	154	6.9	50	1	2	5	8	15	21	38
80-84	69	6.6	43	1	1	5	8	15	20	32
85+	29	11.8	251	2	2	8	13	25	58	70
TOT. SINGLE DX	178	3.4	13	1	1	2	4	8	9	17
" MULTIPLE DX	732	6.3	55	1	1	4	8	14	20	41
TOTAL 65-69 YRS	337	5.3	48	1	1	3	6	12	17	47
70-74	273	5.1	27	1	1	3	7	12	16	24
75-79	181	6.4	45	1	1	4	8	14	20	34
80-84	82	6.2	41	1	1	4	7	14	19	31
85+	37	10.0	209	2	2	5	10	23	46	70
GRAND TOTAL	**910**	**5.7**	**48**	**1**	**1**	**3**	**7**	**13**	**18**	**36**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.4	22	<1	<1	2	2	3	4	32
70-74	67	2.6	12	<1	1	2	2	4	6	26
75-79	43	2.4	2	1	1	2	2	4	5	11
80-84	36	1.8		1	1	2	2	2	3	3
85+	30	2.4		1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	699	5.5	67	1	1	2	5	13	20	60
70-74	603	6.3	101	1	1	3	7	15	27	66
75-79	491	6.9	120	1	1	3	7	17	26	89
80-84	348	7.7	107	1	2	3	8	21	33	56
85+	324	8.5	160	1	2	3	10	23	44	99+
TOT. SINGLE DX	257	2.4	11	<1	1	2	2	3	4	11
" MULTIPLE DX	2465	6.7	105	1	1	3	7	17	28	90
TOTAL 65-69 YRS	780	5.2	64	1	1	2	5	12	19	57
70-74	670	5.9	94	1	1	2	6	13	25	62
75-79	534	6.5	112	1	1	3	7	16	25	86
80-84	384	7.1	101	1	2	3	8	19	30	56
85+	354	7.9	150	1	2	3	9	22	41	99+
GRAND TOTAL	**2722**	**6.3**	**98**	**1**	**1**	**3**	**6**	**15**	**27**	**70**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	1.6		1	1	2	2	2	2	2
70-74	2	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	11	3.7	16	<1	<1	2	5	11	12	12
70-74	6	4.5	6	2	2	4	5	9	9	9
75-79	2	15.0	338	2	2	15	28	28	28	28
80-84	6	15.3	407	2	2	8	15	51	55	55
85+	4	2.3		2	2	2	3	3	3	3
TOT. SINGLE DX	9	1.7		1	1	2	2	2	2	2
" MULTIPLE DX	29	6.9	120	1	1	3	6	14	29	55
TOTAL 65-69 YRS	16	3.1	12	<1	1	2	3	10	12	12
70-74	8	3.9	6	2	2	3	5	8	9	9
75-79	2	15.0	338	2	2	15	28	28	28	28
80-84	6	15.3	407	2	2	8	15	51	55	55
85+	6	2.0		1	1	2	2	3	3	3
GRAND TOTAL	**38**	**5.6**	**96**	**1**	**1**	**2**	**4**	**13**	**23**	**55**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	49	3.1	8	1	1	3	4	4	5	21
70-74	45	2.9	2	1	1	3	4	5	6	6
75-79	11	2.7	2	<1	<1	2	3	5	7	7
80-84	11	3.5	9	1	1	2	4	8	12	12
85+	6	3.5		3	3	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	173	4.7	41	1	2	3	4	9	16	39
70-74	137	4.9	33	1	2	3	5	10	18	38
75-79	83	5.9	83	1	1	3	6	12	18	59
80-84	49	4.7	18	1	2	3	6	9	15	22
85+	27	6.2	41	2	2	3	8	17	21	24
TOT. SINGLE DX	122	3.1	5	1	1	3	4	5	6	15
" MULTIPLE DX	469	5.1	44	1	2	3	5	11	18	39
TOTAL 65-69 YRS	222	4.4	35	1	2	3	4	7	15	34
70-74	182	4.4	27	1	1	3	5	9	12	32
75-79	94	5.5	75	1	1	3	5	11	18	56
80-84	60	4.5	17	1	2	3	5	9	13	22
85+	33	5.7	35	2	2	3	6	16	20	24
GRAND TOTAL	**591**	**4.7**	**37**	**1**	**2**	**3**	**5**	**9**	**16**	**35**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	352	3.4	3	1	2	3	4	6	7	11
70-74	264	3.4	3	1	2	3	4	5	6	10
75-79	154	3.8	4	2	2	3	4	6	8	11
80-84	80	3.5	3	1	2	3	4	7	7	8
85+	52	4.1	3	1	2	4	5	7	8	10
2. MULTIPLE DX										
65-69 YRS	441	5.3	24	2	2	4	6	10	15	23
70-74	439	5.3	40	2	2	4	6	9	12	31
75-79	339	6.5	68	2	2	4	6	12	16	58
80-84	183	6.4	40	2	2	4	7	12	15	36
85+	122	8.4	38	2	3	6	11	16	20	32
TOT. SINGLE DX	902	3.5	4	1	2	3	4	6	7	11
" MULTIPLE DX	1524	6.0	42	2	2	4	7	11	15	35
TOTAL 65-69 YRS	793	4.5	16	1	2	3	5	8	11	20
70-74	703	4.6	27	1	2	4	5	8	10	19
75-79	493	5.7	50	2	2	4	6	10	14	50
80-84	263	5.5	31	1	2	4	7	10	14	35
85+	174	7.1	32	2	2	5	9	15	19	27
GRAND TOTAL	**2426**	**5.0**	**29**	**1**	**2**	**4**	**5**	**9**	**13**	**28**

551: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	6	2.7	2	1	1	2	4	5	5	5
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	7	6.6	10	2	2	7	9	11	11	11
70-74	9	4.1	3	2	2	4	6	7	7	7
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	10	3.3	4	1	1	3	4	6	8	8
" MULTIPLE DX	20	4.9	7	1	2	5	7	8	10	11
TOTAL 65-69 YRS	13	4.8	10	1	1	4	7	9	11	11
70-74	11	4.3	5	2	2	4	6	7	8	8
75-79	3	3.0	4	1	1	3	4	5	5	5
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**30**	**4.4**	**6**	**1**	**1**	**4**	**6**	**8**	**9**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	253	4.1	40	<1	1	2	4	8	11	28
70-74	219	3.6	16	<1	1	2	4	8	12	19
75-79	148	3.4	7	<1	<1	2	4	8	9	14
80-84	97	3.7	10	<1	1	3	5	7	11	17
85+	71	4.0	18	1	1	2	5	9	10	27
2. MULTIPLE DX										
65-69 YRS	716	8.1	108	1	1	4	10	18	25	58
70-74	618	8.3	86	1	1	5	10	18	26	52
75-79	487	9.0	142	1	2	5	10	20	30	63
80-84	295	7.9	112	1	1	4	9	17	30	53
85+	240	9.3	133	1	2	6	11	21	31	88
TOT. SINGLE DX	788	3.8	22	<1	1	2	4	8	11	20
" MULTIPLE DX	2356	8.4	113	1	2	5	10	19	27	60
TOTAL 65-69 YRS	969	7.1	94	1	1	4	9	16	23	53
70-74	837	7.0	72	1	1	4	9	16	23	44
75-79	635	7.7	117	1	1	4	9	18	25	61
80-84	392	6.9	90	1	1	4	8	14	23	45
85+	311	8.1	112	1	2	5	10	18	27	65
GRAND TOTAL	**3144**	**7.3**	**94**	**1**	**1**	**4**	**9**	**16**	**24**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	2.4	3	1	1	2	3	6	7	8
70-74	16	2.1	1	1	1	2	3	4	4	4
75-79	9	3.6	15	1	1	2	4	10	13	13
80-84	7	2.0	1	1	1	2	3	3	3	3
85+	13	1.8	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
65-69 YRS	30	3.8	16	1	1	2	4	10	12	16
70-74	13	5.0	16	1	1	3	7	12	13	13
75-79	19	6.2	24	1	1	4	10	13	16	18
80-84	3	9.0	129	1	1	4	17	22	22	22
85+	7	7.3	24	1	1	8	10	14	15	15
TOT. SINGLE DX	70	2.4	4	1	1	2	3	4	6	12
" MULTIPLE DX	72	5.2	24	1	1	3	9	12	15	21
TOTAL 65-69 YRS	55	3.2	11	1	1	2	3	9	11	16
70-74	29	3.4	10	1	1	2	4	9	11	13
75-79	28	5.4	22	1	1	3	8	13	14	18
80-84	10	4.1	41	1	1	2	3	13	22	22
85+	20	3.8	16	1	1	2	5	10	13	15
GRAND TOTAL	**142**	**3.8**	**16**	**1**	**1**	**2**	**4**	**10**	**12**	**18**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	7	1.6		1	1	1	2	3	3	3
75-79	2	1.0		1	1	1	1	1	1	1
80-84	4	1.3		1	1	1	2	2	2	2
85+	8	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	5	3.4	4	1	1	3	5	6	6	6
70-74										
75-79	4	2.0		1	1	2	3	3	3	3
80-84	1	14.0		14	14	14	14	14	14	14
85+	8	1.4		<1	<1	1	2	2	2	2
TOT. SINGLE DX	25	1.4		<1	1	1	2	2	3	3
" MULTIPLE DX	18	2.8	10	<1	1	2	3	6	11	14
TOTAL 65-69 YRS	9	2.7	3	1	1	2	3	6	6	6
70-74	7	1.6	1	1	1	1	2	3	3	3
75-79	6	1.7	1	1	1	2	2	3	3	3
80-84	5	3.8	33	1	1	1	5	14	14	14
85+	16	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**43**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**14**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	3.7	14	1	1	2	6	8	8	8
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX										
" MULTIPLE DX	4	3.0	11	<1	<1	1	5	8	8	8
TOTAL 65-69 YRS	3	3.7	14	1	1	2	6	8	8	8
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**4**	**3.0**	**11**	**<1**	**<1**	**1**	**5**	**8**	**8**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	110	3.4	8	<1	1	2	4	9	11	13
70-74	79	4.0	24	1	1	3	4	8	12	32
75-79	63	3.7	21	<1	1	2	5	8	9	31
80-84	38	3.8	17	1	1	2	3	9	15	19
85+	12	5.2	20	1	1	3	8	12	15	15
2. MULTIPLE DX										
65-69 YRS	264	8.6	157	1	1	4	10	21	33	88
70-74	229	8.3	138	1	1	4	10	17	27	70
75-79	130	8.9	75	1	2	6	13	20	24	38
80-84	81	11.4	138	1	2	8	15	29	37	57
85+	45	10.6	102	2	2	8	11	28	31	50
TOT. SINGLE DX	302	3.8	17	<1	1	2	4	9	11	17
" MULTIPLE DX	749	9.0	132	1	1	5	11	21	28	64
TOTAL 65-69 YRS	374	7.1	119	1	1	3	8	16	23	69
70-74	308	7.2	113	1	1	3	9	15	22	64
75-79	193	7.2	63	1	1	4	10	18	21	33
80-84	119	9.0	112	1	1	4	12	22	32	47
85+	57	9.5	90	1	2	8	11	25	29	49
GRAND TOTAL	**1051**	**7.5**	**105**	**1**	**1**	**4**	**9**	**18**	**26**	**59**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	3.3	6	<1	<1	2	5	7	9	10
70-74	39	3.1	3	<1	1	3	4	5	6	10
75-79	36	3.8	5	1	1	3	5	7	9	9
80-84	16	3.1	6	1	1	2	3	6	10	12
85+	14	2.8	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	182	5.1	29	1	1	3	5	13	15	20
70-74	188	5.0	57	1	1	4	6	9	11	71
75-79	200	5.2	30	1	1	4	6	11	15	40
80-84	136	6.1	76	1	2	4	7	11	14	50
85+	123	5.7	23	1	2	4	8	12	16	24
TOT. SINGLE DX	158	3.3	5	<1	1	3	5	6	8	10
" MULTIPLE DX	829	5.4	43	1	1	4	6	11	14	32
TOTAL 65-69 YRS	235	4.7	25	1	1	3	5	10	14	18
70-74	227	4.7	49	1	1	4	5	8	10	44
75-79	236	5.0	27	1	1	4	6	10	13	33
80-84	152	5.8	70	1	2	4	6	11	13	45
85+	137	5.4	22	1	1	4	7	11	15	23
GRAND TOTAL	**987**	**5.0**	**37**	**1**	**1**	**4**	**6**	**10**	**13**	**30**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	435	1.8	1	<1	1	2	2	3	3	9
70-74	294	2.3	27	<1	1	2	2	3	4	12
75-79	180	2.2	4	<1	<1	2	2	3	5	11
80-84	74	1.8		<1	1	2	2	2	3	7
85+	26	2.1		1	1	2	2	3	4	5
2. MULTIPLE DX										
65-69 YRS	688	4.4	48	1	1	2	4	10	16	32
70-74	497	5.1	76	1	1	2	4	12	20	59
75-79	319	5.4	77	<1	1	2	5	13	23	54
80-84	141	5.5	80	1	1	2	5	15	23	74
85+	72	7.7	156	1	1	2	8	25	44	94
TOT. SINGLE DX	1009	2.0	10	<1	1	2	2	3	4	10
" MULTIPLE DX	1717	5.0	70	1	1	2	4	11	20	53
TOTAL 65-69 YRS	1123	3.4	32	<1	1	2	3	7	11	27
70-74	791	4.1	60	<1	1	2	3	9	15	51
75-79	499	4.2	53	<1	1	2	3	9	18	43
80-84	215	4.2	56	1	1	2	3	11	18	51
85+	98	6.2	121	1	1	2	5	16	32	87
GRAND TOTAL	**2726**	**3.9**	**49**	**<1**	**1**	**2**	**3**	**9**	**15**	**40**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	9.2	40	1	1	10	13	17	21	25
70-74	35	9.3	94	1	1	4	14	19	33	40
75-79	12	7.2	49	1	1	4	13	18	21	22
80-84	5	3.8	26	1	1	2	5	13	13	13
85+										
2. MULTIPLE DX										
65-69 YRS	89	13.1	91	2	2	11	18	29	38	99+
70-74	81	14.4	314	2	2	10	17	33	46	95
75-79	48	10.7	216	1	1	7	13	28	59	99+
80-84	19	19.4	477	1	2	13	25	59	69	77
85+	14	11.9	33	3	5	11	15	21	21	21
TOT. SINGLE DX	95	8.7	61	1	1	9	13	18	22	39
" MULTIPLE DX	251	13.5	214	1	2	10	18	32	49	99+
TOTAL 65-69 YRS	132	11.8	78	1	2	11	17	25	33	99+
70-74	116	12.9	252	1	2	8	16	32	41	92
75-79	60	10.0	184	1	1	6	13	22	49	98
80-84	24	16.2	421	1	1	10	19	58	64	77
85+	14	11.9	34	3	5	11	15	21	21	21
GRAND TOTAL	**346**	**12.2**	**176**	**1**	**2**	**10**	**16**	**26**	**40**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	17.3	62	9	11	14	21	27	37	42
70-74	36	14.1	13	9	9	14	16	20	21	26
75-79	13	19.8	164	9	9	14	26	36	51	54
80-84	1	12.0		12	12	12	12	12	12	12
85+										
2. MULTIPLE DX										
65-69 YRS	196	21.6	215	9	10	17	25	37	50	96
70-74	165	23.5	220	10	11	20	28	46	72	99+
75-79	70	23.9	207	10	10	18	31	44	66	95
80-84	31	22.8	320	10	10	18	23	46	95	99+
85+	12	19.5	70	6	9	18	26	32	33	33
TOT. SINGLE DX	97	16.4	60	9	10	14	18	25	33	48
" MULTIPLE DX	474	22.6	219	10	10	18	27	42	62	99+
TOTAL 65-69 YRS	243	20.7	189	9	10	16	24	35	47	95
70-74	201	21.8	196	10	11	17	26	43	66	99+
75-79	83	23.2	201	10	10	18	30	44	60	91
80-84	32	22.5	314	10	10	18	23	44	93	99+
85+	12	19.5	70	6	9	18	26	32	33	33
GRAND TOTAL	**571**	**21.6**	**197**	**9**	**10**	**17**	**25**	**39**	**57**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	10.1	44	2	2	8	14	19	25	25
70-74	3	4.7	12	1	1	5	7	8	8	8
75-79	7	10.3	76	1	1	11	18	21	22	22
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	106	31.1	437	5	8	29	54	95	99+	99+
70-74	88	35.1	565	4	8	32	55	74	87	99+
75-79	63	36.5	691	4	7	32	60	97	99+	99+
80-84	31	30.2	313	3	7	29	48	59	96	99+
85+	22	32.5	594	6	10	32	51	99	99+	99+
TOT. SINGLE DX	22	9.1	49	1	2	8	15	20	23	25
" MULTIPLE DX	310	33.3	523	4	8	32	54	85	99+	99+
TOTAL 65-69 YRS	117	29.1	438	4	7	27	52	84	99+	99+
70-74	91	34.1	577	4	6	32	54	74	87	99+
75-79	70	33.9	691	2	6	31	54	94	99+	99+
80-84	32	29.4	325	3	5	29	48	57	95	99+
85+	22	32.5	594	6	10	32	51	99	99+	99+
GRAND TOTAL	**332**	**31.7**	**528**	**4**	**7**	**29**	**51**	**83**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	5.4	75	<1	<1	3	6	14	15	47
70-74	30	4.8	39	1	1	2	4	12	19	30
75-79	28	6.1	108	<1	<1	2	8	13	20	54
80-84	9	5.8	42	1	1	3	8	17	20	20
85+	8	2.3	5	1	1	2	2	6	8	8
2. MULTIPLE DX										
65-69 YRS	413	28.6	600	2	2	26	50	80	99+	99+
70-74	368	32.4	665	2	3	32	61	97	99+	99+
75-79	276	33.1	671	2	3	35	60	99	99+	99+
80-84	120	34.6	664	2	4	35	64	99+	99+	99+
85+	79	31.8	573	2	3	29	56	80	99+	99+
TOT. SINGLE DX	106	5.2	65	<1	1	2	6	13	17	50
" MULTIPLE DX	1256	31.5	642	2	3	31	57	93	99+	99+
TOTAL 65-69 YRS	444	27.0	599	1	2	23	48	77	99+	99+
70-74	398	30.3	671	2	2	30	56	95	99+	99+
75-79	304	30.6	680	1	2	31	57	95	99+	99+
80-84	129	32.6	675	2	3	32	62	98	99+	99+
85+	87	29.1	594	1	2	27	51	75	99	99+
GRAND TOTAL	**1362**	**29.4**	**647**	**1**	**2**	**28**	**54**	**89**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	454	5.8	31	1	1	4	8	13	15	28
70-74	409	6.3	44	1	1	4	8	14	20	32
75-79	274	6.1	30	<1	1	4	8	14	18	25
80-84	136	6.3	55	1	1	4	8	13	15	37
85+	60	8.1	35	1	2	6	12	18	19	22
2. MULTIPLE DX										
65-69 YRS	3875	11.2	91	2	3	9	15	22	29	52
70-74	3624	11.6	100	2	3	9	15	22	30	54
75-79	2676	12.3	103	2	3	10	16	24	31	54
80-84	1420	13.2	123	2	3	10	17	26	35	63
85+	753	14.4	138	2	4	11	18	29	38	67
TOT. SINGLE DX	1333	6.2	38	1	1	4	8	14	18	29
" MULTIPLE DX	12348	12.0	104	2	3	9	16	24	31	56
TOTAL 65-69 YRS	4329	10.6	88	2	2	8	14	21	29	51
70-74	4033	11.1	98	2	2	9	15	22	29	53
75-79	2950	11.8	100	2	2	9	16	23	30	52
80-84	1556	12.6	121	2	3	10	16	25	35	63
85+	813	13.9	134	2	4	11	18	28	36	63
GRAND TOTAL	**13681**	**11.4**	**101**	**2**	**2**	**9**	**15**	**23**	**30**	**54**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	15.0		15	15	15	15	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	11.5	61	6	6	11	17	17	17	17
70-74	5	7.0	16	2	2	7	11	11	11	11
75-79										
80-84	1	47.0		47	47	47	47	47	47	47
85+	3	12.7	6	10	10	13	14	15	15	15
TOT. SINGLE DX	2	8.5	85	2	2	8	15	15	15	15
" MULTIPLE DX	11	13.0	148	2	3	11	14	29	45	47
TOTAL 65-69 YRS	2	11.5	61	6	6	11	17	17	17	17
70-74	6	8.3	24	2	2	9	11	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	47.0		47	47	47	47	47	47	47
85+	3	12.7	6	10	10	13	14	15	15	15
GRAND TOTAL	**13**	**12.3**	**133**	**2**	**2**	**11**	**15**	**23**	**42**	**47**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	292	8.4	36	1	1	8	12	16	20	25
70-74	243	8.4	51	1	1	8	11	17	20	35
75-79	141	8.8	47	1	1	8	12	17	20	37
80-84	56	11.5	237	1	1	7	13	23	53	77
85+	20	10.8	39	2	3	9	15	21	22	22
2. MULTIPLE DX										
65-69 YRS	1790	13.6	114	2	3	11	17	26	34	58
70-74	1695	13.7	124	2	3	11	18	26	35	59
75-79	1152	14.5	154	2	3	11	19	28	36	68
80-84	448	14.0	144	2	3	10	18	29	38	62
85+	187	15.5	151	2	4	13	21	28	45	98
TOT. SINGLE DX	752	8.8	59	1	1	8	12	17	20	36
" MULTIPLE DX	5272	13.9	131	2	3	11	18	27	36	61
TOTAL 65-69 YRS	2082	12.8	107	2	3	10	17	25	32	54
70-74	1938	13.1	119	2	3	11	17	25	33	58
75-79	1293	13.9	146	2	3	11	18	27	35	67
80-84	504	13.7	155	2	3	10	18	28	38	65
85+	207	15.0	142	2	4	12	20	27	43	97
GRAND TOTAL	**6024**	**13.3**	**124**	**2**	**3**	**11**	**17**	**26**	**34**	**59**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	12.6	30	7	8	11	15	19	23	35
70-74	106	13.7	39	8	8	12	16	24	28	34
75-79	58	13.5	35	8	8	12	15	21	27	36
80-84	18	14.8	47	7	8	12	19	23	29	33
85+	2	16.0	2	15	15	16	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	954	17.4	91	8	9	15	22	30	36	56
70-74	738	17.8	103	8	9	15	22	29	39	60
75-79	367	18.1	102	8	9	16	22	32	37	58
80-84	103	20.2	153	8	10	16	24	37	48	66
85+	23	19.9	48	11	12	18	25	32	32	32
TOT. SINGLE DX	363	13.2	35	7	8	12	15	20	25	34
" MULTIPLE DX	2185	17.8	100	8	9	15	22	31	37	59
TOTAL 65-69 YRS	1133	16.7	85	8	8	14	20	28	35	52
70-74	844	17.2	97	8	9	14	21	29	35	59
75-79	425	17.5	96	8	9	15	21	30	36	53
80-84	121	19.4	141	8	9	16	23	36	47	65
85+	25	19.6	46	11	12	18	24	32	32	32
GRAND TOTAL	**2548**	**17.1**	**93**	**8**	**9**	**14**	**21**	**29**	**36**	**58**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	304	6.2	43	<1	1	4	8	13	17	35
70-74	246	6.1	36	1	1	4	8	14	18	27
75-79	177	7.4	51	1	2	5	10	15	22	38
80-84	87	6.9	43	1	1	5	9	16	21	28
85+	45	8.2	48	1	2	6	11	18	25	29
2. MULTIPLE DX										
65-69 YRS	2474	11.9	123	2	2	9	15	23	33	62
70-74	2392	12.3	127	2	3	9	16	24	33	65
75-79	1843	13.3	127	2	3	10	17	27	34	62
80-84	1071	14.7	153	2	4	12	19	28	36	83
85+	612	16.3	148	3	4	13	21	32	41	59
TOT. SINGLE DX	859	6.6	43	1	1	4	9	14	19	34
" MULTIPLE DX	8392	13.0	133	2	3	10	17	26	34	64
TOTAL 65-69 YRS	2778	11.3	118	2	2	9	15	23	31	61
70-74	2638	11.7	123	2	2	9	15	23	32	63
75-79	2020	12.8	123	2	3	10	17	26	34	60
80-84	1158	14.1	150	2	3	11	19	28	35	80
85+	657	15.7	146	2	4	13	20	31	40	58
GRAND TOTAL	**9251**	**12.4**	**128**	**2**	**2**	**10**	**16**	**25**	**33**	**62**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	8.6	41	1	1	9	12	18	18	18
70-74	8	6.6	34	1	1	4	11	16	17	17
75-79	11	5.2	31	1	1	4	6	12	20	21
80-84	4	5.0	8	2	2	4	7	9	9	9
85+	4	5.0	11	1	1	5	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	117	13.4	91	2	3	11	18	27	32	67
70-74	108	12.5	147	2	3	8	17	26	34	64
75-79	69	13.2	109	2	3	11	18	27	34	53
80-84	45	13.0	114	2	3	10	17	22	36	51
85+	19	12.7	42	4	5	13	19	24	62	99+
TOT. SINGLE DX	37	6.4	30	1	1	5	9	16	18	21
" MULTIPLE DX	358	13.0	111	2	3	10	18	26	33	56
TOTAL 65-69 YRS	127	13.0	89	2	3	11	18	27	30	63
70-74	116	12.1	141	2	3	8	16	25	33	62
75-79	80	12.1	106	1	2	10	17	26	31	52
80-84	49	12.3	110	2	3	10	17	22	34	51
85+	23	11.4	45	3	4	11	17	23	47	99+
GRAND TOTAL	**395**	**12.4**	**107**	**2**	**3**	**10**	**17**	**26**	**33**	**55**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	99	9.2	48	2	3	8	11	16	20	41
70-74	105	8.4	82	2	2	6	11	14	17	59
75-79	50	8.7	47	2	3	8	10	16	22	38
80-84	41	10.7	67	2	3	8	13	22	32	35
85+	17	8.3	63	2	2	7	9	18	29	34
2. MULTIPLE DX										
65-69 YRS	1235	13.9	118	3	4	11	18	26	34	68
70-74	1194	14.3	135	3	4	11	18	28	37	70
75-79	905	14.4	129	3	4	11	18	28	37	60
80-84	595	15.3	123	4	5	13	20	30	40	58
85+	379	15.7	182	4	5	12	20	31	45	84
TOT. SINGLE DX	312	9.0	63	2	3	7	11	16	21	41
" MULTIPLE DX	4308	14.5	132	3	4	11	18	28	37	67
TOTAL 65-69 YRS	1334	13.5	115	3	4	11	17	26	33	63
70-74	1299	13.8	134	3	4	11	17	27	36	70
75-79	955	14.1	126	3	4	11	18	27	37	60
80-84	636	15.0	121	4	5	12	19	29	39	58
85+	396	15.4	180	4	5	11	20	31	44	84
GRAND TOTAL	**4620**	**14.1**	**129**	**3**	**4**	**11**	**18**	**27**	**36**	**64**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	8.7	90	1	1	6	11	19	28	43
70-74	132	7.0	41	1	1	4	11	16	19	31
75-79	62	6.9	51	1	1	5	8	14	20	43
80-84	34	7.0	20	2	2	6	9	14	16	20
85+	16	6.5	30	1	2	4	10	16	18	19
2. MULTIPLE DX										
65-69 YRS	962	12.6	126	2	3	10	16	24	33	60
70-74	1020	13.1	118	2	3	10	18	27	34	53
75-79	693	14.5	154	2	3	11	19	33	38	58
80-84	464	14.3	133	3	3	11	19	27	38	57
85+	250	15.1	161	3	4	12	19	29	42	84
TOT. SINGLE DX	380	7.6	59	1	1	5	10	17	22	36
" MULTIPLE DX	3389	13.5	134	2	3	10	18	27	36	58
TOTAL 65-69 YRS	1098	12.1	123	2	2	9	16	24	32	59
70-74	1152	12.4	113	2	2	10	17	25	33	52
75-79	755	13.9	150	2	3	10	19	30	37	56
80-84	498	13.8	129	2	3	11	17	27	37	56
85+	266	14.6	158	2	3	12	18	29	37	82
GRAND TOTAL	**3769**	**12.9**	**129**	**2**	**3**	**10**	**17**	**27**	**35**	**57**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	71	13.7	25	8	9	13	16	20	22	36
70-74	52	13.0	12	8	9	12	15	17	20	23
75-79	22	19.2	324	9	10	15	17	27	55	96
80-84	7	11.9	18	6	7	12	14	18	19	19
85+	3	15.0	4	13	13	15	16	17	17	17
2. MULTIPLE DX										
65-69 YRS	979	18.8	131	9	9	15	22	35	45	74
70-74	831	19.6	151	9	10	16	23	35	44	82
75-79	447	20.7	148	9	10	17	25	38	50	76
80-84	114	24.4	240	10	12	20	28	45	61	83
85+	24	24.7	306	5	8	21	26	55	68	68
TOT. SINGLE DX	155	14.2	65	8	9	13	16	20	23	38
" MULTIPLE DX	2395	19.8	150	9	10	16	23	35	46	79
TOTAL 65-69 YRS	1050	18.4	126	9	9	15	22	34	44	73
70-74	883	19.3	146	9	10	16	23	33	42	79
75-79	469	20.6	156	9	10	17	24	37	50	81
80-84	121	23.7	236	9	11	19	27	42	59	83
85+	27	23.6	281	6	8	20	26	52	68	68
GRAND TOTAL	**2550**	**19.4**	**147**	**9**	**10**	**16**	**23**	**35**	**45**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	374	11.9	19	7	8	11	14	17	21	28
70-74	209	12.8	24	7	8	12	15	19	24	28
75-79	59	13.6	32	7	8	12	18	20	24	35
80-84	9	13.3	13	8	8	13	16	18	18	18
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	5592	14.9	66	8	8	12	17	24	30	52
70-74	3548	16.5	93	8	9	14	19	27	34	62
75-79	1340	18.1	111	8	9	15	21	30	39	68
80-84	247	20.3	147	8	10	17	24	35	42	87
85+	24	19.5	52	11	12	19	22	34	35	37
TOT. SINGLE DX	652	12.3	22	7	8	11	15	18	22	28
" MULTIPLE DX	10751	15.9	85	8	9	13	18	26	33	59
TOTAL 65-69 YRS	5966	14.7	64	8	8	12	17	24	30	51
70-74	3757	16.3	90	8	9	14	19	27	33	61
75-79	1399	17.9	109	8	9	15	21	30	38	66
80-84	256	20.0	145	8	10	17	24	35	42	86
85+	25	19.0	57	8	12	19	22	34	35	37
GRAND TOTAL	**11403**	**15.7**	**82**	**8**	**9**	**13**	**18**	**26**	**33**	**58**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1731	3.0	9	1	1	2	3	6	9	16
70-74	886	3.2	13	1	1	2	3	7	10	20
75-79	274	2.9	7	1	1	2	3	6	9	15
80-84	54	4.0	21	1	1	2	4	12	16	19
85+	9	4.8	40	1	1	2	10	60	99+	99+
2. MULTIPLE DX										
65-69 YRS	12606	5.2	31	1	1	3	7	12	16	26
70-74	8016	5.9	37	1	2	3	8	14	18	29
75-79	3217	6.8	50	1	2	4	9	15	21	35
80-84	830	8.9	81	1	2	6	12	20	27	43
85+	179	11.4	101	2	2	9	16	24	31	67
TOT. SINGLE DX	2954	3.1	11	1	1	2	3	6	9	17
" MULTIPLE DX	24848	5.8	39	1	1	3	8	13	18	29
TOTAL 65-69 YRS	14337	5.0	29	1	1	2	7	12	15	25
70-74	8902	5.6	36	1	1	3	8	13	18	28
75-79	3491	6.5	48	1	2	4	9	15	20	33
80-84	884	8.6	79	1	2	6	12	19	26	43
85+	188	11.1	101	2	2	9	16	24	33	90
GRAND TOTAL	**27802**	**5.5**	**37**	**1**	**1**	**3**	**7**	**13**	**17**	**29**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	358	5.1	18	1	1	4	7	10	13	20
70-74	546	4.7	13	1	1	4	6	10	12	19
75-79	534	5.1	20	1	1	4	6	10	13	22
80-84	459	4.8	13	1	2	4	6	10	13	18
85+	447	5.5	22	1	2	4	7	11	14	26
2. MULTIPLE DX										
65-69 YRS	3593	10.8	73	2	3	9	14	21	27	45
70-74	5028	10.5	73	2	3	8	14	20	26	44
75-79	5668	10.8	73	2	3	9	14	21	27	46
80-84	5104	11.0	77	2	3	9	14	21	28	47
85+	4554	11.4	89	2	3	9	14	22	29	60
TOT. SINGLE DX	2344	5.0	18	1	2	4	6	10	13	21
" MULTIPLE DX	23947	10.9	78	2	3	9	14	21	27	47
TOTAL 65-69 YRS	3951	10.3	72	2	3	8	13	20	26	44
70-74	5574	9.9	70	2	3	8	13	20	25	43
75-79	6202	10.3	72	2	3	8	13	20	26	44
80-84	5563	10.5	76	2	3	8	14	20	27	47
85+	5001	10.8	87	2	3	8	14	21	28	58
GRAND TOTAL	**26291**	**10.4**	**75**	**2**	**3**	**8**	**13**	**20**	**27**	**46**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	187	4.1	10	1	2	3	4	8	11	15
70-74	73	5.1	21	2	2	3	6	11	14	25
75-79	35	6.5	25	1	2	4	9	14	16	20
80-84	9	8.7	63	3	3	5	9	21	29	29
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	1499	8.2	64	2	2	6	11	16	22	41
70-74	973	8.9	69	2	2	7	11	17	23	43
75-79	430	11.6	121	2	3	9	14	24	36	63
80-84	117	14.7	150	3	4	11	18	31	45	56
85+	39	15.2	160	2	3	12	21	31	56	99+
TOT. SINGLE DX	305	4.8	17	1	2	3	6	11	14	21
" MULTIPLE DX	3058	9.2	82	2	2	7	12	19	26	49
TOTAL 65-69 YRS	1686	7.7	60	2	2	5	10	16	22	39
70-74	1046	8.6	67	2	2	6	11	17	22	41
75-79	465	11.2	116	2	3	8	13	23	35	62
80-84	126	14.3	146	3	4	11	18	30	44	55
85+	40	15.2	156	2	3	13	21	30	56	99+
GRAND TOTAL	**3363**	**8.8**	**77**	**2**	**2**	**6**	**11**	**18**	**24**	**47**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	4.0	31	<1	1	2	4	9	14	26
70-74	150	4.5	28	1	1	2	5	11	16	27
75-79	110	4.5	24	<1	1	2	6	11	16	23
80-84	77	6.5	92	1	1	3	7	16	22	59
85+	64	7.7	57	1	2	5	11	16	23	38
2. MULTIPLE DX										
65-69 YRS	2273	10.8	104	1	2	8	14	22	29	55
70-74	2385	10.9	93	2	2	8	14	22	29	53
75-79	2186	12.1	113	2	3	9	15	24	32	60
80-84	1806	13.2	122	2	3	11	17	25	34	61
85+	1920	13.7	119	3	4	11	17	27	34	70
TOT. SINGLE DX	618	4.9	41	<1	1	2	6	12	17	28
" MULTIPLE DX	10570	12.0	111	2	3	9	15	24	31	59
TOTAL 65-69 YRS	2490	10.2	102	1	2	8	13	21	28	53
70-74	2535	10.6	92	1	2	8	14	21	28	51
75-79	2296	11.7	112	2	2	9	15	24	32	60
80-84	1883	13.0	123	2	3	10	17	25	33	61
85+	1984	13.5	118	2	4	11	17	26	34	68
GRAND TOTAL	**11188**	**11.6**	**110**	**1**	**2**	**9**	**15**	**24**	**31**	**58**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	294	4.7	15	2	2	4	5	7	10	20
70-74	168	5.1	17	2	2	4	6	9	13	25
75-79	67	4.7	8	1	2	4	6	9	12	15
80-84	23	8.2	32	1	2	5	12	18	21	21
85+	6	7.2	29	2	2	5	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	424	7.0	40	2	3	5	8	13	19	32
70-74	270	8.6	84	2	3	6	10	19	24	42
75-79	182	10.3	141	2	3	7	12	20	30	66
80-84	74	11.8	128	2	2	9	15	21	37	63
85+	27	15.5	216	3	3	9	22	33	55	60
TOT. SINGLE DX	558	5.0	17	2	2	4	6	9	13	22
" MULTIPLE DX	977	8.7	86	2	3	6	10	17	25	55
TOTAL 65-69 YRS	718	6.0	31	2	2	4	7	11	16	30
70-74	438	7.3	62	2	2	5	8	16	21	37
75-79	249	8.8	112	2	2	6	10	17	25	60
80-84	97	10.9	107	2	2	9	14	20	28	59
85+	33	14.0	191	3	3	9	17	28	51	60
GRAND TOTAL	**1535**	**7.3**	**64**	**2**	**2**	**5**	**8**	**15**	**21**	**43**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	411	10.5	44	3	5	9	12	17	23	35
70-74	308	10.6	35	3	5	9	13	18	23	32
75-79	174	9.6	23	3	4	9	12	16	20	26
80-84	90	11.1	30	4	5	11	13	18	22	31
85+	48	14.0	98	3	5	13	16	24	31	63
2. MULTIPLE DX										
65-69 YRS	4026	16.0	144	5	6	12	19	30	41	74
70-74	3594	16.8	147	5	7	14	20	31	42	78
75-79	2324	18.4	185	6	7	14	22	36	49	86
80-84	1164	18.8	175	6	8	15	23	34	45	82
85+	560	20.4	183	7	8	17	26	36	50	94
TOT. SINGLE DX	1031	10.6	40	3	5	9	13	17	22	32
" MULTIPLE DX	11668	17.2	160	5	7	14	21	33	44	79
TOTAL 65-69 YRS	4437	15.5	138	5	6	12	18	29	40	72
70-74	3902	16.3	142	5	7	13	19	30	41	75
75-79	2498	17.8	179	5	7	14	22	35	48	85
80-84	1254	18.3	169	6	8	15	22	33	44	79
85+	608	19.9	179	6	8	16	25	36	50	93
GRAND TOTAL	**12699**	**16.7**	**154**	**5**	**7**	**13**	**20**	**32**	**43**	**78**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	39.0		39	39	39	39	39	39	39
70-74	1	24.0		24	24	24	24	24	24	24
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	11	10.7	25	1	3	12	14	17	19	19
70-74	4	8.0	8	4	4	8	10	11	11	11
75-79	4	19.3	200	4	4	18	30	37	37	37
80-84										
85+	1	44.0		44	44	44	44	44	44	44
TOT. SINGLE DX	3	27.3	108	19	19	24	35	39	39	39
" MULTIPLE DX	20	13.6	113	2	4	11	15	30	40	44
TOTAL 65-69 YRS	12	13.1	90	1	4	12	15	25	37	39
70-74	5	11.2	58	4	4	9	14	24	24	24
75-79	5	19.2	150	4	4	19	26	37	37	37
80-84										
85+	1	44.0		44	44	44	44	44	44	44
GRAND TOTAL	**23**	**15.3**	**130**	**3**	**4**	**12**	**19**	**37**	**41**	**44**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	4.8	20	<1	1	3	6	13	15	18
70-74	16	10.5	162	2	2	6	12	20	43	53
75-79	6	2.8	5	<1	<1	2	4	7	7	7
80-84	8	8.3	49	1	2	6	10	20	23	23
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	1542	7.9	68	1	2	5	9	16	22	44
70-74	1245	8.0	62	2	2	6	10	16	22	42
75-79	747	9.0	91	1	2	6	11	20	28	51
80-84	356	9.4	96	1	2	6	12	19	27	54
85+	103	8.8	56	2	3	6	12	19	24	35
TOT. SINGLE DX	55	6.8	69	<1	1	4	8	15	20	51
" MULTIPLE DX	3993	8.3	73	1	2	6	10	17	24	46
TOTAL 65-69 YRS	1566	7.8	68	1	2	5	9	16	22	44
70-74	1261	8.0	64	2	2	6	10	16	22	42
75-79	753	9.0	91	1	2	6	11	20	28	51
80-84	364	9.4	96	1	2	6	12	19	26	53
85+	104	8.8	56	2	3	6	12	19	24	35
GRAND TOTAL	**4048**	**8.3**	**73**	**1**	**2**	**6**	**10**	**17**	**24**	**46**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1492	7.2	30	2	3	6	9	13	16	26
70-74	1268	7.4	26	2	3	6	10	13	16	26
75-79	816	7.8	28	2	3	6	10	14	17	26
80-84	386	8.0	26	2	3	7	11	14	17	28
85+	160	8.5	44	2	3	6	11	18	21	33
2. MULTIPLE DX										
65-69 YRS	10682	11.6	103	2	3	9	14	23	31	58
70-74	10195	12.3	110	3	4	10	15	24	33	62
75-79	7310	13.1	125	3	4	10	16	26	36	64
80-84	3653	13.7	128	3	4	11	17	27	36	73
85+	1929	15.3	157	3	4	12	19	30	41	74
TOT. SINGLE DX	4122	7.5	29	2	3	6	10	14	17	26
" MULTIPLE DX	33769	12.6	117	3	4	10	16	25	33	63
TOTAL 65-69 YRS	12174	11.1	96	2	3	9	14	22	29	55
70-74	11463	11.7	103	3	4	9	15	23	31	60
75-79	8126	12.6	118	3	4	10	16	25	34	61
80-84	4039	13.2	122	3	4	10	17	26	35	69
85+	2089	14.8	152	3	4	11	19	29	39	72
GRAND TOTAL	**37891**	**12.0**	**110**	**2**	**4**	**9**	**15**	**24**	**32**	**60**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	335	5.4	25	<1	1	4	7	11	15	28
70-74	284	5.9	40	<1	1	4	8	13	17	36
75-79	172	4.7	16	<1	1	3	6	11	14	17
80-84	82	5.0	17	<1	1	4	8	10	12	20
85+	38	6.6	30	<1	1	4	9	15	19	22
2. MULTIPLE DX										
65-69 YRS	1376	9.6	83	1	2	7	12	20	26	46
70-74	1185	10.1	96	1	2	7	13	21	29	50
75-79	867	11.0	117	2	2	8	14	23	31	56
80-84	481	11.7	120	2	2	9	16	23	31	56
85+	288	10.7	67	2	3	9	15	20	25	41
TOT. SINGLE DX	911	5.4	28	<1	1	4	7	12	15	28
" MULTIPLE DX	4197	10.3	98	1	2	8	13	22	29	50
TOTAL 65-69 YRS	1711	8.8	75	1	2	6	11	18	24	44
70-74	1469	9.3	88	1	2	7	12	20	27	45
75-79	1039	10.0	107	1	2	7	13	21	29	53
80-84	563	10.7	110	1	2	8	14	22	30	50
85+	326	10.2	65	2	2	8	14	20	24	41
GRAND TOTAL	**5108**	**9.5**	**89**	**1**	**2**	**7**	**12**	**20**	**27**	**48**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	117	7.0	27	1	2	6	8	13	16	30
70-74	73	6.0	10	2	2	6	8	9	13	16
75-79	41	7.0	18	1	2	7	8	12	18	19
80-84	13	11.1	88	1	2	9	17	25	30	31
85+	7	3.6	1	2	2	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	467	11.6	106	3	4	8	14	23	30	61
70-74	385	10.9	110	3	3	8	12	20	29	65
75-79	199	12.2	113	3	5	9	14	23	33	58
80-84	116	10.6	54	3	4	8	13	22	26	33
85+	64	12.5	159	4	5	8	15	22	40	74
TOT. SINGLE DX	251	6.8	25	2	2	6	8	12	16	24
" MULTIPLE DX	1231	11.4	107	3	4	8	13	22	30	59
TOTAL 65-69 YRS	584	10.7	94	2	4	8	12	22	29	53
70-74	458	10.1	98	2	3	8	11	19	27	60
75-79	240	11.3	101	3	4	9	13	21	30	58
80-84	129	10.7	57	3	4	8	13	23	26	33
85+	71	11.6	151	3	4	8	14	20	39	73
GRAND TOTAL	**1482**	**10.7**	**96**	**2**	**3**	**8**	**12**	**21**	**29**	**55**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	6.5	41	2	2	6	11	11	11	11
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	8.7	58	2	2	7	14	17	17	17
75-79	4	8.8	22	2	2	10	12	13	13	13
80-84	1	3.0		3	3	3	3	3	3	3
85+										
TOT. SINGLE DX	3	5.3	24	2	2	3	9	11	11	11
" MULTIPLE DX	9	7.7	28	2	2	7	11	15	17	17
TOTAL 65-69 YRS	3	6.0	21	2	2	5	9	11	11	11
70-74	3	8.7	58	2	2	7	14	17	17	17
75-79		7.6	23	2	2	10	11	13	13	13
80-84	1	3.0		3	3	3	3	3	3	3
85+										
GRAND TOTAL	**12**	**7.1**	**26**	**2**	**2**	**6**	**11**	**14**	**17**	**17**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	71.0		71	71	71	71	71	71	71
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
TOT. SINGLE DX										
" MULTIPLE DX	2	43.5	1513	16	16	43	71	71	71	71
TOTAL 65-69 YRS	1	71.0		71	71	71	71	71	71	71
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
GRAND TOTAL	**2**	**43.5**	**1513**	**16**	**16**	**43**	**71**	**71**	**71**	**71**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	281	7.8	49	1	2	6	10	16	23	33
70-74	272	8.0	43	2	2	6	10	15	22	34
75-79	243	8.2	71	1	2	6	10	16	25	44
80-84	137	9.2	98	1	2	6	11	21	25	56
85+	96	8.3	80	2	2	6	10	14	18	56
2. MULTIPLE DX										
65-69 YRS	3632	12.2	112	2	3	9	15	25	33	57
70-74	4128	12.8	116	3	4	10	16	26	34	63
75-79	3963	12.6	118	3	4	9	15	24	33	63
80-84	3150	13.5	119	3	4	11	17	26	35	62
85+	2396	13.3	123	3	4	10	17	26	36	68
TOT. SINGLE DX	1029	8.2	62	2	2	6	10	16	23	42
" MULTIPLE DX	17269	12.8	118	3	4	10	16	25	34	62
TOTAL 65-69 YRS	3913	11.9	109	2	3	9	15	24	32	56
70-74	4400	12.5	113	3	4	10	15	25	33	62
75-79	4206	12.3	117	3	4	9	15	24	33	62
80-84	3287	13.3	119	3	4	10	16	26	34	61
85+	2492	13.1	123	3	4	10	16	25	35	68
GRAND TOTAL	**18298**	**12.6**	**116**	**3**	**4**	**10**	**15**	**25**	**33**	**61**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	59	9.1	87	1	2	5	12	27	33	94
70-74	35	10.6	350	1	2	4	8	22	62	88
75-79	27	13.4	226	1	1	9	17	29	54	63
80-84	9	9.9	28	2	3	9	15	17	17	17
85+	10	9.2	25	3	4	7	13	17	18	18
2. MULTIPLE DX										
65-69 YRS	1290	14.7	188	2	3	10	20	34	45	68
70-74	1114	15.5	197	2	3	11	21	36	45	80
75-79	763	16.9	186	2	4	14	23	37	45	71
80-84	423	18.3	252	3	4	14	22	36	56	78
85+	311	18.0	215	4	6	14	23	34	49	95
TOT. SINGLE DX	140	10.4	171	1	2	6	13	25	34	89
" MULTIPLE DX	3901	16.0	201	2	3	12	21	35	46	77
TOTAL 65-69 YRS	1349	14.5	186	2	3	10	20	34	44	69
70-74	1149	15.4	203	2	3	11	21	35	45	81
75-79	790	16.8	188	2	4	13	22	36	46	69
80-84	432	18.1	250	3	4	14	21	36	55	77
85+	321	17.7	212	4	5	14	23	34	49	94
GRAND TOTAL	**4041**	**15.8**	**201**	**2**	**3**	**12**	**21**	**35**	**46**	**77**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	210	5.3	28	<1	1	3	7	12	17	25
70-74	171	5.2	27	<1	1	4	7	11	13	31
75-79	138	5.2	39	<1	1	4	6	9	14	29
80-84	76	5.2	26	1	1	4	6	11	14	29
85+	73	5.5	27	<1	<1	4	9	12	16	25
2. MULTIPLE DX										
65-69 YRS	2021	9.6	103	1	2	7	12	20	27	53
70-74	2069	10.3	108	1	2	7	13	21	30	56
75-79	1738	10.0	97	2	2	7	13	21	28	57
80-84	1268	10.5	111	2	2	8	13	21	30	57
85+	923	11.1	122	2	3	8	14	21	31	73
TOT. SINGLE DX	668	5.3	30	<1	1	4	7	12	15	27
" MULTIPLE DX	8019	10.2	107	1	2	7	13	21	29	57
TOTAL 65-69 YRS	2231	9.2	98	1	2	6	12	19	26	51
70-74	2240	10.0	105	1	2	7	12	21	30	56
75-79	1876	9.6	95	1	2	7	12	21	27	57
80-84	1344	10.2	108	1	2	7	13	21	30	56
85+	996	10.7	117	1	2	8	14	21	30	72
GRAND TOTAL	**8687**	**9.8**	**103**	**1**	**2**	**7**	**12**	**20**	**28**	**56**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	12.5	35	4	4	14	16	18	18	18
70-74										
75-79	4	11.5	60	3	3	11	17	21	21	21
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	16.5	313	4	4	16	29	29	29	29
2. MULTIPLE DX										
65-69 YRS	38	17.0	135	5	6	14	20	34	47	52
70-74	43	18.9	140	5	8	15	24	40	44	51
75-79	48	19.4	273	5	8	16	[illegible]	31	41	95
80-84	31	22.7	284	7	9	19	28	50	80	99+
85+	26	24.3	384	8	10	17	27	53	79	81
TOT. SINGLE DX	11	12.1	71	3	3	14	17	24	29	29
" MULTIPLE DX	186	20.0	233	6	8	16	23	39	51	91
TOTAL 65-69 YRS	42	16.6	127	5	6	14	20	31	45	52
70-74	43	18.9	140	5	8	15	24	40	44	51
75-79	52	18.8	261	5	7	16	22	30	37	95
80-84	32	22.1	286	4	9	19	28	49	79	99+
85+	28	23.8	372	7	9	17	28	50	79	81
GRAND TOTAL	**197**	**19.6**	**226**	**5**	**8**	**16**	**23**	**37**	**50**	**89**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	16.4	293	3	3	14	17	32	63	70
70-74	22	15.4	298	3	4	8	20	34	59	75
75-79	16	15.9	177	2	3	11	23	39	43	45
80-84	20	13.1	109	2	3	10	15	29	40	42
85+	26	16.2	243	1	2	9	30	54	99+	99+
2. MULTIPLE DX										
65-69 YRS	417	21.5	341	3	5	16	30	52	77	99+
70-74	537	22.8	311	5	6	18	33	52	83	99+
75-79	675	22.7	337	5	6	18	32	57	78	99+
80-84	685	22.1	290	4	6	18	30	49	75	99+
85+	893	20.3	245	4	6	16	27	46	61	99+
TOT. SINGLE DX	97	15.4	216	2	3	9	20	41	54	99+
" MULTIPLE DX	3207	21.8	299	4	6	17	30	51	75	99+
TOTAL 65-69 YRS	430	21.3	341	3	5	16	29	52	77	99+
70-74	559	22.5	312	4	6	18	33	52	82	99+
75-79	691	22.6	334	4	6	18	31	56	77	99+
80-84	705	21.8	288	4	6	18	30	49	75	99+
85+	919	20.2	246	4	5	16	27	46	61	99+
GRAND TOTAL	**3304**	**21.6**	**297**	**4**	**6**	**17**	**30**	**51**	**74**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	178	6.7	39	1	1	5	9	14	17	39
70-74	187	5.6	14	<1	1	5	8	11	13	18
75-79	162	6.2	16	<1	1	5	9	12	15	17
80-84	103	6.7	38	1	2	6	8	12	17	75
85+	54	7.9	36	2	2	6	9	15	24	28
2. MULTIPLE DX										
65-69 YRS	3151	9.6	67	2	3	8	11	18	24	46
70-74	3595	9.8	63	2	3	8	12	18	24	42
75-79	3344	10.3	75	3	3	8	12	19	26	49
80-84	2428	10.8	81	3	4	8	13	21	28	55
85+	1753	11.6	83	3	4	9	14	22	30	53
TOT. SINGLE DX	684	6.4	27	<1	1	5	8	12	15	26
" MULTIPLE DX	14271	10.3	73	3	3	8	12	19	26	47
TOTAL 65-69 YRS	3329	9.5	66	2	3	8	11	18	24	46
70-74	3782	9.6	62	2	3	8	12	18	24	42
75-79	3506	10.1	74	2	3	8	12	19	25	48
80-84	2531	10.7	80	3	3	8	13	20	27	55
85+	1807	11.5	83	3	4	9	14	22	29	51
GRAND TOTAL	**14955**	**10.1**	**72**	**2**	**3**	**8**	**12**	**19**	**26**	**47**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	110	14.1	39	8	9	12	16	22	24	40
70-74	77	13.7	31	7	8	12	17	22	25	30
75-79	67	16.5	67	8	9	15	19	26	30	53
80-84	34	17.1	67	8	9	15	20	27	31	50
85+	19	21.6	280	7	8	16	22	40	63	78
2. MULTIPLE DX										
65-69 YRS	774	19.0	139	8	9	16	22	33	48	75
70-74	777	20.7	161	9	10	17	25	37	45	83
75-79	662	22.0	194	9	10	18	27	40	51	86
80-84	424	23.5	220	9	11	20	28	44	62	94
85+	285	24.5	202	9	11	20	31	48	62	99+
TOT. SINGLE DX	307	15.3	64	8	8	14	18	24	29	47
" MULTIPLE DX	2922	21.3	179	9	10	18	25	38	50	84
TOTAL 65-69 YRS	884	18.4	130	8	9	15	22	32	45	73
70-74	854	20.0	154	8	9	17	24	36	44	83
75-79	729	21.5	186	9	10	18	26	39	51	84
80-84	458	23.1	212	9	10	19	28	41	58	92
85+	304	24.3	207	9	11	20	31	48	62	99+
GRAND TOTAL	**3229**	**20.7**	**171**	**8**	**9**	**17**	**25**	**37**	**49**	**83**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	19.8	55	12	13	18	23	31	37	40
70-74	16	17.0	172	10	10	13	16	25	52	63
75-79	12	18.0	44	10	11	17	23	28	30	30
80-84	1	32.0		32	32	32	32	32	32	32
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	151	24.0	209	10	12	20	29	45	69	99+
70-74	162	24.1	224	11	12	20	28	40	62	97
75-79	102	25.6	170	11	13	23	30	42	49	98
80-84	43	26.4	188	13	14	22	32	42	63	70
85+	20	27.5	196	8	11	23	36	43	57	68
TOT. SINGLE DX	51	18.7	89	10	10	16	23	29	35	63
" MULTIPLE DX	478	24.7	203	11	12	21	29	43	60	99+
TOTAL 65-69 YRS	172	23.5	192	10	12	19	28	43	65	99+
70-74	178	23.4	223	10	12	20	28	40	62	94
75-79	114	24.8	163	11	12	23	29	41	47	97
80-84	44	26.5	185	13	14	22	32	41	63	70
85+	21	27.0	191	9	11	23	35	42	56	68
GRAND TOTAL	**529**	**24.2**	**195**	**11**	**12**	**21**	**29**	**41**	**58**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	11.4	16	6	7	10	15	18	19	19
70-74	27	12.9	38	6	7	12	15	19	24	35
75-79	19	10.7	13	5	6	10	14	16	17	17
80-84	5	14.8	118	7	7	11	17	34	34	34
85+	7	18.3	114	10	10	14	20	37	41	41
2. MULTIPLE DX										
65-69 YRS	228	18.0	119	7	8	15	23	32	41	67
70-74	181	19.0	139	7	8	15	24	36	42	67
75-79	165	17.8	87	8	9	16	21	30	34	57
80-84	99	18.8	128	8	9	16	21	34	41	65
85+	72	19.2	169	9	10	16	22	36	43	99+
TOT. SINGLE DX	80	12.6	39	6	7	11	15	19	21	39
" MULTIPLE DX	745	18.4	123	7	8	16	22	32	41	62
TOTAL 65-69 YRS	250	17.4	114	7	8	14	22	31	41	62
70-74	208	18.2	130	7	8	15	22	35	41	64
75-79	184	17.1	85	8	8	15	20	30	33	57
80-84	104	18.6	128	8	9	15	21	34	40	64
85+	79	19.2	163	9	10	16	22	36	42	99+
GRAND TOTAL	**825**	**17.8**	**118**	**7**	**8**	**15**	**21**	**32**	**40**	**59**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	79	10.1	17	6	6	8	12	16	19	24
70-74	72	11.4	43	6	7	10	13	18	22	43
75-79	71	11.1	28	5	6	11	14	18	20	32
80-84	56	14.1	69	6	7	11	18	26	29	47
85+	47	14.9	79	5	6	13	18	27	37	42
2. MULTIPLE DX										
65-69 YRS	831	17.3	142	6	8	13	21	34	42	68
70-74	787	18.3	173	7	8	14	22	34	43	74
75-79	736	19.2	156	7	8	15	24	35	43	76
80-84	497	20.1	187	7	9	16	25	38	49	86
85+	434	20.6	172	8	9	17	25	39	47	73
TOT. SINGLE DX	325	12.0	46	5	7	10	14	20	25	39
" MULTIPLE DX	3285	18.8	165	7	8	15	22	36	45	76
TOTAL 65-69 YRS	910	16.7	135	6	7	13	20	32	40	67
70-74	859	17.7	166	7	8	14	21	33	43	73
75-79	807	18.5	151	7	8	15	22	34	42	76
80-84	553	19.5	179	7	8	15	24	37	48	84
85+	481	20.0	166	7	8	17	24	38	46	71
GRAND TOTAL	**3610**	**18.2**	**158**	**7**	**8**	**14**	**22**	**35**	**43**	**73**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	531	4.1	21	<1	<1	2	6	9	12	20
70-74	446	3.7	14	<1	<1	2	5	9	11	17
75-79	361	4.2	23	<1	<1	2	6	10	13	22
80-84	193	4.5	20	<1	1	3	6	10	12	25
85+	121	5.9	34	1	1	4	8	13	17	28
2. MULTIPLE DX										
65-69 YRS	4089	8.4	66	1	2	6	10	17	24	44
70-74	4472	8.7	65	1	2	7	11	17	23	40
75-79	4050	9.5	82	1	2	7	12	19	25	48
80-84	2773	10.2	91	2	2	8	13	20	26	56
85+	1957	11.1	93	2	3	9	14	21	28	52
TOT. SINGLE DX	1652	4.2	21	<1	1	2	6	10	12	22
" MULTIPLE DX	17341	9.3	78	1	2	7	12	19	25	48
TOTAL 65-69 YRS	4620	7.9	63	1	1	6	10	16	22	41
70-74	4918	8.2	63	1	2	6	11	17	23	39
75-79	4411	9.1	80	1	2	7	12	19	24	47
80-84	2966	9.9	89	1	2	8	12	19	25	55
85+	2078	10.8	92	2	3	8	13	21	27	51
GRAND TOTAL	18993	8.9	75	1	2	7	11	18	24	46

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	12.1	41	6	7	10	13	21	27	37
70-74	66	12.7	48	5	6	11	16	19	27	42
75-79	46	12.6	37	7	8	11	15	18	23	42
80-84	32	14.1	45	6	7	13	17	21	28	38
85+	24	13.9	46	7	7	11	17	25	28	31
2. MULTIPLE DX										
65-69 YRS	668	20.5	222	7	8	16	24	41	52	90
70-74	723	20.1	199	8	9	16	23	39	57	89
75-79	639	20.5	189	8	9	17	25	41	55	99+
80-84	472	22.0	220	9	10	17	27	41	54	85
85+	352	20.3	149	9	9	17	25	36	48	90
TOT. SINGLE DX	204	12.9	44	6	7	11	16	20	27	40
" MULTIPLE DX	2854	20.6	200	8	9	16	25	39	53	88
TOTAL 65-69 YRS	704	20.1	217	7	8	15	24	39	51	87
70-74	789	19.5	191	7	9	15	23	38	54	86
75-79	685	19.9	183	8	9	16	24	39	54	98
80-84	504	21.5	213	9	10	17	26	40	52	84
85+	376	19.9	145	8	9	17	25	36	47	86
GRAND TOTAL	3058	20.1	194	8	9	16	24	38	52	86

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	727	11.6	19	7	8	11	13	17	20	26
70-74	624	12.0	22	7	8	11	14	17	21	30
75-79	524	13.3	44	8	8	12	15	20	24	41
80-84	274	14.3	49	8	8	12	17	22	29	45
85+	164	16.3	64	8	8	15	19	25	30	45
2. MULTIPLE DX										
65-69 YRS	5151	16.4	100	8	9	13	19	27	34	64
70-74	5511	17.4	110	8	9	14	20	30	38	67
75-79	5066	18.3	121	9	9	15	21	31	40	68
80-84	3491	20.1	142	9	10	17	24	34	45	74
85+	2369	21.6	146	9	10	18	26	38	47	94
TOT. SINGLE DX	2313	12.8	35	7	8	11	15	19	23	37
" MULTIPLE DX	21588	18.3	123	8	9	15	21	31	40	70
TOTAL 65-69 YRS	5878	15.8	93	8	9	13	18	26	33	60
70-74	6135	16.8	104	8	9	14	19	29	37	66
75-79	5590	17.8	117	8	9	15	21	30	39	66
80-84	3765	19.7	138	9	10	16	23	34	44	71
85+	2533	21.2	143	9	10	18	25	37	47	91
GRAND TOTAL	23901	17.7	117	8	9	15	21	30	39	67

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	12.9	61	5	6	10	17	24	29	39
70-74	29	11.5	107	5	6	10	11	15	23	62
75-79	30	13.5	33	3	7	13	17	22	25	26
80-84	12	11.3	44	4	5	9	13	21	28	29
85+	8	19.8	192	9	10	14	23	44	51	51
2. MULTIPLE DX										
65-69 YRS	284	18.6	149	7	8	15	22	34	43	69
70-74	302	20.6	201	7	9	17	25	36	55	86
75-79	248	19.2	140	8	9	16	24	35	47	99+
80-84	192	22.3	196	9	11	18	28	41	57	99+
85+	180	19.5	138	7	9	16	26	33	47	94
TOT. SINGLE DX	113	13.0	74	5	6	11	15	22	27	55
" MULTIPLE DX	1206	19.9	167	8	9	16	25	36	48	89
TOTAL 65-69 YRS	318	18.0	143	7	8	15	22	33	41	69
70-74	331	19.8	199	7	8	16	24	36	55	86
75-79	278	18.6	132	7	9	15	23	33	45	94
80-84	204	21.6	194	9	10	18	27	39	56	99+
85+	188	19.5	140	7	9	16	26	34	48	93
GRAND TOTAL	1319	19.3	163	7	8	16	24	35	47	86

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	211	9.4	19	4	5	9	11	14	16	26
70-74	159	10.2	24	4	5	10	12	16	18	33
75-79	145	9.7	16	3	4	10	12	15	17	19
80-84	82	9.8	27	3	4	9	12	15	18	31
85+	47	11.1	36	5	6	10	12	15	17	44
2. MULTIPLE DX										
65-69 YRS	1194	14.3	106	5	6	11	16	25	34	64
70-74	1159	13.7	80	5	6	11	16	24	31	60
75-79	980	14.5	102	5	6	12	16	26	35	58
80-84	598	15.7	129	6	7	12	18	29	39	71
85+	397	17.1	113	5	7	15	21	29	38	59
TOT. SINGLE DX	644	9.8	22	4	5	9	12	15	17	28
" MULTIPLE DX	4328	14.6	103	5	7	12	17	26	34	61
TOTAL 65-69 YRS	1405	13.5	96	5	6	11	15	23	32	61
70-74	1318	13.3	75	5	6	11	16	23	30	55
75-79	1125	13.9	94	5	6	11	16	24	32	56
80-84	680	15.0	121	5	7	12	17	27	37	67
85+	444	16.4	108	5	7	14	20	29	37	58
GRAND TOTAL	**4972**	**14.0**	**95**	**5**	**6**	**11**	**16**	**24**	**32**	**59**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	12.8	30	5	7	12	16	20	23	31
70-74	29	15.3	47	6	7	14	20	22	28	36
75-79	25	12.7	34	5	6	11	16	21	24	25
80-84	24	15.4	65	4	6	13	18	28	33	34
85+	18	18.7	102	6	8	19	21	27	41	51
2. MULTIPLE DX										
65-69 YRS	518	21.4	179	8	9	18	26	38	54	92
70-74	626	21.9	190	8	10	18	28	42	58	99+
75-79	559	23.2	218	8	10	19	29	45	56	88
80-84	420	22.2	178	8	10	19	27	42	51	99+
85+	417	23.8	229	8	10	21	30	45	64	99+
TOT. SINGLE DX	139	14.5	52	5	7	13	19	23	27	38
" MULTIPLE DX	2540	22.4	199	8	10	19	28	42	57	99+
TOTAL 65-69 YRS	561	20.8	174	7	9	17	25	38	50	89
70-74	655	21.6	186	8	9	18	28	41	57	99+
75-79	584	22.7	215	8	10	19	28	44	54	87
80-84	444	21.8	174	8	10	19	26	42	50	99+
85+	435	23.5	225	8	10	20	29	44	63	99+
GRAND TOTAL	**2679**	**22.0**	**195**	**8**	**9**	**19**	**28**	**41**	**56**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	353	7.0	16	3	3	6	9	11	13	20
70-74	238	7.1	12	3	3	7	9	11	14	21
75-79	134	7.7	14	3	4	7	9	11	15	22
80-84	68	8.2	14	3	4	8	11	13	16	19
85+	42	7.2	20	2	2	6	9	13	16	20
2. MULTIPLE DX										
65-69 YRS	704	11.0	62	4	4	9	13	19	23	43
70-74	595	10.7	41	4	5	9	13	19	23	34
75-79	432	12.8	89	5	6	10	15	22	28	65
80-84	234	13.7	91	5	6	11	16	25	35	47
85+	181	14.5	118	5	6	11	17	25	32	71
TOT. SINGLE DX	835	7.3	15	3	3	7	9	11	14	21
" MULTIPLE DX	2146	11.9	72	4	5	10	14	21	26	48
TOTAL 65-69 YRS	1057	9.7	51	3	4	8	11	17	21	39
70-74	833	9.7	36	4	4	8	12	17	22	30
75-79	566	11.6	76	4	5	9	13	20	26	64
80-84	302	12.4	79	4	5	10	15	22	32	45
85+	223	13.1	108	3	5	11	16	22	31	61
GRAND TOTAL	**2981**	**10.6**	**60**	**4**	**4**	**9**	**12**	**19**	**23**	**43**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	7.3	5	6	6	6	9	10	10	10
70-74	1	12.0		12	12	12	12	12	12	12
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	9	11.1	15	5	6	11	14	16	18	18
70-74	9	19.2	699	4	5	10	29	93	99+	99+
75-79	4	20.3	107	8	8	20	27	33	33	33
80-84	4	15.5	72	9	9	12	20	28	28	28
85+	4	28.0	450	8	8	25	45	53	53	53
TOT. SINGLE DX	6	9.3	33	3	3	8	12	18	19	19
" MULTIPLE DX	30	17.6	293	5	7	12	21	44	85	99+
TOTAL 65-69 YRS	12	10.2	15	5	6	10	13	15	18	18
70-74	10	18.5	627	4	6	11	25	92	99	99+
75-79	4	20.3	107	8	8	20	27	33	33	33
80-84	5	13.0	86	3	3	12	17	28	28	28
85+	5	26.2	354	8	8	19	42	53	53	53
GRAND TOTAL	**36**	**16.2**	**257**	**4**	**6**	**12**	**18**	**37**	**75**	**99+**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	12.0	25	7	7	12	16	17	17	17
70-74	4	7.0	22	2	2	7	11	12	12	12
75-79	5	9.8	10	6	6	9	11	15	15	15
80-84	1	20.0		20	20	20	20	20	20	20
85+	3	9.0	1	8	8	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	18	16.7	254	5	6	12	16	39	60	68
70-74	11	14.6	21	9	10	12	18	22	23	23
75-79	8	18.8	76	5	6	20	26	28	29	29
80-84	4	15.3	24	11	11	15	19	20	20	20
85+	6	19.5	78	8	9	19	23	33	34	34
TOT. SINGLE DX	16	10.0	21	3	4	9	12	17	19	20
" MULTIPLE DX	47	16.8	123	6	8	15	20	27	36	68
TOTAL 65-69 YRS	21	16.0	222	5	6	12	16	31	56	68
70-74	15	12.6	33	2	4	12	16	21	22	23
75-79	13	15.3	68	5	6	15	23	27	29	29
80-84	5	16.2	23	11	11	19	20	20	20	20
85+	9	16.0	77	8	8	14	21	30	34	34
GRAND TOTAL	**63**	**15.1**	**106**	**5**	**7**	**12**	**19**	**24**	**31**	**65**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	245	4.0	14	1	1	3	5	8	11	21
70-74	251	4.4	22	1	1	3	5	9	13	25
75-79	169	4.3	16	1	1	3	5	8	14	24
80-84	132	4.7	12	1	2	4	7	9	12	16
85+	101	7.4	93	2	2	5	8	12	21	64
2. MULTIPLE DX										
65-69 YRS	784	7.9	70	1	2	5	10	16	21	51
70-74	944	8.8	83	1	2	6	11	19	25	53
75-79	871	9.0	75	2	2	6	12	19	26	48
80-84	758	10.4	100	2	2	8	13	21	30	54
85+	557	10.5	85	2	3	8	14	20	27	63
TOT. SINGLE DX	898	4.7	27	1	1	3	6	9	13	24
" MULTIPLE DX	3914	9.2	83	2	2	7	12	19	26	53
TOTAL 65-69 YRS	1029	7.0	60	1	2	4	9	15	19	47
70-74	1195	7.8	74	1	2	5	10	17	24	44
75-79	1040	8.2	69	1	2	5	10	18	25	43
80-84	890	9.5	91	2	2	7	12	20	28	53
85+	658	10.0	88	2	3	7	13	20	27	63
GRAND TOTAL	**4812**	**8.4**	**76**	**1**	**2**	**6**	**10**	**18**	**24**	**49**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	4.5	14	1	2	3	6	8	9	25
70-74	32	6.3	41	1	2	4	8	12	26	29
75-79	20	5.6	37	1	1	4	5	13	20	27
80-84	8	4.0	5	<1	1	4	6	7	8	8
85+	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	168	7.3	41	2	2	5	10	16	19	33
70-74	127	8.8	50	2	2	7	12	21	25	28
75-79	78	11.6	147	2	2	7	13	27	43	55
80-84	39	13.0	99	3	4	11	16	27	35	44
85+	37	13.3	155	2	3	9	16	32	42	56
TOT. SINGLE DX	110	5.3	27	1	2	4	6	9	14	28
" MULTIPLE DX	449	9.5	81	2	2	6	12	21	28	47
TOTAL 65-69 YRS	216	6.6	37	2	2	4	8	15	19	31
70-74	159	8.3	49	1	2	6	11	19	25	29
75-79	98	10.4	130	2	2	6	13	25	36	55
80-84	47	11.4	95	2	2	9	14	25	34	44
85+	39	13.3	149	2	3	9	17	32	41	56
GRAND TOTAL	**559**	**8.6**	**73**	**2**	**2**	**6**	**11**	**19**	**27**	**44**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	201	14.3	62	7	8	13	16	21	23	51
70-74	177	13.3	22	7	9	13	16	20	21	29
75-79	133	15.9	77	7	9	14	19	24	31	65
80-84	70	14.1	46	5	7	13	17	21	28	42
85+	48	16.6	61	6	7	16	20	28	32	36
2. MULTIPLE DX										
65-69 YRS	1187	17.8	93	8	10	15	21	29	35	61
70-74	1189	19.3	112	9	10	17	23	31	40	63
75-79	926	20.7	144	9	10	17	25	36	45	72
80-84	561	21.9	140	9	11	19	27	37	48	99+
85+	312	22.9	202	8	10	19	29	40	51	99
TOT. SINGLE DX	629	14.5	54	6	8	13	17	22	26	42
" MULTIPLE DX	4175	19.8	127	9	10	17	24	33	42	74
TOTAL 65-69 YRS	1388	17.3	91	8	9	15	20	28	34	59
70-74	1366	18.5	105	9	10	16	22	30	38	62
75-79	1059	20.1	139	8	10	17	25	35	44	71
80-84	631	21.0	136	9	10	18	27	37	46	99+
85+	360	22.1	188	8	10	19	27	39	49	97
GRAND TOTAL	**4804**	**19.1**	**121**	**8**	**10**	**16**	**23**	**32**	**40**	**71**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	586	4.7	23	<1	1	4	6	9	11	16
70-74	545	5.0	17	<1	1	4	6	10	12	20
75-79	460	5.7	32	<1	1	4	7	10	14	33
80-84	304	5.8	22	1	1	5	8	11	13	22
85+	185	7.1	34	1	2	6	9	14	16	34
2. MULTIPLE DX										
65-69 YRS	7809	8.2	51	2	3	6	10	15	20	39
70-74	7850	8.5	54	2	3	7	10	16	21	41
75-79	7127	9.1	61	2	3	7	11	17	22	42
80-84	5298	9.8	72	2	3	8	12	18	24	46
85+	4067	10.3	72	2	3	8	12	19	26	51
TOT. SINGLE DX	2080	5.4	25	<1	1	4	7	10	13	24
" MULTIPLE DX	32151	9.0	61	2	3	7	11	17	22	42
TOTAL 65-69 YRS	8395	8.0	50	2	2	6	10	15	20	38
70-74	8395	8.3	53	2	3	6	10	16	21	40
75-79	7587	8.9	60	2	3	7	11	17	22	41
80-84	5602	9.6	70	2	3	7	12	18	24	45
85+	4252	10.1	71	2	3	8	12	19	26	50
GRAND TOTAL	**34231**	**8.8**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	2.8	2	<1	1	3	4	5	5	9
70-74	60	3.3	3	1	1	3	4	5	6	11
75-79	22	3.6	4	1	1	3	4	7	9	10
80-84	14	4.4	10	1	2	3	5	9	12	13
85+	4	3.0	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	280	4.7	19	1	2	3	5	8	13	26
70-74	175	4.8	9	1	2	4	6	9	12	17
75-79	91	7.3	115	1	2	5	8	13	18	68
80-84	45	7.8	47	2	3	5	10	16	22	36
85+	27	10.7	124	1	2	7	12	26	35	50
TOT. SINGLE DX	236	3.1	3	1	1	3	4	5	6	10
" MULTIPLE DX	618	5.6	40	1	2	4	6	10	15	27
TOTAL 65-69 YRS	416	4.1	15	1	1	3	5	7	9	24
70-74	235	4.4	9	1	2	4	5	8	11	16
75-79	113	6.6	96	1	2	5	7	11	17	53
80-84	59	7.0	41	2	2	5	9	15	20	35
85+	31	9.7	115	1	2	6	12	25	32	50
GRAND TOTAL	**854**	**4.9**	**31**	**1**	**2**	**4**	**5**	**9**	**13**	**26**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	2.8	1	1	1	3	4	5	5	8
70-74	40	4.5	27	1	1	3	5	9	13	31
75-79	24	4.0	14	1	2	3	5	5	10	21
80-84	9	5.1	15	2	2	4	6	11	15	15
85+	7	4.3	6	2	2	3	5	8	9	9
2. MULTIPLE DX										
65-69 YRS	327	5.4	37	2	2	4	6	10	11	35
70-74	250	5.7	24	1	2	4	7	11	15	26
75-79	146	6.8	23	2	3	5	8	13	16	27
80-84	86	9.1	111	2	2	6	10	20	22	67
85+	53	10.0	86	2	3	8	12	17	26	57
TOT. SINGLE DX	149	3.7	12	1	1	3	4	6	9	21
" MULTIPLE DX	862	6.4	43	2	2	4	7	12	16	33
TOTAL 65-69 YRS	396	5.0	32	1	2	4	5	9	11	31
70-74	290	5.5	25	1	2	4	6	10	15	28
75-79	170	6.4	23	2	2	5	8	13	16	26
80-84	95	8.7	104	2	2	5	10	20	22	62
85+	60	9.3	80	2	3	7	12	16	25	56
GRAND TOTAL	**1011**	**6.0**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	148	4.3	3	2	2	4	5	7	7	10
70-74	109	4.6	4	2	3	4	5	8	9	12
75-79	51	4.9	7	1	2	4	6	8	11	14
80-84	28	5.0	4	1	2	5	6	8	8	10
85+	16	4.6	4	1	2	5	6	7	8	8
2. MULTIPLE DX										
65-69 YRS	1659	5.9	19	2	3	5	7	10	12	24
70-74	1156	6.3	23	2	3	5	7	11	15	24
75-79	651	7.0	28	2	3	5	8	13	16	30
80-84	293	8.5	42	2	3	7	10	15	22	36
85+	146	8.6	51	2	3	6	11	17	23	38
TOT. SINGLE DX	352	4.5	4	2	2	4	6	7	9	12
" MULTIPLE DX	3905	6.5	26	2	3	5	8	12	15	28
TOTAL 65-69 YRS	1807	5.8	18	2	3	5	7	10	12	23
70-74	1265	6.2	22	2	3	5	7	11	14	24
75-79	702	6.8	27	2	3	5	8	13	16	29
80-84	321	8.2	40	2	3	7	10	14	21	33
85+	162	8.2	48	2	3	6	9	16	22	38
GRAND TOTAL	**4257**	**6.4**	**24**	**2**	**3**	**5**	**7**	**11**	**14**	**27**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	3.7	7	1	1	3	4	7	11	14
70-74	66	3.9	6	1	1	3	5	8	9	13
75-79	54	4.0	3	2	2	4	5	6	8	12
80-84	25	5.4	10	2	2	5	8	9	11	15
85+	22	5.2	13	2	2	4	8	12	12	12
2. MULTIPLE DX										
65-69 YRS	349	6.7	56	1	2	5	7	13	20	37
70-74	281	7.0	50	2	2	5	8	14	20	46
75-79	209	9.0	116	2	3	6	10	17	23	69
80-84	134	9.1	60	2	3	6	13	17	22	45
85+	111	10.7	119	2	3	8	14	20	25	74
TOT. SINGLE DX	281	4.1	7	1	1	3	5	8	10	13
" MULTIPLE DX	1084	7.9	75	2	2	5	9	16	22	47
TOTAL 65-69 YRS	463	6.0	46	1	2	4	7	11	19	36
70-74	347	6.4	44	1	2	4	7	12	18	44
75-79	263	8.0	97	2	2	5	9	15	21	63
80-84	159	8.6	54	2	3	6	11	16	20	44
85+	133	9.8	106	2	3	7	12	19	24	72
GRAND TOTAL	**1365**	**7.1**	**64**	**1**	**2**	**5**	**8**	**15**	**20**	**43**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	7.8	47	1	1	7	14	16	16	16
70-74	4	9.5	37	2	2	10	14	15	15	15
75-79	2	17.5	5	16	16	17	19	19	19	19
80-84	4	14.3	190	2	2	13	26	29	29	29
85+										
2. MULTIPLE DX										
65-69 YRS	66	15.7	135	3	3	13	18	32	41	54
70-74	53	18.5	137	3	4	20	24	35	42	45
75-79	28	18.0	216	2	4	15	25	45	70	99+
80-84	29	20.3	274	3	4	18	27	40	59	74
85+	12	22.1	227	5	6	22	32	46	47	47
TOT. SINGLE DX	16	11.1	75	1	1	13	16	23	27	29
" MULTIPLE DX	188	18.0	175	3	4	15	24	36	46	72
TOTAL 65-69 YRS	72	15.1	132	2	3	13	18	31	39	54
70-74	57	17.9	135	3	4	17	24	34	41	45
75-79	30	18.0	202	2	5	16	25	41	67	99+
80-84	33	19.6	262	3	3	18	27	37	56	74
85+	12	22.1	227	5	6	22	32	46	47	47
GRAND TOTAL	**204**	**17.4**	**170**	**3**	**3**	**15**	**23**	**35**	**45**	**71**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	207	5.0	36	1	1	2	6	13	17	31
70-74	132	4.8	33	<1	1	2	7	11	18	29
75-79	81	7.2	78	1	1	4	8	21	30	39
80-84	29	7.4	36	1	1	6	12	16	17	19
85+	18	10.4	61	1	2	9	14	23	26	28
2. MULTIPLE DX										
65-69 YRS	1616	11.1	101	1	2	9	15	23	30	50
70-74	1327	12.2	102	1	2	10	16	24	31	49
75-79	902	13.0	145	1	2	10	17	27	39	67
80-84	466	13.3	121	2	3	11	17	26	36	59
85+	225	14.6	153	3	4	11	18	27	36	69
TOT. SINGLE DX	467	5.7	45	1	1	3	8	14	20	32
" MULTIPLE DX	4536	12.2	116	1	2	10	16	24	33	56
TOTAL 65-69 YRS	1823	10.4	98	1	1	8	14	22	29	49
70-74	1459	11.5	101	1	2	9	16	23	31	48
75-79	983	12.6	142	1	2	10	16	27	36	66
80-84	495	12.9	118	1	3	11	16	25	36	59
85+	243	14.3	148	2	4	11	18	27	35	68
GRAND TOTAL	**5003**	**11.6**	**113**	**1**	**2**	**9**	**15**	**24**	**32**	**55**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2141	7.7	10	4	5	7	9	12	14	20
70-74	1507	8.4	13	5	5	8	10	12	15	23
75-79	871	9.3	18	5	5	8	11	14	17	27
80-84	370	9.7	18	5	5	9	11	15	17	24
85+	200	10.8	22	5	6	10	13	17	20	30
2. MULTIPLE DX										
65-69 YRS	8784	11.1	49	5	6	9	13	18	23	41
70-74	7838	12.4	62	5	6	10	14	21	26	46
75-79	5678	13.7	75	6	6	12	16	23	29	53
80-84	3548	15.5	83	6	7	13	19	26	33	52
85+	2250	17.5	109	7	8	15	21	29	38	69
TOT. SINGLE DX	5089	8.4	15	4	5	8	10	13	15	23
" MULTIPLE DX	28098	13.0	71	5	6	11	15	22	28	49
TOTAL 65-69 YRS	10925	10.4	44	5	5	9	12	17	22	37
70-74	9345	11.7	57	5	6	10	14	20	25	44
75-79	6549	13.1	70	5	6	11	15	22	28	51
80-84	3918	15.0	80	6	7	13	18	26	32	50
85+	2450	16.9	106	7	8	14	20	29	37	68
GRAND TOTAL	**33187**	**12.3**	**65**	**5**	**6**	**10**	**15**	**21**	**27**	**46**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	10.8	63	1	2	10	14	20	27	39
70-74	117	11.7	105	1	1	10	16	22	31	54
75-79	86	11.2	55	2	2	10	15	20	25	36
80-84	74	10.9	68	1	2	10	13	21	29	38
85+	51	13.5	117	2	2	13	17	26	39	55
2. MULTIPLE DX										
65-69 YRS	774	16.3	124	3	6	14	20	30	38	59
70-74	838	17.2	122	4	7	15	22	30	38	69
75-79	832	17.9	136	4	6	16	22	31	40	73
80-84	714	17.9	146	3	6	15	23	33	41	71
85+	546	18.7	145	5	7	16	23	35	46	82
TOT. SINGLE DX	442	11.5	80	1	2	10	15	21	29	42
" MULTIPLE DX	3704	17.5	135	4	6	15	22	32	40	68
TOTAL 65-69 YRS	888	15.6	120	3	5	13	19	30	38	58
70-74	955	16.5	123	2	5	14	21	30	37	65
75-79	918	17.3	133	3	6	15	22	30	38	71
80-84	788	17.3	143	2	5	15	22	32	39	69
85+	597	18.3	145	4	7	15	23	35	45	77
GRAND TOTAL	**4146**	**16.9**	**132**	**3**	**5**	**14**	**21**	**31**	**39**	**66**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	112	7.8	78	1	1	5	10	19	23	45
70-74	124	8.1	130	<1	1	4	10	19	26	58
75-79	91	7.6	86	1	1	4	10	20	31	44
80-84	46	6.8	59	1	1	5	8	18	23	41
85+	27	5.4	22	<1	1	4	8	12	16	18
2. MULTIPLE DX										
65-69 YRS	868	14.5	218	2	2	10	19	33	46	77
70-74	799	14.4	184	2	3	10	19	30	42	74
75-79	633	14.5	191	2	3	11	20	32	42	82
80-84	429	14.0	177	2	3	10	17	28	44	77
85+	305	13.0	115	2	3	11	16	25	37	83
TOT. SINGLE DX	400	7.6	90	1	1	4	9	19	25	47
" MULTIPLE DX	3034	14.2	188	2	3	10	18	31	43	77
TOTAL 65-69 YRS	980	13.7	207	1	2	9	18	32	44	77
70-74	923	13.5	181	1	2	9	18	29	40	73
75-79	724	13.6	183	1	2	10	18	31	41	79
80-84	475	13.3	171	2	2	10	17	28	39	76
85+	332	12.4	112	2	3	10	16	25	34	75
GRAND TOTAL	**3434**	**13.5**	**181**	**1**	**2**	**10**	**17**	**29**	**41**	**77**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	713	4.5	22	<1	1	3	6	9	11	20
70-74	618	4.8	21	<1	1	4	6	10	13	22
75-79	533	4.9	30	<1	1	3	6	10	14	28
80-84	398	5.1	18	<1	1	4	7	9	13	22
85+	238	5.6	18	1	1	5	8	11	14	20
2. MULTIPLE DX										
65-69 YRS	6640	7.3	42	2	2	6	9	14	18	34
70-74	7640	7.7	47	2	2	6	9	15	19	38
75-79	7539	8.2	52	2	2	6	10	15	20	38
80-84	6005	8.8	58	2	3	7	11	16	22	46
85+	4915	9.4	70	2	3	7	11	18	24	50
TOT. SINGLE DX	2500	4.8	23	<1	1	4	6	10	13	23
" MULTIPLE DX	32739	8.2	54	2	2	6	10	15	21	41
TOTAL 65-69 YRS	7353	7.1	41	1	2	5	9	14	18	34
70-74	8258	7.5	46	1	2	6	9	14	19	37
75-79	8072	7.9	52	2	2	6	10	15	20	37
80-84	6403	8.5	57	2	3	7	10	16	22	43
85+	5153	9.2	69	2	3	7	11	18	23	49
GRAND TOTAL	**35239**	**7.9**	**52**	**2**	**2**	**6**	**10**	**15**	**20**	**40**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3704	3.4	2	1	1	3	4	5	6	8
70-74	2957	3.6	3	1	2	3	4	6	7	10
75-79	2016	3.7	3	1	2	3	5	6	7	10
80-84	1063	4.2	5	1	2	4	5	7	8	12
85+	579	4.8	10	1	2	4	6	8	10	18
2. MULTIPLE DX										
65-69 YRS	5556	4.8	15	1	2	4	5	8	11	20
70-74	5474	5.3	20	2	2	4	6	10	13	23
75-79	4333	5.8	26	2	2	4	7	10	15	28
80-84	2690	6.9	35	2	3	5	8	13	18	35
85+	1692	8.0	58	2	3	6	9	15	20	44
TOT. SINGLE DX	10319	3.7	4	1	2	3	5	6	7	10
" MULTIPLE DX	19745	5.7	27	2	2	4	7	10	14	27
TOTAL 65-69 YRS	9260	4.2	11	1	2	4	5	7	9	16
70-74	8431	4.7	15	1	2	4	5	8	11	19
75-79	6349	5.2	21	1	2	4	6	9	12	25
80-84	3753	6.1	28	2	2	5	7	11	16	31
85+	2271	7.2	49	2	2	5	8	14	18	40
GRAND TOTAL	**30064**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	483	4.0	3	1	2	4	5	6	7	9
70-74	328	4.0	3	1	2	4	5	6	7	10
75-79	230	4.4	3	1	2	4	6	7	8	9
80-84	118	4.5	3	2	2	4	6	7	8	10
85+	56	4.0	3	1	2	4	5	6	8	10
2. MULTIPLE DX										
65-69 YRS	875	5.3	11	2	2	4	6	9	11	17
70-74	738	6.0	24	2	3	5	7	10	14	22
75-79	567	6.4	21	2	3	5	8	11	14	26
80-84	337	7.4	53	2	3	6	8	13	18	40
85+	204	9.0	56	3	4	7	10	15	24	41
TOT. SINGLE DX	1215	4.1	4	1	2	4	5	6	7	10
" MULTIPLE DX	2721	6.3	27	2	3	5	7	11	14	26
TOTAL 65-69 YRS	1358	4.8	9	2	2	4	6	8	10	15
70-74	1066	5.4	19	2	2	4	6	9	12	20
75-79	797	5.8	17	2	2	5	7	10	12	23
80-84	455	6.7	42	2	3	5	8	11	16	32
85+	260	7.9	49	2	3	6	9	14	20	39
GRAND TOTAL	**3936**	**5.6**	**20**	**2**	**2**	**5**	**6**	**9**	**12**	**22**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	147	4.4	5	1	2	4	5	7	8	13
70-74	166	4.9	7	2	2	4	6	8	10	15
75-79	130	4.4	7	1	2	4	5	7	8	13
80-84	101	5.7	15	2	2	5	7	9	12	24
85+	82	6.4	17	2	3	5	8	12	16	20
2. MULTIPLE DX										
65-69 YRS	282	6.6	33	1	2	5	8	13	17	32
70-74	350	7.1	44	2	2	5	8	14	19	35
75-79	362	8.3	41	3	3	7	10	16	20	30
80-84	288	10.0	52	3	3	8	13	19	23	38
85+	269	11.1	111	3	4	8	13	22	30	65
TOT. SINGLE DX	626	5.0	10	1	2	4	6	8	11	18
" MULTIPLE DX	1551	8.5	57	2	3	6	10	17	22	38
TOTAL 65-69 YRS	429	5.9	25	1	2	4	7	11	14	27
70-74	516	6.4	33	2	2	5	7	12	16	32
75-79	492	7.3	35	2	3	6	9	13	18	30
80-84	389	8.9	46	2	3	7	11	17	21	36
85+	351	10.0	93	2	3	7	12	19	27	41
GRAND TOTAL	**2177**	**7.5**	**46**	**2**	**3**	**5**	**9**	**14**	**20**	**35**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	3.9	5	1	2	3	5	7	8	11
70-74	136	4.7	8	1	2	4	6	8	9	19
75-79	80	4.5	7	<1	1	4	6	9	10	12
80-84	37	4.6	6	2	2	5	6	8	10	11
85+	25	8.9	129	2	3	6	9	16	31	59
2. MULTIPLE DX										
65-69 YRS	483	7.1	43	2	2	5	8	14	19	40
70-74	402	7.2	51	2	2	6	8	13	16	38
75-79	277	9.2	76	2	3	7	10	19	24	55
80-84	151	9.6	88	2	3	8	12	16	21	51
85+	99	10.2	60	2	3	8	14	20	25	40
TOT. SINGLE DX	457	4.6	15	1	2	4	6	8	10	16
" MULTIPLE DX	1412	8.0	59	2	2	6	9	16	21	44
TOTAL 65-69 YRS	662	6.2	35	1	2	5	7	12	17	32
70-74	538	6.6	42	2	2	5	8	11	15	34
75-79	357	8.2	65	1	2	6	10	17	23	53
80-84	188	8.6	76	2	2	7	11	16	20	45
85+	124	9.9	73	2	3	7	13	20	24	48
GRAND TOTAL	**1869**	**7.2**	**51**	**2**	**2**	**5**	**8**	**14**	**19**	**42**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	685	5.4	7	2	2	5	7	9	10	14
70-74	510	5.5	6	2	2	5	7	9	10	12
75-79	324	5.7	10	2	2	5	7	9	12	17
80-84	125	6.1	8	2	3	5	8	10	11	14
85+	62	6.8	15	1	3	6	9	13	14	19
2. MULTIPLE DX										
65-69 YRS	1714	8.1	37	2	3	7	9	14	18	31
70-74	1546	8.7	38	2	3	7	11	16	21	35
75-79	1026	9.6	80	3	3	8	11	16	22	59
80-84	532	10.4	88	3	4	8	12	18	23	57
85+	285	11.4	64	3	4	10	14	20	28	53
TOT. SINGLE DX	1706	5.6	8	2	2	5	7	9	11	14
" MULTIPLE DX	5103	9.0	54	3	3	7	11	16	21	40
TOTAL 65-69 YRS	2399	7.4	30	2	3	6	9	12	16	28
70-74	2056	7.9	32	2	3	7	9	14	18	31
75-79	1350	8.6	66	2	3	7	10	15	19	52
80-84	657	9.6	76	3	4	8	11	17	21	46
85+	347	10.6	59	3	3	9	13	19	25	46
GRAND TOTAL	**6809**	**8.1**	**45**	**2**	**3**	**7**	**10**	**14**	**19**	**34**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	38	8.4	11	3	5	8	10	12	13	21
70-74	32	8.5	21	3	3	8	11	14	19	23
75-79	26	9.8	24	3	5	9	12	16	19	26
80-84	15	13.1	68	2	4	12	16	23	31	34
85+	10	8.0	14	3	3	8	10	13	14	14
2. MULTIPLE DX										
65-69 YRS	248	13.3	119	5	7	10	14	22	26	71
70-74	216	14.2	116	5	6	11	17	23	30	77
75-79	171	15.8	121	6	7	13	19	27	32	63
80-84	111	15.3	58	7	8	14	18	24	35	66
85+	76	18.9	144	7	8	15	22	38	45	92
TOT. SINGLE DX	121	9.3	26	3	4	9	11	15	20	28
" MULTIPLE DX	822	14.8	115	6	7	12	18	25	34	74
TOTAL 65-69 YRS	286	12.6	108	5	6	10	13	21	25	69
70-74	248	13.5	107	4	6	11	16	23	29	76
75-79	197	15.0	112	6	6	12	18	26	31	62
80-84	126	15.1	60	6	8	13	18	24	34	58
85+	86	17.6	141	6	7	14	20	36	42	88
GRAND TOTAL	**943**	**14.1**	**107**	**5**	**6**	**11**	**17**	**23**	**32**	**71**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	6.4	30	1	1	5	8	13	17	28
70-74	141	7.8	40	1	2	6	10	17	20	31
75-79	101	8.3	39	1	2	7	11	17	22	29
80-84	61	10.6	110	1	2	7	13	22	33	54
85+	32	6.8	24	1	1	6	10	14	17	18
2. MULTIPLE DX										
65-69 YRS	1870	12.3	106	2	3	9	16	25	32	50
70-74	1590	12.9	116	2	3	10	17	25	33	57
75-79	1112	13.5	134	2	3	10	17	27	35	61
80-84	738	15.0	154	3	4	12	20	30	37	81
85+	486	13.9	146	2	3	11	18	29	36	59
TOT. SINGLE DX	515	7.7	45	1	2	6	10	16	20	32
" MULTIPLE DX	5796	13.2	125	2	3	10	17	26	34	60
TOTAL 65-69 YRS	2050	11.8	103	2	3	9	15	24	31	50
70-74	1731	12.5	112	2	3	10	16	24	32	56
75-79	1213	13.1	128	2	3	10	17	26	34	59
80-84	799	14.7	152	2	4	11	19	29	37	78
85+	518	13.4	142	2	3	10	17	28	36	59
GRAND TOTAL	**6311**	**12.7**	**120**	**2**	**3**	**10**	**17**	**26**	**33**	**58**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	108	11.1	44	3	5	10	14	19	21	39
70-74	93	10.4	20	4	5	10	13	17	19	23
75-79	69	12.0	41	3	6	11	14	19	22	37
80-84	31	13.5	50	3	7	12	18	22	31	32
85+	25	12.4	84	3	5	10	15	25	57	99+
2. MULTIPLE DX										
65-69 YRS	782	16.6	144	5	7	13	21	30	41	70
70-74	737	17.7	154	5	7	14	22	34	44	87
75-79	644	18.3	161	6	8	15	22	36	44	71
80-84	377	20.2	191	6	8	17	24	37	51	82
85+	257	19.0	141	6	8	17	24	36	45	97
TOT. SINGLE DX	326	11.4	41	3	5	10	14	19	22	40
" MULTIPLE DX	2797	18.0	158	6	7	15	22	34	44	75
TOTAL 65-69 YRS	890	15.9	135	5	6	12	20	29	39	69
70-74	830	16.9	145	5	6	13	21	33	42	83
75-79	713	17.7	153	6	7	14	21	34	43	69
80-84	408	19.7	184	6	8	17	24	36	50	78
85+	282	18.4	140	5	7	16	23	36	45	99+
GRAND TOTAL	**3123**	**17.3**	**150**	**5**	**7**	**14**	**21**	**32**	**43**	**73**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	2.9	6	<1	<1	2	3	9	9	10
70-74	9	2.9	10	<1	<1	2	3	9	11	11
75-79	15	2.5	2	<1	1	2	3	3	6	7
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	78	7.7	64	1	2	5	9	21	26	36
70-74	74	8.4	56	1	1	6	13	19	22	35
75-79	51	11.7	113	1	2	8	17	24	31	47
80-84	25	15.8	219	1	3	14	17	35	45	70
85+	20	14.5	167	1	2	13	17	32	43	53
TOT. SINGLE DX	58	2.7	6	<1	<1	2	3	6	9	11
" MULTIPLE DX	248	10.1	102	1	2	7	14	22	31	47
TOTAL 65-69 YRS	108	6.4	53	1	1	3	9	14	24	35
70-74	83	7.8	54	1	1	5	13	18	21	34
75-79	66	9.6	103	1	2	6	14	22	27	47
80-84	27	14.8	215	1	2	14	17	34	42	70
85+	22	13.3	166	<1	1	12	16	32	42	53
GRAND TOTAL	**306**	**8.7**	**92**	**1**	**1**	**5**	**13**	**21**	**26**	**47**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	224	9.9	26	4	4	9	12	17	19	27
70-74	186	10.2	30	3	4	9	12	17	23	28
75-79	120	11.3	32	4	6	10	14	19	23	31
80-84	77	12.8	29	6	8	12	14	19	24	36
85+	47	12.1	28	6	7	11	14	19	22	35
2. MULTIPLE DX										
65-69 YRS	1258	16.0	162	4	6	12	19	30	40	76
70-74	1250	16.5	150	4	6	13	21	30	41	79
75-79	982	17.7	151	6	7	14	22	32	43	94
80-84	642	18.3	152	7	8	15	21	31	45	75
85+	430	18.4	128	8	9	15	22	31	40	65
TOT. SINGLE DX	654	10.7	30	4	5	10	13	18	22	29
" MULTIPLE DX	4562	17.0	153	5	7	14	21	31	42	80
TOTAL 65-69 YRS	1482	15.1	146	4	5	12	18	29	38	70
70-74	1436	15.7	139	4	6	12	19	29	38	77
75-79	1102	17.0	142	5	7	14	21	32	42	85
80-84	719	17.7	142	7	8	14	21	30	41	74
85+	477	17.8	122	7	9	15	21	30	38	63
GRAND TOTAL	**5216**	**16.2**	**142**	**5**	**6**	**13**	**20**	**30**	**40**	**76**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	11.4	28	5	7	10	13	17	20	34
70-74	122	11.6	28	6	7	10	14	18	20	34
75-79	60	11.9	13	7	8	12	13	17	20	23
80-84	35	13.0	20	8	9	11	16	21	22	23
85+	9	16.0	55	8	8	13	20	28	30	30
2. MULTIPLE DX										
65-69 YRS	770	15.0	79	7	7	13	18	24	32	60
70-74	710	16.4	95	7	8	14	20	28	37	63
75-79	523	17.5	109	7	8	15	22	31	39	77
80-84	283	18.5	110	8	9	16	23	32	41	59
85+	151	19.5	156	8	9	17	25	34	41	99+
TOT. SINGLE DX	362	11.8	26	6	7	11	14	18	21	31
" MULTIPLE DX	2437	16.6	101	7	8	14	20	29	37	65
TOTAL 65-69 YRS	906	14.5	74	6	7	12	17	23	31	53
70-74	832	15.7	89	7	8	13	19	28	35	59
75-79	583	16.9	103	7	8	14	21	30	38	71
80-84	318	17.9	104	8	9	16	22	31	39	59
85+	160	19.3	151	8	9	17	25	33	40	99+
GRAND TOTAL	**2799**	**16.0**	**94**	**7**	**8**	**13**	**19**	**28**	**36**	**63**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	255	7.7	24	1	2	7	9	13	16	30
70-74	153	7.0	22	1	2	7	9	12	14	22
75-79	86	7.1	28	1	1	7	10	13	17	30
80-84	35	7.2	23	1	2	6	10	12	16	23
85+	11	8.4	17	2	3	9	10	13	17	17
2. MULTIPLE DX										
65-69 YRS	1025	12.3	95	2	3	10	15	24	30	49
70-74	827	12.8	111	2	3	10	16	25	34	61
75-79	543	14.1	139	2	3	11	18	29	36	77
80-84	283	15.3	158	2	3	12	20	30	40	70
85+	135	15.7	141	3	4	14	20	30	39	55
TOT. SINGLE DX	540	7.4	24	1	2	7	9	13	16	26
" MULTIPLE DX	2813	13.3	118	2	3	10	17	26	34	57
TOTAL 65-69 YRS	1280	11.4	85	2	2	9	14	22	29	47
70-74	980	11.9	102	2	3	9	15	23	31	58
75-79	629	13.2	130	2	3	10	17	27	35	72
80-84	318	14.4	150	2	3	11	19	30	37	67
85+	146	15.2	136	3	4	13	18	29	38	51
GRAND TOTAL	**3353**	**12.3**	**108**	**2**	**3**	**10**	**15**	**24**	**32**	**55**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	174	8.7	15	3	5	8	10	13	16	21
70-74	115	8.8	16	3	4	8	11	15	18	48
75-79	56	9.0	19	2	4	8	11	14	18	25
80-84	25	8.0	12	1	3	7	11	14	14	15
85+	5	7.8	58	2	2	6	10	21	21	21
2. MULTIPLE DX										
65-69 YRS	562	12.0	58	3	5	10	15	21	27	38
70-74	495	12.1	62	2	4	11	15	21	28	43
75-79	337	12.4	77	2	4	11	15	23	30	51
80-84	188	13.7	66	3	5	12	18	24	29	41
85+	75	15.7	95	3	7	14	21	28	30	60
TOT. SINGLE DX	375	8.7	16	3	5	8	11	14	17	21
" MULTIPLE DX	1657	12.5	67	3	4	11	16	22	29	42
TOTAL 65-69 YRS	736	11.2	50	3	5	10	14	20	25	35
70-74	610	11.5	55	3	4	10	14	20	25	43
75-79	393	11.9	71	2	4	10	14	22	29	50
80-84	213	13.0	63	3	5	11	17	23	28	40
85+	80	15.2	96	2	5	14	21	27	29	58
GRAND TOTAL	**2032**	**11.8**	**60**	**3**	**5**	**10**	**15**	**21**	**27**	**41**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	10.7	42	1	2	9	16	20	22	22
70-74	9	10.4	18	2	4	11	13	15	16	16
75-79	7	17.3	50	5	6	21	23	24	24	24
80-84	7	21.9	112	9	10	19	33	36	36	36
85+	2	18.5	41	14	14	18	23	23	23	23
2. MULTIPLE DX										
65-69 YRS	127	18.0	127	5	7	15	24	32	41	81
70-74	107	18.0	130	6	9	15	22	32	43	61
75-79	79	21.5	190	7	8	18	26	40	44	83
80-84	52	19.7	177	6	7	16	26	38	62	99
85+	15	20.7	131	2	7	17	29	38	40	41
TOT. SINGLE DX	37	14.4	67	2	5	13	20	23	32	36
" MULTIPLE DX	380	19.1	149	6	8	16	25	34	43	77
TOTAL 65-69 YRS	139	17.4	124	5	7	15	23	31	39	78
70-74	116	17.4	125	6	8	14	21	30	41	58
75-79	86	21.1	179	7	8	18	25	40	43	81
80-84	59	20.0	168	6	8	17	26	37	53	97
85+	17	20.4	118	3	8	17	28	37	40	41
GRAND TOTAL	**417**	**18.6**	**143**	**5**	**8**	**16**	**24**	**34**	**42**	**77**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	306	4.7	11	1	2	4	6	9	11	15
70-74	190	4.5	17	1	2	3	5	8	12	16
75-79	86	5.1	9	1	2	4	7	9	11	16
80-84	32	5.0	10	1	2	5	7	8	10	18
85+	18	3.7	5	<1	1	3	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	667	7.1	32	2	2	6	9	14	18	30
70-74	514	8.1	52	2	2	6	10	16	21	37
75-79	333	9.3	56	2	2	8	12	18	24	41
80-84	144	10.1	81	2	2	8	13	23	31	61
85+	88	11.3	67	3	3	9	17	22	26	37
TOT. SINGLE DX	632	4.7	13	1	2	4	6	8	11	16
" MULTIPLE DX	1746	8.3	50	2	2	6	10	16	22	36
TOTAL 65-69 YRS	973	6.3	27	1	2	5	8	12	15	27
70-74	704	7.1	46	2	2	5	9	14	18	34
75-79	419	8.4	50	2	2	7	11	17	21	36
80-84	176	9.2	73	2	2	7	11	16	28	56
85+	106	10.0	65	2	2	7	15	21	25	36
GRAND TOTAL	**2378**	**7.3**	**43**	**2**	**2**	**6**	**9**	**15**	**19**	**34**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	883	3.7	12	<1	1	2	5	8	10	17
70-74	752	3.8	15	<1	1	2	5	8	10	17
75-79	582	4.2	16	1	1	3	5	9	11	21
80-84	300	3.7	13	<1	1	2	4	8	10	21
85+	206	4.6	18	1	1	3	6	10	12	24
2. MULTIPLE DX										
65-69 YRS	5428	7.5	68	1	1	5	10	16	22	45
70-74	5855	8.3	79	1	2	6	11	18	25	50
75-79	5565	9.0	88	1	2	7	12	19	26	56
80-84	4033	10.2	103	1	2	8	13	21	28	61
85+	3138	11.3	130	2	2	8	14	23	32	83
TOT. SINGLE DX	2723	3.9	15	<1	1	3	5	8	10	19
" MULTIPLE DX	24019	9.0	92	1	2	6	11	19	26	56
TOTAL 65-69 YRS	6311	7.0	63	1	1	5	9	15	21	43
70-74	6607	7.8	75	1	1	5	10	17	24	48
75-79	6147	8.6	84	1	2	6	11	18	25	53
80-84	4333	9.7	100	1	2	7	13	20	27	59
85+	3344	10.9	126	1	2	8	14	22	31	82
GRAND TOTAL	**26742**	**8.5**	**86**	**1**	**2**	**6**	**11**	**18**	**25**	**53**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1292	3.4	8	1	1	3	4	6	7	12
70-74	1305	3.4	4	1	1	3	4	6	7	11
75-79	1080	3.8	9	1	1	3	5	7	9	17
80-84	765	4.1	9	1	1	3	5	7	9	17
85+	516	4.7	10	1	2	4	6	9	10	17
2. MULTIPLE DX										
65-69 YRS	3331	5.6	35	1	2	4	6	11	16	30
70-74	4080	5.9	36	1	2	4	7	12	16	33
75-79	3823	6.6	48	1	2	5	8	13	18	36
80-84	2734	7.3	58	2	2	5	9	15	20	39
85+	2150	8.7	81	2	2	6	10	17	24	52
TOT. SINGLE DX	4958	3.7	8	1	1	3	5	7	8	14
" MULTIPLE DX	16118	6.6	50	1	2	5	8	14	19	37
TOTAL 65-69 YRS	4623	5.0	29	1	1	3	6	9	14	28
70-74	5385	5.3	30	1	2	4	6	10	15	29
75-79	4903	6.0	42	1	2	4	7	12	17	34
80-84	3499	6.6	49	1	2	4	8	14	18	38
85+	2666	7.9	70	2	2	6	9	16	21	48
GRAND TOTAL	**21076**	**5.9**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	370	6.5	29	1	1	5	9	15	17	23
70-74	325	5.7	32	1	1	3	7	13	17	26
75-79	203	6.6	42	1	1	4	8	15	21	32
80-84	151	6.3	35	1	2	4	8	13	21	29
85+	81	8.1	72	1	2	6	9	15	31	44
2. MULTIPLE DX										
65-69 YRS	1566	10.4	93	1	2	8	14	22	30	50
70-74	1669	10.9	118	2	2	8	14	24	34	62
75-79	1556	11.4	124	2	2	8	15	24	33	66
80-84	1102	12.0	120	2	2	9	16	26	34	68
85+	928	12.2	113	2	3	9	16	26	35	58
TOT. SINGLE DX	1130	6.4	37	1	1	4	9	14	18	30
" MULTIPLE DX	6821	11.3	114	2	2	8	15	24	32	63
TOTAL 65-69 YRS	1936	9.6	84	1	2	7	13	20	28	46
70-74	1994	10.1	108	1	2	7	14	22	31	60
75-79	1759	10.8	118	1	2	8	14	23	31	66
80-84	1253	11.3	113	2	2	8	15	24	32	66
85+	1009	11.9	111	2	3	9	16	25	34	56
GRAND TOTAL	**7951**	**10.6**	**106**	**1**	**2**	**8**	**14**	**23**	**31**	**59**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	2.7	12	<1	<1	2	3	7	13	13
70-74	11	2.9	2	<1	<1	3	4	5	6	6
75-79	8	3.6	8	<1	<1	3	5	8	9	9
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	6.0	-	6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	40	5.2	19	<1	1	3	7	11	14	21
70-74	40	4.7	11	1	2	4	7	9	10	17
75-79	26	8.3	31	2	2	7	12	15	18	24
80-84	17	7.4	43	1	2	5	11	17	23	25
85+	20	9.6	53	2	2	7	15	21	23	25
TOT. SINGLE DX	33	3.1	7	<1	<1	2	4	6	9	13
" MULTIPLE DX	143	6.5	30	1	2	5	9	14	18	25
TOTAL 65-69 YRS	51	4.7	19	<1	1	3	7	11	13	21
70-74	51	4.3	10	<1	1	3	6	9	10	17
75-79	34	7.2	30	<1	2	6	11	15	16	24
80-84	19	6.9	41	1	1	4	11	16	22	25
85+	21	9.4	51	2	2	6	14	21	23	25
GRAND TOTAL	**176**	**5.9**	**27**	**<1**	**1**	**4**	**8**	**13**	**17**	**25**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	102	3.7	8	1	1	3	5	8	9	15
70-74	86	4.2	13	<1	1	3	5	9	11	19
75-79	59	3.8	5	1	1	3	4	7	10	11
80-84	31	4.1	25	1	1	3	4	7	9	29
85+	30	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
65-69 YRS	265	5.8	27	1	2	4	8	11	14	28
70-74	285	6.9	59	1	1	4	8	15	20	42
75-79	273	6.8	47	1	2	5	8	14	22	36
80-84	170	7.6	57	2	2	5	9	17	23	41
85+	120	7.6	26	2	2	6	10	16	18	22
TOT. SINGLE DX	308	3.9	11	1	1	3	5	8	10	16
" MULTIPLE DX	1113	6.8	45	1	2	5	8	14	19	35
TOTAL 65-69 YRS	367	5.2	23	1	1	4	7	10	13	25
70-74	371	6.3	50	1	1	4	8	14	18	40
75-79	332	6.3	41	1	2	4	7	12	17	33
80-84	201	7.0	54	1	2	4	8	16	22	37
85+	150	6.8	25	2	2	5	9	15	17	21
GRAND TOTAL	**1421**	**6.2**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.7	4	<1	<1	2	3	5	6	12
70-74	91	2.9	4	<1	1	2	4	6	7	11
75-79	67	3.2	6	<1	1	3	4	6	9	13
80-84	31	3.6	8	1	2	2	4	7	10	15
85+	24	3.5	9	<1	1	2	4	8	11	13
2. MULTIPLE DX										
65-69 YRS	1038	7.5	60	1	2	5	9	16	22	48
70-74	1187	7.9	56	1	2	6	11	17	23	44
75-79	1119	9.0	81	1	2	7	11	18	25	45
80-84	858	9.6	64	2	2	8	12	19	26	39
85+	766	10.2	72	2	2	8	13	21	28	44
TOT. SINGLE DX	317	3.0	6	<1	1	2	4	6	8	13
" MULTIPLE DX	4968	8.7	68	1	2	7	11	18	25	44
TOTAL 65-69 YRS	1142	7.1	57	1	1	5	9	15	21	47
70-74	1278	7.6	54	1	2	5	10	16	22	41
75-79	1186	8.7	79	1	2	6	11	17	25	44
80-84	889	9.4	64	2	2	7	12	19	26	39
85+	790	10.0	72	2	2	8	13	21	27	44
GRAND TOTAL	**5285**	**8.4**	**66**	**1**	**2**	**6**	**11**	**17**	**24**	**43**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	131	3.3	6	1	1	3	4	6	8	14
70-74	132	3.8	8	1	1	3	5	8	10	15
75-79	85	3.8	7	1	1	3	5	7	10	14
80-84	60	4.0	13	<1	1	3	4	9	10	23
85+	33	4.3	12	1	2	4	5	7	9	21
2. MULTIPLE DX										
65-69 YRS	496	5.6	29	1	2	4	7	11	15	29
70-74	588	6.4	38	1	2	4	8	13	19	32
75-79	510	6.9	42	2	2	5	8	15	20	37
80-84	334	8.7	94	2	2	6	10	18	24	60
85+	250	9.3	67	2	2	7	12	22	25	40
TOT. SINGLE DX	441	3.7	8	1	1	3	4	7	9	15
" MULTIPLE DX	2178	7.0	51	1	2	5	8	15	21	39
TOTAL 65-69 YRS	627	5.1	25	1	2	4	6	10	13	26
70-74	720	5.9	34	1	2	4	7	12	16	31
75-79	595	6.4	39	1	2	4	8	14	19	37
80-84	394	8.0	85	1	2	5	9	17	23	58
85+	283	8.7	64	2	2	6	11	21	25	39
GRAND TOTAL	**2619**	**6.5**	**45**	**1**	**2**	**4**	**8**	**13**	**19**	**37**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	150	8.0	8	4	5	8	9	11	13	20
70-74	93	7.7	8	4	4	7	9	11	13	17
75-79	55	8.9	7	5	6	9	10	13	13	18
80-84	18	7.2	3	3	4	7	9	9	10	10
85+	11	9.0	13	6	6	8	10	15	18	18
2. MULTIPLE DX										
65-69 YRS	446	9.2	20	5	5	8	10	14	18	23
70-74	377	9.4	25	4	5	8	11	15	19	30
75-79	203	9.8	24	4	5	9	11	16	20	28
80-84	76	11.9	89	5	5	9	15	20	23	62
85+	22	11.1	21	4	5	10	15	18	19	20
TOT. SINGLE DX	327	8.1	8	4	5	8	9	12	13	18
" MULTIPLE DX	1124	9.6	28	4	5	8	11	15	19	29
TOTAL 65-69 YRS	596	8.9	18	4	5	8	10	13	17	23
70-74	470	9.1	22	4	5	8	10	14	17	29
75-79	258	9.6	21	4	5	9	11	15	19	27
80-84	94	11.0	76	4	5	9	12	19	22	60
85+	33	10.4	19	5	6	9	13	18	19	20
GRAND TOTAL	**1451**	**9.3**	**24**	**4**	**5**	**8**	**10**	**14**	**18**	**27**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	6.6	6	3	4	6	8	10	11	16
70-74	62	6.8	3	4	4	7	8	9	10	13
75-79	41	7.2	7	3	4	7	9	11	12	15
80-84	9	8.4	8	5	5	9	10	13	13	13
85+	6	7.0	3	5	5	7	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	265	7.6	9	4	4	7	9	10	13	20
70-74	165	8.5	21	4	4	7	10	14	17	25
75-79	130	8.3	15	4	4	7	10	13	14	43
80-84	52	9.3	17	4	5	8	11	15	17	25
85+	32	9.8	24	3	5	8	13	17	18	24
TOT. SINGLE DX	207	6.9	6	4	4	7	8	10	11	14
" MULTIPLE DX	644	8.2	16	4	4	8	10	13	15	24
TOTAL 65-69 YRS	354	7.3	9	4	4	7	9	10	12	20
70-74	227	8.0	17	4	4	7	9	13	15	24
75-79	171	8.0	14	4	4	7	10	13	14	28
80-84	61	9.2	16	4	5	8	11	15	17	24
85+	38	9.4	22	4	5	8	12	16	18	24
GRAND TOTAL	**851**	**7.9**	**14**	**4**	**4**	**7**	**9**	**12**	**15**	**23**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	4.1	9	<1	1	3	5	9	10	10
70-74	10	3.2	2	1	1	3	5	6	6	6
75-79	4	6.5	40	3	3	4	10	16	16	16
80-84	3	4.3	17	1	1	3	7	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	110	7.9	54	1	2	6	10	15	21	41
70-74	112	10.3	93	1	2	8	13	20	30	50
75-79	69	9.9	97	1	2	6	13	21	24	60
80-84	48	11.1	108	2	2	8	14	22	27	64
85+	31	11.6	74	2	3	10	14	20	34	40
TOT. SINGLE DX	40	4.1	10	1	1	3	5	9	10	16
" MULTIPLE DX	370	9.7	84	1	2	8	12	19	26	50
TOTAL 65-69 YRS	132	7.3	49	1	2	6	9	14	20	38
70-74	122	9.8	90	1	2	8	12	19	29	50
75-79	73	9.7	95	1	2	6	13	20	24	59
80-84	51	10.7	105	2	2	8	14	21	26	64
85+	32	11.3	74	2	3	10	14	19	34	40
GRAND TOTAL	**410**	**9.2**	**79**	**1**	**2**	**7**	**12**	**18**	**24**	**49**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	4.4	14	1	1	3	5	11	13	13
70-74	8	12.3	72	3	4	10	18	25	26	26
75-79	6	6.2	20	2	2	5	8	13	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	78	12.0	69	2	2	10	15	25	30	37
70-74	76	13.9	132	1	3	10	18	32	41	52
75-79	45	11.7	68	3	4	9	15	20	28	46
80-84	35	10.1	76	3	3	7	13	20	28	45
85+	19	12.4	225	2	3	6	13	36	52	59
TOT. SINGLE DX	25	8.2	48	1	2	6	11	21	24	26
" MULTIPLE DX	253	12.3	100	2	3	10	15	25	33	51
TOTAL 65-69 YRS	87	11.2	68	2	2	10	14	24	29	36
70-74	84	13.7	126	2	3	10	18	29	38	52
75-79	51	11.1	65	2	3	9	14	19	28	46
80-84	36	10.1	75	3	3	7	13	20	27	45
85+	20	12.9	217	2	3	7	14	34	51	59
GRAND TOTAL	**278**	**11.9**	**97**	**2**	**3**	**9**	**15**	**25**	**32**	**50**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3297	5.7	4	3	3	5	7	8	10	13
70-74	2958	5.9	7	3	4	5	7	9	10	15
75-79	2150	6.2	8	3	4	6	7	9	11	16
80-84	1048	6.7	14	3	4	6	8	10	12	20
85+	488	7.5	13	4	4	7	9	12	15	21
2. MULTIPLE DX										
65-69 YRS	12874	7.7	33	3	4	6	9	13	17	33
70-74	14099	8.5	43	3	4	7	10	15	19	36
75-79	12029	9.4	56	4	4	7	11	17	23	44
80-84	7645	10.5	71	4	4	8	12	19	26	50
85+	4810	12.3	97	4	5	9	15	23	30	58
TOT. SINGLE DX	9941	6.1	8	3	4	6	7	9	11	16
" MULTIPLE DX	51457	9.2	55	3	4	7	10	16	22	42
TOTAL 65-69 YRS	16171	7.3	29	3	4	6	8	12	16	31
70-74	17057	8.0	38	3	4	6	9	14	18	34
75-79	14179	8.9	51	3	4	7	10	16	21	42
80-84	8693	10.0	66	4	4	8	12	18	24	48
85+	5298	[illegible]	92	4	5	9	14	22	28	56
GRAND TOTAL	**61398**	**8.7**	**49**	**3**	**4**	**7**	**10**	**15**	**21**	**39**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	380	10.9	19	5	7	10	13	17	20	25
70-74	248	10.6	21	5	6	10	13	15	19	28
75-79	130	11.3	20	6	7	10	13	16	21	26
80-84	41	10.1	16	2	5	10	12	16	17	18
85+	29	12.3	31	7	8	11	13	22	27	28
2. MULTIPLE DX										
65-69 YRS	1250	12.7	41	6	7	11	15	20	24	35
70-74	1291	12.9	41	6	7	11	15	21	26	38
75-79	883	13.8	60	6	7	12	16	22	26	43
80-84	503	15.4	83	7	8	14	18	25	31	56
85+	220	17.2	102	6	9	15	20	30	35	61
TOT. SINGLE DX	828	10.9	21	5	7	10	13	16	20	27
" MULTIPLE DX	4147	13.6	55	6	7	12	16	22	27	43
TOTAL 65-69 YRS	1630	12.3	37	6	7	11	14	19	23	34
70-74	1539	12.5	39	5	7	11	15	20	24	36
75-79	1013	13.5	56	6	7	12	16	22	26	39
80-84	544	15.0	80	6	8	13	18	24	31	56
85+	249	16.6	96	6	8	14	19	29	33	59
GRAND TOTAL	**4975**	**13.1**	**51**	**6**	**7**	**11**	**15**	**21**	**26**	**40**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	716	2.5	5	<1	1	2	3	4	6	12
70-74	563	2.5	3	<1	1	2	3	5	6	11
75-79	375	2.8	5	1	1	2	3	5	8	12
80-84	172	3.4	9	<1	1	2	4	7	10	17
85+	60	5.2	121	1	1	3	4	8	13	71
2. MULTIPLE DX										
65-69 YRS	1435	5.0	36	1	1	3	6	11	15	26
70-74	1510	5.8	42	1	1	3	7	13	18	30
75-79	1186	6.8	62	1	1	4	9	15	22	41
80-84	620	7.5	58	1	2	5	10	17	23	37
85+	381	9.9	92	1	2	8	13	20	29	61
TOT. SINGLE DX	1886	2.7	9	<1	1	2	3	5	7	13
" MULTIPLE DX	5132	6.3	53	1	1	4	8	14	20	37
TOTAL 65-69 YRS	2151	4.2	28	1	1	2	4	9	13	25
70-74	2073	4.9	34	1	1	3	6	11	16	29
75-79	1561	5.9	51	1	1	3	7	13	19	39
80-84	792	6.6	51	1	1	4	9	16	21	35
85+	441	9.3	99	1	2	7	12	19	29	65
GRAND TOTAL	**7018**	**5.4**	**44**	**1**	**1**	**3**	**6**	**12**	**17**	**33**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	82	2.8	3	1	1	2	4	5	6	10
70-74	57	3.0	4	1	1	3	3	5	7	12
75-79	28	2.9	4	1	1	3	3	5	6	12
80-84	16	4.4	20	1	1	3	5	13	16	17
85+	6	5.0	4	3	3	4	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	180	7.0	77	1	1	4	9	16	22	71
70-74	141	6.7	32	1	2	5	9	13	17	27
75-79	91	7.5	53	1	2	5	9	18	32	99+
80-84	50	9.2	85	2	2	7	10	17	32	51
85+	39	13.9	237	3	3	8	18	30	54	70
TOT. SINGLE DX	189	3.1	5	1	1	3	4	5	7	13
" MULTIPLE DX	501	7.8	77	1	2	5	10	17	23	67
TOTAL 65-69 YRS	262	5.7	58	1	1	3	6	13	18	40
70-74	198	5.6	27	1	1	4	7	12	15	24
75-79	119	6.4	46	1	2	4	8	16	25	99+
80-84	66	8.0	74	2	2	5	9	17	29	48
85+	45	12.8	215	3	3	7	16	26	46	70
GRAND TOTAL	**690**	**6.5**	**61**	**1**	**1**	**4**	**8**	**15**	**20**	**47**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	167	3.4	5	1	1	3	4	7	8	12
70-74	169	3.6	9	1	1	3	4	7	11	18
75-79	180	4.0	10	1	1	3	5	8	10	16
80-84	89	4.3	10	1	2	3	5	9	12	15
85+	46	5.1	19	1	1	3	8	12	14	20
2. MULTIPLE DX										
65-69 YRS	748	7.4	63	1	2	4	10	17	22	42
70-74	880	8.1	68	1	2	5	11	19	23	43
75-79	902	8.3	65	1	2	5	11	18	23	42
80-84	579	8.1	84	1	2	5	10	16	22	62
85+	335	11.2	118	2	2	9	15	24	31	65
TOT. SINGLE DX	651	3.9	10	1	1	3	4	8	11	16
" MULTIPLE DX	3444	8.3	75	1	2	5	11	18	24	46
TOTAL 65-69 YRS	915	6.7	56	1	2	4	8	16	21	40
70-74	1049	7.4	62	1	2	4	10	18	22	40
75-79	1082	7.6	59	1	2	5	10	17	22	42
80-84	668	7.6	76	1	2	5	10	15	20	56
85+	381	10.5	110	2	2	8	14	22	30	62
GRAND TOTAL	**4095**	**7.6**	**68**	**1**	**2**	**5**	**10**	**17**	**22**	**44**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	3	4.0	1	3	3	4	5	5	5	5
70-74	1	20.0		20	20	20	20	20	20	20
75-79	3	28.0	1596	2	2	8	57	74	74	74
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	4	3.0	3	<1	<1	3	4	5	5	5
" MULTIPLE DX	9	13.3	551	<1	1	4	11	52	74	74
TOTAL 65-69 YRS	4	3.8	1	3	3	4	4	5	5	5
70-74	2	10.5	181	<1	<1	10	20	20	20	20
75-79	3	28.0	1596	2	2	8	57	74	74	74
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	3.0	4	<1	<1	3	4	5	5	5
GRAND TOTAL	13	10.2	392	<1	<1	3	6	31	66	74

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	2.7	6	1	1	2	3	7	9	9
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	24	6.4	27	2	2	4	8	14	17	22
70-74	16	3.8	6	1	1	3	5	9	9	9
75-79	10	10.6	91	1	1	7	19	25	31	31
80-84	7	12.0	145	3	3	7	19	32	35	35
85+	2	19.5	85	13	13	19	26	26	26	26
TOT. SINGLE DX	16	2.8	4	1	1	2	3	5	8	9
" MULTIPLE DX	59	7.5	57	1	2	4	9	19	24	35
TOTAL 65-69 YRS	33	5.4	24	1	2	4	7	13	15	22
70-74	19	3.7	6	1	1	3	4	8	9	9
75-79	13	8.8	80	1	2	7	12	22	29	31
80-84	7	12.0	145	3	3	7	19	32	35	35
85+	3	13.7	144	2	2	13	23	26	26	26
GRAND TOTAL	75	6.5	49	1	1	4	7	15	22	34

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	4	6.0	8	2	2	6	8	9	9	9
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	13	10.2	54	<1	2	11	13	19	27	29
70-74	1	21.0		21	21	21	21	21	21	21
75-79	5	14.8	192	4	4	9	22	38	38	38
80-84	3	8.0	36	2	2	8	12	14	14	14
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	6	5.8	13	1	1	6	9	10	10	10
" MULTIPLE DX	23	11.3	77	1	3	10	14	23	32	38
TOTAL 65-69 YRS	14	9.5	56	<1	1	8	13	17	26	29
70-74	5	9.0	52	2	2	7	12	21	21	21
75-79	6	14.0	158	4	4	9	17	36	38	38
80-84	3	8.0	36	2	2	8	12	14	14	14
85+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	29	10.2	68	1	2	9	13	19	29	38

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	281	2.6	2	1	1	2	3	4	5	7
70-74	173	2.6	1	1	1	3	3	4	5	7
75-79	83	2.8	2	<1	1	2	4	5	6	9
80-84	46	3.0	5	1	1	3	3	5	6	14
85+	11	2.6		1	1	3	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	480	4.2	14	1	2	3	5	8	10	20
70-74	313	4.3	15	1	2	3	5	8	12	24
75-79	184	5.4	59	1	2	4	6	9	11	47
80-84	84	5.8	33	2	2	4	6	13	18	31
85+	19	5.8	66	1	1	3	4	18	27	33
TOT. SINGLE DX	594	2.7	2	1	1	2	3	4	5	7
" MULTIPLE DX	1080	4.6	25	1	2	3	5	8	11	27
TOTAL 65-69 YRS	761	3.6	11	1	1	3	4	6	8	15
70-74	486	3.7	11	1	1	3	4	7	9	16
75-79	267	4.6	43	1	1	3	5	8	10	40
80-84	130	4.8	25	1	2	3	5	10	15	30
85+	30	4.6	44	1	1	3	4	10	19	33
GRAND TOTAL	1674	3.9	18	1	1	3	4	7	10	23

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	1.8		<1	1	2	2	3	3	4
70-74	21	1.7		<1	<1	2	2	3	3	3
75-79	31	2.4	7	<1	<1	2	2	4	10	13
80-84	16	2.5	2	<1	<1	2	3	3	7	8
85+	8	3.4	5	1	1	3	4	7	8	8
2. MULTIPLE DX										
65-69 YRS	195	3.6	14	1	1	2	4	8	11	25
70-74	189	4.3	39	<1	1	2	5	9	13	42
75-79	150	5.6	51	1	1	3	7	12	22	39
80-84	82	7.4	158	1	1	3	7	15	25	79
85+	92	6.1	24	2	2	5	9	12	16	24
TOT. SINGLE DX	196	2.0	2	<1	<1	2	2	3	4	9
" MULTIPLE DX	1011	5.2	56	1	1	2	6	11	17	43
TOTAL 65-69 YRS	358	3.3	14	<1	1	2	3	8	10	22
70-74	312	4.2	48	<1	1	2	4	8	12	45
75-79	247	5.4	63	1	1	2	5	12	21	43
80-84	148	6.3	120	1	1	3	6	13	23	61
85+	142	6.1	30	1	1	4	9	13	18	25
GRAND TOTAL	**1207**	**4.7**	**49**	**1**	**1**	**2**	**5**	**10**	**15**	**40**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	188	4.1	7	1	2	4	5	7	8	12
70-74	102	3.9	4	1	1	4	5	7	8	9
75-79	45	4.3	6	1	1	4	6	8	9	12
80-84	15	3.2	3	<1	1	3	4	5	7	8
85+	9	5.7	28	1	1	4	7	15	18	18
2. MULTIPLE DX										
65-69 YRS	549	5.1	25	1	2	4	6	9	14	23
70-74	267	5.0	19	1	2	4	6	9	13	24
75-79	133	6.9	40	2	2	5	8	13	21	34
80-84	66	8.4	101	2	2	5	9	17	22	61
85+	31	12.3	197	1	2	5	16	39	45	53
TOT. SINGLE DX	359	4.1	7	1	2	4	5	7	8	12
" MULTIPLE DX	1046	5.7	37	1	2	4	6	10	17	33
TOTAL 65-69 YRS	737	4.8	21	1	2	4	5	8	11	22
70-74	369	4.7	15	1	2	4	6	8	10	23
75-79	178	6.2	33	1	2	5	8	12	18	31
80-84	81	7.4	87	1	2	4	8	15	20	58
85+	40	10.8	165	1	1	5	14	29	44	53
GRAND TOTAL	**1405**	**5.3**	**30**	**1**	**2**	**4**	**6**	**9**	**14**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	6.2	11	1	1	6	8	11	12	12
70-74	13	7.5	16	1	3	8	9	12	16	17
75-79	8	9.3	11	6	6	8	12	14	14	14
80-84	7	11.3	14	8	8	11	12	18	19	19
85+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	91	14.0	107	5	6	11	16	26	33	61
70-74	86	14.4	104	5	6	12	18	27	37	52
75-79	74	16.4	138	5	6	13	20	29	47	65
80-84	37	15.4	86	6	6	11	21	31	33	36
85+	42	13.8	104	3	4	11	19	26	35	50
TOT. SINGLE DX	49	8.0	16	1	2	8	11	13	15	19
" MULTIPLE DX	330	14.8	111	5	6	12	18	28	34	51
TOTAL 65-69 YRS	110	12.6	99	3	5	10	15	25	31	55
70-74	99	13.5	98	3	5	11	17	25	34	52
75-79	82	15.7	131	5	6	13	18	28	44	63
80-84	44	14.7	76	6	7	11	19	29	32	36
85+	44	13.8	100	3	4	11	18	25	34	50
GRAND TOTAL	**379**	**13.9**	**103**	**4**	**5**	**11**	**17**	**27**	**33**	**51**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	6.7	5	4	4	7	7	8	11	15
70-74	29	8.5	16	5	5	7	9	12	18	24
75-79	16	7.0	3	4	5	7	8	10	11	11
80-84	15	8.7	10	4	6	8	10	14	16	17
85+	5	4.0		3	3	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	165	13.6	139	5	6	10	16	26	36	67
70-74	146	14.4	128	5	5	10	17	28	41	65
75-79	117	13.9	98	6	6	11	17	26	33	51
80-84	88	15.3	89	6	7	13	18	27	34	53
85+	48	14.6	49	5	6	15	19	25	26	33
TOT. SINGLE DX	86	7.6	11	4	4	7	8	11	14	22
" MULTIPLE DX	564	14.2	113	5	6	11	17	26	34	54
TOTAL 65-69 YRS	186	12.8	129	5	5	9	15	26	32	64
70-74	175	13.4	114	5	5	10	16	26	38	60
75-79	133	13.0	92	5	6	9	16	25	32	46
80-84	103	14.3	84	6	7	12	17	26	33	52
85+	53	13.6	55	4	4	13	18	25	26	33
GRAND TOTAL	**650**	**13.3**	**104**	**5**	**6**	**10**	**16**	**25**	**32**	**53**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	8.3	17	5	5	7	9	12	20	24
70-74	49	8.0	11	4	4	8	10	12	13	20
75-79	25	8.6	14	4	5	8	10	13	18	19
80-84	8	10.1	16	5	6	9	13	16	17	17
85+	3	5.7	5	3	3	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	333	11.9	67	5	6	10	14	21	28	54
70-74	241	12.7	68	5	6	10	16	23	29	55
75-79	183	13.6	63	6	7	11	17	23	29	87
80-84	80	16.0	64	7	8	15	20	28	34	41
85+	58	15.9	68	6	7	14	19	30	33	39
TOT. SINGLE DX	119	8.3	14	4	5	7	10	12	17	23
" MULTIPLE DX	895	13.1	69	5	6	10	16	23	30	54
TOTAL 65-69 YRS	367	11.6	64	5	6	9	13	21	27	51
70-74	290	11.9	62	5	6	9	15	22	28	49
75-79	208	13.0	60	6	7	11	16	22	28	78
80-84	88	15.4	63	7	7	14	19	26	34	40
85+	61	15.4	70	6	7	13	19	30	33	39
GRAND TOTAL	**1014**	**12.6**	**65**	**5**	**6**	**10**	**15**	**22**	**29**	**46**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	4.0	4	1	1	5	5	5	5	5
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	9.3	67	3	3	8	9	23	27	27
70-74	3	12.3	34	8	8	10	17	19	19	19
75-79	2	11.5	1	11	11	11	12	12	12	12
80-84	5	24.0	510	3	3	12	48	49	49	49
85+	7	11.9	27	6	6	14	17	17	17	17
TOT. SINGLE DX	6	4.2	3	1	1	5	5	6	6	6
" MULTIPLE DX	24	13.7	147	3	4	10	16	29	48	49
TOTAL 65-69 YRS	11	7.4	48	1	2	5	9	16	26	27
70-74	4	10.8	33	6	6	9	14	19	19	19
75-79	3	8.7	24	3	3	11	12	12	12	12
80-84	5	24.0	511	3	3	12	48	49	49	49
85+	7	11.9	28	6	6	14	17	17	17	17
GRAND TOTAL	**30**	**11.8**	**132**	**3**	**3**	**8**	**14**	**23**	**48**	**49**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	6	15.0	148	2	2	13	21	34	35	35
70-74	2	9.5	13	7	7	9	12	12	12	12
75-79	6	19.5	110	9	9	15	31	34	34	34
80-84	2	11.0	18	8	8	11	14	14	14	14
85+										
TOT. SINGLE DX	6	5.2	2	3	3	5	6	7	7	7
" MULTIPLE DX	16	15.5	103	3	6	13	20	34	35	35
TOTAL 65-69 YRS	8	12.5	129	2	2	7	19	31	35	35
70-74	4	7.3	12	4	4	6	9	12	12	12
75-79	7	17.4	122	5	6	13	28	33	34	34
80-84	2	11.0	18	8	8	11	14	14	14	14
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	22	12.7	96	3	4	9	18	32	34	35

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	60	2.0		<1	<1	2	2	3	3	4
70-74	39	2.1	1	1	1	2	2	4	4	8
75-79	19	2.5	4	1	1	2	3	6	8	9
80-84	7	2.6	2	1	1	2	3	5	6	6
85+	7	3.9	12	2	2	2	5	10	11	11
2. MULTIPLE DX										
65-69 YRS	97	3.8	23	1	1	2	4	9	14	29
70-74	67	4.6	24	1	1	3	5	10	14	28
75-79	46	6.4	189	1	1	3	6	11	16	94
80-84	20	5.2	58	1	1	3	4	13	24	34
85+	14	8.4	113	1	2	4	11	18	36	41
TOT. SINGLE DX	132	2.2	2	<1	1	2	2	3	4	9
" MULTIPLE DX	244	4.9	63	1	1	2	5	10	15	38
TOTAL 65-69 YRS	157	3.1	16	<1	1	2	3	5	9	18
70-74	106	3.6	18	1	1	2	4	8	12	23
75-79	65	5.3	137	1	1	2	6	9	13	82
80-84	27	4.5	45	1	1	2	4	12	17	34
85+	21	6.9	82	1	2	3	10	15	27	41
GRAND TOTAL	376	3.9	44	1	1	2	3	9	13	33

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	121	3.0	6	<1	1	2	4	6	8	13
70-74	89	3.3	5	1	1	2	4	7	8	11
75-79	54	3.4	4	1	2	3	5	6	7	11
80-84	29	4.8	16	<1	1	3	7	11	13	14
85+	14	5.8	20	1	2	4	8	14	15	15
2. MULTIPLE DX										
65-69 YRS	437	5.0	27	1	1	3	6	10	14	29
70-74	387	6.1	55	1	2	4	8	12	17	45
75-79	305	6.4	40	1	2	5	8	13	16	38
80-84	176	7.0	43	1	2	5	9	15	17	30
85+	123	7.4	64	1	2	4	9	17	22	44
TOT. SINGLE DX	307	3.4	8	1	1	2	5	7	10	14
" MULTIPLE DX	1428	6.1	43	1	2	4	8	12	17	34
TOTAL 65-69 YRS	558	4.6	23	1	1	3	6	10	13	29
70-74	476	5.6	48	1	2	3	7	11	16	43
75-79	359	5.9	36	1	2	4	8	12	16	33
80-84	205	6.7	40	1	2	5	9	14	17	27
85+	137	7.3	60	1	2	4	9	16	21	43
GRAND TOTAL	1735	5.6	38	1	2	3	7	12	15	32

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	6.0		6	6	6	6	6	6	6
85+										
TOT. SINGLE DX	3	3.7	4	2	2	3	5	6	6	6
" MULTIPLE DX	2	9.0	18	6	6	9	12	12	12	12
TOTAL 65-69 YRS										
70-74										
75-79	3	7.0	21	3	3	6	10	12	12	12
80-84	2	4.0	8	2	2	4	6	6	6	6
85+										
GRAND TOTAL	**5**	**5.8**	**15**	**2**	**2**	**6**	**8**	**12**	**12**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	2.7	11	1	1	2	2	5	12	14
70-74	17	2.8	6	<1	<1	2	3	7	9	10
75-79	7	4.1	14	1	1	2	5	11	12	12
80-84	6	2.3	2	1	1	2	3	5	5	5
85+	5	3.4	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	82	6.0	46	1	1	3	7	16	22	34
70-74	71	8.1	98	1	2	4	11	19	26	53
75-79	62	7.2	60	2	2	4	8	19	27	33
80-84	40	9.5	153	1	2	7	11	22	47	99+
85+	33	12.3	200	1	2	8	17	23	40	73
TOT. SINGLE DX	49	3.0	8	<1	1	2	3	7	10	14
" MULTIPLE DX	288	8.0	97	1	2	4	10	19	24	65
TOTAL 65-69 YRS	96	5.5	42	1	1	3	7	15	21	32
70-74	88	7.1	84	1	1	3	9	17	24	53
75-79	69	6.9	57	2	2	4	8	19	25	33
80-84	46	8.6	139	1	2	5	10	21	32	99+
85+	38	11.2	183	1	2	7	15	22	36	73
GRAND TOTAL	**337**	**7.3**	**87**	**1**	**2**	**4**	**9**	**18**	**24**	**55**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	400	7.5	9	5	5	7	8	10	12	18
70-74	300	7.8	7	5	5	7	9	11	13	19
75-79	139	8.6	9	5	6	8	9	12	16	21
80-84	70	9.5	24	6	6	8	10	14	24	29
85+	29	8.9	16	4	5	7	10	15	18	21
2. MULTIPLE DX										
65-69 YRS	2661	9.3	27	5	6	8	10	14	19	32
70-74	1888	10.5	42	5	6	9	12	18	23	38
75-79	1200	11.6	54	6	6	9	13	20	26	41
80-84	476	12.9	100	6	7	10	14	22	31	64
85+	242	13.0	62	5	6	10	16	22	31	46
TOT. SINGLE DX	938	7.9	10	5	5	7	9	11	13	21
" MULTIPLE DX	6467	10.5	45	5	6	8	12	17	23	39
TOTAL 65-69 YRS	3061	9.1	26	5	6	8	10	14	18	31
70-74	2188	10.1	38	5	6	8	11	17	22	36
75-79	1339	11.3	51	6	6	9	13	19	24	41
80-84	546	12.5	92	6	6	9	14	21	29	60
85+	271	12.6	60	5	6	10	16	21	30	45
GRAND TOTAL	**7405**	**10.2**	**41**	**5**	**6**	**8**	**11**	**16**	**22**	**37**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	425	7.2	4	5	5	7	8	10	11	15
70-74	311	7.3	4	4	5	7	8	10	11	14
75-79	164	7.5	5	5	5	7	8	10	12	16
80-84	64	7.5	6	5	5	7	8	11	13	16
85+	20	9.5	72	5	5	8	9	10	28	45
2. MULTIPLE DX										
65-69 YRS	1796	7.9	10	5	5	7	9	11	13	20
70-74	1372	8.1	10	5	5	7	9	11	14	21
75-79	868	8.5	19	5	5	8	9	12	14	22
80-84	326	9.5	39	5	6	8	11	15	18	34
85+	146	10.0	33	5	6	8	11	16	18	33
TOT. SINGLE DX	984	7.3	6	5	5	7	8	10	11	15
" MULTIPLE DX	4508	8.3	16	5	5	7	9	12	14	22
TOTAL 65-69 YRS	2221	7.8	9	5	5	7	9	11	13	19
70-74	1683	8.0	10	5	5	7	9	11	13	20
75-79	1032	8.3	18	5	5	7	9	12	14	22
80-84	390	9.2	34	5	5	8	10	14	17	33
85+	166	10.0	38	5	6	8	11	16	18	43
GRAND TOTAL	**5492**	**8.1**	**14**	**5**	**5**	**7**	**9**	**11**	**14**	**22**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	11.1	20	6	6	11	15	18	18	18
70-74	7	11.7	4	9	9	13	13	14	14	14
75-79	4	17.0	34	9	9	18	21	23	23	23
80-84	2	11.0	32	7	7	11	15	15	15	15
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	62	17.1	70	8	9	15	20	25	27	63
70-74	39	18.6	76	9	9	18	22	33	37	44
75-79	24	20.9	295	9	9	17	24	36	55	91
80-84	5	40.8	1177	14	14	25	60	98	98	98
85+	3	13.7	10	10	10	15	16	16	16	16
TOT. SINGLE DX	21	12.4	20	6	7	12	15	18	21	23
" MULTIPLE DX	133	19.0	163	9	9	16	22	28	37	92
TOTAL 65-69 YRS	69	16.5	69	8	8	15	19	24	27	60
70-74	46	17.6	72	9	9	16	20	32	36	44
75-79	28	20.3	257	9	9	17	23	34	44	91
80-84	7	32.3	1002	7	8	20	41	88	98	98
85+	4	12.8	10	10	10	13	15	16	16	16
GRAND TOTAL	154	18.1	149	8	9	16	20	27	36	90

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	567	2.0	3	<1	<1	2	2	3	4	9
70-74	413	2.2	7	<1	<1	2	2	3	5	11
75-79	254	2.3	8	<1	1	2	2	4	5	10
80-84	133	3.1	10	1	1	2	3	5	8	20
85+	70	3.4	10	<1	1	2	4	8	9	19
2. MULTIPLE DX										
65-69 YRS	1560	3.7	26	<1	1	2	4	8	12	25
70-74	1312	4.2	30	1	1	2	5	9	14	27
75-79	939	4.7	32	1	1	2	6	12	16	26
80-84	546	5.3	60	1	1	3	6	10	17	39
85+	322	6.6	67	1	1	4	8	15	21	46
TOT. SINGLE DX	1437	2.3	6	<1	<1	2	2	4	5	11
" MULTIPLE DX	4679	4.4	36	1	1	2	5	10	15	28
TOTAL 65-69 YRS	2127	3.3	21	<1	1	2	3	7	11	22
70-74	1725	3.7	25	<1	1	2	4	8	12	25
75-79	1193	4.2	29	1	1	2	4	10	15	25
80-84	679	4.9	51	1	1	3	5	10	17	36
85+	392	6.0	59	1	1	3	7	14	19	44
GRAND TOTAL	6116	3.9	30	<1	1	2	4	9	13	26

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	18.1	942	2	2	7	17	68	98	98
70-74	9	9.0	102	<1	1	3	15	25	31	31
75-79	2	21.5	421	7	7	21	36	36	36	36
80-84	8	12.0	94	3	4	9	15	28	33	33
85+	2	20.5	613	3	3	20	38	38	38	38
TOT. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
" MULTIPLE DX	30	14.1	368	2	2	7	17	34	38	98
TOTAL 65-69 YRS	10	16.5	864	2	2	5	15	60	98	98
70-74	11	7.6	91	<1	1	3	13	23	30	31
75-79	4	12.0	261	2	2	5	21	36	36	36
80-84	8	12.0	95	3	4	9	15	28	33	33
85+	2	20.5	613	3	3	20	38	38	38	38
GRAND TOTAL	35	12.4	332	1	2	7	15	33	37	98

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	13.0		13	13	56	99+	99+	99+	99+
70-74	2	9.5	1	9	9	9	10	10	10	10
75-79	2	9.0	2	8	8	9	10	10	10	10
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	13	7.0	8	2	4	7	8	10	13	14
70-74	8	11.4	38	6	6	9	14	22	24	24
75-79	12	8.6	13	2	4	9	12	13	14	14
80-84	6	8.2	3	6	6	8	9	11	11	11
85+	6	12.7	26	8	8	10	17	21	21	21
TOT. SINGLE DX	6	9.2	7	5	6	10	12	83	99+	99+
" MULTIPLE DX	45	9.1	19	4	5	8	11	14	18	24
TOTAL 65-69 YRS	14	7.4	10	2	4	7	9	14	78	99+
70-74	10	11.0	31	6	6	9	12	20	24	24
75-79	14	8.6	12	3	4	9	12	12	14	14
80-84	6	8.2	3	6	6	8	9	11	11	11
85+	7	11.6	31	5	6	10	15	20	21	21
GRAND TOTAL	51	9.1	18	4	5	8	11	15	21	98

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	26	3.5	1	1	2	3	4	5	5	7
70-74	17	3.5	1	1	2	4	4	5	5	5
75-79	12	4.3	1	3	3	4	5	6	8	8
80-84	11	3.3	2	1	1	3	4	5	6	6
85+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	77	3.8	4	2	2	3	4	5	6	16
70-74	50	4.1	4	2	2	4	5	7	10	11
75-79	37	6.3	91	2	2	4	5	9	22	57
80-84	26	8.0	128	2	3	4	9	15	29	59
85+	17	6.6	23	2	2	4	10	14	17	18
TOT. SINGLE DX	68	3.6	2	2	2	4	4	5	6	8
" MULTIPLE DX	207	5.1	39	2	2	4	5	9	11	37
TOTAL 65-69 YRS	103	3.8	4	2	2	3	4	5	6	14
70-74	67	3.9	4	2	2	4	4	6	8	11
75-79	49	5.8	70	2	2	4	5	7	21	57
80-84	37	6.6	94	2	2	4	5	10	19	59
85+	19	6.4	21	2	2	4	9	13	17	18
GRAND TOTAL	275	4.7	30	2	2	4	5	7	10	22

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	439	6.2	4	3	4	6	7	9	10	14
70-74	356	6.5	5	3	4	6	8	9	11	15
75-79	172	6.5	7	4	4	6	8	9	11	19
80-84	69	7.0	5	4	4	7	8	11	11	14
85+	13	6.8	3	4	4	7	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	1108	7.3	9	4	4	7	8	11	13	18
70-74	967	7.8	25	4	4	7	9	11	15	26
75-79	619	8.2	23	4	5	7	9	12	15	24
80-84	253	8.6	21	4	5	7	10	14	17	26
85+	58	11.2	45	5	6	10	13	19	25	40
TOT. SINGLE DX	1049	6.4	6	3	4	6	8	9	11	15
" MULTIPLE DX	3005	7.8	20	4	4	7	9	12	14	24
TOTAL 65-69 YRS	1547	7.0	9	4	4	6	8	10	12	17
70-74	[illegible]	7.5	20	4	4	7	8	11	13	24
75-79	791	7.8	21	4	4	7	9	12	14	24
80-84	322	8.3	18	4	4	7	10	13	16	26
85+	71	10.4	40	4	5	9	11	15	24	40
GRAND TOTAL	4054	7.5	16	4	4	7	8	11	14	23

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	5.2	9	1	1	6	7	9	10	12
70-74	31	5.8	8	1	2	6	7	9	11	13
75-79	8	8.8	35	5	5	7	9	19	23	23
80-84	8	3.8	10	<1	<1	3	5	9	10	10
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	120	8.0	25	2	3	7	10	13	18	31
70-74	90	10.5	143	2	4	8	11	17	36	98
75-79	55	12.6	102	3	5	10	14	22	37	56
80-84	27	9.3	67	1	1	8	11	19	26	39
85+	17	14.7	337	2	3	7	23	32	60	75
TOT. SINGLE DX	78	5.7	13	1	1	6	7	9	11	20
" MULTIPLE DX	309	10.0	97	2	3	8	11	18	27	64
TOTAL 65-69 YRS	149	7.4	24	1	2	7	9	12	16	30
70-74	121	9.3	113	2	3	7	10	15	25	96
75-79	63	12.1	95	3	5	9	14	22	37	55
80-84	35	8.0	59	<1	1	7	10	17	23	39
85+	19	13.8	307	2	3	7	20	31	56	75
GRAND TOTAL	**387**	**9.2**	**83**	**1**	**2**	**7**	**10**	**16**	**24**	**55**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	4.1	5	<1	1	4	6	7	8	11
70-74	93	4.7	10	1	1	4	6	8	9	20
75-79	74	5.4	9	1	2	5	7	9	12	15
80-84	54	5.8	18	1	2	5	7	10	16	26
85+	35	5.7	13	2	2	5	7	8	14	19
2. MULTIPLE DX										
65-69 YRS	392	7.3	51	1	2	5	8	14	21	42
70-74	377	7.5	53	2	2	6	8	13	19	40
75-79	293	8.6	70	2	2	6	10	17	27	50
80-84	182	9.4	79	3	3	7	11	21	31	99+
85+	114	8.5	69	2	2	6	10	16	24	45
TOT. SINGLE DX	354	5.0	11	1	2	4	7	8	10	19
" MULTIPLE DX	1358	8.0	62	2	2	6	9	15	24	49
TOTAL 65-69 YRS	490	6.7	44	1	2	5	8	12	18	38
70-74	470	6.9	46	2	2	5	8	13	17	39
75-79	367	8.0	60	2	2	6	9	14	22	45
80-84	236	8.6	68	2	3	7	10	18	29	99+
85+	149	7.9	57	2	2	6	9	16	22	36
GRAND TOTAL	**1712**	**7.4**	**53**	**2**	**2**	**6**	**8**	**14**	**21**	**44**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	2.8	6	<1	1	2	3	5	7	14
70-74	55	3.1	5	1	1	2	3	5	8	13
75-79	34	2.9	4	<1	1	2	3	5	8	10
80-84	28	5.0	59	1	2	2	4	9	31	32
85+	13	5.8	46	1	2	3	6	13	24	27
2. MULTIPLE DX										
65-69 YRS	183	6.7	53	1	1	4	9	15	20	41
70-74	149	7.3	98	1	2	4	9	15	22	46
75-79	148	7.4	48	2	2	5	9	18	24	99+
80-84	79	6.5	49	1	2	5	8	11	23	40
85+	100	9.2	105	1	2	7	11	17	26	58
TOT. SINGLE DX	199	3.4	16	1	1	2	3	6	9	29
" MULTIPLE DX	659	7.4	70	1	2	5	9	16	22	48
TOTAL 65-69 YRS	252	5.6	44	1	1	3	7	13	18	32
70-74	204	6.2	77	1	2	3	7	14	18	42
75-79	182	6.5	44	1	2	4	8	16	21	80
80-84	107	6.1	52	1	2	4	7	10	24	40
85+	113	8.8	100	1	2	6	10	16	26	58
GRAND TOTAL	**858**	**6.4**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**45**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	11.5	160	1	2	9	14	24	37	64
70-74	20	9.1	77	1	2	6	11	25	29	32
75-79	24	9.1	132	1	2	5	7	26	34	53
80-84	17	8.5	21	1	3	9	11	15	16	16
85+	15	8.1	43	2	2	7	9	19	24	26
2. MULTIPLE DX										
65-69 YRS	64	13.2	101	3	4	11	18	26	35	49
70-74	63	14.8	224	2	3	11	18	30	36	92
75-79	67	17.1	136	3	4	15	23	35	42	58
80-84	54	16.7	162	3	4	13	24	32	43	67
85+	30	12.4	131	3	3	8	15	26	38	54
TOT. SINGLE DX	107	9.6	99	1	2	7	12	22	26	58
" MULTIPLE DX	278	15.1	159	3	4	12	20	30	38	60
TOTAL 65-69 YRS	95	12.6	120	2	3	11	16	25	36	58
70-74	83	13.4	193	2	3	9	18	29	33	84
75-79	91	15.0	162	2	3	12	21	32	41	57
80-84	71	14.7	141	3	4	11	20	28	38	64
85+	45	11.0	104	3	3	8	13	23	32	54
GRAND TOTAL	**385**	**13.5**	**148**	**2**	**3**	**10**	**18**	**28**	**37**	**60**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	3.0	1	2	2	3	4	5	5	5
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	8.5	61	3	3	8	14	14	14	14
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	10	9.0	123	2	2	4	9	26	39	39
70-74	10	5.8	24	1	1	4	7	14	16	16
75-79	11	7.6	39	3	3	4	14	18	18	18
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	1.5	1	<1	<1	1	2	2	2	2
TOT. SINGLE DX	13	3.7	11	1	1	3	4	7	13	14
" MULTIPLE DX	34	7.1	56	1	2	4	9	17	18	39
TOTAL 65-69 YRS	17	6.5	79	2	2	4	6	12	30	39
70-74	12	5.4	21	1	2	4	6	14	16	16
75-79	12	7.1	40	1	2	4	11	17	18	18
80-84	3	8.0	31	3	3	7	12	14	14	14
85+	3	1.7		<1	<1	2	2	2	2	2
GRAND TOTAL	**47**	**6.2**	**45**	**1**	**2**	**4**	**7**	**16**	**17**	**39**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	2.8	2	2	2	2	4	5	5	5
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	8	6.9	97	1	1	3	7	24	30	30
70-74	11	3.9	7	<1	1	3	6	8	10	10
75-79	6	8.8	69	1	1	6	17	21	21	21
80-84	3	12.3	265	1	1	5	24	31	31	31
85+	3	9.3	16	5	5	10	12	13	13	13
TOT. SINGLE DX	5	2.4	2	1	1	2	3	5	5	5
" MULTIPLE DX	31	7.0	63	1	1	4	9	19	30	31
TOTAL 65-69 YRS	12	5.5	67	1	1	3	4	17	28	30
70-74	11	3.9	7	<1	1	3	6	8	10	10
75-79	7	7.7	67	1	1	6	14	20	21	21
80-84	3	12.3	265	1	1	5	24	31	31	31
85+	3	9.3	16	5	5	10	12	13	13	13
GRAND TOTAL	**36**	**6.3**	**57**	**1**	**1**	**4**	**7**	**17**	**27**	**31**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

597: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

598: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	4.1	9	1	1	3	5	9	11	12
70-74	23	6.8	59	<1	1	3	9	17	25	30
75-79	20	4.9	16	1	1	3	7	12	12	13
80-84	11	5.6	10	2	2	5	7	11	13	13
85+	6	10.3	72	2	2	7	17	23	24	24
2. MULTIPLE DX										
65-69 YRS	104	10.0	108	1	1	6	15	26	31	76
70-74	93	9.6	106	2	2	6	13	25	33	47
75-79	47	9.3	69	2	2	6	13	20	23	40
80-84	23	10.2	46	2	3	11	13	21	24	25
85+	23	15.1	232	1	2	12	20	30	56	63
TOT. SINGLE DX	88	5.6	29	1	1	3	7	13	16	28
" MULTIPLE DX	290	10.2	107	1	2	7	15	23	30	54
TOTAL 65-69 YRS	132	8.7	93	1	1	5	11	21	27	63
70-74	116	9.1	98	1	2	5	12	22	30	45
75-79	67	7.9	57	2	2	5	12	19	20	39
80-84	34	8.7	39	2	3	7	13	17	23	25
85+	29	14.1	200	2	2	11	18	25	53	63
GRAND TOTAL	**378**	**9.1**	**93**	**1**	**2**	**6**	**13**	**21**	**27**	**52**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	3.8	16	1	1	3	4	5	14	24
70-74	24	3.3	9	1	1	2	3	9	11	14
75-79	13	4.8	22	2	2	3	4	11	17	19
80-84	7	4.3	6	1	1	4	5	8	9	9
85+	3	7.7	96	2	2	2	15	19	19	19
2. MULTIPLE DX										
65-69 YRS	90	5.7	53	2	2	3	6	13	22	78
70-74	49	6.9	52	2	2	4	9	19	25	99+
75-79	26	6.4	85	2	2	3	6	15	24	46
80-84	10	11.5	445	2	2	4	7	41	71	71
85+	5	7.2	33	2	2	6	9	17	17	17
TOT. SINGLE DX	104	3.9	17	1	1	3	4	9	15	22
" MULTIPLE DX	180	6.5	78	2	2	3	7	16	23	91
TOTAL 65-69 YRS	147	5.0	40	1	2	3	5	10	18	48
70-74	73	5.7	41	1	2	3	8	15	21	85
75-79	39	5.8	64	2	2	3	5	15	19	46
80-84	17	8.5	266	1	2	4	7	11	50	71
85+	8	7.4	47	2	2	5	12	18	19	19
GRAND TOTAL	**284**	**5.5**	**57**	**1**	**2**	**3**	**5**	**14**	**19**	**62**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	2.6	2	1	1	2	3	5	5	5
70-74	4	1.8		1	1	2	2	2	2	2
75-79	7	4.3	2	3	3	4	5	7	7	7
80-84	3	4.3	2	3	3	4	5	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	38	8.1	47	1	2	5	11	20	23	27
70-74	29	8.7	62	2	2	5	11	22	23	33
75-79	32	8.2	80	2	2	5	10	14	32	44
80-84	8	10.4	72	1	1	9	15	23	26	26
85+	12	8.4	43	2	3	5	11	21	22	22
TOT. SINGLE DX	20	3.5	3	1	1	3	5	6	7	7
" MULTIPLE DX	119	8.4	60	2	2	5	11	20	23	37
TOTAL 65-69 YRS	43	7.4	46	1	2	4	10	19	23	27
70-74	33	7.8	60	1	2	4	10	22	22	33
75-79	39	7.5	68	2	2	5	8	13	26	44
80-84	11	8.7	59	1	2	6	14	20	25	26
85+	13	8.2	40	2	3	5	10	20	22	22
GRAND TOTAL	**139**	**7.7**	**55**	**2**	**2**	**5**	**10**	**19**	**22**	**35**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	20	3.1	2	<1	1	3	4	5	6	6
70-74	17	3.8	3	1	2	4	5	7	7	7
75-79	12	3.1	2	1	1	3	4	5	7	7
80-84	3	3.0		3	3	3	3	3	3	3
85+	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	85	9.5	102	1	2	5	12	22	32	51
70-74	81	8.4	44	2	2	7	11	18	22	32
75-79	49	10.7	66	3	3	9	14	19	29	41
80-84	41	13.2	193	2	2	11	16	25	44	72
85+	28	13.0	117	3	3	11	14	30	43	44
TOT. SINGLE DX	55	3.4	3	1	1	3	4	6	7	9
" MULTIPLE DX	284	10.3	96	2	2	7	13	21	31	48
TOTAL 65-69 YRS	105	8.3	90	1	2	5	10	19	31	50
70-74	98	7.6	40	2	2	6	10	17	20	31
75-79	61	9.2	63	2	2	7	12	18	24	40
80-84	44	12.5	187	2	2	7	16	24	44	72
85+	31	12.2	113	2	3	10	14	28	42	44
GRAND TOTAL	**339**	**9.2**	**87**	**2**	**2**	**6**	**11**	**19**	**28**	**46**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	2.7	3	1	2	2	3	4	5	11
70-74	12	3.0	1	2	2	3	4	5	6	6
75-79	10	3.1	1	2	2	3	4	5	5	5
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	55	6.2	98	1	2	3	6	13	19	67
70-74	32	9.4	90	<1	1	7	12	25	29	39
75-79	23	5.9	27	1	2	4	7	13	19	21
80-84	9	8.3	18	2	3	9	11	14	15	15
85+	8	10.9	195	<1	<1	7	11	34	44	44
TOT. SINGLE DX	51	2.8	2	2	2	2	3	4	5	11
" MULTIPLE DX	127	7.4	84	1	2	4	10	15	24	50
TOTAL 65-69 YRS	84	5.0	68	1	2	3	4	11	14	54
70-74	44	7.7	74	1	2	4	10	20	28	39
75-79	33	5.0	21	1	2	4	5	12	17	21
80-84	9	8.3	18	2	3	9	11	14	15	15
85+	8	10.9	195	<1	<1	7	11	34	44	44
GRAND TOTAL	**178**	**6.1**	**65**	**1**	**2**	**3**	**7**	**13**	**20**	**43**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	162	6.2	20	2	2	5	7	10	15	39
70-74	89	7.2	40	2	2	6	9	13	14	40
75-79	43	9.5	59	2	4	7	11	22	27	36
80-84	23	12.6	178	2	2	8	17	29	49	52
85+	13	11.8	96	1	2	9	16	29	32	33
2. MULTIPLE DX										
65-69 YRS	412	8.9	99	1	2	6	10	18	25	57
70-74	248	9.5	81	2	2	7	11	20	29	49
75-79	157	10.1	72	2	3	7	13	23	26	42
80-84	80	14.6	133	2	4	12	20	32	38	88
85+	62	18.4	258	2	3	15	25	42	60	97
TOT. SINGLE DX	330	7.6	48	2	2	6	9	14	20	45
" MULTIPLE DX	959	10.4	110	2	2	7	12	22	30	60
TOTAL 65-69 YRS	574	8.1	79	1	2	6	9	17	22	54
70-74	337	8.9	72	2	2	7	10	18	27	48
75-79	200	10.0	69	2	3	7	13	23	26	42
80-84	103	14.1	143	2	3	11	19	31	42	80
85+	75	17.3	235	2	3	15	21	40	54	93
GRAND TOTAL	**1289**	**9.6**	**95**	**2**	**2**	**7**	**11**	**20**	**29**	**54**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	395	3.4	2	1	1	3	4	5	6	9
70-74	221	3.4	4	1	1	3	4	6	7	11
75-79	102	3.1	2	1	1	3	4	5	6	9
80-84	44	4.3	5	1	2	4	6	7	8	13
85+	11	3.6	5	2	2	3	4	7	10	10
2. MULTIPLE DX										
65-69 YRS	2027	4.3	8	1	2	4	5	7	8	16
70-74	1303	4.2	7	1	2	4	5	7	8	14
75-79	707	4.8	23	1	2	4	6	8	10	20
80-84	231	5.7	44	1	2	4	6	11	15	25
85+	85	7.4	52	2	3	5	8	17	21	43
TOT. SINGLE DX	773	3.4	4	1	1	3	4	6	7	10
" MULTIPLE DX	4353	4.5	14	1	2	4	5	7	9	18
TOTAL 65-69 YRS	2422	4.1	8	1	2	4	5	7	8	15
70-74	1524	4.1	7	1	2	4	5	7	8	13
75-79	809	4.6	21	1	2	4	5	8	9	19
80-84	275	5.5	38	1	2	4	6	10	15	22
85+	96	7.0	48	2	2	5	8	17	20	40
GRAND TOTAL	**5126**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	545	4.6	26	1	1	3	5	9	13	28
70-74	401	5.3	37	1	1	3	6	11	18	34
75-79	217	5.8	29	1	1	4	7	13	16	27
80-84	101	7.7	69	1	1	4	10	18	25	42
85+	49	7.3	58	<1	1	5	9	16	22	38
2. MULTIPLE DX										
65-69 YRS	1624	10.5	159	1	2	6	13	26	39	71
70-74	1408	12.1	179	2	2	8	15	28	43	80
75-79	910	13.5	208	2	2	9	18	31	45	85
80-84	525	15.0	198	2	3	11	20	31	46	82
85+	310	17.2	241	2	4	13	22	38	54	96
TOT. SINGLE DX	1313	5.4	35	1	1	4	6	11	17	34
" MULTIPLE DX	4777	12.5	188	2	2	8	16	29	43	83
TOTAL 65-69 YRS	2169	9.0	132	1	2	5	11	22	33	66
70-74	1809	10.6	156	1	2	6	13	25	38	77
75-79	1127	12.0	183	1	2	8	15	27	41	82
80-84	626	13.8	185	2	2	10	18	30	43	76
85+	359	15.8	228	2	3	11	20	36	49	93
GRAND TOTAL	6090	10.9	163	1	2	6	14	26	39	76

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	8.1	27	2	2	8	11	14	16	30
70-74	135	10.6	46	2	4	9	14	18	21	33
75-79	127	11.7	71	3	4	11	15	18	21	49
80-84	135	13.7	134	3	4	12	16	23	28	75
85+	160	14.7	123	5	6	12	18	22	28	96
2. MULTIPLE DX										
65-69 YRS	399	13.6	137	2	4	11	17	28	38	92
70-74	457	16.2	166	4	5	12	19	34	45	67
75-79	507	18.1	211	5	6	14	21	36	48	85
80-84	461	17.8	179	6	7	14	21	33	47	88
85+	622	17.5	175	5	7	14	20	30	44	79
TOT. SINGLE DX	692	11.9	87	2	4	11	15	19	24	68
" MULTIPLE DX	2446	16.8	178	4	6	13	20	32	44	83
TOTAL 65-69 YRS	534	12.2	115	2	3	10	15	24	33	84
70-74	592	15.0	144	3	5	12	18	29	41	66
75-79	634	16.8	190	4	5	13	19	32	44	81
80-84	596	16.9	172	5	7	14	20	31	43	86
85+	782	16.9	166	5	7	14	19	28	41	79
GRAND TOTAL	3138	15.7	162	4	5	13	18	30	41	78

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	358	3.7	11	<1	1	3	4	8	11	18
70-74	302	5.0	44	<1	1	3	5	13	17	42
75-79	242	5.6	64	<1	1	3	6	12	17	35
80-84	158	6.0	33	<1	1	4	8	14	18	27
85+	132	7.4	43	1	1	6	9	16	21	33
2. MULTIPLE DX										
65-69 YRS	505	9.4	142	1	2	5	11	23	37	77
70-74	489	9.8	122	1	2	6	13	22	33	57
75-79	488	10.0	121	2	2	6	13	22	31	62
80-84	361	12.5	157	2	3	9	16	25	36	70
85+	380	13.4	142	2	3	10	18	27	35	77
TOT. SINGLE DX	1192	5.1	38	<1	1	3	6	11	17	30
" MULTIPLE DX	2223	10.8	138	2	2	7	14	24	35	67
TOTAL 65-69 YRS	863	7.0	96	1	1	3	8	17	24	61
70-74	791	7.9	98	1	1	4	10	19	28	55
75-79	730	8.6	107	1	2	5	11	19	28	62
80-84	519	10.5	128	1	2	7	14	23	31	63
85+	512	11.8	124	2	2	8	16	26	33	66
GRAND TOTAL	3415	8.8	111	1	2	5	11	21	29	62

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	12.2	58	4	6	11	14	18	20	51
70-74	116	12.7	40	6	7	12	15	18	20	40
75-79	127	12.3	38	4	6	12	15	19	23	52
80-84	144	15.3	108	6	7	14	17	22	31	73
85+	201	13.9	43	6	7	13	17	21	28	75
2. MULTIPLE DX										
65-69 YRS	284	15.3	75	6	7	13	18	26	35	47
70-74	395	18.1	167	6	8	14	21	33	45	75
75-79	570	17.4	146	7	8	14	20	32	44	83
80-84	709	17.5	108	7	9	15	20	29	40	63
85+	1003	17.1	133	7	8	14	20	33	46	99+
TOT. SINGLE DX	678	13.5	59	6	7	12	16	20	26	57
" MULTIPLE DX	2961	17.2	129	7	8	14	20	31	43	85
TOTAL 65-69 YRS	374	14.5	73	5	7	13	17	24	31	48
70-74	511	16.9	143	6	8	14	19	30	41	69
75-79	697	16.5	131	6	8	14	19	29	40	82
80-84	853	17.1	109	7	8	15	19	28	38	64
85+	1204	16.6	120	7	8	14	19	30	42	99+
GRAND TOTAL	3639	16.5	118	6	8	14	19	29	39	83

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	548	12.6	29	6	7	12	15	20	23	28
70-74	714	13.6	42	6	8	12	16	21	26	38
75-79	947	14.4	53	6	8	13	17	22	28	43
80-84	1046	15.4	81	7	8	14	18	24	30	58
85+	1555	15.0	65	7	8	13	17	24	30	49
2. MULTIPLE DX										
65-69 YRS	2140	17.9	140	7	8	15	20	33	44	83
70-74	3055	18.5	142	7	9	15	21	33	44	89
75-79	4419	19.0	149	8	9	16	22	34	47	99+
80-84	5249	18.8	139	8	9	16	22	33	46	99+
85+	7923	18.5	148	7	9	15	21	33	46	99+
TOT. SINGLE DX	4810	14.5	60	6	8	13	17	23	28	46
" MULTIPLE DX	22786	18.6	145	7	9	15	22	33	46	99
TOTAL 65-69 YRS	2688	16.8	122	7	8	14	19	30	39	74
70-74	3769	17.5	127	7	8	15	20	30	40	82
75-79	5366	18.2	136	7	9	15	21	32	43	90
80-84	6295	18.2	131	7	9	15	21	32	43	92
85+	9478	17.9	137	7	9	15	21	31	43	95
GRAND TOTAL	27596	17.9	133	7	9	15	21	31	42	90

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	12.2	78	2	3	9	18	28	30	30
70-74	24	14.4	337	1	2	8	15	38	63	78
75-79	24	11.4	90	1	1	7	22	25	26	27
80-84	37	14.3	162	3	4	11	14	30	41	69
85+	48	16.3	197	3	6	11	18	37	48	65
2. MULTIPLE DX										
65-69 YRS	89	20.1	255	3	5	16	27	42	55	98
70-74	94	20.7	350	2	5	15	26	56	66	93
75-79	120	20.5	265	4	6	14	25	42	65	86
80-84	137	20.5	313	4	6	14	28	53	65	99+
85+	181	18.4	277	3	4	13	27	45	76	99+
TOT. SINGLE DX	150	14.2	179	1	3	10	17	30	40	69
" MULTIPLE DX	621	19.9	290	3	5	14	26	46	65	99+
TOTAL 65-69 YRS	106	18.8	235	3	4	15	25	39	53	97
70-74	118	19.4	352	2	3	14	23	54	66	90
75-79	144	19.0	248	2	4	14	24	41	55	82
80-84	174	19.2	287	4	6	13	25	47	65	96
85+	229	18.0	260	3	4	13	25	41	62	99+
GRAND TOTAL	771	18.8	273	3	4	13	25	42	63	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	213	3.6	21	1	1	2	4	8	10	16
70-74	143	3.7	12	1	1	3	5	7	11	19
75-79	130	4.2	20	1	1	3	5	10	12	22
80-84	62	3.9	13	<1	1	3	5	7	10	24
85+	32	6.3	54	1	1	4	7	17	22	35
2. MULTIPLE DX										
65-69 YRS	242	8.1	104	1	1	5	10	18	35	72
70-74	222	9.6	159	1	1	5	11	24	38	99+
75-79	182	8.3	68	1	2	6	10	19	25	40
80-84	131	10.6	113	2	2	7	13	27	36	61
85+	114	10.8	100	2	2	8	14	23	39	99+
TOT. SINGLE DX	580	3.9	20	1	1	3	5	8	11	20
" MULTIPLE DX	891	9.2	112	1	2	6	11	22	33	76
TOTAL 65-69 YRS	455	6.0	71	1	1	3	7	12	20	54
70-74	365	7.2	110	1	1	4	8	18	30	77
75-79	312	6.6	52	1	1	4	8	14	22	36
80-84	193	8.5	91	1	2	5	11	20	31	52
85+	146	9.8	94	1	2	7	13	22	33	99+
GRAND TOTAL	1471	7.1	83	1	1	4	8	17	26	57

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	951	6.0	18	2	2	5	7	11	13	21
70-74	717	6.5	20	2	2	5	8	12	15	21
75-79	448	7.4	29	2	2	6	9	14	17	26
80-84	238	8.3	40	2	2	7	11	17	21	32
85+	163	9.8	54	2	3	8	12	19	26	40
2. MULTIPLE DX										
65-69 YRS	1662	9.9	88	2	3	7	12	19	27	49
70-74	1512	11.0	105	3	3	8	13	21	29	64
75-79	1138	12.0	114	3	4	9	15	23	32	67
80-84	718	12.2	103	3	4	9	15	22	32	68
85+	506	15.2	167	3	5	12	18	30	44	80
TOT. SINGLE DX	2517	6.8	26	2	2	5	9	13	16	26
" MULTIPLE DX	5536	11.4	110	3	4	8	14	22	31	64
TOTAL 65-69 YRS	2613	8.5	67	2	3	6	10	16	23	41
70-74	2229	9.5	82	2	3	7	11	18	24	53
75-79	1586	10.7	95	2	3	8	13	21	29	61
80-84	956	11.2	91	3	3	9	14	21	29	63
85+	669	13.9	145	3	4	11	17	27	40	71
GRAND TOTAL	8053	10.0	88	2	3	7	12	19	26	55

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	684	3.5	9	1	1	2	5	8	10	15
70-74	570	3.9	21	1	1	2	5	8	11	25
75-79	449	4.1	17	1	1	2	5	9	12	23
80-84	334	5.2	50	1	1	3	6	10	16	48
85+	266	5.4	67	1	1	3	6	10	17	41
2. MULTIPLE DX										
65-69 YRS	1140	7.3	70	1	1	5	9	16	22	53
70-74	1213	8.6	116	1	1	5	10	18	28	65
75-79	1139	9.0	85	1	2	6	11	20	27	52
80-84	895	10.3	148	1	2	6	13	23	33	93
85+	921	10.3	165	1	2	7	12	23	41	85
TOT. SINGLE DX	2303	4.2	27	1	1	3	5	9	12	25
" MULTIPLE DX	5308	9.0	115	1	2	6	11	20	28	67
TOTAL 65-69 YRS	1824	5.9	51	1	1	4	7	13	18	39
70-74	1783	7.1	91	1	1	4	8	15	23	53
75-79	1588	7.6	71	1	1	5	10	17	24	46
80-84	1229	8.9	127	1	1	5	11	21	29	82
85+	1187	9.2	148	1	2	6	10	20	32	79
GRAND TOTAL	**7611**	**7.5**	**93**	**1**	**1**	**5**	**9**	**16**	**25**	**58**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	4.9	37	1	1	2	6	11	15	31
70-74	183	4.6	26	1	1	3	6	10	15	27
75-79	139	5.5	50	1	1	3	6	12	19	43
80-84	105	4.6	25	1	1	3	6	13	16	22
85+	86	5.1	29	1	1	3	7	13	17	24
2. MULTIPLE DX										
65-69 YRS	260	9.3	159	1	1	5	11	23	32	70
70-74	297	7.9	86	1	1	5	9	20	27	42
75-79	284	7.4	50	1	1	5	10	17	22	36
80-84	219	9.3	78	1	1	6	13	22	27	38
85+	212	9.7	128	1	1	6	13	21	33	70
TOT. SINGLE DX	659	4.9	34	1	1	3	6	12	16	29
" MULTIPLE DX	1272	8.6	99	1	1	5	11	21	28	49
TOTAL 65-69 YRS	406	7.7	120	1	1	4	9	18	29	58
70-74	480	6.6	66	1	1	4	8	16	24	40
75-79	423	6.8	51	1	1	4	9	16	22	38
80-84	324	7.8	66	1	1	5	10	20	24	35
85+	298	8.3	104	1	1	5	11	19	29	62
GRAND TOTAL	**1931**	**7.3**	**80**	**1**	**1**	**4**	**9**	**18**	**25**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	44	6.6	43	1	2	4	6	16	20	34
70-74	36	11.1	101	1	2	9	13	22	29	54
75-79	30	11.4	73	1	3	9	16	25	30	33
80-84	10	7.6	24	1	1	6	13	14	15	15
85+	12	11.8	56	1	1	12	17	21	25	26
2. MULTIPLE DX										
65-69 YRS	74	11.0	78	2	3	8	15	20	24	52
70-74	61	16.1	235	2	3	12	21	38	54	98
75-79	67	13.1	160	1	2	11	16	26	42	63
80-84	61	13.0	136	2	3	11	15	23	33	73
85+	53	14.8	71	3	5	15	20	28	32	98
TOT. SINGLE DX	132	9.5	69	1	2	7	13	19	26	38
" MULTIPLE DX	316	13.5	137	2	3	11	17	26	36	79
TOTAL 65-69 YRS	118	9.3	69	2	3	6	14	19	22	42
70-74	97	14.2	190	2	3	11	20	31	49	92
75-79	97	12.6	133	1	2	11	16	26	32	61
80-84	71	12.2	124	2	3	11	14	22	31	70
85+	65	14.3	69	2	4	14	19	28	31	90
GRAND TOTAL	**448**	**12.3**	**120**	**2**	**3**	**10**	**16**	**24**	**32**	**64**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	132	8.0	101	1	1	4	10	19	31	62
70-74	104	9.3	107	1	2	6	10	21	37	49
75-79	69	8.8	72	1	2	6	12	18	22	46
80-84	40	11.3	194	1	2	8	13	22	43	68
85+	26	8.6	43	1	2	7	13	16	19	29
2. MULTIPLE DX										
65-69 YRS	423	13.3	234	1	2	7	18	32	47	80
70-74	373	16.3	269	2	2	11	22	40	52	73
75-79	299	18.8	304	2	3	13	26	46	60	94
80-84	207	17.0	225	2	4	15	21	39	60	88
85+	128	20.2	232	3	5	16	28	42	48	79
TOT. SINGLE DX	371	8.9	104	1	2	5	12	19	30	57
" MULTIPLE DX	1430	16.4	261	2	2	12	22	39	52	88
TOTAL 65-69 YRS	555	12.1	208	1	2	6	16	30	45	77
70-74	477	14.8	242	2	2	9	20	38	49	70
75-79	368	16.9	276	2	3	12	23	42	57	89
80-84	247	16.0	224	2	3	13	20	36	60	80
85+	154	18.2	219	2	4	14	25	36	47	76
GRAND TOTAL	**1801**	**14.8**	**238**	**2**	**2**	**10**	**20**	**36**	**49**	**80**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	789	9.6	33	3	4	8	11	17	20	30
70-74	409	10.5	42	3	4	9	13	20	23	32
75-79	174	11.7	52	3	4	10	15	21	26	37
80-84	56	12.3	46	4	5	11	15	24	27	30
85+	24	10.8	37	3	3	9	14	18	24	28
2. MULTIPLE DX										
65-69 YRS	1757	13.6	94	4	6	11	16	24	30	55
70-74	1233	14.7	95	5	6	12	18	25	33	56
75-79	681	16.4	113	5	7	14	20	28	36	62
80-84	250	19.3	173	6	8	15	23	35	45	81
85+	82	19.4	150	7	8	16	23	36	55	86
TOT. SINGLE DX	1452	10.2	40	3	4	9	13	18	22	32
" MULTIPLE DX	4003	14.9	107	5	6	12	18	26	34	60
TOTAL 65-69 YRS	2546	12.3	79	4	5	10	15	22	28	48
70-74	1642	13.7	85	4	5	11	17	24	30	50
75-79	855	15.4	104	4	6	13	19	27	34	59
80-84	306	18.0	158	6	7	14	22	32	43	75
85+	106	17.4	138	5	7	14	22	33	49	76
GRAND TOTAL	5455	13.6	93	4	5	11	17	24	31	54

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	308	2.7	3	<1	1	2	3	5	7	10
70-74	177	2.9	3	<1	1	2	4	5	6	10
75-79	72	3.8	14	1	1	3	4	7	10	23
80-84	33	4.0	51	1	1	2	3	5	7	43
85+	7	3.4	7	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
65-69 YRS	1223	3.3	11	1	1	2	4	6	8	16
70-74	834	3.9	21	1	1	3	4	8	11	21
75-79	458	3.8	14	1	1	3	4	7	11	18
80-84	152	5.3	47	1	1	3	6	9	17	32
85+	40	6.1	46	1	1	3	7	15	18	36
TOT. SINGLE DX	597	3.0	8	<1	1	2	4	5	7	12
" MULTIPLE DX	2707	3.7	18	1	1	3	4	7	10	21
TOTAL 65-69 YRS	1531	3.1	10	1	1	2	4	6	8	16
70-74	1011	3.7	19	1	1	3	4	7	10	19
75-79	530	3.8	14	1	1	3	4	7	10	18
80-84	185	5.0	48	1	1	3	5	9	17	39
85+	47	5.7	41	1	1	3	7	14	17	36
GRAND TOTAL	3304	3.6	16	1	1	2	4	7	9	19

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	340	3.2	11	<1	1	2	3	6	8	20
70-74	229	3.7	18	1	1	2	4	8	10	23
75-79	133	4.6	25	<1	1	3	5	10	15	26
80-84	56	6.1	48	1	2	3	7	14	19	36
85+	26	6.3	45	1	2	3	7	17	20	29
2. MULTIPLE DX										
65-69 YRS	812	6.6	80	1	1	3	7	15	24	50
70-74	578	7.4	108	1	1	4	8	18	28	56
75-79	392	8.2	127	1	1	4	9	19	31	52
80-84	199	12.0	246	1	2	6	14	30	54	80
85+	97	10.8	108	1	2	8	15	25	33	47
TOT. SINGLE DX	784	3.9	20	<1	1	2	4	8	12	24
" MULTIPLE DX	2078	7.9	117	1	1	4	9	20	29	57
TOTAL 65-69 YRS	1152	5.6	62	1	1	3	6	12	22	45
70-74	807	6.4	86	1	1	3	6	14	24	45
75-79	525	7.3	104	1	1	4	8	17	27	49
80-84	255	10.7	208	1	2	5	12	28	50	74
85+	123	9.9	98	1	2	6	14	23	30	47
GRAND TOTAL	2862	6.8	93	1	1	3	7	16	25	52

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	9.7	22	4	5	9	13	16	20	22
70-74	19	9.9	10	5	6	10	12	15	16	16
75-79	11	10.6	19	4	5	10	12	18	18	18
80-84	6	9.8	42	3	3	7	17	19	19	19
85+	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
65-69 YRS	197	15.7	154	5	6	12	17	34	43	98
70-74	100	19.8	259	6	7	15	25	40	57	80
75-79	80	21.6	309	5	7	16	26	41	54	95
80-84	25	28.2	392	12	12	21	32	56	80	86
85+	7	28.9	516	8	9	27	55	92	99+	99+
TOT. SINGLE DX	85	10.1	26	4	5	10	13	17	19	29
" MULTIPLE DX	409	18.9	242	6	7	13	23	38	54	96
TOTAL 65-69 YRS	245	14.5	134	5	5	11	16	28	37	96
70-74	119	18.2	233	5	7	13	22	36	53	79
75-79	91	20.3	287	5	7	15	23	39	53	95
80-84	31	24.7	376	6	7	19	27	49	77	86
85+	8	29.4	445	8	10	33	46	90	99+	99+
GRAND TOTAL	494	17.4	215	5	6	13	21	36	49	94

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	192	3.9	9	<1	1	3	5	7	11	17
70-74	127	3.9	25	<1	1	3	4	6	10	29
75-79	69	4.9	18	1	1	3	6	11	16	20
80-84	42	4.3	19	<1	1	3	5	7	15	23
85+	18	4.4	15	1	1	3	5	12	14	14
2. MULTIPLE DX										
65-69 YRS	395	6.7	71	1	2	4	7	13	18	50
70-74	250	6.9	48	2	2	5	8	14	23	35
75-79	174	7.6	61	1	2	5	9	17	22	43
80-84	68	8.1	61	1	2	5	9	19	26	35
85+	21	7.4	60	1	2	5	9	20	26	31
TOT. SINGLE DX	448	4.1	17	<1	1	3	5	8	12	20
" MULTIPLE DX	908	7.0	62	1	2	5	8	15	22	39
TOTAL 65-69 YRS	587	5.8	53	1	2	4	6	11	16	39
70-74	377	5.9	43	1	1	4	7	12	20	35
75-79	243	6.8	51	1	1	5	8	16	21	37
80-84	110	6.6	49	<1	1	4	7	17	23	34
85+	39	6.0	41	1	1	4	8	14	20	31
GRAND TOTAL	**1356**	**6.1**	**49**	**1**	**1**	**4**	**7**	**13**	**19**	**36**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1304	12.6	21	7	8	12	15	17	20	28
70-74	1265	13.1	26	7	8	12	15	18	22	34
75-79	917	13.7	25	8	9	13	16	19	22	31
80-84	485	14.8	40	8	9	14	16	22	27	37
85+	280	15.3	59	7	8	14	18	23	27	42
2. MULTIPLE DX										
65-69 YRS	2906	15.5	70	8	9	14	17	25	32	56
70-74	3168	16.1	87	8	9	14	18	25	33	60
75-79	2830	17.5	100	9	10	15	20	27	36	66
80-84	1701	18.4	104	9	10	16	21	30	38	70
85+	1077	18.8	131	8	9	16	22	31	45	81
TOT. SINGLE DX	4251	13.4	29	7	8	13	15	19	22	32
" MULTIPLE DX	11682	16.9	94	8	9	15	19	27	35	65
TOTAL 65-69 YRS	4210	14.6	57	8	8	13	16	22	28	49
70-74	4433	15.3	72	8	9	13	17	23	30	53
75-79	3747	16.6	84	8	9	15	18	25	33	58
80-84	2186	17.6	93	9	10	15	20	28	35	60
85+	1357	18.1	119	8	9	16	21	29	42	77
GRAND TOTAL	**15933**	**16.0**	**79**	**8**	**9**	**14**	**18**	**25**	**32**	**58**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	388	12.8	23	7	8	12	15	19	22	27
70-74	494	13.2	28	7	8	13	15	18	21	34
75-79	640	15.0	48	7	8	14	17	21	28	42
80-84	636	14.6	45	7	8	13	17	22	27	44
85+	842	15.1	64	7	8	14	17	23	30	50
2. MULTIPLE DX										
65-69 YRS	1228	17.7	118	7	9	15	20	28	39	70
70-74	1955	18.1	125	8	9	15	21	31	41	78
75-79	2854	18.1	117	8	9	15	21	30	43	84
80-84	3293	18.5	125	8	9	15	21	31	42	83
85+	4076	18.3	131	8	9	15	21	32	43	95
TOT. SINGLE DX	3000	14.4	46	7	8	13	16	21	26	43
" MULTIPLE DX	13406	18.2	125	8	9	15	21	31	42	83
TOTAL 65-69 YRS	1616	16.5	100	7	8	14	19	26	35	64
70-74	2449	17.1	109	8	9	15	19	28	37	71
75-79	3494	17.5	106	8	9	15	20	29	39	71
80-84	3929	17.8	114	8	9	15	20	29	40	79
85+	4918	17.8	122	8	9	15	20	31	40	88
GRAND TOTAL	**16406**	**17.5**	**113**	**8**	**9**	**15**	**20**	**29**	**39**	**78**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1213	12.6	28	5	7	12	15	18	20	30
70-74	1155	13.0	26	7	8	12	15	18	21	29
75-79	1001	13.8	23	7	8	13	16	19	22	29
80-84	444	14.5	28	7	9	14	17	20	24	31
85+	137	13.8	20	6	8	14	17	19	21	24
2. MULTIPLE DX										
65-69 YRS	2567	14.4	52	6	8	13	17	22	27	42
70-74	2867	15.1	54	7	8	14	17	23	28	44
75-79	2476	16.2	63	8	9	15	18	24	30	49
80-84	1287	16.9	78	8	9	15	19	26	34	59
85+	403	17.9	100	8	9	16	21	28	37	65
TOT. SINGLE DX	3950	13.3	27	6	8	13	16	19	21	29
" MULTIPLE DX	9600	15.6	62	7	9	14	18	24	30	48
TOTAL 65-69 YRS	3780	13.8	45	6	8	13	16	20	25	39
70-74	4022	14.5	47	7	8	13	17	22	25	41
75-79	3477	15.5	53	8	9	14	18	23	28	46
80-84	1731	16.3	67	8	9	15	18	24	31	51
85+	540	16.9	83	8	9	15	19	26	32	58
GRAND TOTAL	**13550**	**14.9**	**53**	**7**	**8**	**14**	**17**	**22**	**27**	**44**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	370	4.6	18	1	2	4	5	8	11	16
70-74	242	4.7	12	1	2	4	6	9	11	19
75-79	130	5.8	18	1	2	4	7	12	15	20
80-84	44	7.4	35	1	2	6	10	16	18	32
85+	30	5.6	22	<1	1	4	8	13	15	19
2. MULTIPLE DX										
65-69 YRS	863	5.5	24	2	2	4	6	10	14	29
70-74	577	6.5	31	2	2	5	8	13	18	28
75-79	360	8.1	81	2	2	5	10	15	21	53
80-84	144	9.6	95	3	3	7	12	17	25	60
85+	55	11.3	157	2	2	9	14	19	25	82
TOT. SINGLE DX	816	5.0	18	1	2	4	6	10	12	19
" MULTIPLE DX	1999	6.7	48	2	2	5	8	13	18	36
TOTAL 65-69 YRS	1233	5.2	23	1	2	4	6	10	13	25
70-74	819	5.9	27	1	2	4	7	12	16	26
75-79	490	7.5	66	2	2	5	9	14	19	48
80-84	188	9.1	82	2	3	7	11	17	23	48
85+	85	9.3	116	1	2	6	13	19	23	69
GRAND TOTAL	**2815**	**6.2**	**40**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	135	3.7	30	<1	<1	2	3	7	16	30
70-74	83	2.8	8	<1	<1	2	3	5	11	14
75-79	49	3.3	9	<1	<1	2	4	7	11	15
80-84	24	5.1	21	<1	<1	3	8	13	14	15
85+	17	4.6	63	<1	<1	2	3	11	26	33
2. MULTIPLE DX										
65-69 YRS	251	9.8	133	1	2	6	12	23	34	62
70-74	213	9.8	113	<1	1	6	13	23	33	55
75-79	162	12.8	230	1	2	7	18	29	45	76
80-84	86	14.9	267	1	3	9	17	41	53	95
85+	62	14.2	123	2	3	12	20	31	37	94
TOT. SINGLE DX	308	3.6	23	<1	<1	2	4	8	12	28
" MULTIPLE DX	774	11.3	165	1	2	7	15	26	40	71
TOTAL 65-69 YRS	386	7.7	106	<1	<1	4	9	17	28	60
70-74	296	7.8	94	<1	1	4	11	19	26	51
75-79	211	10.6	195	<1	1	5	14	25	38	75
80-84	110	12.7	229	<1	1	8	15	32	51	91
85+	79	12.1	125	<1	1	9	17	30	34	87
GRAND TOTAL	**1082**	**9.1**	**137**	**<1**	**1**	**5**	**11**	**22**	**33**	**62**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	305	3.1	12	<1	<1	2	3	6	9	19
70-74	196	3.7	16	<1	<1	2	4	8	14	21
75-79	104	4.1	27	<1	<1	2	5	8	11	30
80-84	61	4.4	15	1	1	3	6	10	14	16
85+	23	5.1	31	<1	1	2	8	13	18	22
2. MULTIPLE DX										
65-69 YRS	544	8.3	96	1	2	5	10	18	24	52
70-74	379	9.1	102	1	2	6	11	22	33	50
75-79	300	9.4	85	1	2	6	12	22	27	53
80-84	174	10.8	112	2	2	8	14	24	33	62
85+	77	11.1	93	1	2	8	16	25	32	45
TOT. SINGLE DX	689	3.6	17	<1	<1	2	4	8	11	21
" MULTIPLE DX	1474	9.2	98	1	2	6	12	21	28	52
TOTAL 65-69 YRS	849	6.4	72	<1	1	3	8	15	21	44
70-74	575	7.3	80	<1	1	4	9	17	27	46
75-79	404	8.0	76	1	1	5	10	21	26	45
80-84	235	9.1	95	1	2	6	11	21	29	59
85+	100	9.7	86	<1	1	6	14	22	30	42
GRAND TOTAL	**2163**	**7.4**	**79**	**<1**	**1**	**4**	**9**	**18**	**24**	**46**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	357	2.0	1	<1	1	2	2	3	4	6
70-74	195	2.1	1	<1	1	2	3	3	4	6
75-79	123	2.1	2	<1	1	2	2	3	5	10
80-84	40	2.0		<1	1	2	3	3	3	4
85+	12	2.6	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	286	2.9	12	1	1	2	3	4	6	20
70-74	224	3.7	17	1	1	2	4	7	13	23
75-79	127	3.1	8	1	1	2	4	6	8	17
80-84	43	5.8	63	1	1	2	8	14	17	47
85+	21	4.2	9	1	1	3	5	10	11	12
TOT. SINGLE DX	727	2.1	1	<1	1	2	2	3	4	6
" MULTIPLE DX	701	3.4	17	1	1	2	3	6	10	22
TOTAL 65-69 YRS	643	2.4	6	<1	1	2	3	4	5	12
70-74	419	3.0	11	<1	1	2	3	5	8	22
75-79	250	2.6	5	1	1	2	3	5	7	15
80-84	83	4.0	37	<1	1	2	3	10	14	38
85+	33	3.6	7	1	1	3	4	7	11	12
GRAND TOTAL	**1428**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	2.4	5	<1	<1	2	3	4	6	14
70-74	38	2.1	4	<1	<1	2	2	3	4	13
75-79	32	2.2	1	<1	<1	2	3	4	4	6
80-84	18	2.6	2	1	1	2	3	5	6	7
85+	7	2.9	6	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
65-69 YRS	113	3.3	10	1	1	2	4	8	10	17
70-74	78	4.7	46	<1	1	2	4	10	20	39
75-79	46	4.2	23	<1	1	3	4	10	18	22
80-84	27	4.7	50	1	1	2	5	10	16	37
85+	14	4.5	13	1	2	3	5	11	13	14
TOT. SINGLE DX	163	2.3	4	<1	<1	2	3	4	5	13
" MULTIPLE DX	278	4.0	27	<1	1	2	4	9	12	29
TOTAL 65-69 YRS	181	3.0	9	<1	1	2	3	6	10	14
70-74	116	3.8	34	<1	<1	2	3	8	13	35
75-79	78	3.3	15	<1	1	2	4	7	11	22
80-84	45	3.8	32	1	1	2	4	7	11	37
85+	21	4.0	11	<1	1	3	5	9	12	14
GRAND TOTAL	441	3.4	19	<1	1	2	3	7	11	23

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	343	4.0	7	1	2	3	5	7	8	13
70-74	193	3.9	5	1	2	3	5	7	9	12
75-79	97	4.1	6	<1	1	4	5	7	9	14
80-84	58	4.8	8	1	1	4	7	9	10	13
85+	12	5.4	19	<1	<1	5	9	12	13	13
2. MULTIPLE DX										
65-69 YRS	475	6.6	77	1	2	4	7	12	18	50
70-74	335	6.9	89	1	2	5	7	13	19	69
75-79	217	8.4	81	2	2	5	9	18	30	48
80-84	97	9.8	128	1	2	7	12	20	29	96
85+	57	14.1	285	2	2	10	16	46	75	99+
TOT. SINGLE DX	703	4.1	7	1	2	3	5	7	9	13
" MULTIPLE DX	1181	7.6	98	1	2	5	8	14	24	63
TOTAL 65-69 YRS	818	5.5	50	1	2	4	6	10	14	42
70-74	528	5.8	60	1	2	4	6	10	14	60
75-79	314	7.1	62	1	2	5	8	14	23	44
80-84	155	7.9	89	1	2	6	9	15	23	88
85+	69	12.6	249	1	2	7	14	44	58	99+
GRAND TOTAL	1884	6.3	67	1	2	4	7	12	18	50

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	4.1	6	1	1	4	5	7	9	14
70-74	63	4.7	8	1	2	4	6	8	10	16
75-79	42	6.5	17	2	2	5	9	12	14	17
80-84	12	13.0	481	3	4	6	9	34	75	82
85+	11	9.7	105	1	1	7	11	28	32	32
2. MULTIPLE DX										
65-69 YRS	168	10.6	282	1	2	5	9	18	52	92
70-74	146	9.4	137	2	2	6	11	21	44	99+
75-79	76	10.7	171	2	2	7	13	21	29	84
80-84	42	14.4	316	2	3	8	14	45	65	99+
85+	23	13.3	153	2	3	11	17	31	73	99+
TOT. SINGLE DX	226	5.4	42	1	2	4	6	10	12	27
" MULTIPLE DX	455	10.7	214	2	2	6	12	22	45	99+
TOTAL 65-69 YRS	266	8.2	190	1	2	4	8	14	40	88
70-74	209	8.0	103	1	2	5	9	17	27	99+
75-79	118	9.2	120	2	2	6	11	19	21	61
80-84	54	14.1	345	2	4	7	14	45	74	99+
85+	34	12.2	137	2	2	9	16	28	54	99+
GRAND TOTAL	681	9.0	163	1	2	5	9	17	37	97

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	2.4	4	<1	1	1	3	5	6	10
70-74	48	2.3	4	<1	1	2	3	4	5	15
75-79	26	3.3	9	<1	1	3	4	7	12	13
80-84	12	5.5	67	1	1	2	4	20	27	28
85+	10	3.7	10	<1	<1	2	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	89	6.2	68	1	1	3	7	15	29	79
70-74	97	9.1	164	1	1	4	11	23	37	86
75-79	83	9.0	111	1	1	5	12	23	31	55
80-84	50	13.3	300	1	1	7	16	31	39	90
85+	41	12.9	297	1	2	5	15	35	47	83
TOT. SINGLE DX	141	2.9	11	<1	1	2	3	5	9	17
" MULTIPLE DX	360	9.4	166	1	1	4	11	25	34	82
TOTAL 65-69 YRS	134	4.9	50	1	1	3	5	11	21	55
70-74	145	6.8	121	1	1	3	6	19	32	71
75-79	109	7.7	93	1	1	4	9	20	26	52
80-84	62	11.8	263	1	1	5	16	30	35	88
85+	51	11.1	253	1	1	5	11	33	38	83
GRAND TOTAL	501	7.5	131	1	1	3	8	20	31	73

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	5.8	18	2	2	5	8	13	13	13
70-74	2	5.0	32	1	1	5	9	9	9	9
75-79	3	4.3	6	2	2	4	6	7	7	7
80-84	3	6.3	85	<1	<1	<1	13	17	17	17
85+	4	9.0	44	5	5	6	13	19	19	19
2. MULTIPLE DX										
65-69 YRS	18	20.1	348	3	4	15	28	38	63	79
70-74	19	10.8	243	2	2	8	9	19	50	72
75-79	17	20.7	400	5	5	10	32	41	67	80
80-84	9	21.7	328	6	6	14	30	52	57	57
85+	20	17.8	127	4	5	17	19	37	42	44
TOT. SINGLE DX	17	6.3	29	<1	<1	5	7	16	18	19
" MULTIPLE DX	83	17.7	281	3	4	11	23	40	49	80
TOTAL 65-69 YRS	23	17.0	309	2	3	13	22	37	53	79
70-74	21	10.2	224	1	2	8	9	16	46	72
75-79	20	18.3	374	3	4	8	28	40	61	80
80-84	12	17.8	302	<1	<1	12	23	49	56	57
85+	24	16.3	122	4	5	15	19	35	42	44
GRAND TOTAL	**100**	**15.8**	**256**	**2**	**3**	**9**	**19**	**38**	**44**	**79**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	8.5	112	1	1	4	9	21	36	49
70-74	56	6.3	19	1	2	5	8	12	15	24
75-79	35	6.8	72	<1	2	5	8	10	28	41
80-84	42	9.6	130	1	1	6	13	19	33	63
85+	34	8.1	65	1	2	4	11	19	25	36
2. MULTIPLE DX										
65-69 YRS	901	18.4	243	3	4	14	24	40	52	77
70-74	824	17.5	219	3	4	14	23	36	47	85
75-79	608	16.8	215	2	3	13	22	35	52	99+
80-84	404	17.8	220	2	4	14	24	41	54	99+
85+	376	16.0	189	2	4	13	21	34	43	99
TOT. SINGLE DX	214	7.8	78	1	2	5	9	16	25	46
" MULTIPLE DX	3113	17.5	223	3	4	14	23	37	50	94
TOTAL 65-69 YRS	948	17.9	242	2	4	14	24	39	50	76
70-74	880	16.8	214	3	4	13	22	36	46	84
75-79	643	16.3	213	2	3	13	22	35	51	99+
80-84	446	17.0	217	2	3	13	23	41	53	99+
85+	410	15.3	184	2	3	12	21	33	42	98
GRAND TOTAL	**3327**	**16.9**	**219**	**2**	**3**	**13**	**22**	**37**	**49**	**93**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	24.6	511	5	7	16	33	67	73	75
70-74	18	17.9	87	9	10	14	25	35	38	38
75-79	18	16.5	52	5	7	17	22	26	28	28
80-84	19	19.4	200	7	9	13	24	46	51	54
85+	25	13.8	54	4	6	12	20	26	26	26
2. MULTIPLE DX										
65-69 YRS	815	25.9	327	7	9	21	33	54	72	99+
70-74	902	24.9	265	8	10	21	32	51	64	99+
75-79	810	25.4	304	8	9	20	34	55	78	99+
80-84	608	25.6	331	8	9	21	34	56	83	99+
85+	585	21.2	257	6	7	16	27	46	67	99+
TOT. SINGLE DX	95	17.9	166	6	7	14	22	32	46	71
" MULTIPLE DX	3720	24.7	299	7	9	20	32	53	72	99+
TOTAL 65-69 YRS	830	25.9	330	7	9	21	33	54	72	99+
70-74	920	24.7	262	8	10	21	32	51	64	99+
75-79	828	25.2	300	8	9	20	34	55	77	99+
80-84	627	25.4	328	8	9	21	34	55	82	99+
85+	610	20.9	252	6	7	16	26	45	65	99+
GRAND TOTAL	**3815**	**24.6**	**297**	**7**	**9**	**20**	**32**	**53**	**72**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	23	17.1	147	4	5	12	23	37	44	46
70-74	17	9.4	19	4	5	8	14	16	18	19
75-79	29	12.6	111	5	5	8	14	29	38	49
80-84	27	13.9	79	6	7	11	15	25	39	41
85+	49	12.0	36	4	6	11	15	22	24	27
2. MULTIPLE DX										
65-69 YRS	564	22.6	271	7	8	18	29	49	72	99+
70-74	746	22.5	285	6	8	18	28	52	70	99+
75-79	791	21.6	234	7	8	17	28	46	61	99+
80-84	868	20.6	247	6	7	16	26	44	58	99+
85+	1299	18.4	220	5	6	14	23	39	61	99+
TOT. SINGLE DX	145	13.0	78	5	6	10	15	24	35	46
" MULTIPLE DX	4268	20.7	249	6	7	16	27	45	63	99+
TOTAL 65-69 YRS	587	22.4	267	7	8	18	29	46	70	99+
70-74	763	22.2	283	6	8	18	28	51	69	99+
75-79	820	21.3	233	6	8	17	27	46	61	99+
80-84	895	20.4	244	6	7	15	26	43	57	99+
85+	1348	18.2	215	5	6	14	22	39	60	99+
GRAND TOTAL	**4413**	**20.5**	**245**	**6**	**7**	**16**	**26**	**44**	**62**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	13.2	71	3	3	12	18	25	28	28
70-74	6	13.3	35	6	6	13	18	21	21	21
75-79	7	13.1	42	2	4	14	17	21	22	22
80-84	3	5.0	4	3	3	5	6	7	7	7
85+	3	7.3	1	6	6	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	270	26.0	362	5	8	21	38	53	68	99+
70-74	237	28.1	360	7	9	24	42	60	77	99+
75-79	164	27.4	360	6	9	22	36	55	63	90
80-84	105	27.0	324	7	9	24	34	53	68	93
85+	105	21.7	244	5	7	17	27	42	61	70
TOT. SINGLE DX	29	11.8	47	3	4	10	18	22	23	28
" MULTIPLE DX	881	26.5	345	6	8	22	36	54	68	99+
TOTAL 65-69 YRS	280	25.6	358	5	7	20	37	52	67	99+
70-74	243	27.7	358	6	9	23	40	59	75	99+
75-79	171	26.9	355	6	8	22	35	55	63	90
80-84	108	26.4	329	6	8	24	33	52	67	93
85+	108	21.3	243	5	7	17	26	42	61	70
GRAND TOTAL	**910**	**26.0**	**343**	**5**	**8**	**21**	**35**	**53**	**67**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	8.2	47	1	1	7	15	17	17	17
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	6	5.8	11	2	2	5	9	11	11	11
70-74	7	8.7	271	1	1	3	4	38	46	46
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	2	13.5	181	4	4	13	23	23	23	23
85+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	12	5.3	33	<1	<1	2	8	16	17	17
" MULTIPLE DX	18	7.4	119	1	1	4	5	19	37	46
TOTAL 65-69 YRS	12	7.0	28	1	2	5	10	16	17	17
70-74	9	7.0	215	<1	<1	2	3	29	46	46
75-79	3	2.3	5	<1	<1	1	4	5	5	5
80-84	3	10.0	127	3	3	4	18	23	23	23
85+	3	4.0	9	1	1	4	6	7	7	7
GRAND TOTAL	**30**	**6.5**	**84**	**<1**	**1**	**4**	**7**	**16**	**23**	**46**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	7.7	42	1	2	6	10	18	24	26
70-74	31	10.0	144	<1	1	4	13	29	34	48
75-79	16	11.6	133	2	3	8	15	33	40	42
80-84	8	7.0	13	2	2	7	10	12	12	12
85+	18	8.2	48	1	2	6	10	15	24	30
2. MULTIPLE DX										
65-69 YRS	146	16.8	250	3	3	12	23	37	47	99+
70-74	168	14.9	173	3	3	11	20	32	45	97
75-79	116	11.9	92	3	4	9	14	23	31	51
80-84	67	12.1	60	3	3	11	17	22	26	38
85+	70	12.0	90	2	2	9	19	25	31	89
TOT. SINGLE DX	108	9.0	84	1	2	6	10	22	29	45
" MULTIPLE DX	567	14.1	156	3	3	10	19	30	41	97
TOTAL 65-69 YRS	181	15.1	223	2	3	10	20	37	46	99+
70-74	199	14.2	171	2	3	10	19	31	44	93
75-79	132	11.9	96	3	4	9	14	23	35	49
80-84	75	11.5	58	2	3	10	16	21	26	37
85+	88	11.3	83	2	2	8	17	24	30	79
GRAND TOTAL	**675**	**13.3**	**148**	**2**	**3**	**9**	**18**	**29**	**39**	**88**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	13.0	7	10	10	14	15	15	15	15
70-74	5	5.4	8	3	3	4	7	10	10	10
75-79	2	6.0	18	3	3	6	9	9	9	9
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	11	11.2	71	2	2	10	20	23	24	24
70-74	13	9.4	25	3	3	9	11	14	21	23
75-79	11	12.8	26	3	6	12	17	20	20	20
80-84	6	12.0	61	<1	1	11	14	24	25	25
85+	4	20.3	87	11	11	19	28	31	31	31
TOT. SINGLE DX	11	7.7	18	3	3	7	10	14	15	15
" MULTIPLE DX	45	12.0	51	2	3	11	15	23	25	31
TOTAL 65-69 YRS	14	11.6	56	2	2	11	15	23	24	24
70-74	18	8.3	23	3	3	7	11	12	19	23
75-79	13	11.8	30	3	3	12	16	20	20	20
80-84	7	11.3	55	<1	1	10	14	23	25	25
85+	4	20.3	88	11	11	19	28	31	31	31
GRAND TOTAL	**56**	**11.1**	**47**	**2**	**3**	**10**	**14**	**23**	**25**	**31**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1087	2.5	4	<1	<1	2	3	4	7	10
70-74	852	2.6	5	<1	<1	2	3	5	7	12
75-79	528	2.8	6	<1	1	2	3	5	8	12
80-84	256	3.4	9	<1	1	2	4	6	9	14
85+	150	3.2	7	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
65-69 YRS	1940	4.9	41	1	1	3	6	10	15	29
70-74	1658	5.7	46	1	1	3	7	13	17	37
75-79	1223	6.3	48	1	2	4	8	14	19	37
80-84	762	7.6	71	1	2	5	9	17	25	43
85+	569	8.6	78	2	2	6	11	19	25	54
TOT. SINGLE DX	2873	2.7	6	<1	<1	2	3	5	7	12
" MULTIPLE DX	6152	6.1	52	1	1	3	8	14	19	37
TOTAL 65-69 YRS	3027	4.1	29	<1	1	2	4	9	13	26
70-74	2510	4.7	34	<1	1	3	5	11	15	31
75-79	1751	5.3	38	1	1	3	6	12	17	29
80-84	1018	6.5	59	1	1	4	8	15	22	40
85+	719	7.4	68	1	2	4	10	16	23	46
GRAND TOTAL	**9025**	**5.0**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**32**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	73	4.8	7	<1	2	4	6	8	9	14
70-74	92	4.9	12	1	2	4	6	8	9	22
75-79	92	5.4	12	1	2	5	8	9	11	19
80-84	73	5.8	11	2	3	5	7	9	11	21
85+	113	6.2	8	2	3	6	8	9	11	15
2. MULTIPLE DX										
65-69 YRS	264	8.4	50	2	2	6	10	17	25	36
70-74	258	8.5	48	2	3	7	10	17	23	35
75-79	273	9.1	56	3	3	7	10	16	25	45
80-84	322	10.4	82	3	4	8	12	21	28	74
85+	341	9.9	54	3	4	8	12	19	23	41
TOT. SINGLE DX	443	5.5	10	1	2	5	7	9	10	15
" MULTIPLE DX	1458	9.3	60	2	3	7	11	18	24	41
TOTAL 65-69 YRS	337	7.6	43	2	2	6	9	14	23	35
70-74	350	7.5	41	2	2	6	9	15	22	35
75-79	365	8.1	48	2	3	6	9	15	20	40
80-84	395	9.6	73	2	3	7	11	19	25	64
85+	454	9.0	46	3	3	7	11	16	22	40
GRAND TOTAL	**1901**	**8.4**	**51**	**2**	**3**	**7**	**10**	**16**	**22**	**39**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1074	6.8	7	3	4	6	8	10	12	16
70-74	853	7.1	9	4	4	7	8	10	12	17
75-79	642	7.4	8	4	4	7	9	11	12	17
80-84	306	7.3	9	3	4	7	9	10	12	18
85+	122	7.5	9	4	4	7	9	12	13	18
2. MULTIPLE DX										
65-69 YRS	2633	8.7	30	4	4	8	10	14	17	29
70-74	2381	8.8	24	4	5	8	10	14	17	28
75-79	1786	9.2	31	4	5	8	11	15	19	33
80-84	1018	9.7	31	4	5	9	11	15	19	31
85+	523	9.8	35	4	5	9	12	17	21	44
TOT. SINGLE DX	2997	7.1	8	3	4	7	8	10	12	17
" MULTIPLE DX	8341	9.0	30	4	5	8	10	15	18	31
TOTAL 65-69 YRS	3707	8.2	25	4	4	7	9	13	16	26
70-74	3234	8.3	21	4	4	7	10	13	16	27
75-79	2428	8.7	26	4	5	8	10	14	17	29
80-84	1324	9.1	27	4	5	8	11	15	18	30
85+	645	9.4	31	4	5	8	11	16	19	35
GRAND TOTAL	**11338**	**8.5**	**25**	**4**	**4**	**8**	**10**	**13**	**17**	**28**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	3.0	1	1	1	3	4	5	6	7
70-74	61	3.2	5	<1	1	3	4	6	9	12
75-79	36	3.4	7	<1	1	3	4	6	10	13
80-84	6	4.7	21	2	2	3	4	13	14	14
85+	6	5.5	15	1	1	5	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	300	4.2	9	1	2	3	5	7	11	17
70-74	161	5.0	26	1	2	3	5	10	15	33
75-79	76	6.3	67	1	2	4	7	12	16	50
80-84	34	6.0	20	2	2	5	6	13	18	18
85+	16	8.9	70	2	2	6	10	25	27	27
TOT. SINGLE DX	223	3.3	5	1	1	3	4	5	7	12
" MULTIPLE DX	587	4.9	25	1	2	4	5	9	13	27
TOTAL 65-69 YRS	414	3.9	8	1	2	3	4	6	8	16
70-74	222	4.5	22	1	2	3	5	9	12	31
75-79	112	5.4	50	1	1	4	6	11	13	50
80-84	40	5.8	20	2	2	4	6	13	17	18
85+	22	8.0	56	1	2	6	9	22	26	27
GRAND TOTAL	**810**	**4.5**	**20**	**1**	**2**	**3**	**5**	**8**	**12**	**24**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	2.9	2	<1	1	3	4	5	6	7
70-74	6	4.3	4	1	1	4	5	7	7	7
75-79	7	2.9	1	2	2	2	4	5	5	5
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	6	3.8	11	1	1	3	5	9	10	10
2. MULTIPLE DX										
65-69 YRS	37	8.6	198	2	3	5	9	14	19	88
70-74	22	7.4	59	2	3	5	8	11	23	40
75-79	17	13.6	203	1	2	10	19	40	48	50
80-84	10	6.5	47	1	1	4	10	17	24	24
85+	3	23.0	283	4	4	29	34	36	36	36
TOT. SINGLE DX	39	3.3	4	1	1	3	4	5	7	10
" MULTIPLE DX	89	9.5	156	2	2	5	10	21	36	73
TOTAL 65-69 YRS	55	6.8	140	1	2	4	7	12	16	85
70-74	28	6.8	49	2	3	5	8	10	15	40
75-79	24	10.5	167	1	2	5	11	28	45	50
80-84	12	5.9	41	1	1	4	7	14	23	24
85+	9	10.2	170	1	1	4	15	33	36	36
GRAND TOTAL	**128**	**7.6**	**117**	**1**	**2**	**4**	**8**	**14**	**26**	**58**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	569	3.1	12	<1	<1	2	3	6	9	16
70-74	504	3.4	15	<1	<1	2	3	7	12	19
75-79	306	3.7	19	<1	<1	2	4	8	11	24
80-84	205	3.8	25	<1	<1	2	4	10	12	24
85+	180	4.5	28	<1	1	3	5	10	14	31
2. MULTIPLE DX										
65-69 YRS	1987	9.4	112	1	2	6	11	20	30	58
70-74	1901	9.6	101	1	2	7	12	20	29	58
75-79	1590	10.6	127	1	2	8	13	23	34	88
80-84	1285	10.9	131	2	2	8	13	24	34	68
85+	1213	11.2	133	2	2	8	14	24	35	95
TOT. SINGLE DX	1764	3.5	18	<1	<1	2	4	8	12	22
" MULTIPLE DX	7976	10.2	120	1	2	7	13	22	32	70
TOTAL 65-69 YRS	2556	8.0	97	<1	1	5	10	18	26	53
70-74	2405	8.3	90	<1	1	5	10	18	26	53
75-79	1896	9.5	117	1	2	7	12	21	30	78
80-84	1490	9.9	123	1	2	7	12	22	32	64
85+	1393	10.4	125	1	2	7	13	22	33	89
GRAND TOTAL	**9740**	**9.0**	**108**	**1**	**1**	**6**	**11**	**20**	**29**	**63**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	588	5.9	42	<1	1	4	7	13	17	32
70-74	524	6.7	52	1	1	4	9	14	21	35
75-79	365	7.3	77	1	1	4	8	17	26	45
80-84	260	8.2	104	<1	1	5	9	18	35	61
85+	256	7.6	88	1	1	4	9	17	26	53
2. MULTIPLE DX										
65-69 YRS	3976	13.2	183	1	2	9	17	30	44	86
70-74	4110	13.8	197	2	2	10	17	31	45	95
75-79	3733	14.6	211	2	2	10	19	34	48	99+
80-84	3084	15.0	224	2	3	10	19	35	51	99+
85+	3438	14.6	223	2	3	10	19	35	54	99+
TOT. SINGLE DX	1993	6.9	66	1	1	4	9	15	23	44
" MULTIPLE DX	18341	14.2	207	2	2	10	18	33	48	99+
TOTAL 65-69 YRS	4564	12.3	172	1	2	8	16	28	41	80
70-74	4634	13.0	186	1	2	9	16	30	43	90
75-79	4098	14.0	204	1	2	10	18	32	46	99
80-84	3344	14.4	219	2	2	10	18	35	50	99+
85+	3694	14.1	218	2	2	10	18	34	52	99+
GRAND TOTAL	**20334**	**13.5**	**198**	**1**	**2**	**9**	**17**	**31**	**46**	**99**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	121	12.5	166	<1	1	9	17	27	38	61
70-74	119	10.2	117	1	1	7	16	23	27	55
75-79	93	10.5	53	2	2	9	15	22	23	31
80-84	73	14.0	145	1	2	12	18	31	41	90
85+	61	14.8	130	1	2	13	21	31	35	49
2. MULTIPLE DX										
65-69 YRS	635	20.1	253	3	4	16	28	45	57	99+
70-74	703	20.5	257	3	4	17	28	44	58	99+
75-79	642	20.7	223	2	5	18	28	42	51	84
80-84	476	22.6	284	4	6	19	31	47	66	99+
85+	395	22.5	269	4	6	19	29	50	59	99+
TOT. SINGLE DX	467	12.0	125	1	2	9	17	25	33	57
" MULTIPLE DX	2851	21.1	256	3	5	18	28	45	57	99+
TOTAL 65-69 YRS	756	18.9	248	2	3	15	26	43	57	99+
70-74	822	19.0	250	2	3	16	26	42	53	94
75-79	735	19.4	213	2	4	16	26	40	49	80
80-84	549	21.4	274	3	5	17	29	45	59	99+
85+	456	21.5	257	3	5	18	29	46	56	99
GRAND TOTAL	**3318**	**19.8**	**247**	**2**	**4**	**16**	**27**	**43**	**54**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	5.2	30	<1	1	4	7	12	20	22
70-74	24	10.4	129	1	1	6	15	26	38	42
75-79	15	7.3	39	<1	2	4	12	18	19	20
80-84	6	7.5	78	<1	<1	4	10	23	24	24
85+	10	5.9	34	1	1	4	10	15	18	18
2. MULTIPLE DX										
65-69 YRS	130	15.7	270	1	2	11	23	39	54	99+
70-74	132	19.5	419	1	2	12	28	60	79	99+
75-79	96	18.2	350	2	2	12	28	47	69	99+
80-84	76	26.9	584	3	5	20	34	78	90	99+
85+	53	21.1	379	2	3	16	27	53	80	99+
TOT. SINGLE DX	77	7.5	69	<1	1	5	9	19	24	41
" MULTIPLE DX	487	19.6	397	1	2	14	28	55	77	99+
TOTAL 65-69 YRS	152	14.2	249	1	1	8	20	38	52	99+
70-74	156	18.1	384	1	2	11	27	57	77	99+
75-79	111	16.7	322	2	2	10	26	43	65	99+
80-84	82	25.4	571	2	4	19	32	76	90	99+
85+	63	18.7	354	1	2	13	24	44	69	99
GRAND TOTAL	**564**	**17.9**	**369**	**1**	**2**	**12**	**26**	**52**	**74**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	157	2.4	5	<1	1	2	3	5	6	11
70-74	93	3.5	65	<1	<1	2	3	6	8	53
75-79	47	3.3	15	<1	1	2	3	6	13	22
80-84	18	2.2	1	<1	1	2	3	3	4	5
85+	13	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	461	8.8	131	1	1	5	10	21	32	89
70-74	417	10.3	110	1	2	8	13	23	34	79
75-79	392	11.6	119	2	2	8	15	28	39	99+
80-84	299	13.3	224	2	3	9	16	35	55	99+
85+	264	15.4	244	3	4	11	18	41	77	99+
TOT. SINGLE DX	328	2.9	24	<1	1	2	3	5	7	22
" MULTIPLE DX	1833	11.4	160	1	2	8	14	27	44	99+
TOTAL 65-69 YRS	618	7.2	107	1	1	3	9	18	25	75
70-74	510	9.0	109	1	1	6	12	21	32	72
75-79	439	10.7	115	1	2	7	14	26	39	99+
80-84	317	12.7	218	2	2	8	15	34	54	99+
85+	277	14.8	241	2	3	10	18	40	75	99+
GRAND TOTAL	**2161**	**10.1**	**149**	**1**	**1**	**7**	**13**	**24**	**39**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	4.6	16	1	1	3	6	12	14	14
70-74	12	3.8	14	1	1	2	5	9	13	14
75-79	15	3.3	3	1	1	3	4	4	8	9
80-84	7	4.9	7	2	2	4	7	9	9	9
85+	2	11.5	13	9	9	11	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	161	10.5	88	1	3	9	13	20	26	47
70-74	179	10.9	80	2	3	9	15	20	26	67
75-79	161	10.5	65	3	3	8	13	22	26	43
80-84	89	12.1	136	3	3	9	14	21	29	74
85+	60	10.5	38	3	4	8	14	19	23	29
TOT. SINGLE DX	55	4.4	13	1	1	3	5	9	14	14
" MULTIPLE DX	650	10.8	82	2	3	9	13	20	26	48
TOTAL 65-69 YRS	180	9.9	84	1	2	8	13	20	25	45
70-74	191	10.5	79	1	3	8	14	20	25	64
75-79	176	9.8	64	2	3	8	12	20	25	43
80-84	96	11.6	130	3	3	9	13	20	28	72
85+	62	10.5	37	3	4	9	14	19	23	29
GRAND TOTAL	**705**	**10.3**	**80**	**2**	**3**	**8**	**13**	**20**	**25**	**46**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	977	3.6	18	1	1	2	4	8	12	22
70-74	610	3.8	16	1	1	2	5	9	13	20
75-79	274	3.8	16	1	1	2	4	9	11	21
80-84	99	3.6	13	1	1	2	5	8	11	20
85+	29	5.5	23	1	1	3	10	14	14	14
2. MULTIPLE DX										
65-69 YRS	2600	7.4	54	1	1	5	10	17	22	35
70-74	2017	8.3	62	1	2	6	11	18	23	39
75-79	1230	9.3	88	1	1	6	12	21	27	48
80-84	504	10.5	95	2	2	8	14	23	30	58
85+	181	10.5	69	2	2	8	15	21	28	45
TOT. SINGLE DX	1989	3.7	17	1	1	2	4	9	12	21
" MULTIPLE DX	6532	8.3	68	1	1	6	11	19	24	41
TOTAL 65-69 YRS	3577	6.3	48	1	1	4	8	15	20	34
70-74	2627	7.2	55	1	1	5	10	16	21	37
75-79	1504	8.3	80	1	1	5	11	19	26	45
80-84	603	9.4	89	1	2	7	13	21	28	54
85+	210	9.8	66	1	2	8	14	20	27	44
GRAND TQTAL	**8521**	**7.3**	**60**	**1**	**1**	**4**	**10**	**17**	**22**	**38**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	815	3.4	11	1	1	2	4	7	9	18
70-74	749	3.8	23	1	1	2	4	8	10	30
75-79	450	3.7	18	1	1	2	4	8	11	20
80-84	199	3.6	29	1	1	2	4	7	10	25
85+	65	4.1	9	1	1	3	6	9	11	14
2. MULTIPLE DX										
65-69 YRS	4474	7.0	56	1	2	5	9	14	19	38
70-74	4540	7.2	52	1	2	5	9	14	19	39
75-79	3417	7.7	63	1	2	6	10	15	21	41
80-84	1691	7.9	60	1	2	6	10	15	20	41
85+	694	8.4	60	2	2	6	10	16	22	40
TOT. SINGLE DX	2278	3.6	18	1	1	2	4	7	10	21
" MULTIPLE DX	14816	7.4	57	1	2	5	9	15	20	40
TOTAL 65-69 YRS	5289	6.5	51	1	2	4	8	13	18	35
70-74	5289	6.8	50	1	2	5	9	14	19	38
75-79	3867	7.2	60	1	2	5	9	15	20	41
80-84	1890	7.4	59	1	2	6	9	15	19	39
85+	759	8.0	58	1	2	6	10	16	21	39
GRAND TOTAL	**17094**	**6.9**	**54**	**1**	**2**	**5**	**9**	**14**	**19**	**38**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	3.5	8	1	1	2	5	8	10	13
70-74	40	2.6	7	1	1	2	2	5	9	15
75-79	13	2.4	3	<1	<1	2	3	6	6	6
80-84	4	1.8	2	<1	<1	1	3	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	639	5.5	30	1	1	3	8	12	15	26
70-74	413	5.7	25	<1	1	4	8	12	15	26
75-79	162	7.2	40	1	1	5	11	16	21	37
80-84	27	5.6	14	1	1	5	8	11	13	14
85+	5	15.8	150	1	1	15	21	35	35	35
TOT. SINGLE DX	146	3.1	8	1	1	2	4	7	9	14
" MULTIPLE DX	1246	5.8	31	1	1	4	8	12	16	26
TOTAL 65-69 YRS	728	5.3	28	1	1	3	7	12	14	25
70-74	453	5.4	25	<1	1	4	7	11	14	26
75-79	175	6.8	39	1	1	5	10	15	20	36
80-84	31	5.1	14	1	1	4	8	10	13	14
85+	5	15.8	151	1	1	15	21	35	35	35
GRAND TOTAL	**1392**	**5.6**	**29**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1078	4.4	18	1	1	2	6	11	13	18
70-74	861	4.3	14	1	1	2	6	10	12	17
75-79	585	4.6	21	1	1	2	7	10	14	20
80-84	313	5.1	21	1	1	3	7	11	14	23
85+	175	6.0	27	1	1	5	9	13	15	22
2. MULTIPLE DX										
65-69 YRS	6424	7.8	59	1	2	6	10	16	21	41
70-74	6230	7.9	56	1	2	6	11	16	21	37
75-79	4689	8.6	64	1	2	7	11	17	23	43
80-84	2868	9.8	72	2	2	8	13	19	25	47
85+	1739	10.2	79	2	2	8	13	21	27	54
TOT. SINGLE DX	3012	4.6	19	1	1	3	7	11	13	20
" MULTIPLE DX	21950	8.5	64	1	2	7	11	17	22	42
TOTAL 65-69 YRS	7502	7.3	55	1	2	5	10	15	20	39
70-74	7091	7.5	53	1	2	6	10	15	20	37
75-79	5274	8.2	61	1	2	6	11	17	22	40
80-84	3181	9.3	70	1	2	8	12	18	24	43
85+	1914	9.8	76	2	2	8	13	20	26	50
GRAND TOTAL	**24962**	**8.0**	**60**	**1**	**2**	**6**	**11**	**16**	**22**	**40**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6666	5.8	29	1	2	4	7	11	15	27
70-74	5754	6.1	32	1	2	5	8	12	15	29
75-79	4630	6.5	35	1	2	5	8	12	16	30
80-84	3325	6.8	35	2	2	5	9	13	17	30
85+	2557	7.0	43	2	2	5	8	13	18	34
2. MULTIPLE DX										
65-69 YRS	73905	8.2	50	2	3	6	10	15	20	37
70-74	81960	8.6	55	2	3	7	10	16	22	40
75-79	77944	9.1	60	2	3	7	11	17	23	43
80-84	62895	9.5	68	2	3	7	12	18	24	47
85+	55127	9.9	74	2	3	8	12	19	25	51
TOT. SINGLE DX	22932	6.3	34	1	2	5	8	12	16	29
" MULTIPLE DX	351831	9.0	61	2	3	7	11	17	23	43
TOTAL 65-69 YRS	80571	8.0	49	2	2	6	10	15	20	37
70-74	87714	8.5	55	2	3	7	10	16	21	40
75-79	82574	8.9	59	2	3	7	11	17	22	43
80-84	66220	9.4	68	2	3	7	11	18	24	47
85+	57684	9.8	73	2	3	8	12	18	24	51
GRAND TOTAL	**374763**	**8.8**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1622	7.3	50	1	2	6	9	14	19	38
70-74	1495	7.5	57	1	2	6	9	14	20	45
75-79	1070	7.9	69	2	2	6	10	15	21	43
80-84	743	8.3	61	2	2	6	10	15	20	50
85+	750	7.6	44	2	2	6	10	14	19	32
2. MULTIPLE DX										
65-69 YRS	14542	9.2	69	2	3	7	11	17	24	46
70-74	16004	9.7	73	2	3	7	12	18	25	47
75-79	14979	10.0	75	2	3	8	12	19	26	49
80-84	12165	10.5	83	2	3	8	13	20	27	53
85+	12207	10.7	83	3	3	8	13	20	28	58
TOT. SINGLE DX	5680	7.7	56	1	2	6	9	14	20	42
" MULTIPLE DX	69897	10.0	77	2	3	8	12	19	26	50
TOTAL 65-69 YRS	16164	9.0	68	2	3	7	11	17	24	45
70-74	17499	9.5	73	2	3	7	11	18	25	46
75-79	16049	9.9	76	2	3	8	12	19	26	49
80-84	12908	10.4	82	2	3	8	13	20	27	53
85+	12957	10.5	82	2	3	8	13	20	27	56
GRAND TOTAL	**75577**	**9.8**	**76**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2723	6.0	32	1	2	4	8	12	15	29
70-74	2384	6.1	33	1	2	5	8	12	15	30
75-79	1907	6.1	29	1	2	5	8	12	15	26
80-84	1241	6.7	43	1	2	5	8	13	17	31
85+	1116	6.6	48	1	2	5	8	13	18	42
2. MULTIPLE DX										
65-69 YRS	35463	7.7	44	2	2	6	10	15	19	34
70-74	39591	8.2	49	2	3	6	10	15	20	37
75-79	36531	8.6	55	2	3	7	11	16	21	40
80-84	29086	8.9	60	2	3	7	11	17	22	43
85+	26574	9.3	66	2	3	7	11	17	23	47
TOT. SINGLE DX	9371	6.2	35	1	2	5	8	12	15	30
" MULTIPLE DX	167245	8.5	54	2	3	7	10	16	21	40
TOTAL 65-69 YRS	38186	7.6	44	2	2	6	10	14	19	34
70-74	41975	8.1	49	2	2	6	10	15	20	37
75-79	38438	8.5	54	2	3	7	10	16	21	40
80-84	30327	8.8	60	2	3	7	11	17	22	42
85+	27690	9.2	66	2	3	7	11	17	23	47
GRAND TOTAL	**176616**	**8.4**	**54**	**2**	**3**	**7**	**10**	**16**	**21**	**39**

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD 9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Titie
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's rhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number **Title**

- 603 Appendectomy, except incidental
  - 604 Incidental
- Arteriography
  - 757 Aorta
  - 755 Cerebral
  - 756 Coronary
  - 757 Femoral
  - 755 Head
  - 756 Heart
  - 757 Renal
- 741 Arthrocentesis
- 721 Arthrodesis, except spinal
  - 720 Spinal
- 725 Arthroplasty, except hip, knee, and temporomandibular
  - 723 Hip, except total replacement
    - 722 Total replacement
  - 724 Knee
  - 699 Temporomandibular
- 719 Arthroscopy
- 716 Arthrotomy
- Artificial
  - 686 Insemination
  - 690 Rupture of membranes for delivery
- Aspiration
  - 752 Breast, except for biopsy
    - 742 Biopsy
  - 741 Bursa
  - 682 Cul-de-sac
  - 677 Curettage, uterus, except for termination of pregnancy
    - 674 Termination of pregnancy
  - 651 Hydrocele, except of spermatic cord
    - 656 Spermatic cord
  - 632 Kidney
  - 614 Liver, percutaneous, except for biopsy
    - 615 Biopsy
  - 537 Middle ear
  - 546 Nasal sinus
  - 663 Ovary
  - 752 Skin
  - 656 Spermatocele
  - 529 Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number **Title**

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

OPERATION INDEX (continued)

Group Number **Title**

- Division (continued)
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage – *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
  - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (electroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin
- 753 Encephalography
- Endoscopy
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia — *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration — *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin